Station: KENTON, MI

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 204328

Climate Division: MI 1 NWS Call Sign: Elevation: 1,167 Feet Lat: 46°29N Lon: 88°53W

									r	Гетр	eratur	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	23.4	1.0	12.2	53	1973	27	22.5	1990	-46	1951	30	5	1977	1637	0	.0	.0	.2	25.6	30.9	14.9
Feb	29.2	4.2	16.7	63	1976	25	31.0	1998	-44+	1951	9	6.4	1989	1352	0	.0	.0	1.1	18.6	27.9	12.3
Mar	39.2	13.8	26.5	70	2000	8	35.6	1973	-40	1962	1	19.5	1996	1193	0	.0	.0	4.7	9.7	29.4	6.0
Apr	53.7	25.8	39.8	92	1980	23	47.3	1987	-12	1982	7	33.3	1996	758	0	.0	@	17.3	1.2	23.2	.9
May	68.3	37.6	53.0	93	1969	29	61.2	1977	4	1950	8	46.5	1997	394	20	.0	.2	29.1	@	11.2	.0
Jun	75.9	47.1	61.5	97	1963	30	66.6	1976	17	1948	6	56.0	1982	162	57	.0	.8	30.0	.0	2.6	.0
Jul	79.4	51.5	65.5	99	1955	26	70.8	1983	28	1988	1	58.7	1992	80	92	.0	1.8	31.0	.0	.1	.0
Aug	76.5	50.7	63.6	100	1948	24	68.1+	1984	25	1992	14	57.1	1977	119	75	.0	1.2	31.0	.0	.5	.0
Sep	67.0	43.1	55.1	98	1976	8	59.1	1978	18	1957	26	49.8	1993	304	5	.0	.1	29.1	.0	5.2	.0
Oct	55.0	33.6	44.3	87	1976	2	52.8	1971	4	1976	23	36.9	1980	641	0	.0	.0	21.4	.4	16.1	.0
Nov	39.5	22.7	31.1	80	1978	3	39.5	1999	-15+	1951	3	22.7	1995	1017	0	.0	.0	5.6	8.5	26.4	1.0
Dec	26.7	9.0	17.9	61	1982	3	26.4	1997	-37	1996	26	7.3	1989	1462	0	.0	.0	.4	22.5	30.7	8.9
Ann	52.8	28.3	40.6	100	Aug 1948	24	70.8	Jul 1983	-46	Jan 1951	30	5	Jan 1977	9119	249	.0	4.1	200.9	86.5	204.2	44.0

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 060-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 204328

Station: KENTON, MI

Climate Division: MI 1 NWS Call Sign: Elevation: 1,167 Feet Lat: 46°29N Lon: 88°53W

										Pı	recipit	tation	(incl	nes)											
	Ma	ans/	P	recip	itatio	on Total	s			М	ean N	Numbo Pays (3		Proba	ability tl		nonthly/	annual j	precipita ated an	nount	ll be equ		· less tha	ın the	
		ans(1)				Extremes	8			D	aily Pre	cipitatio	n	Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution											
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95	
Jan	1.44	1.35	1.00+	2000	11	3.18	2000	.34	1984	10.4	5.0	.4	.1	.46	.60	.80	.97	1.14	1.31	1.50	1.72	2.00	2.45	2.85	
Feb	.86	.76	1.06	1951	26	2.49	1971	.00	1996	6.3	2.6	.2	.0	.10	.20	.35	.47	.60	.73	.88	1.06	1.31	1.69	2.06	
Mar	1.50	1.20	3.38	2000	28	5.85	2000	.00	1999	7.0	3.8	.8	.2	.13	.30	.55	.77	.99	1.24	1.52	1.86	2.31	3.05	3.76	
Apr	1.68	1.67	2.46	1960	24	4.21	1977	.12	1999	7.3	3.8	.9	.2	.33	.48	.73	.96	1.18	1.43	1.71	2.04	2.48	3.19	3.87	
May	2.83	2.49	1.69	1999	7	5.56	1999	.12	1986	9.4	5.9	1.8	.6	.74	1.01	1.42	1.78	2.13	2.51	2.92	3.42	4.06	5.07	6.02	
Jun	3.24	2.83	4.09	1959	27	6.73	1979	.81	1992	9.6	6.4	1.9	.4	1.21	1.51	1.95	2.31	2.65	3.01	3.39	3.84	4.40	5.27	6.07	
Jul	3.55	2.94	5.45	1980	14	9.35	1992	.33	1989	9.2	6.3	2.0	.6	.75	1.08	1.60	2.07	2.55	3.06	3.63	4.32	5.22	6.67	8.04	
Aug	3.59	3.18	3.05	1964	2	9.97	1988	.00	2000	8.5	5.9	2.0	.7	.79	1.30	1.90	2.38	2.83	3.29	3.79	4.38	5.14	6.31	7.40	
Sep	3.54	3.45	2.60	1955	17	6.97	1985	.63	1989	10.1	6.6	1.6	.7	1.15	1.48	1.98	2.40	2.81	3.23	3.69	4.22	4.92	5.99	6.99	
Oct	2.94	2.88	2.85	1954	14	5.67	1995	.61	1998	10.7	6.0	1.4	.3	1.05	1.33	1.73	2.07	2.39	2.72	3.07	3.49	4.02	4.84	5.60	
Nov	1.89	1.77	2.51	1950	16	4.13	1975	.36	1981	8.5	4.6	.9	.2	.59	.77	1.04	1.27	1.49	1.72	1.97	2.27	2.65	3.24	3.79	
Dec	1.37	1.34	1.00+	1965	13	3.83	1996	.40	1979	8.3	3.0	.4	@	.48	.61	.80	.96	1.11	1.26	1.44	1.63	1.89	2.28	2.64	
Ann	28.43	29.66	5.45	Jul 1980	14	9.97	Aug 1988	.00+	Aug 2000	105.3	59.9	14.3	4.0	20.24	21.83	23.86	25.41	26.78	28.10	29.47	30.99	32.82	35.49	37.79	

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 204328

Station: KENTON, MI

Climate Division: MI 1 NWS Call Sign:

Elevation: 1,167 Feet Lat: 46°29N Lon: 88°53W

		n Bu Bu Daily Monthly Daily																						
						Sno	ow To	tals									Mea	n Nu	mber	of Da	ys (1)			
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa					now Depth Thresholds		
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	8	Year	Day		Year		Year	Day	_	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10	
Jan	6.8	-99.9	16	16	15.0	1972	25	34.0	1979	43	1971	31	36	1971	8.4	6.9	2.9	1.4	.1	-9.9	-9.9	-9.9	-9.9	
Feb	14.1	12.4	17	17	14.7	1971	5	39.2	1971	53	1971	21	48	1971	4.7	4.2	1.7	.4	.1	-9.9	-9.9	-9.9	-9.9	
Mar	8.2	7.2	14	11	11.0	1976	12	18.2	1971	46	1971	3	37	1971	3.6	3.1	1.2	.7	.1	-9.9	-9.9	-9.9	-9.9	
Apr	6.3	4.0	3	#	11.0	1985	1	17.5	1972	28	1979	2	26	1979	1.5	1.1	.5	.2	@	4.0	2.8	2.6	1.9	
May	.5	.0	#	0	5.0	1973	3	5.0	1973	8	1984	1	#+	2000	.1	.1	.1	@	.0	.0	.0	.0	.0	
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Sep	#	.0	0	0	#	1975	13	#+	1975	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Oct	.9	.0	#	0	9.0	1976	21	9.0	1976	7	1982	21	1	1982	.5	.5	.3	.1	.0	.4	.3	.3	.0	
Nov	4.5	-99.9	2	1	8.0	1975	21	18.0	1979	16	1978	28	6	1976	3.6	3.2	1.1	.5	.0	-9.9	-9.9	-9.9	-9.9	
Dec	6.5	-99.9	7	6	9.0	1983	15	26.1	1971	30	1978	31	21	1983	6.4	5.5	2.6	1.2	.0	-9.9	-9.9	-9.9	-9.9	
Ann	47.8	-9.9	N/A	N/A	15.0	Jan 1972	25	39.2	Feb 1971	53	Feb 1971	21	48	Feb 1971	28.8	24.6	10.4	4.5	.3	-9.9	-9.9	-9.9	-9.9	

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

- (1) Derived from Snow Climatology and 1971-2000 daily data
- (2) Derived from 1971-2000 daily data

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 204328

Station: KENTON, MI **Climate Division: MI 1**

NWS Call Sign:

Elevation: 1,167 Feet

Lat: 46°29N Lon: 88°53W

				Freez	ze Data										
			Spri	ng Freeze D	ates (Month/	Day)									
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated((*)							
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	7/26	7/18	7/12	7/06	7/01	6/27	6/21	6/15	6/07						
32	7/01	6/26	6/21	6/18	6/15	6/11	6/08	6/04	5/29						
28	6/18	6/12	6/08	6/04	6/01	5/29	5/25	5/21	5/16						
24	5/30	5/24	5/19	5/15	5/12	5/08	5/04	4/30	4/23						
20	5/18	5/12	5/08	5/05	5/01	4/28	4/25	4/21	4/15						
16	4/29	4/24	4/21	4/18	4/16	4/13	4/10	4/07	4/02						
1		-	Fal	l Freeze Da	tes (Month/D	ay)		•	-						
Tomp (F)	Fall Freeze Dates (Month/Day) Probability of earlier date in fall (beginning Aug 1) than indicated(*) Probability of earlier date in fall (beginning Aug 1) than indicated(*)														
1emp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	8/02	8/08	8/12	8/16	8/19	8/22	8/26	8/30	9/05						
32	8/17	8/23	8/28	9/01	9/05	9/09	9/13	9/18	9/25						
28	9/02	9/08	9/13	9/17	9/20	9/23	9/27	10/02	10/08						
24	9/25	9/30	10/04	10/07	10/10	10/14	10/17	10/21	10/26						
20	10/06	10/12	10/16	10/20	10/23	10/27	10/31	11/04	11/10						
16	10/14	10/20	10/24	10/28	11/01	11/04	11/08	11/12	11/19						
		-		Freeze F	ree Period				-						
Tomp (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days))							
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	79	68	61	54	48	42	35	28	17						
32	107	98	92	87	82	77	72	66	57						
28	136	127	121	115	110	105	99	93	84						
24	174	166	161	156	151	146	141	136	127						
20	198	190	184	179	174	170	165	159	151						
16	223	215	209	203	198	193	188	182	173						

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 204328

Station: KENTON, MI

Climate Division: MI 1 NWS Call Sign: Elevation: 1,167 Feet Lat: 46°29N Lon: 88°53W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	1637	1352	1193	758	394	162	80	119	304	641	1017	1462	9119		
60	1482	1212	1038	612	269	82	23	48	176	491	867	1307	7607		
57	1389	1128	945	527	207	48	9	23	115	405	777	1214	6787		
55	1327	1072	883	472	171	32	5	13	82	350	717	1152	6276		
50	1172	932	729	344	96	10	0	2	28	229	569	997	5108		
32	630	460	240	53	3	0	0	0	0	16	144	468	2014		

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	16	32	70	285	652	886	1036	979	691	397	117	29	5190
55	0	0	0	15	107	227	328	279	83	19	0	0	1058
57	0	0	0	10	81	184	270	227	56	11	0	0	839
60	0	0	0	5	51	128	191	159	27	5	0	0	566
65	0	0	0	0	20	57	92	75	5	0	0	0	249
70	0	0	0	0	6	18	29	24	0	0	0	0	77

										Gro	wing 1	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (M	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	0	13	116	404	635	793	740	461	193	29	1	0	0	13	129	533	1168	1961	2701	3162	3355	3384	3385
45													0	0	1	65	339	824	1462	2047	2369	2472	2482	2482
50												0	0	0	0	29	197	547	1031	1462	1663	1713	1715	1715
55	0	0	0	13	94	223	332	286	112	20	0	0	0	0	0	13	107	330	662	948	1060	1080	1080	1080
60	0	0	0	6	45	123	194	164	52	4	0	0	0	0	0	6	51	174	368	532	584	588	588	588
Base	Growing Degree Units for Corn (Monthly)											Growing Degree Units for Corn (Accumulated Monthly)												
50/86	50/86 0 0 15 98 287 417 514 477 289 129 16 0											0	0	0	15	113	400	817	1331	1808	2097	2226	2242	2242

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf