

Climatology of the United States

No. 20

1971-2000

Station: GENOA 2 W, NE

COOP ID: 253185

Climate Division: NE 6

NWS Call Sign:

Elevation: 1,590 Feet Lat: 41° 27N

Lon: 97° 46W

Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	33.6	11.1	22.4	74	1981	24	33.7	1990	-30	1974	12	7.5	1979	1323	0	.0	.0	4.2	14.0	30.7	7.1
Feb	39.7	16.7	28.2	80	1995	25	37.2	1992	-26+	1981	11	12.7	1979	1031	0	.0	.0	8.1	9.4	26.2	3.7
Mar	50.8	26.4	38.6	91	1986	29	44.3	1986	-18	1978	4	31.5	1984	820	0	.0	@	16.4	3.0	23.2	.6
Apr	63.9	37.2	50.6	97	1989	26	58.9	1981	-1	1975	3	43.6	1983	439	6	.0	.8	26.1	.2	9.8	@
May	73.8	48.7	61.3	105	1967	25	67.3	1977	22	1967	2	55.2	1995	175	59	.0	1.1	30.8	.0	1.2	.0
Jun	83.6	58.3	71.0	108	1988	21	76.0	1988	35	1969	3	65.9	1982	20	198	.5	6.6	30.0	.0	.0	.0
Jul	87.1	62.8	75.0	113	1954	11	80.9	1974	40	1971	30	68.3	1992	5	312	1.4	11.7	31.0	.0	.0	.0
Aug	85.3	61.0	73.2	106	1983	16	79.7	1983	37	1988	28	67.5	1992	16	268	.7	9.3	31.0	.0	.0	.0
Sep	78.3	51.0	64.7	101+	1976	6	71.0	1998	5+	1964	15	59.8	1993	95	84	.1	4.4	29.7	.0	1.0	.0
Oct	66.3	38.4	52.4	95	1997	2	56.3	1974	9+	1997	27	47.1	1976	394	2	.0	.3	28.2	.2	8.7	.0
Nov	47.7	25.3	36.5	82+	1999	13	46.4	1999	-14	1964	30	26.2	1985	855	0	.0	.0	13.4	3.7	23.5	.6
Dec	36.0	14.9	25.5	71	1998	3	32.5	1979	-27	1989	23	6.8	1983	1227	0	.0	.0	4.6	11.2	30.3	4.1
Ann	62.2	37.7	50.0	113	Jul 1954	11	80.9	Jul 1974	-30	Jan 1974	12	6.8	Dec 1983	6400	929	2.7	34.2	253.5	41.7	154.6	16.1

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

Climatology of the United States

No. 20 1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: GENOA 2 W, NE

COOP ID: 253185

Climate Division: NE 6

NWS Call Sign:

Elevation: 1,590 Feet Lat: 41°27N

Lon: 97°46W

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med-ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.60	.51	.83	1982	22	1.49	1993	.00	1986	5.4	1.7	.2	.0	.04	.10	.19	.28	.37	.47	.59	.74	.94	1.27	1.58
Feb	.81	.60	2.18	1984	18	3.16	1971	.04	1996	5.5	2.2	.3	.1	.08	.14	.26	.37	.49	.62	.78	.98	1.26	1.71	2.14
Mar	2.25	1.97	3.02	1987	17	8.76	1987	.00+	1994	7.2	4.7	1.4	.4	.00	.20	.58	.93	1.30	1.72	2.20	2.79	3.60	4.95	6.26
Apr	2.60	2.44	2.33	1998	7	6.79	1984	.31	1989	8.4	5.2	1.8	.6	.50	.74	1.12	1.47	1.83	2.21	2.65	3.17	3.87	4.98	6.04
May	4.22	3.61	5.98	1964	26	9.46	1972	1.35	1994	10.5	7.4	2.8	1.1	1.50	1.90	2.47	2.96	3.42	3.89	4.41	5.01	5.78	6.97	8.06
Jun	4.37	3.35	3.55	1999	27	10.89	1983	1.67	1977	8.5	6.0	2.9	1.3	1.27	1.68	2.31	2.85	3.38	3.93	4.54	5.25	6.18	7.64	8.99
Jul	3.49	3.10	3.75	1966	29	9.72	1993	.51	1974	9.0	5.5	2.2	1.1	.84	1.16	1.67	2.13	2.58	3.05	3.59	4.22	5.05	6.37	7.61
Aug	2.98	2.20	4.09	1966	13	8.53	1981	.55	1971	8.3	5.2	2.1	.7	.62	.90	1.33	1.73	2.13	2.56	3.04	3.62	4.39	5.61	6.76
Sep	2.44	2.36	2.74	1989	4	5.52	1973	.23	1974	7.3	4.6	1.7	.5	.30	.50	.84	1.18	1.54	1.94	2.40	2.98	3.76	5.04	6.28
Oct	1.76	1.43	3.82	1968	16	4.43	1984	.04	1988	5.8	3.6	1.2	.4	.13	.24	.47	.71	.98	1.29	1.66	2.14	2.80	3.91	5.01
Nov	1.67	1.59	2.57	1996	16	4.92	1983	.02	1989	6.2	3.1	1.1	.4	.08	.17	.36	.58	.84	1.14	1.52	2.00	2.69	3.86	5.04
Dec	.81	.66	1.34	1972	30	2.40	1972	.18	1976	5.7	2.2	.3	.1	.17	.24	.36	.47	.58	.70	.83	.98	1.19	1.52	1.83
Ann	28.00	28.33	5.98	May 1964	26	10.89	Jun 1983	.00+	Mar 1994	87.8	51.4	18.0	6.7	17.86	19.73	22.19	24.08	25.78	27.44	29.17	31.10	33.46	36.93	39.97

+ Also occurred on an earlier date(s)

Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

** Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States

No. 20 1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: GENOA 2 W, NE

COOP ID: 253185

Climate Division: NE 6

NWS Call Sign:

Elevation: 1,590 Feet

Lat: 41°27N

Lon: 97°46W

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	4.9	4.6	3	2	7.0	1993	20	11.4	1975	16	1974	12	10	1975	4.8	1.6	.6	.3	.0	16.5	10.5	7.1	2.6
Feb	6.0	5.5	3	1	19.0	1984	18	19.0	1984	19	1984	18	12	1979	4.2	1.9	.5	.2	@	11.8	7.2	5.3	2.5
Mar	5.5	3.8	1	#	10.5	1983	26	19.1	1983	12	1979	4	5	1975	3.3	1.8	.7	.3	@	6.6	4.2	2.6	.5
Apr	2.0	.3	#	#	7.2	1997	11	11.0	1997	7	1997	11	1	1997	1.4	.8	.2	.1	.0	.8	.2	.1	.0
May	.0	.0	#	0	.0	0	0	.0	0	#+	2000	17	#+	2000	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	#	0	.0	0	0	.0	0	#+	1998	5	#+	1998	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.1	.0	#	0	1.5	1985	29	1.5	1985	#	1985	29	#	1985	@	@	.0	.0	.0	.0	.0	.0	.0
Oct	1.0	.0	#	0	7.6	1991	31	7.6	1991	8	1991	31	#+	1997	.5	.2	.1	@	.0	.3	.1	@	.0
Nov	5.6	4.9	1	#	14.5	1983	27	20.4	1983	15	1983	29	4	1991	3.7	1.6	.5	.3	.1	5.0	2.3	1.5	.4
Dec	6.6	5.5	2	1	12.5	1972	30	20.3	1972	19	1983	27	15	1983	4.7	2.1	.8	.2	.1	13.9	8.9	5.1	2.1
Ann	31.7	24.6	N/A	N/A	19.0	Feb 1984	18	20.4	Nov 1983	19+	Feb 1984	18	15	Dec 1983	22.6	10.0	3.4	1.4	.2	54.9	33.4	21.7	8.1

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Climatography of the United States

No. 20 1971-2000

Station: GENOA 2 W, NE

COOP ID: 253185

Climate Division: NE 6

NWS Call Sign:

Elevation: 1,590 Feet

Lat: 41° 27N

Lon: 97° 46W

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/24	5/19	5/16	5/13	5/11	5/08	5/06	5/02	4/28
32	5/15	5/10	5/07	5/05	5/02	4/30	4/27	4/24	4/20
28	5/09	5/04	4/30	4/27	4/24	4/21	4/18	4/14	4/09
24	4/27	4/21	4/17	4/14	4/11	4/08	4/05	4/01	3/27
20	4/14	4/10	4/07	4/04	4/02	3/30	3/28	3/25	3/21
16	4/08	4/02	3/28	3/24	3/20	3/16	3/12	3/08	3/01
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/11	9/15	9/18	9/20	9/22	9/25	9/27	9/30	10/04
32	9/15	9/20	9/24	9/27	9/30	10/03	10/07	10/10	10/15
28	9/24	9/29	10/02	10/05	10/08	10/10	10/13	10/17	10/21
24	10/04	10/09	10/13	10/16	10/18	10/21	10/24	10/28	11/01
20	10/15	10/21	10/25	10/28	11/01	11/04	11/08	11/12	11/18
16	10/20	10/27	11/01	11/06	11/10	11/14	11/18	11/23	11/30
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	152	146	141	137	134	130	126	122	115
32	169	163	158	154	150	147	142	138	131
28	183	177	173	169	166	163	159	155	149
24	209	203	198	193	189	185	181	176	169
20	235	227	222	217	212	208	203	197	190
16	267	255	247	240	234	227	220	212	201

* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

**Climatography
of the United States
No. 20
1971-2000**

Station: GENOA 2 W, NE

COOP ID: 253185

Climate Division: NE 6 NWS Call Sign: Elevation: 1,590 Feet Lat: 41°27N Lon: 97°46W

Degree Days to Selected Base Temperatures (°F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1323	1031	820	439	175	20	5	16	95	394	855	1227	6400
60	1168	891	665	304	91	4	0	3	35	252	705	1072	5190
57	1075	815	573	233	56	1	0	0	15	180	616	979	4543
55	1015	763	515	191	38	0	0	0	8	138	559	917	4144
50	867	632	374	104	12	0	0	0	0	63	422	766	3240
32	392	257	59	1	0	0	0	0	0	0	87	300	1096

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	92	150	262	557	906	1168	1330	1275	979	631	222	96	7668
55	2	12	5	57	231	478	617	562	296	56	4	0	2320
57	0	8	1	40	187	419	555	500	244	36	1	0	1991
60	0	0	0	21	129	331	462	410	173	15	0	0	1541
65	0	0	0	6	59	198	312	268	84	2	0	0	929
70	0	0	0	1	19	95	177	151	31	0	0	0	474

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	3	33	120	342	669	937	1093	1038	747	405	82	6	3	36	156	498	1167	2104	3197	4235	4982	5387	5469	5475
45	0	6	59	225	514	787	938	883	597	272	33	0	0	6	65	290	804	1591	2529	3412	4009	4281	4314	4314
50	0	2	23	131	365	637	783	728	453	161	13	0	0	2	25	156	521	1158	1941	2669	3122	3283	3296	3296
55	0	0	8	70	232	489	628	573	320	80	2	0	0	0	8	78	310	799	1427	2000	2320	2400	2402	2402
60	0	0	1	31	122	343	473	420	198	28	0	0	0	0	1	32	154	497	970	1390	1588	1616	1616	1616
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	14	38	101	237	417	616	727	690	481	276	69	15	14	52	153	390	807	1423	2150	2840	3321	3597	3666	3681

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.
Complete documentation for the 1971-2000 Normals is available on the internet from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.
Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- | | |
|---|---|
| <ol style="list-style-type: none">a. Temperature/ Precipitation Tables<ol style="list-style-type: none">1. 1971-2000 Monthly Normals2. Cooperative Summary of the Day3. National Weather Service station records4. 1971-2000 serially complete daily datab. Degree Day Table<ol style="list-style-type: none">1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data | <ol style="list-style-type: none">c. Snow Tables<ol style="list-style-type: none">1. Snow Climatology2. Cooperative Summary of the Dayd. Freeze Data Table
1971-2000 serially complete daily data |
|---|---|

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normal.html
U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html
Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,
www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf