

Climatography of the United States

No. 20

1971-2000

Station: FLANDREAU, SD

COOP ID: 392984

Climate Division: SD 7

NWS Call Sign:

Elevation: 1,560 Feet Lat: 44°03N

Lon: 96°36W

Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	22.1	.9	11.5	64	1981	25	26.0	1990	-40	1974	1	-1.1	1979	1659	0	.0	.0	.4	22.7	31.0	15.1
Feb	28.4	7.4	17.9	70	1958	23	31.6	1987	-36+	1988	11	3.4	1979	1319	0	.0	.0	1.7	16.5	27.9	9.5
Mar	39.8	20.3	30.1	85	1978	31	37.9	2000	-24	1948	11	20.3	1975	1084	0	.0	.0	7.1	8.6	27.1	2.7
Apr	55.7	32.8	44.3	94	1962	25	51.1	1977	-2	1975	3	37.6	1975	625	1	.0	.1	20.3	.9	14.3	.1
May	68.8	45.5	57.2	99	1967	26	65.4	1977	17	1967	4	51.2	1997	278	34	.0	.3	29.7	.0	2.1	.0
Jun	77.9	55.8	66.9	105	1988	22	74.4	1988	31	1964	2	61.8	1982	66	120	.1	2.4	30.0	.0	.0	.0
Jul	82.5	60.4	71.5	104+	1966	10	76.0	1974	37	1971	30	62.8	1992	23	222	.2	5.8	31.0	.0	.0	.0
Aug	80.5	57.6	69.1	105	1973	27	76.0	1983	33	1964	13	62.7	1992	42	168	.2	3.8	31.0	.0	.0	.0
Sep	71.9	46.3	59.1	101	1970	7	65.3	1978	21	1974	22	54.3	1993	205	29	@	1.3	29.5	.0	2.1	.0
Oct	59.3	33.9	46.6	91+	1997	3	51.6	1973	10+	1993	31	41.4	1976	572	0	.0	@	24.6	.2	14.1	.0
Nov	39.9	20.5	30.2	78	1999	9	40.6	1999	-20	1964	30	19.9	1985	1043	0	.0	.0	7.7	9.0	27.1	1.3
Dec	26.5	7.4	17.0	63+	1998	3	25.1	1979	-34	1973	31	.2	1983	1489	0	.0	.0	1.0	20.3	30.8	10.4
Ann	54.4	32.4	43.5	105+	Jun 1988	22	76.0+	Aug 1983	-40	Jan 1974	1	-1.1	Jan 1979	8405	574	.5	13.7	214.0	78.2	176.5	39.1

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

030-A

Climatography of the United States

No. 20

1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: FLANDREAU, SD

COOP ID: 392984

Climate Division: SD 7

NWS Call Sign:

Elevation: 1,560 Feet Lat: 44°03N

Lon: 96°36W

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med-ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.41	.35	1.17	2001	30	1.62	1979	.00+	1990	3.7	1.5	.1	.0	.00	.02	.07	.13	.20	.28	.38	.50	.68	.98	1.28
Feb	.39	.33	1.22	1954	20	1.42	1992	.02	1983	3.4	1.3	.1	.0	.04	.07	.13	.18	.24	.30	.38	.47	.60	.81	1.02
Mar	1.34	1.02	1.16	1979	22	3.93	1995	.22	1994	5.7	3.6	.8	.1	.25	.37	.57	.75	.93	1.13	1.36	1.64	2.00	2.59	3.15
Apr	2.22	1.82	3.80	2001	23	5.55	1986	.17	1996	8.2	5.2	1.3	.4	.44	.64	.97	1.27	1.57	1.89	2.26	2.70	3.28	4.22	5.11
May	3.00	2.81	2.10	1951	15	8.80	1972	.53	1992	9.2	6.3	2.1	.6	.64	.91	1.35	1.75	2.15	2.58	3.07	3.65	4.41	5.63	6.79
Jun	3.84	3.26	7.09	1957	16	10.05	1984	.89	1978	9.0	6.6	2.7	1.0	.98	1.34	1.90	2.39	2.88	3.39	3.97	4.64	5.53	6.93	8.24
Jul	3.37	2.83	2.65	1989	11	9.79	1995	.69	1988	8.2	5.6	2.3	1.1	.77	1.08	1.58	2.02	2.46	2.93	3.46	4.09	4.91	6.23	7.46
Aug	3.06	3.11	2.67	1957	23	6.33	1980	.65	1976	7.4	5.2	1.9	1.0	.84	1.13	1.57	1.96	2.33	2.73	3.17	3.69	4.37	5.43	6.43
Sep	2.55	2.28	4.28	1950	21	9.52	1986	.20	1990	6.8	4.6	1.9	.6	.45	.68	1.05	1.40	1.76	2.14	2.58	3.11	3.82	4.97	6.06
Oct	2.05	1.90	2.66	1973	10	6.08	1984	.02	1988	5.4	3.5	1.4	.6	.10	.21	.45	.72	1.04	1.41	1.87	2.47	3.31	4.75	6.20
Nov	1.08	1.01	1.57	1958	18	3.33	1983	.00+	1984	4.5	2.7	.6	.1	.00	.11	.31	.48	.66	.85	1.08	1.35	1.72	2.34	2.93
Dec	.40	.36	.90	1982	25	1.32	1982	.00+	1991	3.3	1.3	.2	.0	.00	.00	.08	.15	.22	.30	.39	.50	.66	.91	1.16
Ann	23.71	23.59	7.09	Jun 1957	16	10.05	Jun 1984	.00+	Dec 1991	74.8	47.4	15.4	5.5	14.78	16.42	18.58	20.25	21.75	23.22	24.76	26.48	28.59	31.69	34.41

+ Also occurred on an earlier date(s)

Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

** Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States

No. 20

1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: FLANDREAU, SD

COOP ID: 392984

Climate Division: SD 7

NWS Call Sign:

Elevation: 1,560 Feet

Lat: 44°03N

Lon: 96°36W

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	4.4	3.3	8	6	6.0	1979	19	23.5	1979	31+	1988	30	22	1984	3.4	2.1	.7	.2	.0	-9.9	-9.9	-9.9	-9.9
Feb	3.6	3.5	9	6	8.2	1997	4	8.2+	1997	37	1988	12	32	1988	2.8	1.5	.4	.1	.0	-9.9	-9.9	-9.9	-9.9
Mar	4.7	2.9	4	1	10.0	1985	3	19.2	1989	35	1979	7	26	1979	2.4	2.0	.7	.3	@	6.4	2.4	1.6	1.2
Apr	2.4	.0	#	0	8.0	1998	1	14.5	1995	10	1975	3	2	1975	.9	.7	.4	.1	.0	.9	.7	.4	.2
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.6	.0	#	0	8.0	1991	31	8.0	1991	2	1976	26	#	1976	.3	.2	.1	@	.0	.1	.0	.0	.0
Nov	4.9	4.2	1	0	10.0	1993	25	14.1	2000	16	1983	28	5	1977	2.3	1.6	.8	.4	@	2.5	1.4	1.1	.0
Dec	4.7	4.0	4	2	12.0	1987	28	14.0	1982	23	1983	31	20	1983	3.1	1.9	.6	.2	.1	-9.9	-9.9	-9.9	-9.9
Ann	25.3	17.9	N/A	N/A	12.0	Dec 1987	28	23.5	Jan 1979	37	Feb 1988	12	32	Feb 1988	15.2	10.0	3.7	1.3	.1	-9.9	-9.9	-9.9	-9.9

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States

No. 20 1971-2000

Station: FLANDREAU, SD

COOP ID: 392984

Climate Division: SD 7

NWS Call Sign:

Elevation: 1,560 Feet

Lat: 44° 03N

Lon: 96° 36W

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/02	5/28	5/24	5/21	5/18	5/15	5/12	5/08	5/03
32	5/18	5/13	5/10	5/07	5/04	5/01	4/28	4/24	4/19
28	5/11	5/06	5/02	4/29	4/25	4/22	4/19	4/15	4/09
24	4/27	4/22	4/19	4/16	4/13	4/11	4/08	4/04	3/30
20	4/17	4/12	4/09	4/07	4/05	4/02	3/31	3/28	3/24
16	4/10	4/05	4/01	3/29	3/26	3/24	3/20	3/17	3/12
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/07	9/10	9/13	9/15	9/17	9/19	9/21	9/24	9/27
32	9/13	9/17	9/21	9/23	9/26	9/29	10/01	10/05	10/09
28	9/22	9/27	10/01	10/04	10/07	10/10	10/13	10/16	10/21
24	9/29	10/04	10/08	10/11	10/14	10/17	10/20	10/24	10/29
20	10/10	10/15	10/18	10/21	10/24	10/27	10/30	11/03	11/08
16	10/18	10/24	10/28	10/31	11/03	11/07	11/10	11/14	11/20
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	141	134	129	125	122	118	114	109	102
32	165	158	153	149	145	140	136	131	124
28	182	175	171	167	163	160	156	151	145
24	203	196	191	187	183	179	175	170	163
20	222	215	210	206	202	198	194	189	182
16	245	237	231	226	221	216	211	205	197

* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

**Climatology
of the United States**
No. 20
1971-2000

Station: FLANDREAU, SD

COOP ID: 392984

Climate Division: SD 7

NWS Call Sign:

Elevation: 1,560 Feet Lat: 44°03N Lon: 96°36W

Degree Days to Selected Base Temperatures (°F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1659	1319	1084	625	278	66	23	42	205	572	1043	1489	8405
60	1504	1179	929	480	171	21	6	11	105	418	893	1334	7051
57	1411	1095	836	397	121	9	0	3	62	329	803	1241	6307
55	1349	1039	774	345	93	4	0	1	40	273	743	1179	5840
50	1194	907	626	229	42	0	0	0	10	155	600	1024	4787
32	675	463	192	16	0	0	0	0	0	4	186	510	2046

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	39	68	132	383	779	1045	1222	1149	814	456	132	45	6264
55	0	0	0	22	159	359	509	437	164	12	0	0	1662
57	0	0	0	14	125	304	447	377	125	5	0	0	1397
60	0	0	0	7	82	226	360	292	78	1	0	0	1046
65	0	0	0	1	34	120	222	168	29	0	0	0	574
70	0	0	0	0	11	49	119	80	7	0	0	0	266

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	2	37	203	539	809	973	898	583	250	34	1	0	2	39	242	781	1590	2563	3461	4044	4294	4328	4329
45	0	0	14	115	392	659	818	743	438	145	13	0	0	0	14	129	521	1180	1998	2741	3179	3324	3337	3337
50	0	0	2	61	257	509	663	588	300	74	3	0	0	0	2	63	320	829	1492	2080	2380	2454	2457	2457
55	0	0	0	31	151	362	508	436	187	28	0	0	0	0	0	31	182	544	1052	1488	1675	1703	1703	1703
60	0	0	0	11	77	231	358	290	102	7	0	0	0	0	0	11	88	319	677	967	1069	1076	1076	1076
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	0	3	33	132	326	511	639	581	367	176	31	0	0	3	36	168	494	1005	1644	2225	2592	2768	2799	2799

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.
Complete documentation for the 1971-2000 Normals is available on the internet from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.
Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- | | |
|---|---|
| <ol style="list-style-type: none">a. Temperature/ Precipitation Tables<ol style="list-style-type: none">1. 1971-2000 Monthly Normals2. Cooperative Summary of the Day3. National Weather Service station records4. 1971-2000 serially complete daily datab. Degree Day Table<ol style="list-style-type: none">1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data | <ol style="list-style-type: none">c. Snow Tables<ol style="list-style-type: none">1. Snow Climatology2. Cooperative Summary of the Dayd. Freeze Data Table
1971-2000 serially complete daily data |
|---|---|

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normal.html
U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html
Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,
www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf