

# Climatology of the United States

No. 20

1971-2000

Station: O NEILL, NE

COOP ID: 256290

Climate Division: NE 2

NWS Call Sign:

Elevation: 1,990 Feet Lat: 42° 28N

Lon: 98° 39W

## Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	29.2	8.9	19.1	70	1981	24	31.0	1992	-28+	1988	5	3.5	1979	1425	0	.0	.0	3.0	16.1	30.5	8.6
Feb	35.3	14.2	24.8	76	2000	22	34.3	1992	-28	1962	28	10.1	1978	1127	0	.0	.0	6.1	11.1	26.9	4.6
Mar	46.3	23.0	34.7	88	1968	30	40.6	1986	-21	1960	4	27.4	1996	940	0	.0	.0	14.2	4.5	24.9	1.1
Apr	59.0	34.4	46.7	100	1989	23	55.8	1981	0	1975	3	39.9	1983	551	2	@	.3	24.0	.6	12.4	@
May	70.5	46.8	58.7	100	1967	25	65.4	1987	15	1967	2	52.6	1995	231	35	.0	.6	30.3	.0	1.2	.0
Jun	81.2	56.3	68.8	108	1988	21	75.9	1988	34	1956	1	63.7	1982	49	161	.4	6.4	29.9	.0	.0	.0
Jul	87.2	61.8	74.5	110+	1990	3	79.7	1980	39	1971	30	66.0	1992	11	304	2.1	13.4	31.0	.0	.0	.0
Aug	85.2	59.4	72.3	105+	2000	15	79.0	1983	38	1967	27	66.9	1992	21	248	1.0	11.4	31.0	.0	.0	.0
Sep	75.7	48.6	62.2	102	1956	2	69.7	1998	20	1984	29	57.1	1993	148	63	.1	4.4	29.6	.0	1.2	.0
Oct	62.9	36.4	49.7	94	1997	3	53.4	1973	10	1997	27	44.9	1976	475	0	.0	.3	27.0	.2	9.6	.0
Nov	43.6	22.9	33.3	82	1999	8	45.5	1999	-19	1959	14	20.6	1985	951	0	.0	.0	11.4	6.0	25.1	1.1
Dec	32.3	12.7	22.5	72	1998	3	31.4	1999	-32	1989	22	2.8	1983	1317	0	.0	.0	4.3	13.5	30.3	5.2
Ann	59.0	35.5	47.3	110+	Jul 1990	3	79.7	Jul 1980	-32	Dec 1989	22	2.8	Dec 1983	7246	813	3.6	36.8	241.8	52.0	162.1	20.6

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: [www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

089-A

# Climatography of the United States

## No. 20 1971-2000

National Climatic Data Center  
Federal Building  
151 Patton Avenue  
Asheville, North Carolina 28801  
www.ncdc.noaa.gov

**Station: O NEILL, NE**

**COOP ID: 256290**

**Climate Division: NE 2**

**NWS Call Sign:**

**Elevation: 1,990 Feet Lat: 42°28N**

**Lon: 98°39W**

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.50	.36	1.45	1988	18	1.95	1988	.05	1986	3.6	1.3	.2	@	.05	.08	.15	.22	.30	.38	.48	.61	.78	1.07	1.36
Feb	.54	.39	1.25	1984	19	2.17	1984	.00+	1989	4.1	1.7	.2	.1	.00	.04	.13	.21	.30	.40	.52	.67	.87	1.21	1.55
Mar	1.69	1.26	2.60	1949	31	9.92	1987	.07	1994	6.1	3.8	1.1	.3	.15	.26	.49	.72	.98	1.27	1.62	2.06	2.66	3.66	4.65
Apr	2.38	2.45	2.43	2001	22	5.91	1984	.45	1987	8.7	5.3	1.6	.4	.61	.83	1.18	1.48	1.79	2.10	2.46	2.88	3.42	4.29	5.10
May	3.75	3.28	4.13	1971	23	7.49	1982	.63	1994	10.5	7.3	2.6	.8	1.38	1.73	2.23	2.66	3.06	3.47	3.92	4.44	5.10	6.12	7.06
Jun	3.39	2.77	3.13	1983	28	6.24	1975	1.43	1980	9.6	6.4	2.3	.7	1.41	1.72	2.16	2.51	2.85	3.19	3.55	3.97	4.50	5.31	6.05
Jul	3.51	3.00	2.75	1981	3	7.56	1993	.39	1991	8.9	6.3	2.3	1.0	.96	1.29	1.80	2.24	2.68	3.13	3.63	4.23	5.00	6.22	7.35
Aug	2.49	2.16	4.91	1990	22	6.94	1990	.29	2000	7.3	4.7	1.6	.6	.51	.74	1.10	1.44	1.77	2.13	2.54	3.03	3.68	4.71	5.70
Sep	2.24	2.01	5.84	1986	16	8.14	1986	.40	1990	6.5	4.4	1.3	.6	.39	.59	.91	1.22	1.53	1.87	2.26	2.73	3.35	4.36	5.32
Oct	1.77	1.51	1.85	1968	16	4.75	1998	.03	1999	5.3	3.9	1.3	.3	.18	.31	.56	.80	1.07	1.37	1.72	2.16	2.76	3.75	4.72
Nov	1.17	1.08	1.45	1982	12	3.21	1983	.01	1976	4.8	2.7	.8	.2	.07	.13	.27	.43	.61	.82	1.08	1.41	1.87	2.65	3.44
Dec	.56	.49	1.78	1981	1	2.22	1981	.05	1995	4.0	1.6	.2	@	.05	.09	.16	.24	.32	.42	.53	.68	.87	1.20	1.53
Ann	23.99	24.88	5.84	Sep 1986	16	9.92	Mar 1987	.00+	Feb 1989	79.4	49.4	15.5	5.0	16.21	17.68	19.58	21.04	22.34	23.60	24.91	26.37	28.14	30.72	32.97

+ Also occurred on an earlier date(s)

# Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

\*\* Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:  
[www.ncdc.noaa.gov/oa/climate/normals/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normals/usnormals.html)

# Climatography of the United States

## No. 20

### 1971-2000

National Climatic Data Center  
Federal Building  
151 Patton Avenue  
Asheville, North Carolina 28801  
[www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

Station: O NEILL, NE

COOP ID: 256290

Climate Division: NE 2

NWS Call Sign:

Elevation: 1,990 Feet

Lat: 42° 28N

Lon: 98° 39W

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	4.6	3.0	3	2	14.5	1988	18	19.5	1988	31	1979	31	21	1979	2.6	1.5	.6	.2	.1	15.5	10.2	7.2	2.0
Feb	4.2	3.8	3	2	12.5	1984	19	13.9	1978	31	1979	9	20	1979	2.4	1.3	.5	.2	@	10.8	7.0	4.4	1.5
Mar	5.8	4.5	1	1	10.0	1984	17	22.2	1984	14	1984	18	7	1984	2.5	1.8	.8	.4	@	6.0	3.3	2.2	.3
Apr	3.0	.0	#	#	15.5	1984	3	29.0	1984	17	1984	4	2	1984	1.1	.9	.5	.2	.1	1.6	.8	.6	.2
May	.0	.0	#	0	.0	0	0	.0	0	6	1984	1	#	1984	.0	.0	.0	.0	.0	.1	@	@	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	#	.0	#	0	#	1984	25	#+	1984	#	1983	20	#	1983	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.9	.0	#	0	8.5	1982	20	8.5	1982	11	1995	24	1	1995	.4	.3	.1	.1	.0	.4	.2	.1	@
Nov	5.1	3.0	1	#	13.0	1975	20	20.3	1975	20	1975	30	6	1979	2.2	1.4	.5	.3	@	5.3	2.5	1.7	1.1
Dec	5.9	4.5	3	1	12.5	1981	1	20.0	1978	30	1983	30	16	1983	2.8	1.6	.5	.3	.1	13.3	7.9	4.1	.9
Ann	29.5	18.8	N/A	N/A	15.5	Apr 1984	3	29.0	Apr 1984	31+	Feb 1979	9	21	Jan 1979	14.0	8.8	3.5	1.7	.3	53.0	31.9	20.3	6.0

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

[www.ncdc.noaa.gov/oa/climate/normals/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normals/usnormals.html)

**Climatography  
of the United States  
No. 20  
1971-2000**

**Station: O NEILL, NE**

**COOP ID: 256290**

**Climate Division: NE 2**

**NWS Call Sign:**

**Elevation: 1,990 Feet**

**Lat: 42° 28N**

**Lon: 98° 39W**

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/27	5/22	5/18	5/15	5/12	5/09	5/06	5/02	4/27
32	5/15	5/11	5/08	5/05	5/03	4/30	4/28	4/25	4/20
28	5/08	5/03	4/29	4/26	4/23	4/20	4/17	4/13	4/08
24	4/28	4/23	4/19	4/16	4/13	4/10	4/06	4/03	3/28
20	4/15	4/11	4/08	4/05	4/03	4/01	3/29	3/26	3/22
16	4/11	4/06	4/02	3/29	3/26	3/23	3/20	3/16	3/11
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/12	9/16	9/19	9/21	9/23	9/26	9/28	10/01	10/04
32	9/14	9/19	9/22	9/25	9/28	10/01	10/04	10/07	10/12
28	9/23	9/28	10/02	10/06	10/09	10/12	10/16	10/20	10/25
24	10/01	10/07	10/11	10/14	10/17	10/20	10/24	10/28	11/02
20	10/12	10/19	10/23	10/27	10/30	11/03	11/06	11/11	11/17
16	10/16	10/23	10/29	11/02	11/06	11/10	11/14	11/19	11/26
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	153	146	141	137	133	130	126	121	114
32	169	162	156	152	147	143	138	133	126
28	186	180	176	172	168	165	161	157	151
24	207	200	195	191	187	183	179	174	167
20	231	223	218	214	209	205	201	195	188
16	253	243	236	230	224	218	212	205	195

\* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

**0/00** Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

**Climatography  
of the United States  
No. 20  
1971-2000**

**Station: O NEILL, NE**

**COOP ID: 256290**

**Climate Division: NE 2**

**NWS Call Sign:**

**Elevation: 1,990 Feet    Lat: 42°28N    Lon: 98°39W**

Degree Days to Selected Base Temperatures (°F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1425	1127	940	551	231	49	11	21	148	475	951	1317	7246
60	1270	987	785	409	130	15	0	4	68	323	801	1162	5954
57	1177	903	692	329	85	6	0	1	36	237	711	1069	5246
55	1115	849	631	280	61	3	0	0	22	187	656	1007	4811
50	970	721	484	175	22	0	0	0	4	87	517	860	3840
32	482	311	99	7	0	0	0	0	0	1	146	383	1429

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	80	107	182	449	826	1103	1316	1250	905	549	184	89	7040
55	0	2	0	32	174	415	603	537	237	22	5	0	2027
57	0	0	0	21	136	358	541	476	191	11	0	0	1734
60	0	0	0	10	88	277	448	386	133	3	0	0	1345
65	0	0	0	2	35	161	304	248	63	0	0	0	813
70	0	0	0	0	9	78	177	137	23	0	0	0	424

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	4	25	92	282	605	887	1088	1035	702	360	64	8	4	29	121	403	1008	1895	2983	4018	4720	5080	5144	5152
45	0	4	44	175	454	737	933	880	555	234	27	1	0	4	48	223	677	1414	2347	3227	3782	4016	4043	4044
50	0	0	15	101	308	588	778	725	413	128	7	0	0	0	15	116	424	1012	1790	2515	2928	3056	3063	3063
55	0	0	3	51	191	439	623	570	284	59	0	0	0	0	3	54	245	684	1307	1877	2161	2220	2220	2220
60	0	0	0	21	99	300	469	417	178	20	0	0	0	0	0	21	120	420	889	1306	1484	1504	1504	1504
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	10	30	80	194	370	572	714	673	448	239	59	12	10	40	120	314	684	1256	1970	2643	3091	3330	3389	3401

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

**Note:** For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:  
[www.ncdc.noaa.gov/oa/climate/normals/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normals/usnormals.html)

## Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.  
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.  
Complete documentation for the 1971-2000 Normals is available on the internet from:  
[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.  
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.  
Documentation for the Snow Climatology project is available from the link under references.

## Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- |   |   |
|---|---|
| <ol style="list-style-type: none"><li>a. Temperature/ Precipitation Tables<ol style="list-style-type: none"><li>1. 1971-2000 Monthly Normals</li><li>2. Cooperative Summary of the Day</li><li>3. National Weather Service station records</li><li>4. 1971-2000 serially complete daily data</li></ol></li><li>b. Degree Day Table<ol style="list-style-type: none"><li>1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals</li><li>2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data</li></ol></li></ol> | <ol style="list-style-type: none"><li>c. Snow Tables<ol style="list-style-type: none"><li>1. Snow Climatology</li><li>2. Cooperative Summary of the Day</li></ol></li><li>d. Freeze Data Table<br/>1971-2000 serially complete daily data</li></ol> |
|---|---|

## References

U.S. Climate Normals 1971-2000, [www.ncdc.noaa.gov/normal.html](http://www.ncdc.noaa.gov/normal.html)  
U.S. Climate Normals 1971-2000-Products Clim20, [www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html)  
Snow Climatology Project Description, [www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html](http://www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html)  
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,  
[www1.ncdc.noaa.gov/pub/data/special/serialcomplete\\_jam\\_0900.pdf](http://www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf)