Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: GLENNS FERRY, ID 1971-2000 COOP ID: 103631

Climate Division: ID 5 NWS Call Sign: Elevation: 2,510 Feet Lat: 42°57N Lon: 115°19W

	Temperature (°F)																						
	Mea	n (1)						Extr	emes					Degree Base To	Days (1) emp 65	Mean Number of Days (3)							
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0		
Jan	39.8	20.9	30.4	66	1971	19	38.2	1978	-17	1962	22	18.4	1979	1074	0	.0	.0	4.3	6.1	26.9	1.6		
Feb	47.6	24.2	35.9	73	1992	29	42.6	1992	-14	1989	7	25.5	1985	815	0	.0	.0	12.3	2.1	23.8	.6		
Mar	57.5	28.8	43.2	83+	1978	29	48.1	1992	4	1989	3	35.6	1976	677	0	.0	.0	25.4	.1	20.9	.0		
Apr	66.7	33.8	50.3	94	1992	30	56.4+	1990	15	1956	6	43.9	1975	445	2	.0	.3	29.4	.0	11.1	.0		
May	75.4	40.6	58.0	102+	2001	25	63.9	1992	20	1989	21	54.0	1975	237	20	.1	3.0	30.9	.0	2.8	.0		
Jun	85.9	47.4	66.7	109	1974	14	72.3	1977	28	1995	7	62.8	1993	66	116	2.4	11.5	30.0	.0	.1	.0		
Jul	95.2	52.5	73.9	112	1999	14	78.0	1998	34	1986	6	65.7	1993	10	286	9.7	24.1	31.0	.0	.0	.0		
Aug	93.7	50.5	72.1	111	2000	1	76.7	1998	32	1995	8	67.1	1976	22	243	7.5	23.0	31.0	.0	@	.0		
Sep	82.6	41.1	61.9	104	1950	3	68.5	1998	22+	1985	30	54.4	1985	162	66	.5	8.2	30.0	.0	2.8	.0		
Oct	68.9	32.1	50.5	95	1992	2	57.9	1988	9	1971	29	46.3	1985	450	1	.0	.4	30.3	.0	14.8	.0		
Nov	51.0	25.8	38.4	79	1999	8	45.1	1999	-9	1985	26	27.7	1985	798	0	.0	.0	16.8	1.3	22.8	.3		
Dec	40.1	20.2	30.2	69	1999	1	36.4	1977	-26	1990	23	14.2	1985	1081	0	.0	.0	4.8	4.8	27.6	1.9		
Ann	67.0	34.8	51.0	112	Jul 1999	14	78.0	Jul 1998	-26	Dec 1990	23	14.2	Dec 1985	5837	734	20.2	70.5	276.2	14.4	153.6	4.4		

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 039-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 103631

Station: GLENNS FERRY, ID

Climate Division: ID 5 NWS Call Sign: Elevation: 2,510 Feet Lat: 42°57N Lon: 115°19W

										Pı	recipit	tation	(incl	nes)													
	Mea	ans/	P	recip	itatio	on Total						ays (3	5)	Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount Monthly/Annual Precipitation vs Probability Levels													
	Medi	ans(1)				Extremes	•			"	aily Pre	стриацо	n	These values were determined from the incomplete gamma distribution													
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95			
Jan	1.43	1.24	1.50	1997	2	3.09	1997	.08	1992	8.5	4.3	.5	.1	.31	.44	.65	.84	1.03	1.24	1.47	1.74	2.10	2.68	3.23			
Feb	1.00	.70	.88	1986	13	3.54	1986	.19	1997	7.3	3.4	.2	.0	.17	.25	.40	.54	.68	.83	1.01	1.22	1.51	1.97	2.42			
Mar	1.05	.90	.93	1972	2	3.45	1993	.00	1994	7.5	3.1	.4	.0	.07	.18	.34	.50	.66	.84	1.04	1.29	1.64	2.19	2.74			
Apr	.62	.61	.78	1981	20	1.58	1978	.07	1977	6.1	2.2	.1	.0	.11	.17	.26	.34	.43	.52	.63	.76	.93	1.20	1.46			
May	.81	.64	1.63	1970	7	3.36	1998	.00	1992	6.0	2.7	.2	.1	.06	.15	.28	.39	.52	.65	.81	1.00	1.25	1.67	2.07			
Jun	.58	.48	1.66	1990	1	2.06	1984	.03	1975	4.6	2.1	.2	@	.07	.11	.20	.28	.36	.46	.57	.71	.90	1.22	1.52			
Jul	.28	.11	.75	1980	3	.85+	1997	.00+	2000	2.2	.8	.1	.0	.00	.00	.00	.00	.07	.15	.23	.34	.49	.75	1.00			
Aug	.27	.12	1.10	1968	17	1.64	1983	.00+	1999	2.3	.8	.1	.0	.00	.00	.01	.05	.10	.16	.23	.32	.46	.69	.92			
Sep	.49	.32	.89	1961	9	1.94	1985	.00+	1999	3.6	1.6	.2	.0	.00	.00	.00	.12	.22	.33	.46	.63	.85	1.23	1.59			
Oct	.71	.61	.96	1996	31	2.23	1982	.00+	1988	4.4	2.1	.3	.0	.00	.05	.16	.27	.39	.53	.69	.88	1.15	1.61	2.06			
Nov	1.22	1.08	1.40	1958	25	3.33	1988	.02	1976	9.1	4.2	.5	@	.13	.23	.40	.57	.75	.95	1.19	1.49	1.90	2.57	3.22			
Dec	1.30	.96	1.32	1955	11	3.70	1996	.00+	1989	7.5	3.7	.4	@	.00	.15	.39	.60	.81	1.04	1.31	1.62	2.05	2.76	3.43			
Ann	9.76	9.01	1.66	Jun 1990	1	3.70	Dec 1996	.00+	Jul 2000	69.1	31.0	3.2	.2	6.02	6.71	7.61	8.30	8.93	9.55	10.19	10.91	11.80	13.10	14.24			

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 103631

Station: GLENNS FERRY, ID

Climate Division: ID 5 NWS Call Sign: Elevation: 2,510 Feet Lat: 42°57N Lon: 115°19W

										Snov	w (inc	hes)													
						Sno	ow To	tals							Mean Number of Days (1)										
	Mean	s/Medi	ians (1))					Extre	mes (2)				ow Fa		Snow Depth >= Thresholds									
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10		
Jan	4.1	3.1	1	#	8.0	1984	14	14.0	1984	8+	1989	9	6	1984	1.8	1.2	.4	.1	.0	2.3	.5	.3	.0		
Feb	1.7	.4	#	0	4.0	1987	24	5.5	1976	5+	1987	25	3	1983	1.1	.4	.3	.0	.0	.4	.2	.1	.0		
Mar	.8	.0	#	0	3.0	1972	2	3.0+	1973	4	1979	1	#+	1985	.4	.2	.1	.0	.0	.1	.0	.0	.0		
Apr	.0	.0	0	0	.3	1972	13	.3	1972	0	0	0	0	0	.1	.0	.0	.0	.0	.0	.0	.0	.0		
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Oct	#	.0	0	0	#	1984	17	#+	1984	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Nov	.8	.0	#	0	6.0	1985	28	6.0	1985	14	1985	30	4	1985	.9	.6	.2	.1	.0	.7	.6	.3	.2		
Dec	4.2	.7	1	0	7.0	1971	5	22.8	1971	13	1985	2	4	1985	1.9	1.4	.6	.2	.0	4.4	3.0	.8	.1		
Ann	11.6	4.2	N/A	N/A	8.0	Jan 1984	14	22.8	Dec 1971	14	Nov 1985	30	6	Jan 1984	6.2	3.8	1.6	.4	.0	7.9	4.3	1.5	.3		

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 103631

Lon: 115°19W

Lat: 42°57N

Station: GLENNS FERRY, ID

Climate Division: ID 5 NWS Call Sign:

Freeze Data Spring Freeze Dates (Month/Day) Probability of later date in spring (thru Jul 31) than indicated(*) Temp (F) .10 .20 .30 .40 .60 .70 .80 .90 36 6/25 6/18 6/14 6/09 6/05 6/02 5/28 5/24 5/17 32 6/07 5/31 5/26 5/22 5/19 5/15 5/11 5/06 4/29 28 5/22 5/15 5/11 5/07 5/03 4/29 4/25 4/20 4/14 3/26 24 5/08 5/01 4/25 4/21 4/17 4/13 4/08 4/03 20 4/21 4/12 4/05 3/31 3/26 3/20 3/15 3/08 2/27 2/25 16 3/17 3/08 3/02 2/21 2/16 2/11 2/05 1/27 Fall Freeze Dates (Month/Day) Probability of earlier date in fall (beginning Aug 1) than indicated(*) Temp (F) .20 .30 .40 .50 .70 .10 .60 .80 .90 9/04 36 8/25 8/31 9/08 9/11 9/14 9/18 9/22 9/27 32 9/05 9/10 9/15 9/18 9/22 9/25 9/28 10/03 10/08 28 9/22 9/27 10/01 10/04 10/07 10/10 10/13 10/16 10/21 24 9/29 10/06 10/11 10/15 10/19 10/23 10/27 11/01 11/07 20 10/10 10/18 10/24 10/29 11/02 11/07 11/11 11/17 11/25 11/08 11/13 11/23 11/29 16 10/20 10/28 11/03 11/18 12/07 Freeze Free Period **Probability of longer than indicated freeze free period (Days)** Temp (F) .10 .20 .30 .40 .50 .60 .70 .80 .90 123 114 107 102 97 91 80 71 36 86 32 153 144 137 131 125 120 114 107 97 28 183 174 167 156 151 145 138 129 161 24 215 204 197 190 184 178 172 164 154 239 221 210 20 248 232 226 215 203 193

272

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

280

Derived from 1971-2000 serially complete daily data

290

303

16

Complete documentation available from:

249

Elevation: 2,510 Feet

240

227

265

257

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: GLENNS FERRY, ID COOP ID: 103631

Climate Division: ID 5 NWS Call Sign: Elevation: 2,510 Feet Lat: 42°57N Lon: 115°19W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree I	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	1074	815	677	445	237	66	10	22	162	450	798	1081	5837		
60	919	675	522	306	128	21	1	5	81	301	648	926	4533		
57	826	591	431	230	79	8	0	2	48	220	559	833	3827		
55	764	538	374	185	54	4	0	1	31	171	504	771	3397		
50	619	408	238	97	16	0	0	0	8	77	367	625	2455		
32	191	79	9	0	0	0	0	0	0	0	58	192	529		

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	140	188	355	547	806	1040	1298	1244	895	574	251	134	7472
55	0	3	7	43	147	354	585	531	236	32	6	0	1944
57	0	0	2	27	110	298	523	471	192	19	2	0	1644
60	0	0	0	13	65	220	431	381	136	6	0	0	1252
65	0	0	0	2	20	116	286	243	66	1	0	0	734
70	0	0	0	0	4	47	161	133	25	0	0	0	370

	Growing Degree U																												
Base		Growing Degree Units (Monthly)														Growing Degree Units (Accumulated Monthly)													
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec					
40	12	51	149	331	589	834	1082	1024	680	347	81	11	12	63	212	543	1132	1966	3048	4072	4752	5099	5180	5191					
45	0	13	62	200	434	684	927	869	530	212	27	1	0	13	75	275	709	1393	2320	3189	3719	3931	3958	3959					
50	0	1	17	99	288	535	772	714	382	108	5	0	0	1	18	117	405	940	1712	2426	2808	2916	2921	2921					
55	0	0	0	43	166	386	617	559	252	37	0	0	0	0	0	43	209	595	1212	1771	2023	2060	2060	2060					
60	0	0	0	15	78	251	462	406	136	11	0	0	0	0	0	15	93	344	806	1212	1348	1359	1359	1359					
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)																
50/86	6 3 49 137 255 397 518 634 610 467 300 73											6	3	52	189	444	841	1359	1993	2603	3070	3370	3443	3449					

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf