

# Climatography of the United States

No. 20

1971-2000

Station: ANDREWS, NC

COOP ID: 310184

Climate Division: NC 3

NWS Call Sign:

Elevation: 1,749 Feet Lat: 35° 12N Lon: 83° 50W

## Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	48.6	25.3	37.0	77	1949	11	48.2	1974	-19	1985	21	25.5	1977	870	0	.0	.0	15.4	2.2	23.2	.6
Feb	52.7	27.3	40.0	81	1996	24	46.6	1990	-11+	1958	19	31.7	1978	700	0	.0	.0	17.9	1.4	20.6	.1
Mar	60.6	34.2	47.4	83+	1985	31	53.5	1973	-4	1993	15	41.6	1971	546	0	.0	.0	26.1	.3	15.6	.1
Apr	68.8	40.1	54.5	90	1986	28	59.7	1981	15	1961	4	49.1	1983	320	3	.0	@	28.9	.0	8.2	.0
May	76.0	49.4	62.7	92	1991	31	67.5	1987	23	1963	2	58.1	1997	132	61	.0	.1	30.9	.0	.6	.0
Jun	82.5	57.5	70.0	98	1954	28	73.2	1981	33	1956	3	65.6	1974	12	161	.0	2.4	30.0	.0	.0	.0
Jul	85.7	61.8	73.8	99	1980	18	77.3	1993	42	1958	1	71.0	1979	0	271	.0	7.0	31.0	.0	.0	.0
Aug	85.0	60.5	72.8	98+	1991	7	75.8	1995	43	1968	31	69.4	1982	1	241	.0	4.4	31.0	.0	.0	.0
Sep	80.0	54.2	67.1	98	1954	6	70.6	1998	26	1967	30	63.6	1984	43	106	.0	2.0	30.0	.0	@	.0
Oct	70.7	41.5	56.1	90+	1954	6	62.5	1985	16	1962	28	49.9	1987	291	15	.0	.0	30.6	.0	6.2	.0
Nov	60.6	33.8	47.2	82+	1984	1	57.1	1985	0	1950	26	39.9	1976	535	1	.0	.0	25.7	.1	16.0	.0
Dec	51.8	27.7	39.8	76	1998	7	47.0	1971	-4+	1983	26	31.3	1989	784	0	.0	.0	19.1	1.1	22.4	.1
Ann	68.6	42.8	55.7	99	Jul 1980	18	77.3	Jul 1993	-19	Jan 1985	21	25.5	Jan 1977	4234	859	.0	15.9	316.6	5.1	112.8	.9

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: [www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

002-A

# Climatography of the United States

## No. 20

### 1971-2000

National Climatic Data Center  
Federal Building  
151 Patton Avenue  
Asheville, North Carolina 28801  
www.ncdc.noaa.gov

Station: ANDREWS, NC

COOP ID: 310184

Climate Division: NC 3

NWS Call Sign:

Elevation: 1,749 Feet Lat: 35°12N

Lon: 83°50W

Precipitation (inches)																									
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount											
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution											
Month	Mean	Med-ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95	
Jan	7.17	7.13	5.80	1998	8	16.05	1998	1.34	1981	12.2	10.3	5.2	2.5	2.34	3.02	4.02	4.87	5.70	6.54	7.47	8.56	9.96	12.13	14.14	
Feb	6.09	6.23	4.22	1990	16	10.54	1990	.90	1978	10.5	8.3	4.1	1.9	2.11	2.69	3.52	4.23	4.91	5.60	6.36	7.24	8.37	10.13	11.74	
Mar	6.97	6.05	4.60	1951	29	16.00	1980	1.79	1985	12.4	10.0	4.8	2.2	2.50	3.15	4.10	4.90	5.66	6.44	7.28	8.27	9.53	11.48	13.26	
Apr	5.18	5.13	4.50	1957	5	9.95	1998	2.09	1975	9.9	8.1	4.0	1.6	2.15	2.63	3.29	3.83	4.35	4.87	5.42	6.07	6.88	8.13	9.26	
May	5.37	5.14	3.15	1997	3	11.17	1976	1.30	1988	12.1	9.6	3.6	1.5	2.05	2.55	3.27	3.86	4.43	5.00	5.62	6.35	7.27	8.68	9.97	
Jun	5.54	4.85	3.07	1994	27	13.21	1994	.60	1986	12.0	9.7	3.9	1.5	1.60	2.13	2.92	3.61	4.28	4.98	5.75	6.66	7.84	9.68	11.40	
Jul	5.00	4.53	3.64	1958	9	10.78	1971	1.63	1983	12.5	9.1	3.4	1.2	1.82	2.29	2.96	3.53	4.07	4.62	5.22	5.92	6.81	8.19	9.45	
Aug	5.50	5.47	3.43	1994	16	11.75	1994	1.02	1999	11.0	8.5	3.8	1.6	1.78	2.31	3.07	3.73	4.36	5.02	5.73	6.57	7.65	9.32	10.87	
Sep	4.45	4.11	8.98	1982	1	12.10	1982	.27	1984	8.8	7.2	3.2	1.2	.88	1.28	1.93	2.53	3.14	3.79	4.53	5.42	6.60	8.49	10.29	
Oct	3.51	3.15	3.01	1949	31	8.03	1990	.09	2000	7.3	5.5	2.4	1.2	.49	.78	1.29	1.77	2.28	2.84	3.49	4.29	5.36	7.11	8.80	
Nov	5.33	4.96	3.67	1993	27	8.35	1995	2.46	1990	10.2	7.7	3.8	1.8	2.80	3.23	3.82	4.28	4.71	5.14	5.58	6.09	6.73	7.67	8.52	
Dec	6.02	5.97	4.20	1990	24	11.90	1992	1.97	2000	11.8	9.4	4.3	2.0	1.93	2.50	3.35	4.07	4.76	5.48	6.27	7.19	8.38	10.23	11.94	
Ann	66.13	66.98	8.98	Sep 1982	1	16.05	Jan 1998	.09	Oct 2000	130.7	103.4	46.5	20.2	46.84	50.57	55.35	58.98	62.20	65.32	68.55	72.11	76.43	82.70	88.13	

+ Also occurred on an earlier date(s)

# Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

\*\* Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:  
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

# Climatography of the United States

## No. 20

### 1971-2000

National Climatic Data Center  
Federal Building  
151 Patton Avenue  
Asheville, North Carolina 28801  
[www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

Station: ANDREWS, NC

COOP ID: 310184

Climate Division: NC 3

NWS Call Sign:

Elevation: 1,749 Feet

Lat: 35°12N

Lon: 83°50W

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	2.1	.0	#	#	8.0	1987	22	10.7	1982	12	1988	8	1	1988	1.0	.8	.3	@	.0	.8	.4	.1	.1
Feb	2.5	.0	#	#	6.0	1979	19	14.5	1979	13	1979	21	5	1979	.9	.7	.4	.2	.0	.3	.2	@	.0
Mar	.8	.0	#	0	4.5	1996	20	5.5	1971	22	1993	14	1	1996	.5	.3	.1	.0	.0	.3	@	.0	.0
Apr	.1	.0	#	0	3.0	1987	4	3.0	1987	10	1987	4	1	1987	.1	.1	@	.0	.0	@	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	#	.0	#	0	#	1989	21	#	1989	#	1989	21	#	1989	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.1	.0	#	0	2.0	1975	23	2.0	1975	5	2000	20	#+	2000	@	@	.0	.0	.0	.0	.0	.0	.0
Dec	.2	.0	#	0	1.0	1985	20	2.0+	1989	4	1997	31	#+	2000	.2	.2	.0	.0	.0	.2	.0	.0	.0
Ann	5.8	.0	N/A	N/A	8.0	Jan 1987	22	14.5	Feb 1979	22	Mar 1993	14	5	Feb 1979	2.7	2.1	.8	.2	.0	1.6	.6	.1	.1

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

[www.ncdc.noaa.gov/oa/climate/normals/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normals/usnormals.html)

**Climatography  
of the United States  
No. 20  
1971-2000**

**Station: ANDREWS, NC**

**COOP ID: 310184**

**Climate Division: NC 3**

**NWS Call Sign:**

**Elevation: 1,749 Feet**

**Lat: 35° 12N**

**Lon: 83° 50W**

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/22	5/17	5/13	5/10	5/07	5/04	5/01	4/27	4/22
32	5/15	5/09	5/05	5/01	4/28	4/24	4/20	4/16	4/10
28	4/27	4/23	4/20	4/17	4/14	4/11	4/09	4/05	4/01
24	4/09	4/03	3/30	3/26	3/23	3/19	3/15	3/11	3/05
20	4/01	3/25	3/19	3/14	3/10	3/05	2/28	2/23	2/15
16	3/15	3/07	3/02	2/25	2/21	2/17	2/12	2/07	1/30
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/24	9/28	10/01	10/03	10/06	10/08	10/10	10/13	10/17
32	10/01	10/05	10/09	10/11	10/14	10/17	10/19	10/23	10/27
28	10/09	10/13	10/16	10/19	10/22	10/24	10/27	10/30	11/04
24	10/25	10/30	11/03	11/06	11/10	11/13	11/16	11/20	11/26
20	11/06	11/12	11/17	11/21	11/24	11/28	12/02	12/07	12/13
16	11/20	11/29	12/06	12/11	12/17	12/22	12/28	1/03	1/12
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	169	163	158	154	151	147	143	139	133
32	190	183	177	173	168	164	160	154	147
28	205	200	196	193	190	187	183	180	174
24	253	246	240	236	231	227	222	217	209
20	286	276	270	264	259	254	248	242	233
16	327	315	308	302	296	291	285	278	269

\* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

**0/00** Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

**Climatography  
of the United States  
No. 20  
1971-2000**

**Station: ANDREWS, NC**

**COOP ID: 310184**

**Climate Division: NC 3      NWS Call Sign:      Elevation: 1,749 Feet    Lat: 35°12N      Lon: 83°50W**

Degree Days to Selected Base Temperatures (°F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	870	700	546	320	132	12	0	1	43	291	535	784	4234
60	717	560	399	188	57	1	0	0	10	171	393	629	3125
57	632	477	315	124	29	0	0	0	3	116	312	538	2546
55	574	425	264	89	17	0	0	0	1	86	262	482	2200
50	435	297	157	30	3	0	0	0	0	34	157	341	1454
32	97	28	4	0	0	0	0	0	0	0	4	40	173

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	250	252	481	674	952	1140	1294	1263	1053	747	459	279	8844
55	14	5	28	73	255	450	581	550	365	120	27	8	2476
57	10	1	18	47	205	390	519	488	307	88	17	3	2093
60	2	0	8	21	140	301	426	395	223	50	8	0	1574
65	0	0	0	3	61	161	271	241	106	15	1	0	859
70	0	0	0	0	18	58	129	104	32	2	0	0	343

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	83	121	266	439	711	900	1051	1020	820	502	255	117	83	204	470	909	1620	2520	3571	4591	5411	5913	6168	6285
45	39	58	160	307	557	750	896	865	670	358	154	57	39	97	257	564	1121	1871	2767	3632	4302	4660	4814	4871
50	10	21	78	184	403	600	741	710	520	222	80	25	10	31	109	293	696	1296	2037	2747	3267	3489	3569	3594
55	1	4	29	95	260	450	586	555	371	115	31	4	1	5	34	129	389	839	1425	1980	2351	2466	2497	2501
60	0	0	3	36	136	303	431	400	232	50	5	0	0	0	3	39	175	478	909	1309	1541	1591	1596	1596
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	63	103	198	308	460	599	710	686	534	345	191	94	63	166	364	672	1132	1731	2441	3127	3661	4006	4197	4291

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

**Note:** For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:  
[www.ncdc.noaa.gov/oa/climate/normals/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normals/usnormals.html)

## Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.  
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.  
Complete documentation for the 1971-2000 Normals is available on the internet from:  
[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.  
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.  
Documentation for the Snow Climatology project is available from the link under references.

## Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- |   |   |
|---|---|
| <ol style="list-style-type: none"><li>a. Temperature/ Precipitation Tables<ol style="list-style-type: none"><li>1. 1971-2000 Monthly Normals</li><li>2. Cooperative Summary of the Day</li><li>3. National Weather Service station records</li><li>4. 1971-2000 serially complete daily data</li></ol></li><li>b. Degree Day Table<ol style="list-style-type: none"><li>1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals</li><li>2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data</li></ol></li></ol> | <ol style="list-style-type: none"><li>c. Snow Tables<ol style="list-style-type: none"><li>1. Snow Climatology</li><li>2. Cooperative Summary of the Day</li></ol></li><li>d. Freeze Data Table<br/>1971-2000 serially complete daily data</li></ol> |
|---|---|

## References

U.S. Climate Normals 1971-2000, [www.ncdc.noaa.gov/normal.html](http://www.ncdc.noaa.gov/normal.html)  
U.S. Climate Normals 1971-2000-Products Clim20, [www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html)  
Snow Climatology Project Description, [www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html](http://www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html)  
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,  
[www1.ncdc.noaa.gov/pub/data/special/serialcomplete\\_jam\\_0900.pdf](http://www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf)