

Climatology of the United States

No. 20

1971-2000

Station: BOONEVILLE, MS

COOP ID: 220955

Climate Division: MS 3

NWS Call Sign:

Elevation: 490 Feet

Lat: 34°40N

Lon: 88°34W

Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	48.0	28.8	38.4	80	1949	10	46.0	1990	-8+	1966	30	27.3	1977	824	0	.0	.0	14.3	3.3	19.4	.2
Feb	53.7	32.2	43.0	83	1996	24	50.2	1976	-8	1951	2	33.1	1978	618	0	.0	.0	17.5	1.8	14.3	.0
Mar	63.1	40.3	51.7	85+	1967	13	58.4	1973	11	1980	3	45.6	1980	420	8	.0	.0	26.9	.2	7.0	.0
Apr	71.6	48.1	59.9	93	1987	22	65.7	1981	26	1950	14	54.2	1983	184	30	.0	.1	29.5	.0	1.1	.0
May	78.8	57.5	68.2	95+	1951	31	73.3	1987	36	1976	4	63.0	1976	50	146	.0	.8	31.0	.0	.0	.0
Jun	85.9	65.5	75.7	105	1952	29	79.6	1998	45	1972	1	71.0	1974	1	321	@	8.1	30.0	.0	.0	.0
Jul	89.4	69.5	79.5	108+	1952	28	84.3	1980	54	1971	31	77.0	1994	0	448	.5	16.2	31.0	.0	.0	.0
Aug	88.9	67.9	78.4	106	1954	17	82.4	1983	50	1986	29	74.0	1992	0	416	.4	14.2	31.0	.0	.0	.0
Sep	83.0	60.9	72.0	105+	1951	1	77.1	1998	37	1967	30	66.6	1974	18	228	.0	5.5	30.0	.0	.0	.0
Oct	72.8	48.4	60.6	97+	1953	1	66.4	1971	26+	1948	18	55.0	1987	186	49	.0	.2	30.8	.0	.7	.0
Nov	61.3	39.8	50.6	86	2000	1	56.6	1985	2	1950	25	42.8	1976	438	3	.0	.0	25.3	.1	7.5	.0
Dec	51.6	32.2	41.9	79+	1964	25	50.4+	1984	-6	1989	23	31.5	1989	717	0	.0	.0	18.1	1.9	16.5	.2
Ann	70.7	49.3	60.0	108+	Jul 1952	28	84.3	Jul 1980	-8+	Jan 1966	30	27.3	Jan 1977	3456	1649	.9	45.1	315.4	7.3	66.5	.4

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

005-A

**Climatography
of the United States
No. 20
1971-2000**

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: BOONEVILLE, MS

COOP ID: 220955

Climate Division: MS 3

NWS Call Sign:

Elevation: 490 Feet

Lat: 34°40N

Lon: 88°34W

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med-ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	5.39	4.62	4.10	1999	23	13.21	1974	.19	1986	11.1	7.6	3.8	1.6	1.08	1.57	2.36	3.08	3.82	4.60	5.49	6.56	7.98	10.25	12.41
Feb	4.47	3.95	4.86	1991	19	11.68	1990	1.00	1978	9.4	6.4	3.3	1.2	1.34	1.76	2.40	2.95	3.48	4.03	4.64	5.36	6.29	7.74	9.08
Mar	6.25	5.32	5.10	1973	15	15.92	1973	2.92	1985	11.3	8.2	4.2	2.0	2.42	3.00	3.83	4.52	5.17	5.83	6.55	7.38	8.43	10.05	11.53
Apr	5.28	4.23	3.80	1984	28	14.52	1983	.84	1986	9.5	7.0	3.6	1.6	1.32	1.81	2.58	3.26	3.94	4.65	5.44	6.38	7.61	9.56	11.39
May	6.23	5.45	7.29	1991	27	21.84	1991	1.62	1992	10.5	7.8	4.2	1.9	1.58	2.16	3.07	3.87	4.66	5.50	6.43	7.53	8.97	11.25	13.39
Jun	4.49	3.36	4.10	1959	10	12.96	1989	.18	1988	9.1	6.5	3.0	1.6	.70	1.09	1.74	2.36	3.00	3.70	4.50	5.48	6.80	8.93	10.98
Jul	4.12	4.12	5.88	1953	22	9.98	1974	.70	1990	9.6	7.0	2.8	1.1	.91	1.29	1.90	2.44	2.99	3.56	4.22	4.99	6.02	7.65	9.19
Aug	3.42	3.40	6.30	1992	28	9.29	1992	.12	1999	8.1	5.5	2.1	.7	.41	.68	1.16	1.64	2.15	2.71	3.37	4.18	5.29	7.10	8.87
Sep	3.66	2.93	3.61	1979	14	9.06	1979	.25	1999	8.2	5.7	2.5	.9	.57	.88	1.41	1.91	2.44	3.01	3.67	4.47	5.54	7.29	8.97
Oct	3.41	3.10	5.52	2001	14	8.09	1984	.00	2000	7.0	5.1	2.4	1.2	.89	1.38	1.93	2.36	2.77	3.17	3.62	4.13	4.78	5.79	6.71
Nov	5.58	5.27	6.02	1948	19	12.92	1986	1.67	1971	10.4	7.1	3.6	1.9	1.91	2.44	3.21	3.86	4.48	5.13	5.83	6.65	7.70	9.32	10.82
Dec	6.34	5.25	7.59	1991	1	19.98	1991	.75	1980	10.3	7.6	3.8	2.1	1.30	1.88	2.81	3.66	4.52	5.43	6.47	7.71	9.35	11.98	14.47
Ann	58.64	56.04	7.59	Dec 1991	1	21.84	May 1991	.00	Oct 2000	114.5	81.5	39.3	17.8	39.73	43.32	47.96	51.51	54.67	57.75	60.94	64.48	68.79	75.08	80.55

+ Also occurred on an earlier date(s)

Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

** Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States

No. 20

1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: BOONEVILLE, MS

COOP ID: 220955

Climate Division: MS 3

NWS Call Sign:

Elevation: 490 Feet

Lat: 34° 40N

Lon: 88° 34W

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	1.4	.5	#	#	8.0	1988	7	8.0	1988	8	1988	7	1	1988	.8	.5	.2	@	.0	1.1	.5	.2	.0
Feb	1.1	.0	#	#	4.0	1985	2	7.0	1985	5	1985	4	2	1985	.6	.4	.2	.0	.0	1.0	.5	.1	.0
Mar	.0	#	#	0	.2	1984	10	.2	1984	1	1984	10	#+	1999	@	.0	.0	.0	.0	@	.0	.0	.0
Apr	#	.0	#	0	#	1996	6	#+	1996	#	1996	6	#	1996	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	#	.0	0	0	#	1993	31	#+	1993	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	#	.0	#	0	#	1997	16	#+	1997	#+	1997	16	#+	1997	.0	.0	.0	.0	.0	.0	.0	.0	.0
Dec	.3	.0	#	0	2.5	1983	17	2.5	1983	2	1998	24	#+	2000	.3	.2	.0	.0	.0	.3	.0	.0	.0
Ann	2.8	.5	N/A	N/A	8.0	Jan 1988	7	8.0	Jan 1988	8	Jan 1988	7	2	Feb 1985	1.7	1.1	.4	@	.0	2.4	1.0	.3	.0

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

**Climatography
of the United States
No. 20
1971-2000**

Station: BOONEVILLE, MS

COOP ID: 220955

Climate Division: MS 3

NWS Call Sign:

Elevation: 490 Feet

Lat: 34° 40N

Lon: 88° 34W

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	4/24	4/20	4/16	4/14	4/11	4/08	4/05	4/02	3/28
32	4/14	4/10	4/06	4/04	4/01	3/29	3/26	3/23	3/18
28	3/31	3/26	3/22	3/18	3/15	3/12	3/08	3/04	2/27
24	3/17	3/10	3/05	3/01	2/25	2/20	2/16	2/11	2/04
20	3/09	3/01	2/23	2/18	2/13	2/09	2/04	1/29	1/21
16	3/02	2/22	2/15	2/10	2/05	1/30	1/24	1/16	1/02
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	10/05	10/11	10/16	10/19	10/23	10/26	10/30	11/03	11/09
32	10/19	10/25	10/29	11/01	11/04	11/07	11/10	11/14	11/20
28	11/03	11/09	11/13	11/17	11/20	11/24	11/27	12/02	12/08
24	11/09	11/17	11/23	11/28	12/03	12/08	12/14	12/20	12/28
20	11/20	11/28	12/04	12/10	12/15	12/19	12/25	12/31	1/08
16	12/01	12/12	12/20	12/27	1/02	1/09	1/16	1/25	2/12
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	216	208	203	199	194	190	186	180	173
32	238	231	225	221	216	212	207	202	194
28	272	264	259	254	249	245	240	235	227
24	311	301	293	287	281	275	269	262	251
20	336	323	315	308	301	295	288	281	270
16	>365	>365	346	336	328	320	313	305	295

* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

**Climatography
of the United States
No. 20
1971-2000**

Station: BOONEVILLE, MS

COOP ID: 220955

Climate Division: MS 3 NWS Call Sign: Elevation: 490 Feet Lat: 34°40N Lon: 88°34W

Degree Days to Selected Base Temperatures (°F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	824	618	420	184	50	1	0	0	18	186	438	717	3456
60	676	481	284	91	14	0	0	0	4	96	301	570	2517
57	588	404	214	52	5	0	0	0	1	59	228	483	2034
55	531	353	174	34	2	0	0	0	0	40	186	427	1747
50	396	238	93	8	0	0	0	0	0	12	101	301	1149
32	79	21	1	0	0	0	0	0	0	0	1	39	141

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	278	327	612	836	1119	1310	1471	1439	1200	886	557	345	10380
55	17	15	71	179	409	620	758	726	510	213	52	20	3590
57	12	10	49	138	350	560	696	664	451	170	34	14	3148
60	8	3	26	87	265	470	603	571	363	115	17	8	2536
65	0	0	8	30	146	321	448	416	228	49	3	0	1649
70	0	0	0	7	63	181	293	265	119	15	0	0	943

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	120	193	397	609	884	1080	1233	1199	973	651	350	169	120	313	710	1319	2203	3283	4516	5715	6688	7339	7689	7858
45	60	112	268	463	729	930	1078	1044	823	499	228	93	60	172	440	903	1632	2562	3640	4684	5507	6006	6234	6327
50	29	55	165	321	574	780	923	889	673	352	132	45	29	84	249	570	1144	1924	2847	3736	4409	4761	4893	4938
55	6	23	88	201	419	630	768	734	523	223	71	22	6	29	117	318	737	1367	2135	2869	3392	3615	3686	3708
60	0	2	37	108	273	480	613	579	378	123	27	1	0	2	39	147	420	900	1513	2092	2470	2593	2620	2621
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	71	122	238	377	579	750	860	832	658	412	207	97	71	193	431	808	1387	2137	2997	3829	4487	4899	5106	5203

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.
Complete documentation for the 1971-2000 Normals is available on the internet from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.
Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- | | |
|---|---|
| <ol style="list-style-type: none">a. Temperature/ Precipitation Tables<ol style="list-style-type: none">1. 1971-2000 Monthly Normals2. Cooperative Summary of the Day3. National Weather Service station records4. 1971-2000 serially complete daily datab. Degree Day Table<ol style="list-style-type: none">1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data | <ol style="list-style-type: none">c. Snow Tables<ol style="list-style-type: none">1. Snow Climatology2. Cooperative Summary of the Dayd. Freeze Data Table
1971-2000 serially complete daily data |
|---|---|

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normal.html
U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html
Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,
www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf