Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: HANNA, OK 1971-2000 COOP ID: 343884

Climate Division: OK 6 NWS Call Sign: Elevation: 679 Feet Lat: 35°12N Lon: 95°53W

									ŗ	Гетре	eratur	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	-		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	49.6	27.8	38.7	78	1967	24	46.6	1990	-15	1977	10	28.2	1979	817	0	.0	.0	16.3	3.0	21.5	.1
Feb	55.9	32.4	44.2	91	1996	22	53.4	1976	-3	1985	3	32.2	1978	588	5	.0	@	19.3	1.7	14.7	.2
Mar	65.1	41.0	53.1	96	1974	31	59.3	1974	4	1989	7	48.1	1996	376	5	.0	.1	28.1	.1	7.0	.0
Apr	73.9	49.3	61.6	95	1987	18	67.6	1981	23	1975	3	56.7	1983	140	36	.0	.3	29.9	.0	1.1	.0
May	80.4	58.4	69.4	98	2000	23	73.1	1974	37	1963	1	64.7	1976	28	164	.0	1.2	31.0	.0	.0	.0
Jun	87.7	66.4	77.1	103	1980	26	80.5+	1984	46+	1972	1	73.9	1992	1	363	.3	11.6	30.0	.0	.0	.0
Jul	93.4	70.1	81.8	109	1986	30	87.3	1980	50	1972	6	78.6	1989	0	519	4.0	24.5	31.0	.0	.0	.0
Aug	93.5	68.5	81.0	109	1964	5	86.8	1980	50	1967	13	74.5	1992	1	497	5.0	24.0	31.0	.0	.0	.0
Sep	85.5	61.5	73.5	109+	1998	4	81.3	1998	35	1995	23	66.0	1974	20	275	1.1	10.0	30.0	.0	.0	.0
Oct	75.6	50.2	62.9	97+	1963	4	66.1	1973	19	1993	31	57.1	1976	118	52	.0	1.1	30.8	.0	1.2	.0
Nov	61.9	39.9	50.9	85+	1980	6	57.8	1999	10	1976	29	44.3	2000	431	7	.0	.0	25.6	.1	8.4	.0
Dec	52.2	31.1	41.7	81	1966	7	48.4	1984	-9	1989	23	29.7	1983	723	0	.0	.0	19.0	1.7	17.5	.2
Ann	72.9	49.7	61.3	109+	Sep 1998	4	87.3	Jul 1980	-15	Jan 1977	10	28.2	Jan 1979	3243	1923	10.4	72.8	322.0	6.6	71.4	.5

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 045-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1949-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: HANNA, OK COOP ID: 343884

Climate Division: OK 6 NWS Call Sign: Elevation: 679 Feet Lat: 35°12N Lon: 95°53W

										Pı	ecipi	tation	(incl	nes)										
			P	recipi	itatio	on Total	s			M	ean N	lumbo ays (3	_	Proba	ability th		nonthly/	annual j indic	precipita ated am	ount	ll be equ		less tha	ın the
	Mea Medi					Extremes	i			D	aily Pre	cipitatio	n		Th		-		-		bility Leve te gamma		on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	2.06	1.82	2.70	2001	29	7.57	1998	.04	1986	7.0	3.9	1.2	.5	.19	.33	.61	.89	1.21	1.56	1.98	2.51	3.24	4.45	5.64
Feb	2.45	2.19	2.80	1983	1	6.02	1983	.06	1996	6.8	4.2	1.6	.7	.26	.45	.79	1.13	1.49	1.91	2.39	2.99	3.81	5.17	6.49
Mar	4.12	3.29	4.52	1977	27	11.01	1973	.59	1971	9.0	5.9	2.9	1.5	1.01	1.39	1.99	2.53	3.06	3.62	4.24	4.99	5.96	7.50	8.95
Apr	4.14	3.72	4.70	1974	30	10.07	1990	.30	1987	8.8	6.0	2.9	1.1	.89	1.27	1.87	2.43	2.98	3.57	4.23	5.03	6.08	7.76	9.35
May	6.25	6.01	8.04	1990	3	16.16	1990	1.06	1988	10.8	7.5	4.0	2.1	2.34	2.93	3.76	4.46	5.13	5.81	6.54	7.40	8.48	10.16	11.69
Jun	4.35	3.71	5.33	1964	17	11.62	2000	.82	1994	8.6	6.1	3.2	1.6	1.10	1.51	2.15	2.71	3.26	3.84	4.49	5.26	6.26	7.85	9.33
Jul	2.94	2.80	3.90	1959	26	9.07	1996	.00	1980	6.3	4.1	2.0	.9	.12	.35	.78	1.21	1.67	2.20	2.83	3.61	4.69	6.49	8.25
Aug	2.78	2.38	5.43	1997	18	9.10	1997	.00	2000	6.2	4.3	1.7	.8	.33	.67	1.14	1.54	1.94	2.37	2.85	3.43	4.20	5.42	6.58
Sep	5.20	4.98	7.57	1993	14	14.31	1993	.21	1978	8.0	6.0	3.4	1.9	.95	1.41	2.17	2.88	3.60	4.38	5.26	6.34	7.76	10.06	12.24
Oct	4.45	3.32	4.81	1981	14	12.10	1981	.58	1978	7.6	5.3	2.9	1.4	.69	1.07	1.72	2.33	2.97	3.66	4.46	5.43	6.74	8.86	10.90
Nov	4.24	4.04	4.11	1991	16	9.80	1996	.55	1989	8.3	5.4	2.6	1.4	1.01	1.41	2.03	2.58	3.13	3.71	4.36	5.13	6.14	7.75	9.26
Dec	2.88	2.25	2.76	1992	14	8.73	1987	.29	1981	7.3	4.4	2.1	.8	.38	.61	1.02	1.42	1.85	2.31	2.85	3.51	4.41	5.88	7.30
Ann	45.86	45.19	8.04	May 1990	3	16.16	May 1990	.00+	Aug 2000	94.7	63.1	30.5	14.7	30.75	33.61	37.30	40.13	42.67	45.13	47.68	50.52	53.97	59.02	63.42

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1949-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: HANNA, OK

Climate Division: OK 6 NWS Call Sign:

Elevation: 679 Feet Lat: 35°12N

Lon: 95°53W

COOP ID: 343884

										Snov	w (inc	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Da	ys (1)		
	Mean	s/Medi	ans (1)	1					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	2.7	.3	#	#	9.0	1977	9	14.5	1988	10	1977	11	2	1977	1.5	.9	.5	.2	.0	.9	.4	.3	.0
Feb	2.3	.2	#	0	6.5	1975	24	14.6	1978	7	1985	5	2	1985	1.1	.6	.3	@	.0	.7	.3	.1	.0
Mar	1.1	.0	#	0	9.5	1989	5	14.5	1989	5	1971	3	#+	1982	.3	.2	.1	.1	.0	.1	@	@	.0
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	#	0	.0	0	0	.0	0	3	1989	15	#	1989	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	#	.0	#	0	#	1993	30	#	1993	#	1993	30	#	1993	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.6	.0	#	0	3.0	1975	26	3.0+	1995	3+	1995	11	#+	1995	.4	.2	.1	.0	.0	.2	.1	.0	.0
Dec	1.4	.0	#	0	12.0	1975	25	12.0	1975	4	1975	25	#+	1990	.6	.2	.1	@	@	.5	.1	.0	.0
Ann	8.1	.5	N/A	N/A	12.0	Dec 1975	25	14.6	Feb 1978	10	Jan 1977	11	2+	Feb 1985	3.9	2.1	1.1	.3	@	2.4	.9	.4	.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 343884

Station: HANNA, OK **Climate Division: OK 6**

NWS Call Sign:

Elevation: 679 Feet

Lat: 35°12N

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	(Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated	(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	4/24	4/20	4/17	4/14	4/12	4/10	4/07	4/04	3/31
32	4/17	4/12	4/08	4/05	4/02	3/30	3/27	3/24	3/19
28	4/08	4/02	3/28	3/25	3/21	3/18	3/14	3/10	3/04
24	3/29	3/21	3/15	3/10	3/05	2/28	2/23	2/17	2/09
20	3/14	3/05	2/26	2/21	2/16	2/10	2/05	1/29	1/20
16	3/10	2/26	2/18	2/11	2/04	1/28	1/21	1/13	1/01
		•	Fal	ll Freeze Da	tes (Month/D	Day)			•
Temp (F)		Pro	bability of ea	arlier date i	n fall (beginn	ning Aug 1) t	han indicate	ed(*)	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	10/03	10/08	10/11	10/14	10/17	10/20	10/23	10/27	11/01
32	10/14	10/19	10/23	10/26	10/29	11/01	11/04	11/07	11/12
28	10/26	10/31	11/05	11/08	11/11	11/15	11/18	11/22	11/28
24	11/04	11/10	11/15	11/19	11/23	11/27	12/01	12/06	12/13
20	11/10	11/19	11/25	11/30	12/05	12/10	12/16	12/22	12/30
16	11/16	11/27	12/06	12/13	12/20	12/27	1/03	1/12	1/24
		•		Freeze F	ree Period	•			•
Temp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days))	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	207	201	196	191	188	184	180	175	168
32	229	222	217	213	209	204	200	195	188
28	260	251	245	240	235	229	224	218	209
24	295	284	276	269	263	256	249	242	231
20	331	316	306	298	290	283	275	266	253
16	>365	348	328	318	310	302	294	285	274

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 343884

Lon: 95°53W

Station: HANNA, OK

Climate Division: OK 6

Elevation: 679 Feet Lat: 35°12N

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	817	588	376	140	28	1	0	1	20	118	431	723	3243
60	663	458	237	57	5	0	0	0	5	44	298	574	2341
57	575	383	168	27	1	0	0	0	0	21	230	488	1893
55	518	337	130	15	0	0	0	0	0	11	190	431	1632
50	378	235	60	2	0	0	0	0	0	2	109	302	1088
32	58	29	0	0	0	0	0	0	0	0	4	35	126

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	265	369	653	887	1159	1352	1542	1519	1245	957	570	334	10852
55	11	33	69	211	446	662	829	806	555	255	66	18	3961
57	6	24	45	163	385	602	767	744	495	203	46	13	3493
60	2	15	21	103	296	512	674	651	409	133	25	5	2846
65	0	5	5	36	164	363	519	497	275	52	7	0	1923
70	0	0	0	7	70	221	364	347	165	13	0	0	1187

										Gro	wing]	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	(Ionthly)								Growi	ng Degre	ee Units (Accumu	lated Mo	onthly)			
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	116	217	428	652	921	1120	1304	1280	1014	718	353	156	116	333	761	1413	2334	3454	4758	6038	7052	7770	8123	8279
45	55	127	297	503	766	970	1149	1125	864	564	233	81	55	182	479	982	1748	2718	3867	4992	5856	6420	6653	6734
50	20	67	182	363	611	820	994	970	714	414	140	38	20	87	269	632	1243	2063	3057	4027	4741	5155	5295	5333
55	5	31	99	233	456	670	839	815	565	273	78	15	5	36	135	368	824	1494	2333	3148	3713	3986	4064	4079
60	0	12	45	128	305	520	684	660	420	156	32	1	0	12	57	185	490	1010	1694	2354	2774	2930	2962	2963
Base	se Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Ur	its for C	orn (Acc	umulate	d Month	ly)		
50/86	60/86 85 150 275 420 615 776 874 851 675 467 221 10												85	235	510	930	1545	2321	3195	4046	4721	5188	5409	5512

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

NWS Call Sign:

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf