




**Monthly Station Normals  
of Temperature, Precipitation,  
and Heating and Cooling  
Degree Days  
1971 - 2000**



**16  
LOUISIANA**



**NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE  
NATIONAL CLIMATIC DATA CENTER  
ASHEVILLE, NC**




**CLIMATOGRAPHY OF THE UNITED STATES NO. 81**  
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days  
**1971-2000**

**LOUISIANA**

Page 2

(This Page Intentionally Left Blank)



# CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days  
1971-2000

## LOUISIANA

Page 3

### NOTES

#### Product Description:

This Climatography includes 1971-2000 normals of monthly and annual maximum, minimum, and mean temperature (degrees F), monthly and annual total precipitation (inches), and heating and cooling degree days (base 65 degrees F). Normals stations include both National Weather Service Cooperative Network and Principal Observation (First-Order) locations in the 50 states, Puerto Rico, the Virgin Islands, and Pacific Islands.

#### Abbreviations:

**No.** = Station Number in State Map

**COOP ID** = Cooperative Network ID (1:2=State ID, 3:6=Station Index)

**WBAN ID** = Weather Bureau Army Navy ID, if assigned

**Elements** = Input Elements (X=Maximum Temperature, N=Minimum Temperature, P=Precipitation)

**Call** = 3-Letter Station Call Sign, if assigned

**MAX** = Normal Maximum Temperature (degrees Fahrenheit)

**MEAN** = Average of MAX and MIN (degrees Fahrenheit)

**MIN** = Normal Minimum Temperature (degrees Fahrenheit)

**HDD** = Total Heating Degree Days (base 65 degrees Fahrenheit)

**CDD** = Total Cooling Degree Days (base 65 degrees Fahrenheit)

**Latitude** = Latitude in degrees, minutes, and hemisphere (N=North, S=South)

**Longitude** = Longitude in degrees, minutes, and hemisphere (W=West, E=East)

**Elev** = Elevation in feet above mean sea level

**Flag 1** = \* if a published *Local Climatological Data* station

**Flag 2** = + if WMO Fully Qualified (see *Note* below)

**HIGHEST MEAN/YEAR** = Maximum Mean Monthly Value/Year, 1971-2000

**MEDIAN** = Median Mean Monthly Value/Year, 1971-2000

**LOWEST MEAN/YEAR** = Minimum Mean Monthly Value/Year, 1971-2000

**MAX OBS TIME ADJUSTMENT** = Add to MAX to Get Midnight Obs. Schedule

**MIN OBS TIME ADJUSTMENT** = Add to MIN to Get Midnight Obs. Schedule

*Note:* In 1989, the World Meteorological Organization (WMO) prescribed standards of data completeness for the 1961-1990 WMO Standard Normals. For full qualification, no more than three consecutive year-month values can be missing for a given month or no more than five overall values can be missing for a given month (out of 30 values). Stations meeting these standards are indicated with a '+' sign in Flag 2. Otherwise, stations are included in the normals if they have at least 10 year-month values for each month and have been active since January 1999 or were a previous normals station.

**Map Legend:** Numbers correspond to 'No.' in Station Inventory; Shaded Circles indicate Temperature and Precipitation Stations, Triangles (Point Up) indicate Precipitation-Only Stations, Triangles (Point Down) indicate Temperature-Only Stations, and Hexagons indicate stations with Flag 1 = \*.

#### Computational Procedures:

A climate normal is defined, by convention, as the arithmetic mean of a climatological element computed over three consecutive decades (WMO, 1989). Ideally, the data record for such a 30-year period should be free of any inconsistencies in observational practices (e.g., changes in station location, instrumentation, time of observation, etc.) and be serially complete (i.e., no missing values). When present, inconsistencies can lead to a non-climatic bias in one period of a station's record relative to another, yielding an "inhomogeneous" data record. Adjustments and estimations can make a climate record "homogeneous" and serially complete, and allow a climate normal to be calculated simply as the average of the 30 monthly values.

The methodology employed to generate the 1971-2000 normals is not the same as in previous normals, as it addresses inhomogeneity and missing data value problems using several steps. The technique developed by Karl *et al.* (1986) is used to adjust monthly maximum and minimum temperature observations of conterminous U.S. stations to a consistent midnight-to-midnight schedule. All monthly temperature averages and precipitation totals are cross-checked against archived daily observations to ensure internal consistency. Each monthly observation is evaluated using a modified quality control procedure (Peterson *et al.*, 1998), where station observation departures are computed, compared with neighboring stations, and then flagged and estimated where large differences with neighboring values exist. Missing or discarded temperature and precipitation observations are replaced using a weighting function derived from the observed relationship between a candidate's monthly observations and those of up to 20 neighboring stations whose observations are most strongly correlated with the candidate site. For temperature estimates, neighboring stations were selected from the U.S. Historical Climatology Network (USHCN; Karl *et al.* 1990). For precipitation estimates, all available stations were potential neighbors, maximizing station density for estimating the more spatially variable precipitation values.

Peterson and Easterling (1994) and Easterling and Peterson (1995) outline the method for adjusting temperature inhomogeneities. This technique involves comparing the record of the candidate station with a reference series generated from neighboring data. The reference series is reconstructed using a weighted average of first difference observations (the difference from one year to the next) for neighboring stations with the highest correlation with the candidate. The underlying assumption behind this methodology is that temperatures over a region have similar tendencies in variation. If this assumption is violated, the potential discontinuity is evaluated for statistical significance. Where significant discontinuities are detected, the difference in average annual temperatures before and after the inhomogeneity is applied to adjust the mean of the earlier block with the mean of the latter block of data. Such an evaluation requires a minimum of five years between discontinuities. Consequently, if multiple changes occur within five years or if a change occurs very near the end of the normals period (e.g., after 1995), the discontinuity may not be detectable using this methodology.

The monthly normals for maximum and minimum temperature and precipitation are computed simply by averaging the appropriate 30 values from the 1971-2000 record. The monthly average temperature normals are computed by averaging the corresponding monthly maximum and minimum normals. The annual temperature normals are calculated by taking the average of the 12 monthly normals. The annual precipitation and degree day normals are the sum of the 12 monthly normals. Trace precipitation totals are shown as zero. Precipitation totals include rain and the liquid equivalent of frozen and freezing precipitation (e.g., snow, sleet, freezing rain, and hail). For many NWS locations, indicated with an '\*' next to 'HDD' and 'CDD' in the degree day table, degree day normals are computed directly from daily values for the 1971-2000 period. For all other stations, estimated degree day totals are based on a modification of the rational conversion formula developed by Thom (1966), using daily spline-fit means and standard deviations of average temperature as inputs.


#### References:


- Easterling, D.R., and T.C. Peterson, 1995: A new method for detecting and adjusting for undocumented discontinuities in climatological time series. *Intl. J. Clim.*, **15**, 369-377.
- Karl, T.R., C.N. Williams, Jr., P.J. Young, and W.M. Wendland, 1986: A model to estimate the time of observation bias associated with monthly mean maximum, minimum, and mean temperatures for the United States. *J. Clim. Appl. Met.*, **25**, 145-160.
- Peterson, T.C., and D.R. Easterling, 1994: Creation of homogeneous composite climatological reference series. *Intl. J. Clim.*, **14**, 671-679.
- Peterson, T.C., R. Vose, R. Schmoyer, and V. Razuvaev, 1998: Global Historical Climatology Network (GHCN) quality control of monthly temperature data. *Intl. J. Clim.*, **18**, 1169-1179.
- Thom, H.C.S., 1966: Normal degree days above any base by the universal truncation coefficient. *Month. Wea. Rev.*, **94**, 461-465.
- World Meteorological Organization, 1989: Calculation of Monthly and Annual 30-Year Standard Normals, WCDP-No. 10, WMO-TD/No. 341, Geneva: World Meteorological Organization.

**Release Date:** Revised 02/2002\*

**National Climatic Data Center/NESDIS/NOAA, Asheville, North Carolina**

# 16 - LOUISIANA





# CLIMATOGRAPHY OF THE UNITED STATES NO. 81

## Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

### LOUISIANA

Page 5

STATION INVENTORY										
No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
1	160007		P	ABBEVILLE		29 58 N	92 08 W	10		+
2	160021		P	ABITA SPRINGS FIRE TOWER		30 26 N	90 03 W	30		+
3	160098		XNP	ALEXANDRIA INTL AP	AEX	31 19 N	92 28 W	87		+
4	160104	13935	XNP	ALEXANDRIA ESLEER AP	ESF	31 24 N	92 18 W	112		
5	160205		XNP	AMITE		30 42 N	90 32 W	170		+
6	160349		XNP	ASHLAND		32 10 N	93 08 W	240		+
7	160462		P	BAKER		30 34 N	91 10 W	70		
8	160537		XNP	BASTROP		32 47 N	91 54 W	150		+
9	160546		P	BATON ROUGE CENTRAL		30 33 N	91 02 W	60		
10	160548		P	BATON ROUGE CONCORD		30 25 N	91 08 W	50		
11	160549	13970	XNP	BATON ROUGE RYAN AP	BTR	30 32 N	91 09 W	64	*	+
12	160558		P	BATON ROUGE SHERWOOD		30 27 N	91 03 W	55		
13	160565		P	BAYOU SORREL LOCK		30 08 N	91 19 W	15		+
14	160617		P	BEAVER FIRE TOWER		30 48 N	92 35 W	105		+
15	160800		XNP	BIENVILLE 3 NE		32 22 N	92 57 W	307		+
16	160945		XNP	BOGALUSA		30 47 N	89 52 W	100		+
17	161157	12884	XNP	BOOTHVILLE	BVE	29 21 N	89 24 W	13		
18	161232		XNP	BOYCE 3 WNW		31 23 N	92 43 W	110		
19	161246		XNP	BRUSLY 2 W		30 23 N	91 16 W	20		
20	161287		XNP	BUNKIE		30 57 N	92 10 W	80		+
21	161292		XNP	BURAS		29 20 N	89 31 W	5		
22	161411		XNP	CALHOUN RESEARCH STN		32 31 N	92 21 W	180		+
23	161535		P	CARENCRO		30 19 N	92 03 W	50		
24	161565		XNP	CARVILLE 2 SW		30 12 N	91 07 W	25		+
25	161891		P	CLINTON 4 ENE		30 53 N	90 57 W	250		
26	161899		XNP	CLINTON 5 SE		30 49 N	90 58 W	200		+
27	161979		P	COLUMBIA LOCKS		32 10 N	92 06 W	80		+
28	162023		XNP	CONVERSE		31 45 N	93 42 W	220		
29	162121		XNP	COTTON VALLEY 5 NNW		32 53 N	93 27 W	250		+
30	162145		P	COUSHATTA 2 SW		32 00 N	93 23 W	120		
31	162151		XNP	COVINGTON 4 NNW		30 32 N	90 07 W	40		+
32	162212		XNP	CROWLEY 2 NE		30 15 N	92 22 W	25		+
33	162350		P	DENHAM SPRINGS		30 28 N	90 58 W	35		
34	162361		XNP	DE QUINCY		30 26 N	93 28 W	81		
35	162367		XNP	DE RIDDER		30 50 N	93 17 W	190		+
36	162534		XNP	DONALDSONVILLE 4 SW		30 04 N	91 02 W	30		+
37	162800		XNP	ELIZABETH		30 51 N	92 47 W	150		+
38	162971		XNP	EPPS 6 WNW		32 37 N	91 34 W	99		
39	162981		XNP	EUNICE		30 29 N	92 26 W	50		+
40	163313		XNP	FRANKLIN 3 NW		29 49 N	91 33 W	12		+
41	163322		P	FRANKLINTON 2		30 51 N	90 10 W	145		
42	163327		XNP	FRANKLINTON 3 SW		30 49 N	90 11 W	145		+
43	163331		P	FRANKLINTON 5 SW		30 47 N	90 12 W	240		
44	163433		XNP	GALLIANO		29 27 N	90 18 W	5		+
45	163695		P	GONZALES		30 14 N	90 55 W	10		
46	163741		P	GORUM FIRE TOWER		31 25 N	92 54 W	360		
47	163800		XNP	GRAND COTEAU		30 26 N	92 02 W	55		+
48	163804		P	GRAND ECORE		31 48 N	93 05 W	150		
49	163807		P	GRAND ISLE		29 14 N	89 59 W	2		
50	163829		P	GRETN		29 55 N	90 04 W	5		
51	163867		P	GREENWELL SPRINGS		30 34 N	90 59 W	60		+
52	163877		P	GREENWOOD FIRE TOWER		32 25 N	94 00 W	350		
53	163979		XNP	HACKBERRY 8 SSW		29 53 N	93 25 W	6		+
54	164030		XNP	HAMMOND 5 E		30 30 N	90 22 W	35		
55	164034		P	HAMMOND		30 29 N	90 28 W	90		
56	164050		P	HANNA 4 SSE		31 55 N	93 19 W	125		
57	164288		P	HODGES GARDENS		31 22 N	93 23 W	420		+
58	164355		XNP	HOMER 3 SSW		32 45 N	93 04 W	380		+
59	164398		P	HOSSTON		32 53 N	93 53 W	200		+
60	164407		XNP	HOUMA		29 35 N	90 44 W	15		+
61	164674		XNP	JEANERETTE 5 NW		29 57 N	91 43 W	20		+
62	164696		XNP	JENA 4 WSW		31 40 N	92 12 W	210		
63	164700		XNP	JENNINGS		30 12 N	92 40 W	25		+
64	164732		P	JONESBORO 4 ENE		32 15 N	92 39 W	330		+
65	164739		XNP	JONESVILLE LOCKS		31 29 N	91 51 W	70		+
66	164816		P	KEITHVILLE		32 21 N	93 52 W	200		+
67	164859		P	KENTWOOD		30 56 N	90 31 W	230		+
68	164931		P	KORAN		32 25 N	93 28 W	175		+
69	165021		XNP	LAFAYETTE		30 13 N	92 04 W	25		
70	165026	13976	XNP	LAFAYETTE REG AP	LFT	30 12 N	91 59 W	38		+




# CLIMATOGRAPHY OF THE UNITED STATES NO. 81

## Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

### LOUISIANA


Page 6

STATION INVENTORY										
No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
71	165065		XNP	LAKE ARTHUR 10 SW		30 00 N	92 48 W	10		
72	165074		P	LAKE CHARLES 2 N		30 15 N	93 13 W	5		+
73	165078	03937	XNP	LAKE CHARLES AP	LCH	30 07 N	93 14 W	15	*	+
74	165090		XNP	LAKE PROVIDENCE		32 48 N	91 10 W	100		+
75	165266		XNP	LEESVILLE		31 08 N	93 15 W	28		+
76	165287		P	LEESVILLE 6 SSW		31 03 N	93 17 W	260		
77	165296		XNP	LELAND BOWMAN LOCK		29 47 N	92 13 W	40		
78	165430		P	LIVERPOOL 6 E		30 56 N	90 34 W	250		
79	165438		P	LIVINGSTON		30 30 N	90 45 W	40		
80	165522		P	LOGANSFORT		31 58 N	94 00 W	190		
81	165527		XNP	LOGANSFORT 4 ENE		31 59 N	93 57 W	210		
82	165584		P	LONGVILLE		30 36 N	93 14 W	115		
83	165610		P	LOUISIANA NATURE CTR		30 03 N	89 58 W	-5		
84	165620		XNP	LSU BEN HUR FARM		30 22 N	91 10 W	21		+
85	165624		XNP	LSU CITRUS RESEARCH STN		29 35 N	89 49 W	4		
86	165630		XNP	LSU DEAN LEE RES STN		31 11 N	92 24 W	70		
87	165874		P	MANSFIELD		32 02 N	93 42 W	400		+
88	165892		XNP	MANY		31 34 N	93 29 W	260		+
89	165896		P	MANY 9 WSW		31 31 N	93 37 W	286		
90	165908		P	MARION 7 SE		32 49 N	92 10 W	151		
91	165920		P	MARKSVILLE		31 09 N	92 02 W	85		+
92	166142		P	MERMENTAU		30 11 N	92 35 W	16		
93	166244		XNP	MINDEN		32 36 N	93 18 W	185		+
94	166303	13942	XNP	MONROE RGNL AP	MLU	32 31 N	92 02 W	133		+
95	166314		XNP	MONROE NLU		32 32 N	92 04 W	70		
96	166364		P	MOORINGSFORT 1 N		32 42 N	93 58 W	200		
97	166394		XNP	MORGAN CITY		29 41 N	91 11 W	5		+
98	166431		P	MOSS BLUFF		30 18 N	93 13 W	19		
99	166561		P	NAPOLEONVILLE		29 56 N	91 01 W	25		
100	166582		XNP	NATCHITOCHES		31 46 N	93 06 W	130		+
101	166657		XNP	NEW IBERIA		29 59 N	91 47 W	25		+
102	166660	12916	XNP	NEW ORLEANS INTL AP	MSY	30 00 N	90 15 W	4	*	+
103	166664	12930	XNP	NEW ORLEANS AUDUBON		29 55 N	90 08 W	6		+
104	166666		P	NEW ORLEANS ALGIERS		29 57 N	90 03 W	2		+
105	812958	12958	XNP	NEW ORLEANS CALLENDER		29 49 N	90 01 W	5		+
106	166668		P	NEW ORLEANS EASTOVER		30 03 N	89 57 W	-5		
107	166669		P	NEW ORLEANS WATER PLT		29 57 N	90 08 W	20		
108	166672		P	NEW ORLEANS D P S 5		29 59 N	90 01 W	10		
109	166675		P	NEW ORLEANS D P S 3		29 59 N	90 04 W	10		
110	166679		P	NEW ORLEANS DPS #6		29 59 N	90 07 W	0		
111	166686		XNP	NEW ROADS 5 ESE		30 41 N	91 22 W	45		+
112	166836		P	OAKDALE		30 49 N	92 40 W	110		+
113	166866		P	OAK GROVE 2 WSW		32 51 N	91 26 W	110		+
114	166911		P	OAKNOLIA 2 N		30 45 N	90 59 W	150		+
115	166938		XNP	OBERLIN FIRE TOWER		30 36 N	92 47 W	65		+
116	166978		XNP	OLLA		31 54 N	92 15 W	155		
117	166995		P	OPELOUSAS		30 30 N	92 06 W	56		+
118	167096		XNP	PARADIS 7 S		29 47 N	90 26 W	5		+
119	167304		P	PINE GROVE FIRE TOWER		30 42 N	90 45 W	190		+
120	167344		XNP	PLAIN DEALING		32 54 N	93 42 W	290		+
121	167366		P	PLAQUEMINE 2 N		30 19 N	91 14 W	20		
122	167425		P	PONCHATOULA 4 SE		30 25 N	90 23 W	18		
123	167448		P	PORT ALLEN		30 27 N	91 13 W	15		+
124	167691		P	RAYVILLE		32 29 N	91 45 W	87		
125	167729		P	RED RIVER LOCK #1		31 15 N	91 58 W	70		
126	167732		P	RED RIVER LOCK #2		31 11 N	92 18 W	75		
127	167738		XNP	RED RIVER RESEARCH STN		32 25 N	93 38 W	155		+
128	167767		XNP	RESERVE		30 05 N	90 37 W	15		+
129	167924		P	ROBSON		32 22 N	93 39 W	160		
130	167932		XNP	ROCKEFELLER WL REFUGE		29 44 N	92 49 W	4		+
131	168046		XNP	ROSEFINE RESEARCH STN		30 57 N	93 17 W	238		+
132	168067		XNP	RUSTON LA TECH		32 31 N	92 39 W	280		+
133	168108		XNP	ST BERNARD		29 52 N	89 50 W	5		+
134	168136		P	ST FRANCISVILLE		30 46 N	91 23 W	115		
135	168139		P	ST GABRIEL		30 16 N	91 06 W	30		
136	168163		XNP	ST JOSEPH 3 N		31 57 N	91 14 W	78		+
137	168181		P	ST MARTINVILLE 3 SW		30 06 N	91 53 W	30		
138	168405		P	SHERIDAN FIRE TOWER		30 51 N	89 59 W	330		
139	168436		P	SHREVEPORT DOWNTOWN		32 31 N	93 45 W	180		
140	168440	13957	XNP	SHREVEPORT AP	SHV	32 27 N	93 49 W	254	*	+



## Page 7

STATION INVENTORY										
No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
141	168507	53813	P	SIMMESPORT		30 59 N	91 49 W	49		
142	168539		XNP	SLIDELL		30 16 N	89 46 W	10		+
143	168543		P	SLIDELL WSMO		30 20 N	89 49 W	27		
144	168669		P	SPEARSVILLE FIRE TOWER		32 54 N	92 34 W	200		
145	168683		P	SPRINGHILL		33 00 N	93 27 W	240		
146	168715		P	SPRINGVILLE FIRE TOWER		30 26 N	90 39 W	30		
147	168785		P	STERLINGTON		32 43 N	92 05 W	60		+
148	168831		P	SULPHUR		30 14 N	93 21 W	10		+
149	168923		XNP	TALLULAH		32 24 N	91 13 W	85		+
150	169013		XNP	THIBODAUX 3 ESE		29 46 N	90 47 W	15		+
151	169357		P	VIDALIA 2		31 35 N	91 28 W	60		+
152	169375		P	VINTON		30 11 N	93 35 W	12		
153	169392		P	VIVIAN		32 54 N	93 59 W	220		
154	169480		P	WATSON 3 ESE		30 34 N	90 55 W	60		
155	169803		XNP	WINNFIELD 2 W		31 56 N	92 40 W	160		+
156	169806		XNP	WINNSBORO 5 SSE		32 06 N	91 43 W	80		+
157	169809		P	WINONA FIRE TOWER		32 02 N	92 39 W	220		
158	169865		XNP	WOODWORTH 2 SE		31 07 N	92 28 W	116		
159	169930		P	ZACHARY		30 41 N	91 08 W	120		
160	169980		P	ZWOLLE 2 NW		31 39 N	93 40 W	220		



# CLIMATOGRAPHY OF THE UNITED STATES NO. 81


## Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

### LOUISIANA

Page 8

			TEMPERATURE NORMALS (Degrees Fahrenheit)												
No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
003	ALEXANDRIA INTL AP	MAX	58.1	62.9	70.2	76.9	84.1	90.1	92.8	92.9	88.2	79.5	68.9	60.8	77.1
		MEAN	48.1	52.1	59.6	66.2	74.2	80.6	83.3	83.0	78.2	68.0	58.3	50.7	66.9
		MIN	38.0	41.3	48.9	55.5	64.3	71.1	73.8	73.1	68.1	56.5	47.7	40.5	56.6
004	ALEXANDRIA ESLEER AP	MAX	57.9	63.2	70.6	77.3	84.1	90.4	92.9	92.9	87.9	79.2	68.6	60.6	77.1
		MEAN	47.3	51.6	58.9	65.5	73.1	79.5	82.0	81.6	76.4	66.3	56.6	49.7	65.7
		MIN	36.6	39.9	47.2	53.7	62.0	68.5	71.1	70.2	64.9	53.3	44.6	38.7	54.2
005	AMITE	MAX	60.4	64.7	71.9	78.2	85.0	90.5	92.1	92.2	88.7	80.6	70.7	63.0	78.2
		MEAN	49.0	52.7	59.8	65.6	73.0	79.0	81.1	80.8	76.8	66.9	58.1	51.1	66.2
		MIN	37.6	40.6	47.6	53.0	61.0	67.4	70.0	69.4	64.9	53.2	45.4	39.2	54.1
006	ASHLAND	MAX	55.7	61.4	69.0	76.0	82.4	89.1	92.8	93.2	87.8	78.3	67.4	58.4	76.0
		MEAN	44.4	48.9	56.3	63.1	70.9	77.9	81.2	80.8	75.3	64.5	54.7	46.7	63.7
		MIN	33.0	36.4	43.6	50.1	59.3	66.6	69.6	68.3	62.8	50.7	41.9	35.0	51.4
008	BASTROP	MAX	54.5	60.2	68.4	75.6	83.1	89.8	92.8	92.8	87.5	78.1	65.9	57.0	75.5
		MEAN	44.1	48.7	56.8	63.9	72.3	79.3	82.4	81.8	76.1	65.7	54.4	46.6	64.3
		MIN	33.7	37.1	45.2	52.2	61.4	68.8	72.0	70.7	64.7	53.3	42.8	36.2	53.2
011	BATON ROUGE RYAN AP	MAX	60.0	63.9	71.0	77.3	84.0	89.2	90.7	90.9	87.4	79.7	70.1	62.8	77.3
		MEAN	50.1	53.5	60.3	66.6	74.0	79.7	81.7	81.4	77.5	68.1	59.0	52.4	67.0
		MIN	40.2	43.1	49.6	55.8	64.1	70.2	72.7	71.9	67.5	56.4	47.9	42.1	56.8
015	BIENVILLE 3 NE	MAX	55.1	60.5	68.4	75.8	83.0	89.5	92.8	92.7	87.4	77.7	66.3	57.6	75.6
		MEAN	45.0	49.5	56.7	63.6	71.7	78.6	81.9	81.3	75.8	65.1	54.7	47.1	64.3
		MIN	34.9	38.5	45.0	51.3	60.4	67.7	71.0	69.9	64.2	52.4	43.1	36.6	52.9
016	BOGALUSA	MAX	60.3	64.3	71.4	77.8	84.7	90.3	92.2	91.9	88.0	79.7	70.1	62.9	77.8
		MEAN	49.3	52.6	59.7	66.0	73.6	79.7	82.0	81.5	77.2	67.0	58.2	51.5	66.5
		MIN	38.3	40.9	47.9	54.1	62.5	69.1	71.7	71.1	66.3	54.3	46.3	40.0	55.2
017	BOOTHVILLE	MAX	62.3	65.1	70.3	75.9	82.9	87.8	89.9	90.1	86.6	78.9	71.2	65.2	77.2
		MEAN	54.7	57.4	62.7	68.3	75.7	81.0	83.0	83.1	80.1	72.2	64.2	57.6	70.0
		MIN	47.1	49.6	55.1	60.7	68.5	74.1	76.0	76.0	73.5	65.5	57.1	50.0	62.8
018	BOYCE 3 WNW	MAX	57.4	62.2	69.7	76.7	83.6	89.5	92.4	92.0	87.0	78.5	67.5	59.8	76.4
		MEAN	48.1	52.3	59.3	66.3	74.1	80.2	82.9	82.3	77.2	67.5	57.5	50.4	66.5
		MIN	38.7	42.3	48.9	55.9	64.5	70.8	73.4	72.6	67.4	56.5	47.4	40.9	56.6
019	BRUSLY 2 W	MAX	60.7	64.8	71.8	77.4	84.6	89.9	91.5	91.5	87.9	79.6	70.5	63.4	77.8
		MEAN	49.6	53.0	60.1	66.0	73.9	79.5	81.4	81.0	76.8	66.9	58.3	51.8	66.5
		MIN	38.4	41.2	48.3	54.6	63.1	69.1	71.2	70.4	65.7	54.2	46.1	40.1	55.2
020	BUNKIE	MAX	58.3	62.8	70.4	77.0	84.3	90.0	92.4	92.5	88.1	80.0	69.3	61.1	77.2
		MEAN	48.6	52.4	59.9	66.3	74.3	80.2	82.6	82.0	77.1	67.5	58.5	51.0	66.7
		MIN	38.8	42.0	49.3	55.6	64.2	70.4	72.7	71.4	66.1	54.9	47.6	40.8	56.2
021	BURAS	MAX	61.3	63.7	69.6	75.7	81.8	87.1	88.6	88.2	85.4	78.1	71.1	63.9	76.2
		MEAN	53.0	56.1	62.1	68.3	75.3	80.8	82.2	82.1	79.5	71.5	63.9	56.3	69.3
		MIN	44.7	48.4	54.5	60.8	68.8	74.5	75.8	76.0	73.6	64.8	56.7	48.6	62.3
022	CALHOUN RESEARCH STN	MAX	57.3	62.8	70.2	77.4	84.4	91.1	94.5	94.7	89.1	79.4	68.5	59.9	77.4
		MEAN	45.4	49.8	57.3	64.1	72.3	79.3	82.8	82.2	76.3	65.3	55.7	47.8	64.9
		MIN	33.5	36.7	44.3	50.8	60.1	67.5	71.0	69.6	63.4	51.1	42.8	35.7	52.2
024	CARVILLE 2 SW	MAX	60.7	64.3	71.1	77.6	84.6	89.5	91.2	91.2	87.5	79.6	70.3	63.3	77.6
		MEAN	50.9	54.2	60.6	67.2	74.8	80.3	82.3	82.1	78.2	68.9	60.0	53.4	67.7
		MIN	41.0	44.0	50.1	56.7	65.0	71.0	73.3	72.9	68.8	58.1	49.7	43.4	57.8
026	CLINTON 5 SE	MAX	59.0	63.0	70.2	76.4	83.4	89.1	91.1	91.2	87.2	79.1	69.1	61.8	76.7
		MEAN	48.3	51.8	59.0	65.1	72.8	78.7	81.0	80.7	76.5	66.9	57.8	50.9	65.8
		MIN	37.5	40.6	47.8	53.8	62.2	68.3	70.8	70.1	65.8	54.7	46.4	39.9	54.8
028	CONVERSE	MAX	57.0	62.0	69.1	76.1	82.8	89.2	93.2	93.5	88.5	78.9	68.0	59.4	76.5
		MEAN	46.0	50.0	57.0	63.8	71.4	78.2	81.7	81.0	75.8	65.1	55.5	47.9	64.5
		MIN	35.0	38.0	44.8	51.5	59.9	67.2	70.1	68.4	63.0	51.2	42.9	36.3	52.4
029	COTTON VALLEY 5 NNW	MAX	54.7	60.3	68.0	75.4	82.2	88.6	92.6	93.0	87.0	76.9	65.2	56.9	75.1
		MEAN	43.4	47.9	55.0	62.3	70.5	77.7	81.8	81.2	75.0	63.8	53.3	45.5	63.1
		MIN	32.1	35.4	42.0	49.2	58.8	66.8	70.9	69.4	63.0	50.6	41.4	34.1	51.1
031	COVINGTON 4 NNW	MAX	62.1	66.1	72.9	78.7	85.3	90.2	91.9	91.7	87.8	80.2	70.7	64.3	78.5
		MEAN	51.2	54.4	61.0	66.6	73.9	79.3	81.5	81.3	77.4	68.0	59.3	53.2	67.3
		MIN	40.2	42.6	49.0	54.5	62.4	68.4	71.1	70.9	66.9	55.7	47.9	42.0	56.0
032	CROWLEY 2 NE	MAX	59.9	63.7	71.0	77.8	84.8	89.9	91.5	91.8	88.3	81.0	70.6	62.8	77.8
		MEAN	50.1	53.5	60.8	67.5	75.2	80.6	82.2	81.9	78.1	69.1	59.9	52.7	67.6
		MIN	40.3	43.2	50.6	57.2	65.6	71.3	72.9	71.9	67.9	57.2	49.2	42.5	57.5
034	DE QUINCY	MAX	59.2	63.1	69.7	76.0	83.0	88.3	91.0	91.4	87.4	79.6	69.7	61.9	76.7
		MEAN	48.3	51.7	58.3	64.8	72.7	78.4	81.0	80.7	76.3	66.8	57.8	50.8	65.6
		MIN	37.4	40.2	46.9	53.5	62.3	68.5	70.9	69.9	65.1	54.0	45.8	39.6	54.5
035	DE RIDDER	MAX	59.4	64.2	71.4	77.4	84.3	89.5	92.1	92.3	88.1	79.8	69.7	62.0	77.5
		MEAN	48.7	52.6	60.0	66.3	74.1	79.9	82.4	82.1	77.5	67.8	58.5	51.0	66.7
		MIN	37.9	40.9	48.6	55.2	63.9	70.2	72.6	71.9	66.9	55.7	47.2	39.9	55.9
036	DONALDSONVILLE 4 SW	MAX	61.4	64.7	71.4	77.6	84.3	89.1	90.9	90.8	87.0	79.5	71.0	63.9	77.6
		MEAN	51.4	54.4	61.1	67.4	74.8	80.3	82.1	81.9	78.0	68.8	60.5	53.6	67.9
		MIN	41.3	44.1	50.7	57.1	65.2	71.4	73.3	72.9	68.9	58.0	50.0	43.3	58.0






# CLIMATOGRAPHY OF THE UNITED STATES NO. 81

## Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

### LOUISIANA

Page 9

			TEMPERATURE NORMALS (Degrees Fahrenheit)												
No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
037	ELIZABETH	MAX	59.7	64.2	71.7	77.8	84.5	90.0	92.7	92.8	88.6	80.3	70.3	62.5	77.9
		MEAN	48.1	52.0	59.5	65.6	73.4	79.3	81.9	81.6	76.9	67.1	58.0	50.6	66.2
		MIN	36.5	39.8	47.2	53.3	62.3	68.6	71.0	70.3	65.2	53.8	45.6	38.7	54.4
038	EPPS 6 WNW	MAX	53.4	58.8	66.9	74.9	82.9	89.3	92.2	91.7	87.1	77.6	65.8	56.3	74.7
		MEAN	44.3	48.8	56.6	64.1	72.6	79.4	82.2	81.2	75.9	65.4	55.2	46.9	64.4
		MIN	35.1	38.7	46.2	53.2	62.2	69.4	72.1	70.6	64.6	53.1	44.5	37.5	53.9
039	EUNICE	MAX	60.4	64.9	72.3	79.0	85.9	91.5	93.6	93.8	89.8	81.6	71.4	63.6	79.0
		MEAN	50.0	54.0	61.3	67.8	75.6	81.5	83.6	83.2	78.9	69.2	60.2	52.7	68.2
		MIN	39.6	43.1	50.2	56.6	65.2	71.4	73.6	72.6	67.9	56.8	49.0	41.8	57.3
040	FRANKLIN 3 NW	MAX	61.0	64.4	70.8	76.5	83.0	87.6	89.2	89.1	85.7	78.6	70.2	63.6	76.6
		MEAN	51.9	55.1	61.3	67.2	74.6	79.7	81.4	81.1	77.4	68.6	60.3	54.1	67.7
		MIN	42.7	45.7	51.7	57.9	66.1	71.7	73.5	73.0	69.1	58.6	50.3	44.6	58.7
042	FRANKLINTON 3 SW	MAX	61.2	65.3	72.7	79.0	86.0	91.5	93.4	93.1	88.8	80.6	70.8	63.6	78.8
		MEAN	49.6	53.1	60.1	66.1	73.7	79.5	81.8	81.3	76.9	67.0	58.0	51.7	66.6
		MIN	37.9	40.8	47.4	53.2	61.4	67.5	70.2	69.4	64.9	53.4	45.1	39.8	54.3
044	GALLIANO	MAX	63.0	65.4	71.4	76.7	83.5	88.2	90.0	89.8	86.4	79.4	71.8	65.3	77.6
		MEAN	53.0	55.7	62.3	67.9	75.1	80.1	81.9	81.8	78.5	69.9	62.2	55.3	68.6
		MIN	43.0	45.9	53.1	59.1	66.7	72.0	73.8	73.7	70.6	60.4	52.6	45.3	59.7
047	GRAND COTEAU	MAX	62.2	66.2	73.1	79.3	86.3	91.0	92.6	93.0	89.0	81.5	71.8	64.9	79.2
		MEAN	51.7	55.2	61.9	67.8	75.3	80.5	82.5	82.4	78.1	69.2	60.4	54.0	68.3
		MIN	41.2	44.1	50.6	56.3	64.3	69.9	72.3	71.7	67.2	56.8	49.0	43.0	57.2
053	HACKBERRY 8 SSW	MAX	59.3	63.1	69.6	75.6	82.4	87.9	90.2	90.4	87.1	79.4	70.0	62.3	76.4
		MEAN	51.1	54.7	61.6	68.1	75.5	81.2	82.9	82.8	79.3	70.8	61.5	53.9	68.6
		MIN	42.9	46.2	53.5	60.5	68.6	74.4	75.6	75.2	71.5	62.1	53.0	45.4	60.7
054	HAMMOND 5 E	MAX	61.5	65.3	71.8	77.6	85.0	90.4	92.4	92.5	88.4	80.6	71.1	63.9	78.4
		MEAN	49.8	53.2	59.9	65.7	73.7	79.4	81.7	81.6	77.2	67.5	58.7	52.0	66.7
		MIN	38.1	41.1	47.9	53.8	62.3	68.4	71.0	70.6	66.0	54.4	46.3	40.1	55.0
058	HOMER 3 SSW	MAX	53.9	59.2	67.2	74.6	81.6	88.2	92.0	92.2	86.4	76.4	64.9	56.4	74.4
		MEAN	43.4	47.7	55.3	62.6	70.6	77.5	81.3	80.8	74.8	63.9	53.7	45.7	63.1
		MIN	32.8	36.1	43.3	50.5	59.5	66.7	70.5	69.4	63.1	51.4	42.4	35.0	51.7
060	HOUMA	MAX	62.8	65.7	71.8	77.5	84.3	88.9	90.7	90.5	87.2	79.9	72.1	65.6	78.1
		MEAN	53.1	56.2	62.7	68.4	75.8	80.7	82.5	82.3	78.9	69.9	62.1	55.4	69.0
		MIN	43.4	46.6	53.6	59.3	67.2	72.4	74.2	74.1	70.6	59.9	52.1	45.2	59.9
061	JEANERETTE 5 NW	MAX	60.5	63.9	70.6	76.9	83.6	88.5	90.1	90.1	86.7	79.3	70.5	63.3	77.0
		MEAN	50.9	54.1	60.8	67.1	74.5	79.8	81.5	81.1	77.3	68.2	59.9	53.3	67.4
		MIN	41.3	44.2	51.0	57.2	65.3	71.1	72.8	72.1	67.8	57.1	49.3	43.3	57.7
062	JENA 4 WSW	MAX	56.4	61.4	69.2	76.0	82.7	89.2	92.1	92.1	87.7	78.4	67.3	59.0	76.0
		MEAN	45.8	50.0	57.5	64.1	72.0	78.6	81.6	80.8	75.9	65.3	55.7	48.3	64.6
		MIN	35.1	38.6	45.8	52.2	61.2	68.0	71.0	69.4	64.0	52.1	44.1	37.6	53.3
063	JENNINGS	MAX	59.1	63.2	70.5	77.2	84.0	88.8	90.7	91.1	87.8	80.0	69.7	61.9	77.0
		MEAN	49.8	53.4	60.4	66.8	74.6	80.0	81.8	81.6	77.9	68.8	59.5	52.3	67.2
		MIN	40.5	43.5	50.2	56.4	65.1	71.1	72.9	72.1	68.0	57.6	49.2	42.6	57.4
065	JONESVILLE LOCKS	MAX	56.4	61.3	69.1	76.3	83.8	89.8	92.0	92.0	87.6	78.9	67.8	59.5	76.2
		MEAN	46.6	50.7	58.2	65.5	73.7	80.1	82.5	81.9	77.0	67.0	56.8	49.1	65.8
		MIN	36.7	40.0	47.3	54.6	63.6	70.4	72.9	71.7	66.3	55.0	45.7	38.7	55.2
069	LAFAYETTE	MAX	61.0	65.0	71.9	77.8	84.7	89.8	91.2	91.5	87.2	80.0	70.7	63.5	77.9
		MEAN	51.3	55.0	61.8	68.0	75.4	80.5	82.2	82.1	77.8	69.2	60.5	53.6	68.1
		MIN	41.6	45.0	51.7	58.1	66.0	71.2	73.1	72.6	68.4	58.4	50.2	43.7	58.3
070	LAFAYETTE REG AP	MAX	61.6	65.0	71.8	78.1	84.7	89.3	90.7	90.9	87.7	80.5	71.6	64.5	78.0
		MEAN	51.9	55.1	61.7	67.8	75.2	80.4	82.2	82.1	78.3	69.4	60.7	54.3	68.3
		MIN	42.1	45.1	51.6	57.5	65.7	71.5	73.7	73.2	68.8	58.2	49.8	44.0	58.4
071	LAKE ARTHUR 10 SW	MAX	58.1	61.7	69.2	75.3	82.5	88.7	90.8	91.1	88.0	79.8	70.5	61.2	76.4
		MEAN	49.2	52.7	60.7	67.1	74.9	80.8	82.7	82.2	78.3	69.4	60.0	52.2	67.5
		MIN	40.3	43.6	52.1	58.8	67.3	72.9	74.5	73.2	68.6	58.9	49.5	43.2	58.6
073	LAKE CHARLES AP	MAX	60.6	64.5	71.3	77.4	84.1	88.9	91.0	91.3	87.7	80.5	70.6	63.3	77.6
		MEAN	50.9	54.4	61.0	67.3	74.9	80.5	82.6	82.4	78.4	69.5	60.1	53.3	67.9
		MIN	41.2	44.3	50.8	57.2	65.7	72.1	74.3	73.6	69.1	58.6	49.7	43.3	58.3
074	LAKE PROVIDENCE	MAX	52.3	57.9	66.4	74.4	82.4	89.1	92.2	91.7	86.7	77.2	65.1	55.4	74.2
		MEAN	43.3	47.9	55.8	63.6	72.1	79.2	82.3	81.5	76.0	65.4	54.6	46.2	64.0
		MIN	34.2	37.8	45.2	52.7	61.8	69.2	72.4	71.2	65.2	53.5	44.1	36.9	53.7
075	LEESVILLE	MAX	58.7	63.6	71.1	77.4	84.3	90.0	93.0	92.9	88.3	79.6	69.0	61.1	77.4
		MEAN	47.7	51.6	59.1	65.2	72.9	78.8	81.6	81.0	76.1	66.0	56.9	49.6	65.5
		MIN	36.6	39.6	47.1	53.0	61.4	67.5	70.1	69.0	63.8	52.3	44.7	38.1	53.6
077	LELAND BOWMAN LOCK	MAX	59.9	63.5	69.8	76.2	82.9	88.4	90.0	90.4	87.5	80.2	70.6	63.3	76.9
		MEAN	50.9	54.5	61.2	67.7	75.3	80.6	82.2	82.0	78.4	69.4	60.7	53.7	68.1
		MIN	41.8	45.5	52.6	59.1	67.6	72.8	74.4	73.6	69.3	58.5	50.7	44.1	59.2
081	LOGANSPOUT 4 ENE	MAX	57.1	62.4	69.9	76.7	83.4	89.7	93.5	93.4	87.7	78.6	66.8	59.0	76.5
		MEAN	45.9	50.2	57.4	64.5	72.4	78.9	82.3	81.6	75.9	65.4	55.0	47.8	64.8
		MIN	34.7	37.9	44.8	52.2	61.3	68.0	71.0	69.8	64.0	52.2	43.2	36.5	53.0




# CLIMATOGRAPHY OF THE UNITED STATES NO. 81

## Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

### LOUISIANA


Page 10

			TEMPERATURE NORMALS (Degrees Fahrenheit)												
No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
084	LSU BEN HUR FARM	MAX	60.4	64.1	71.3	77.7	84.7	89.7	91.4	91.5	88.0	80.2	70.8	63.4	77.8
		MEAN	50.1	53.3	60.3	66.5	74.3	79.6	81.7	81.4	77.6	67.9	59.4	52.6	67.1
		MIN	39.7	42.5	49.3	55.3	63.8	69.5	72.0	71.3	67.1	55.6	47.9	41.8	56.3
085	LSU CITRUS RESEARCH STN	MAX	62.6	65.4	70.5	76.9	83.7	88.6	90.9	90.0	86.8	80.0	72.6	65.9	77.8
		MEAN	53.1	55.8	62.0	68.6	76.3	81.4	83.2	82.6	79.9	71.8	63.9	56.4	69.6
		MIN	43.6	46.2	53.4	60.3	68.9	74.2	75.4	75.2	73.0	63.6	55.1	46.9	61.3
086	LSU DEAN LEE RES STN	MAX	57.5	62.3	69.9	76.7	83.9	90.0	92.4	92.4	88.1	79.5	68.7	60.4	76.8
		MEAN	47.3	51.3	58.9	65.5	73.6	79.9	82.2	81.5	76.8	66.7	57.2	49.7	65.9
		MIN	37.0	40.3	47.9	54.3	63.2	69.7	72.0	70.5	65.5	53.8	45.7	38.9	54.9
088	MANY	MAX	57.5	62.6	70.1	76.7	83.4	89.4	92.7	92.4	87.4	78.4	67.7	59.9	76.5
		MEAN	45.9	50.3	57.8	64.4	72.2	78.7	81.9	81.0	75.6	64.9	55.4	47.9	64.7
		MIN	34.3	38.0	45.4	52.0	61.0	68.0	71.0	69.6	63.8	51.3	43.0	35.9	52.8
093	MINDEN	MAX	55.5	60.8	68.3	75.6	82.4	88.9	92.1	92.3	86.7	77.6	66.8	58.1	75.4
		MEAN	44.3	48.7	56.1	63.4	71.5	78.5	81.9	81.4	75.5	64.8	54.7	46.7	64.0
		MIN	33.0	36.5	43.8	51.1	60.5	68.1	71.7	70.5	64.2	52.0	42.6	35.2	52.4
094	MONROE RGNL AP	MAX	56.0	61.9	69.7	77.7	85.2	91.9	94.3	93.8	88.6	79.6	67.7	58.8	77.1
		MEAN	46.0	51.0	58.4	65.9	74.3	81.1	83.5	82.5	76.8	66.3	56.2	48.4	65.9
		MIN	35.9	40.0	47.1	54.1	63.4	70.2	72.7	71.1	65.0	53.0	44.6	38.0	54.6
095	MONROE NLU	MAX	55.7	60.7	68.7	76.2	83.7	90.6	94.1	94.0	88.6	79.1	67.5	58.7	76.5
		MEAN	44.6	49.0	57.1	64.4	72.6	79.6	83.0	82.2	76.3	65.3	55.1	47.3	64.7
		MIN	33.5	37.3	45.5	52.6	61.4	68.6	71.8	70.3	63.9	51.5	42.6	35.8	52.9
097	MORGAN CITY	MAX	60.5	63.7	69.7	75.7	82.0	86.7	88.5	88.4	85.5	78.7	70.4	63.6	76.1
		MEAN	51.8	54.8	61.2	67.4	74.5	79.6	81.5	81.2	78.2	70.0	61.3	54.6	68.0
		MIN	43.1	45.9	52.7	59.0	66.9	72.5	74.4	74.0	70.8	61.2	52.2	45.5	59.9
100	NATCHITOCHES	MAX	56.7	62.0	69.7	76.8	84.0	90.2	93.3	93.1	87.8	78.6	67.6	59.2	76.6
		MEAN	46.3	50.5	58.0	64.9	73.2	80.1	83.4	82.8	77.1	66.5	56.4	48.6	65.7
		MIN	35.9	39.0	46.3	53.0	62.4	69.9	73.5	72.5	66.4	54.4	45.2	38.0	54.7
101	NEW IBERIA	MAX	61.2	64.5	71.6	77.9	84.4	89.2	91.1	90.9	87.6	80.0	71.2	64.2	77.8
		MEAN	51.3	54.4	61.7	67.9	75.2	80.4	82.3	82.0	78.4	69.3	60.6	54.0	68.1
		MIN	41.4	44.2	51.7	57.8	66.0	71.5	73.4	73.0	69.1	58.6	49.9	43.8	58.4
102	NEW ORLEANS INTL AP	MAX	61.8	65.3	72.1	78.0	84.8	89.4	91.1	91.0	87.1	79.7	71.0	64.5	78.0
		MEAN	52.6	55.7	62.4	68.2	75.6	80.7	82.7	82.5	78.9	70.0	61.4	55.1	68.8
		MIN	43.4	46.1	52.7	58.4	66.4	72.0	74.2	73.9	70.6	60.2	51.8	45.6	59.6
103	NEW ORLEANS AUDUBON	MAX	62.7	66.2	72.8	78.6	85.4	90.1	91.6	91.7	87.9	80.5	71.7	65.3	78.7
		MEAN	54.0	57.3	63.7	69.3	76.6	81.6	83.3	83.3	79.8	71.3	62.7	56.5	70.0
		MIN	45.3	48.3	54.5	59.9	67.7	73.1	75.0	74.9	71.7	62.1	53.6	47.6	61.1
105	NEW ORLEANS CALLENDER	MAX	62.0	65.2	71.5	77.4	84.4	89.1	90.9	91.0	87.0	79.4	71.0	64.6	77.8
		MEAN	52.7	55.6	61.8	67.6	75.1	80.3	82.2	82.2	78.6	69.6	61.0	55.0	68.5
		MIN	43.3	46.0	52.0	57.7	65.8	71.5	73.5	73.4	70.2	59.7	51.0	45.4	59.1
111	NEW ROADS 5 ESE	MAX	59.4	63.5	70.9	77.3	84.2	89.4	91.0	91.0	87.0	79.1	69.7	62.2	77.1
		MEAN	49.6	53.3	60.0	66.4	74.0	79.7	81.7	81.5	77.3	67.6	59.1	52.0	66.9
		MIN	39.7	43.0	49.0	55.5	63.8	70.0	72.3	71.9	67.6	56.0	48.4	41.7	56.6
115	OBERLIN FIRE TOWER	MAX	59.6	64.9	72.2	79.2	85.8	90.7	92.4	92.8	88.1	79.9	69.8	62.0	78.1
		MEAN	50.4	54.7	61.6	67.9	75.2	80.5	82.5	82.5	77.9	68.7	59.6	52.5	67.8
		MIN	41.2	44.4	51.0	56.6	64.5	70.2	72.6	72.1	67.6	57.4	49.4	43.0	57.5
116	OLLA	MAX	55.9	61.0	68.8	75.4	82.4	88.5	91.8	91.8	86.7	77.5	66.6	58.6	75.4
		MEAN	44.9	49.1	56.8	63.3	71.2	77.9	81.0	80.3	75.1	64.3	54.8	47.3	63.8
		MIN	33.8	37.2	44.8	51.2	60.0	67.2	70.1	68.8	63.5	51.1	42.9	35.9	52.2
118	PARADIS 7 S	MAX	64.1	66.9	73.3	78.1	84.5	88.9	90.8	90.8	87.4	80.9	72.8	66.4	78.7
		MEAN	53.6	56.4	62.7	67.8	74.9	79.7	81.4	81.3	77.8	69.3	61.6	55.6	68.5
		MIN	43.0	45.8	52.1	57.5	65.3	70.5	72.0	71.7	68.1	57.6	50.3	44.8	58.2
120	PLAIN DEALING	MAX	54.8	60.4	68.4	75.7	82.3	89.1	93.1	93.3	87.3	77.6	65.9	57.4	75.4
		MEAN	43.1	47.5	55.1	62.3	70.5	77.7	81.5	81.0	74.9	64.0	53.5	45.5	63.1
		MIN	31.4	34.6	41.8	48.8	58.6	66.2	69.8	68.7	62.5	50.3	41.0	33.6	50.6
127	RED RIVER RESEARCH STN	MAX	55.6	61.1	68.8	76.5	83.9	90.5	94.0	94.0	88.6	79.2	67.2	58.5	76.5
		MEAN	44.3	48.9	56.3	64.0	72.6	79.5	82.9	82.0	76.0	65.3	54.8	46.9	64.5
		MIN	32.9	36.6	43.8	51.4	61.3	68.5	71.7	69.9	63.3	51.3	42.4	35.3	52.4
128	RESERVE	MAX	61.4	64.9	71.5	77.8	84.6	89.3	91.2	90.9	87.3	79.5	71.0	64.2	77.8
		MEAN	51.3	54.5	61.3	67.2	74.5	79.9	82.0	81.6	78.0	68.7	60.5	53.8	67.8
		MIN	41.1	44.1	51.0	56.6	64.4	70.5	72.7	72.2	68.7	57.9	50.0	43.3	57.7
130	ROCKEFELLER WL REFUGE	MAX	60.4	63.7	70.6	76.6	83.6	88.8	90.7	91.0	88.0	80.7	71.0	63.6	77.4
		MEAN	51.3	54.4	61.5	67.8	75.4	80.9	82.8	82.4	79.0	70.3	61.3	54.1	68.4
		MIN	42.1	45.1	52.3	58.9	67.1	72.9	74.8	73.8	70.0	59.8	51.5	44.5	59.4
131	ROSE PINE RESEARCH STN	MAX	58.9	63.5	70.6	77.0	84.3	90.3	93.0	93.4	88.9	80.3	69.4	61.4	77.6
		MEAN	47.4	51.4	58.7	65.1	73.0	79.0	81.5	81.3	76.8	66.9	57.3	49.8	65.7
		MIN	35.9	39.3	46.7	53.2	61.7	67.7	70.0	69.1	64.6	53.5	45.2	38.1	53.8
132	RUSTON LA TECH	MAX	55.4	60.8	68.6	75.9	82.8	89.7	92.9	93.0	87.1	77.5	66.5	57.9	75.7
		MEAN	44.2	48.6	56.2	63.3	71.3	78.3	81.4	80.9	75.0	64.4	54.5	46.5	63.7
		MIN	32.9	36.4	43.7	50.7	59.8	66.9	69.8	68.7	62.8	51.2	42.4	35.1	51.7



## Page 11

[illegible]




# CLIMATOGRAPHY OF THE UNITED STATES NO. 81

## Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

### LOUISIANA

Page 12

		PRECIPITATION NORMALS (Total in Inches)												
No.	Station Name	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	ABBEVILLE	6.00	3.87	4.87	4.34	5.99	6.45	6.20	6.16	5.52	4.23	4.60	5.39	63.62
002	ABITA SPRINGS FIRE TOWE	6.18	5.29	6.21	5.19	5.86	4.99	6.82	6.96	5.29	3.27	4.83	4.71	65.60
003	ALEXANDRIA INTL AP	6.16	4.78	5.78	4.94	5.35	4.88	4.23	4.35	4.00	4.82	5.76	6.39	61.44
004	ALEXANDRIA ESLEER AP	5.96	4.45	5.53	5.14	5.40	3.82	4.13	3.45	3.29	4.53	4.61	5.83	56.14
005	AMITE	6.73	5.42	6.39	6.14	5.62	5.02	5.96	5.38	4.90	3.97	4.79	5.40	65.72
006	ASHLAND	5.48	5.03	5.22	4.50	5.47	4.45	4.15	3.02	3.41	3.98	4.61	5.44	54.76
007	BAKER	6.87	5.09	5.24	5.62	5.05	5.76	4.65	4.89	4.84	4.19	4.72	6.01	62.93
008	BASTROP	5.83	5.03	6.16	5.70	5.51	4.48	3.82	2.68	3.24	4.06	4.99	5.60	57.10
009	BATON ROUGE CENTRAL	7.02	5.20	5.36	5.94	5.46	5.28	5.29	6.43	4.61	4.02	4.82	5.69	65.12
010	BATON ROUGE CONCORD	6.36	5.67	5.32	5.61	5.41	5.97	5.88	5.91	4.36	4.17	5.01	5.41	65.08
011	BATON ROUGE RYAN AP	6.19	5.10	5.07	5.56	5.34	5.33	5.96	5.86	4.84	3.81	4.76	5.26	63.08
012	BATON ROUGE SHERWOOD	5.98	5.28	5.42	5.23	5.36	5.38	5.75	6.79	4.65	4.07	4.73	5.26	63.90
013	BAYOU SORREL LOCK	5.69	4.44	5.11	5.25	4.84	5.47	6.05	6.30	4.88	3.75	4.96	5.16	61.90
014	BEAVER FIRE TOWER	7.03	4.70	5.46	4.97	6.02	5.56	4.90	4.91	5.06	4.76	5.73	6.23	65.33
015	BIENVILLE 3 NE	6.59	5.22	5.86	5.08	5.92	5.02	4.21	3.15	4.12	4.64	5.28	5.86	60.95
016	BOGALUSA	6.18	5.63	6.57	5.40	5.59	5.62	5.67	4.94	4.72	3.53	5.19	5.01	64.05
017	BOOTHVILLE	6.09	4.15	5.33	3.31	3.39	4.49	6.50	5.91	8.39	3.22	4.90	4.27	59.95
018	BOYCE 3 WNW	6.12	4.43	5.60	4.87	5.12	4.58	4.13	3.91	4.49	4.37	5.99	6.17	59.78
019	BRUSLY 2 W	6.40	5.44	5.09	5.66	4.56	5.35	6.02	5.89	4.47	4.15	4.41	5.27	62.71
020	BUNKIE	6.56	4.78	5.75	5.60	6.15	5.10	3.87	3.75	4.22	4.21	5.68	6.11	61.78
021	BURAS	5.20	3.47	6.17	3.78	3.40	5.45	7.15	6.05	6.91	3.48	3.93	4.84	59.83
022	CALHOUN RESEARCH STN	5.72	4.79	5.77	4.79	5.39	4.52	3.72	3.14	3.36	4.24	4.61	5.44	55.49
023	CARENCRO	7.25	5.17	4.48	5.35	4.76	5.23	6.09	4.64	4.63	4.28	4.90	5.79	62.57
024	CARVILLE 2 SW	5.79	4.64	4.89	4.79	4.74	6.10	5.99	5.57	4.55	3.86	4.82	4.98	60.72
025	CLINTON 4 ENE	7.06	5.13	5.65	5.85	6.08	5.04	5.33	4.77	4.78	3.47	5.00	5.76	63.92
026	CLINTON 5 SE	6.73	5.26	5.49	5.86	5.46	4.92	5.17	5.16	4.44	4.14	4.92	5.61	63.16
027	COLUMBIA LOCKS	6.33	5.01	5.89	5.96	5.64	5.08	3.81	3.38	3.21	4.11	5.06	6.07	59.55
028	CONVERSE	4.73	4.56	4.89	4.19	5.60	4.25	3.47	2.39	3.76	4.08	4.14	5.16	51.22
029	COTTON VALLEY 5 NNW	4.82	4.67	4.90	4.47	4.71	4.77	4.13	2.77	3.56	4.50	4.91	4.85	53.06
030	COUSHATTA 2 SW	4.97	4.67	4.85	4.30	5.79	4.35	2.77	2.77	3.31	4.08	5.18	5.17	52.21
031	COVINGTON 4 NNW	5.73	5.45	6.40	5.31	5.56	4.91	6.64	5.29	4.77	3.39	4.98	5.15	63.58
032	CROWLEY 2 NE	6.25	4.12	4.42	4.38	5.75	5.40	5.71	5.01	4.91	4.10	5.05	5.06	60.16
033	DENHAM SPRINGS	5.78	5.21	5.63	5.40	5.31	5.31	5.89	7.05	4.27	4.08	4.63	4.99	63.55
034	DE QUINCY	6.29	3.78	4.27	3.75	5.59	6.08	5.46	5.01	5.47	4.57	5.28	5.51	61.06
035	DE RIDDER	6.30	4.58	5.32	4.13	5.40	5.52	5.24	4.16	4.63	4.18	5.28	6.67	61.41
036	DONALDSONVILLE 4 SW	5.73	4.65	5.26	5.18	4.44	5.57	6.45	5.68	5.49	3.86	4.59	4.87	61.77
037	ELIZABETH	6.23	4.53	5.23	4.68	6.13	5.84	4.85	4.29	4.83	4.87	5.96	6.45	63.89
038	EPPS 6 WNW	5.69	5.16	6.03	4.93	5.48	4.46	3.75	3.11	2.57	3.96	4.80	5.45	55.39
039	EUNICE	6.26	4.64	4.95	4.12	5.93	4.30	5.27	4.73	4.93	4.47	4.96	5.41	59.97
040	FRANKLIN 3 NW	5.43	3.92	4.73	5.09	4.92	7.06	7.37	7.76	5.85	3.72	4.46	4.82	65.13
041	FRANKLINTON 2	6.24	5.60	6.56	5.23	4.28	5.85	5.00	5.09	4.13	3.00	4.43	5.71	61.12
042	FRANKLINTON 3 SW	6.19	5.40	6.83	6.28	5.64	5.31	5.42	5.02	3.88	3.50	5.52	5.25	64.24
043	FRANKLINTON 5 SW	6.10	5.77	7.09	5.42	5.95	5.65	5.48	5.28	3.58	3.74	4.60	5.65	64.31
044	GALLIANO	5.85	4.59	5.53	4.43	5.75	5.82	7.69	7.13	6.34	3.65	4.67	4.03	65.48
045	GONZALES	5.94	4.96	5.61	5.74	4.84	6.16	6.21	6.42	4.53	3.70	4.59	4.95	63.65
046	GORUM FIRE TOWER	6.03	4.83	5.28	4.83	5.39	4.94	4.41	3.74	4.35	4.05	5.06	5.97	58.88
047	GRAND COTEAU	6.49	4.55	4.79	5.13	5.80	6.06	5.95	4.60	4.68	4.46	5.45	5.33	63.29
048	GRAND ECORE	5.46	4.29	5.12	4.37	5.04	4.57	3.67	2.96	3.58	4.30	4.53	5.57	53.46
049	GRAND ISLE	5.03	4.54	5.54	4.59	2.99	4.04	6.60	6.22	5.60	3.69	3.99	3.47	56.30
050	GRETN	5.79	4.16	5.74	4.31	7.05	6.37	6.35	5.20	5.34	2.36	4.70	4.22	61.59
051	GREENWELL SPRINGS	6.62	5.44	5.93	5.89	5.74	5.59	5.85	5.91	5.09	4.03	5.13	5.74	66.96
052	GREENWOOD FIRE TOWER	5.47	4.96	5.13	4.99	6.22	4.26	4.73	3.39	3.97	4.75	5.33	5.52	58.72
053	HACKBERRY 8 SSW	5.70	3.46	3.78	4.01	4.92	6.63	6.62	5.47	5.53	4.37	4.72	4.37	59.58
054	HAMMOND 5 E	5.87	5.74	6.18	5.63	4.54	5.03	6.17	6.55	4.59	3.55	4.81	5.36	64.02
055	HAMMOND	6.30	5.61	6.10	6.35	5.66	5.69	7.22	5.42	5.37	3.85	4.65	5.75	67.97
056	HANNA 4 SSE	5.18	4.63	5.12	4.00	4.86	3.73	4.09	2.56	3.50	4.24	4.54	5.44	51.89
057	HODGES GARDENS	6.26	4.46	4.83	4.33	5.45	4.90	4.26	3.75	3.67	4.19	5.18	5.51	56.79
058	HOMER 3 SSW	5.28	4.73	5.20	5.08	5.08	4.86	4.17	2.83	4.00	4.18	5.30	5.07	55.78
059	HOSSTON	4.21	3.99	4.35	4.07	4.38	4.87	3.08	3.24	2.90	4.25	5.17	4.83	49.34
060	HOUMA	5.43	4.59	4.96	4.46	5.35	5.96	7.85	6.73	6.28	3.11	4.55	4.40	63.67
061	JEANERETTE 5 NW	5.58	4.01	4.30	4.70	5.19	7.00	6.36	6.26	5.68	3.92	4.37	4.87	62.24
062	JENA 4 WSW	6.20	4.41	6.32	5.94	5.33	4.42	4.44	3.62	3.25	3.86	5.28	6.19	59.26
063	JENNINGS	6.15	3.80	4.48	3.97	5.61	5.63	5.66	4.74	5.83	4.29	5.26	5.22	60.64
064	JONESBORO 4 ENE	6.12	5.08	5.50	5.16	5.82	4.86	4.43	3.33	3.82	4.04	4.78	5.91	58.85
065	JONESVILLE LOCKS	6.35	4.67	6.13	5.16	5.45	4.19	4.37	3.41	3.40	4.30	5.66	5.83	58.92
066	KEITHVILLE	4.98	4.61	4.48	4.60	5.43	4.55	3.75	2.58	3.40	4.61	4.87	5.07	52.93
067	KENTWOOD	7.13	5.57	6.40	6.30	5.51	5.24	5.47	5.11	4.78	3.74	5.21	5.44	65.90
068	KORAN	5.44	4.25	4.67	4.65	4.94	4.89	3.70	2.50	3.24	4.21	5.11	4.93	52.53
069	LAFAYETTE	6.00	4.69	4.46	5.06	4.88	5.54	6.14	4.54	4.78	4.20	4.57	5.68	60.54




# CLIMATOGRAPHY OF THE UNITED STATES NO. 81

## Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

### LOUISIANA


Page 13

		PRECIPITATION NORMALS (Total in Inches)												
No.	Station Name	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
070	LAFAYETTE REG AP	6.25	4.22	4.51	4.72	5.31	6.06	6.65	4.98	5.30	4.02	4.64	5.51	62.17
071	LAKE ARTHUR 10 SW	4.70	4.21	3.36	4.27	5.96	5.32	4.63	5.68	4.72	3.73	5.81	5.37	57.76
072	LAKE CHARLES 2 N	6.08	3.53	4.23	3.86	6.05	6.47	5.76	4.41	5.59	3.94	4.70	4.99	59.61
073	LAKE CHARLES AP	5.52	3.28	3.54	3.64	6.06	6.07	5.13	4.85	5.95	3.94	4.61	4.60	57.19
074	LAKE PROVIDENCE	5.91	5.10	6.30	6.16	5.88	4.60	3.73	2.84	2.96	4.48	5.11	6.04	59.11
075	LEESVILLE	5.84	4.63	5.16	4.44	5.53	4.76	4.44	3.62	4.19	3.79	5.31	6.07	57.78
076	LEESVILLE 6 SSW	6.44	4.05	5.80	5.18	6.30	4.05	4.93	4.16	4.25	3.92	4.91	6.21	60.20
077	LELAND BOWMAN LOCK	5.43	4.44	4.51	4.33	4.14	6.46	7.71	6.14	4.96	3.97	4.64	4.24	60.97
078	LIVERPOOL 6 E	6.64	5.22	5.81	5.24	5.05	4.30	5.45	4.91	3.97	3.78	4.23	5.55	60.15
079	LIVINGSTON	6.12	5.63	5.92	5.38	5.19	5.75	5.33	5.87	4.67	3.74	4.62	4.99	63.21
080	LOGANSPOUT	4.99	5.05	4.59	4.82	6.03	4.25	2.11	4.08	3.43	4.08	5.08	5.94	54.45
081	LOGANSPOUT 4 ENE	5.12	4.16	4.08	4.11	5.04	4.43	3.41	2.21	3.26	4.33	4.44	4.74	49.33
082	LONGVILLE	6.55	4.32	4.70	3.39	5.20	5.59	5.65	3.93	4.90	4.52	5.47	5.72	59.94
083	LOUISIANA NATURE CTR	5.60	4.58	6.02	4.60	4.80	5.13	6.07	5.94	6.30	2.72	4.78	4.34	60.88
084	LSU BEN HUR FARM	5.94	4.99	4.98	5.26	5.24	5.81	5.40	5.72	4.54	3.61	4.81	5.17	61.47
085	LSU CITRUS RESEARCH STN	5.35	4.69	5.70	4.15	3.88	6.33	7.66	6.55	6.68	2.76	4.10	3.79	61.64
086	LSU DEAN LEE RES STN	6.01	4.72	5.41	4.50	5.37	4.37	4.50	3.95	4.48	4.40	6.32	6.60	60.63
087	MANSFIELD	5.09	4.38	4.63	4.30	5.50	4.56	3.25	3.01	3.45	4.19	4.83	5.09	52.28
088	MANY	5.73	4.25	5.09	4.08	5.54	4.79	3.78	3.87	3.23	4.14	4.58	5.71	54.79
089	MANY 9 WSW	5.97	4.30	5.39	4.83	5.36	4.60	3.01	2.74	3.78	3.35	4.68	5.87	53.88
090	MARION 7 SE	5.70	5.20	5.70	4.96	5.37	4.53	4.28	2.35	3.85	4.21	5.01	5.33	56.49
091	MARKSVILLE	6.44	4.99	5.71	5.47	5.87	4.44	4.40	3.75	4.38	3.92	5.55	6.05	60.97
092	MERMENTAU	6.32	4.18	4.14	3.71	5.92	4.85	5.42	4.80	6.12	4.14	5.10	5.30	60.00
093	MINDEN	5.28	4.68	4.97	5.20	5.32	4.88	4.08	2.69	3.75	4.06	5.33	4.96	55.20
094	MONROE RGNL AP	5.46	4.34	5.53	4.77	5.47	4.47	3.50	2.84	3.37	3.91	4.45	5.23	53.34
095	MONROE NLU	5.97	4.90	6.11	5.43	5.75	4.68	3.62	2.85	3.44	4.26	5.05	5.98	58.04
096	MOORINGSPOUT 1 N	4.41	4.07	4.18	3.88	3.70	5.00	2.86	2.68	3.41	4.27	4.92	4.86	48.24
097	MORGAN CITY	5.81	4.39	4.70	4.22	5.38	5.81	7.60	7.40	6.49	3.66	5.07	4.95	65.48
098	MOSS BLUFF	6.52	3.60	4.93	5.54	5.96	5.53	6.67	5.87	5.72	4.37	5.68	6.81	67.20
099	NAPOLEONVILLE	5.63	4.69	4.93	4.62	5.57	6.28	6.72	5.05	6.11	3.95	4.69	4.62	62.86
100	NATCHITOCHES	5.68	4.41	5.34	4.52	5.83	4.50	3.39	3.49	3.09	4.14	4.62	5.92	54.93
101	NEW IBERIA	5.15	4.03	4.29	4.56	5.08	6.02	6.66	6.05	5.67	4.06	4.48	4.84	60.89
102	NEW ORLEANS INTL AP	5.87	5.47	5.24	5.02	4.62	6.83	6.20	6.15	5.55	3.05	5.09	5.07	64.16
103	NEW ORLEANS AUDUBON	5.52	4.66	5.28	4.99	5.07	6.29	6.97	6.34	6.04	2.90	5.02	4.65	63.73
104	NEW ORLEANS ALGIERS	5.73	4.59	5.27	4.82	6.01	5.79	6.35	6.01	5.58	2.89	4.75	4.40	62.19
105	NEW ORLEANS CALLENDER	5.65	4.49	5.69	5.26	5.55	5.82	6.64	6.19	7.15	3.14	5.00	4.57	65.15
106	NEW ORLEANS EASTOVER	4.70	4.71	4.51	4.04	5.27	3.97	4.85	4.50	4.86	2.70	4.28	4.37	52.76
107	NEW ORLEANS WATER PLT	5.31	4.73	4.74	4.48	4.28	5.40	5.38	5.70	5.27	3.19	4.28	4.42	57.18
108	NEW ORLEANS D P S 5	5.76	5.34	5.78	4.73	5.36	5.52	6.37	5.59	5.71	3.09	4.90	4.81	62.96
109	NEW ORLEANS D P S 3	5.74	5.17	5.73	4.58	4.87	5.58	5.98	5.43	5.49	3.21	4.77	4.80	61.35
110	NEW ORLEANS DPS #6	5.54	4.94	5.03	4.40	4.71	5.94	6.19	5.70	5.24	3.01	4.95	4.77	60.42
111	NEW ROADS 5 ESE	6.42	5.45	5.13	5.24	5.35	4.57	4.74	5.05	4.89	3.68	4.99	5.63	61.14
112	OAKDALE	6.73	4.90	5.38	4.60	6.03	5.34	5.19	4.59	5.12	5.01	5.45	6.23	64.57
113	OAK GROVE 2 WSW	5.66	4.89	6.06	5.60	5.54	4.26	3.76	3.00	2.76	3.88	5.15	5.48	56.04
114	OAKNOLIA 2 N	7.07	5.43	5.75	5.76	5.46	5.02	5.26	5.90	4.92	3.94	5.03	5.54	65.08
115	OBERLIN FIRE TOWER	6.74	4.57	5.48	4.79	6.78	6.20	5.44	4.57	5.89	4.75	5.52	6.17	66.90
116	OLLA	6.44	4.94	6.04	5.25	5.88	4.40	4.03	3.50	3.76	4.33	5.38	6.31	60.26
117	OPELOUSAS	6.52	5.09	4.81	5.27	5.78	5.66	5.24	4.74	5.08	4.89	5.40	5.90	64.38
118	PARADIS 7 S	5.80	5.55	5.33	4.60	5.85	5.70	6.91	5.81	6.43	3.64	5.22	4.92	65.76
119	PINE GROVE FIRE TOWER	7.21	5.82	6.75	6.45	6.36	6.37	7.00	6.93	6.32	3.97	5.64	6.33	75.15
120	PLAIN DEALING	4.90	4.17	4.77	4.39	4.45	5.23	3.71	3.66	3.35	4.70	5.19	4.75	53.27
121	PLAQUEMINE 2 N	5.91	5.59	5.10	5.32	4.93	5.34	5.35	5.15	5.08	3.82	4.56	5.34	61.49
122	PONCHATOULA 4 SE	5.65	4.30	6.28	5.86	4.96	4.98	5.25	4.15	4.48	4.05	4.84	5.18	59.98
123	PORT ALLEN	6.41	5.12	5.20	5.57	5.01	5.59	6.23	5.85	4.80	4.14	4.92	5.27	64.11
124	RAYVILLE	6.31	4.63	6.41	5.40	6.06	4.22	4.87	3.66	3.76	4.58	4.97	5.59	60.46
125	RED RIVER LOCK #1	5.32	3.93	4.19	4.93	4.34	2.57	2.69	2.06	2.94	3.30	4.83	5.36	46.46
126	RED RIVER LOCK #2	5.99	3.98	5.47	4.86	5.84	3.99	4.20	3.50	4.00	4.91	6.29	5.95	58.98
127	RED RIVER RESEARCH STN	4.94	4.28	4.48	4.57	4.85	4.86	3.78	2.91	3.06	4.42	4.57	4.73	51.45
128	RESERVE	6.23	5.42	5.82	5.12	5.20	6.67	6.42	5.35	5.70	3.39	4.83	4.66	64.81
129	ROBSON	4.88	4.74	4.89	4.76	4.76	4.86	3.30	2.71	3.41	4.36	4.94	5.39	53.00
130	ROCKEFELLER WL REFUGE	5.88	3.57	3.64	3.92	5.06	5.35	7.17	6.76	6.19	4.50	4.88	5.15	62.07
131	ROSEPINE RESEARCH STN	5.74	4.42	5.37	4.26	5.58	4.86	5.13	3.96	4.36	4.13	5.25	6.08	59.14
132	RUSTON LA TECH	5.66	4.82	5.25	4.71	5.52	4.39	3.98	2.93	3.53	4.07	4.74	5.43	55.03
133	ST BERNARD	5.05	5.06	6.05	4.91	5.03	5.22	6.73	6.10	6.29	2.95	5.13	4.29	62.81
134	ST FRANCISVILLE	7.16	5.06	5.25	6.00	5.06	4.97	4.41	5.00	4.44	4.17	4.69	6.37	62.58
135	ST GABRIEL	5.58	5.17	4.89	4.35	4.56	6.06	5.49	5.08	4.52	4.09	4.43	5.14	59.36
136	ST JOSEPH 3 N	6.31	4.93	6.31	5.45	5.44	3.81	3.79	3.22	3.06	3.51	5.02	5.58	56.43
137	ST MARTINVILLE 3 SW	6.02	4.90	4.70	4.83	5.29	6.92	6.24	5.49	5.36	3.79	4.43	5.16	63.13
138	SHERIDAN FIRE TOWER	7.37	6.19	7.31	6.69	5.98	6.03	7.29	5.66	5.05	3.61	5.51	5.85	72.54



## Page 14

[illegible]




# CLIMATOGRAPHY OF THE UNITED STATES NO. 81

## Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

### LOUISIANA

Page 15

No.	Station Name	Element	DEGREE DAYS (Total)												ANNUAL
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
003	ALEXANDRIA INTL AP	HDD	534	368	197	64	5	0	0	0	0	49	235	456	1908
		CDD	3	7	27	100	289	468	568	558	394	142	35	11	2602
004	ALEXANDRIA ESLE AP	HDD	561	383	211	68	7	0	0	0	1	70	272	484	2057
		CDD	0	6	23	83	255	433	527	513	344	110	20	9	2323
005	AMITE	HDD	510	351	191	66	4	0	0	0	1	64	241	444	1872
		CDD	0	5	29	85	252	417	497	490	353	123	33	13	2297
006	ASHLAND	HDD	640	452	280	115	23	0	0	0	6	95	323	572	2506
		CDD	0	2	11	57	205	385	501	487	313	79	12	5	2057
008	BASTROP	HDD	648	459	270	106	11	0	0	0	6	81	332	574	2487
		CDD	0	2	17	72	236	429	538	520	337	103	12	3	2269
011	BATON ROUGE RYAN AP	HDD*	457	326	185	57	4	0	0	0	2	49	212	397	1689
		CDD*	11	15	55	119	298	457	534	523	389	157	48	22	2628
015	BIENVILLE 3 NE	HDD	625	436	270	104	16	0	0	0	4	83	324	557	2419
		CDD	0	1	12	61	224	408	525	506	328	85	14	2	2166
016	BOGALUSA	HDD	503	353	194	69	4	0	0	0	1	68	239	434	1865
		CDD	0	6	28	97	271	441	524	511	366	131	35	15	2425
017	BOOTHVILLE	HDD	345	231	131	32	1	0	0	0	0	18	125	266	1149
		CDD	12	16	60	130	333	478	556	559	451	242	100	36	2973
018	BOYCE 3 WNW	HDD	539	367	205	61	6	0	0	0	1	59	254	469	1961
		CDD	4	10	28	99	286	453	554	536	366	137	27	14	2514
019	BRUSLY 2 W	HDD	494	343	183	63	3	0	0	0	1	62	237	426	1812
		CDD	0	6	31	93	278	435	506	495	355	121	36	14	2370
020	BUNKIE	HDD	521	361	194	63	5	0	0	0	1	56	232	449	1882
		CDD	3	9	33	102	291	456	544	525	365	131	35	13	2507
021	BURAS	HDD	400	262	139	31	1	0	0	0	0	21	130	302	1286
		CDD	14	13	47	128	322	474	533	530	434	221	97	31	2844
022	CALHOUN RESEARCH STN	HDD	608	429	258	100	12	0	0	0	4	86	296	541	2334
		CDD	0	2	18	73	235	429	550	532	342	94	16	7	2298
024	CARVILLE 2 SW	HDD	454	315	163	46	1	0	0	0	0	41	204	375	1599
		CDD	4	11	27	110	305	457	534	527	394	160	54	15	2598
026	CLINTON 5 SE	HDD	534	376	212	74	6	0	0	0	1	64	252	453	1972
		CDD	3	7	25	78	247	410	495	485	347	122	35	14	2268
028	CONVERSE	HDD	596	422	264	95	13	0	0	0	3	87	303	540	2323
		CDD	0	3	14	59	210	396	515	495	325	88	17	8	2130
029	COTTON VALLEY 5 NNW	HDD	671	480	318	128	21	0	0	0	6	106	359	606	2695
		CDD	0	0	8	46	192	381	518	503	306	65	8	2	2029
031	COVINGTON 4 NNW	HDD	447	305	167	52	3	0	0	0	0	54	215	383	1626
		CDD	3	7	40	99	276	429	512	504	370	146	44	17	2447
032	CROWLEY 2 NE	HDD	476	331	168	47	2	0	0	0	0	37	204	398	1663
		CDD	3	8	38	122	318	468	532	522	392	165	51	16	2635
034	DE QUINCY	HDD	528	380	224	77	5	0	0	0	1	65	249	452	1981
		CDD	0	6	17	70	243	403	495	485	339	120	32	10	2220
035	DE RIDDER	HDD	517	356	186	60	4	0	0	0	1	47	229	447	1847
		CDD	3	8	30	100	285	446	538	530	376	133	33	11	2493
036	DONALDSONVILLE 4 SW	HDD	449	306	165	45	2	0	0	0	0	43	199	374	1583
		CDD	11	10	42	116	304	457	530	521	389	159	65	21	2625
037	ELIZABETH	HDD	533	371	199	70	5	0	0	0	1	60	243	459	1941
		CDD	3	7	27	87	265	429	523	513	357	123	30	12	2376
038	EPDS 6 WNW	HDD	643	457	275	102	11	0	0	0	4	84	306	568	2450
		CDD	0	2	14	73	244	432	531	502	329	95	12	6	2240
039	EUNICE	HDD	480	321	164	43	2	0	0	0	0	37	195	398	1640
		CDD	4	11	48	126	329	493	576	564	415	166	51	17	2800
040	FRANKLIN 3 NW	HDD	430	290	154	42	1	0	0	0	0	47	199	359	1522
		CDD	9	11	37	108	297	439	507	498	373	158	55	20	2512
042	FRANKLINTON 3 SW	HDD	493	338	192	61	3	0	0	0	2	75	247	428	1839
		CDD	0	5	38	93	271	434	521	504	357	136	36	15	2410
044	GALLIANO	HDD	404	270	137	37	1	0	0	0	0	31	157	322	1359
		CDD	18	9	51	124	314	452	523	519	405	183	73	22	2693
047	GRAND COTEAU	HDD	430	286	144	38	1	0	0	0	0	32	191	363	1485
		CDD	4	10	47	123	320	464	541	537	393	160	54	21	2674
053	HACKBERRY 8 SSW	HDD	449	306	150	33	1	0	0	0	0	30	178	361	1508
		CDD	8	16	43	126	327	484	555	551	428	208	73	15	2834
054	HAMMOND 5 E	HDD	490	337	192	63	4	0	0	0	1	58	228	417	1790
		CDD	4	6	31	84	272	433	518	512	366	134	39	15	2414
058	HOMER 3 SSW	HDD	671	486	310	123	22	0	0	0	7	104	350	599	2672
		CDD	0	0	8	50	193	374	504	490	299	68	9	1	1996
060	HOUMA	HDD	400	261	131	34	1	0	0	0	0	32	164	323	1346
		CDD	16	12	59	135	334	469	541	535	417	184	77	25	2804



# CLIMATOGRAPHY OF THE UNITED STATES NO. 81


## Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

### LOUISIANA

Page 16


			DEGREE DAYS (Total)												
No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
061	JEANERETTE 5 NW	HDD	452	316	170	51	2	0	0	0	0	48	206	383	1628
		CDD	3	8	39	111	294	443	511	499	368	149	53	20	2498
062	JENA 4 WSW	HDD	603	422	249	99	12	0	0	0	2	82	297	525	2291
		CDD	0	2	16	72	226	408	514	488	328	90	18	7	2169
063	JENNINGS	HDD	483	336	180	58	2	0	0	0	0	45	217	411	1732
		CDD	4	9	36	112	299	449	521	515	387	162	50	15	2559
065	JONESVILLE LOCKS	HDD	580	410	231	75	7	0	0	0	1	64	274	504	2146
		CDD	3	8	20	89	276	453	541	523	361	124	27	10	2435
069	LAFAYETTE	HDD	443	291	144	41	1	0	0	0	0	41	194	376	1531
		CDD	4	10	45	130	321	466	531	528	385	171	58	22	2671
070	LAFAYETTE REG AP	HDD	429	288	149	43	2	0	0	0	0	39	184	359	1493
		CDD	7	10	48	127	319	461	533	529	398	175	55	27	2689
071	LAKE ARTHUR 10 SW	HDD	505	356	172	49	2	0	0	0	0	34	204	413	1735
		CDD	4	10	37	111	309	474	547	531	399	168	54	17	2661
073	LAKE CHARLES AP	HDD*	434	304	163	47	1	0	0	0	1	38	191	367	1546
		CDD*	9	13	49	126	312	467	544	534	399	178	54	20	2705
074	LAKE PROVIDENCE	HDD	675	486	297	108	16	0	0	0	4	86	326	586	2584
		CDD	0	5	11	64	236	425	536	510	332	97	14	2	2232
075	LEESVILLE	HDD	547	381	210	76	6	0	0	0	2	71	268	487	2048
		CDD	0	6	26	83	249	413	513	494	334	100	23	9	2250
077	LELAND BOWMAN LOCK	HDD	456	304	161	42	1	0	0	0	0	41	192	370	1567
		CDD	4	9	44	121	319	467	533	526	402	176	63	19	2683
081	LOGANSPOUT 4 ENE	HDD	599	416	249	88	7	0	0	0	4	75	314	538	2290
		CDD	0	0	12	70	235	416	535	515	330	89	14	3	2219
084	LSU BEN HUR FARM	HDD	480	335	177	60	3	0	0	0	0	54	219	402	1730
		CDD	3	7	31	105	289	437	516	507	376	145	49	17	2482
085	LSU CITRUS RESEARCH STN	HDD	397	269	147	34	0	0	0	0	0	20	126	299	1292
		CDD	12	11	52	141	350	491	564	547	446	232	92	32	2970
086	LSU DEAN LEE RES STN	HDD	561	391	214	71	6	0	0	0	1	68	262	488	2062
		CDD	3	8	24	86	271	445	533	509	354	120	27	12	2392
088	MANY	HDD	598	417	245	92	14	0	0	0	4	88	312	538	2308
		CDD	0	4	20	73	237	411	521	496	322	84	21	8	2197
093	MINDEN	HDD	643	458	287	116	16	0	0	0	6	88	319	572	2505
		CDD	0	0	10	67	215	405	524	508	319	81	11	3	2143
094	MONROE RGNL AP	HDD	597	400	233	74	8	0	0	0	3	68	282	525	2190
		CDD	0	6	28	100	296	481	574	540	358	108	16	10	2517
095	MONROE NLU	HDD	634	451	260	90	12	0	0	0	3	81	312	556	2399
		CDD	0	4	15	71	245	438	557	532	340	91	13	5	2311
097	MORGAN CITY	HDD	428	296	157	40	2	0	0	0	0	34	174	346	1477
		CDD	4	9	38	110	294	438	509	503	395	186	63	21	2570
100	NATCHITOCHES	HDD	587	411	236	79	10	0	0	0	1	60	280	516	2180
		CDD	0	6	20	77	264	451	569	551	365	107	21	7	2438
101	NEW IBERIA	HDD	449	312	150	40	1	0	0	0	0	38	191	363	1544
		CDD	8	12	46	125	317	460	535	527	401	171	57	21	2680
102	NEW ORLEANS INTL AP	HDD*	403	288	150	44	1	0	0	0	0	30	169	332	1417
		CDD*	12	19	62	136	320	466	538	534	413	182	62	29	2773
103	NEW ORLEANS AUDUBON	HDD	369	231	102	27	1	0	0	0	0	21	161	296	1208
		CDD	14	14	59	155	359	499	567	567	444	217	90	31	3016
105	NEW ORLEANS CALLENDER	HDD	405	272	152	42	1	0	0	0	0	38	171	335	1416
		CDD	8	8	51	117	313	460	533	533	408	179	51	25	2686
111	NEW ROADS 5 ESE	HDD	492	334	185	60	3	0	0	0	1	58	225	419	1777
		CDD	0	6	29	102	281	441	517	510	371	137	46	15	2455
115	OBERLIN FIRE TOWER	HDD	467	301	151	38	1	0	0	0	0	41	208	402	1609
		CDD	5	12	45	125	316	463	543	540	387	154	47	14	2651
116	OLLA	HDD	632	447	269	105	17	0	0	0	5	105	322	557	2459
		CDD	0	1	14	55	209	384	494	473	308	83	14	6	2041
118	PARADIS 7 S	HDD	377	256	127	32	1	0	0	0	0	36	172	316	1317
		CDD	8	14	56	116	308	440	508	504	383	167	69	25	2598
120	PLAIN DEALING	HDD	679	489	315	127	21	0	0	0	7	97	354	606	2695
		CDD	0	0	7	44	190	380	509	496	304	63	7	2	2002
127	RED RIVER RESEARCH STN	HDD	646	458	280	97	11	0	0	0	3	76	317	564	2452
		CDD	2	6	11	64	246	435	554	525	331	84	12	3	2273
128	RESERVE	HDD	444	304	163	47	3	0	0	0	0	48	198	368	1575
		CDD	3	8	47	113	297	447	525	513	389	162	62	18	2584
130	ROCKEFELLER WL REFUGE	HDD	447	309	151	40	1	0	0	0	0	31	183	359	1521
		CDD	6	12	41	122	322	475	550	541	420	194	69	20	2772
131	ROSEFINE RESEARCH STN	HDD	557	391	223	74	5	0	0	0	1	60	257	482	2050
		CDD	3	9	26	76	254	420	512	505	354	119	25	9	2312






## Page 17

[illegible]



## Page 18

			NORMALS STATISTICS												
No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
003	ALEXANDRIA IN	HIGHEST MEAN	54.0	58.3	64.9	71.4	77.8	84.5	87.1	87.3	82.6	72.4	64.7	60.3	87.3
		MEDIAN	48.4	52.5	59.6	66.2	74.4	80.4	83.3	82.7	77.6	67.8	58.8	50.4	66.8
		LOWEST MEAN	39.2	42.2	54.4	61.5	69.3	77.4	80.5	79.2	74.1	60.8	51.6	41.6	39.2
		HIGHEST MEAN YEAR	1999	1976	1974	1981	1998	1998	1998	1999	1980	1973	1985	1984	1999
		LOWEST MEAN YEAR	1977	1978	1996	1993	1976	1976	1972	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.1	-0.2	-0.4	0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
004	ALEXANDRIA ES	HIGHEST MEAN	55.1	57.9	64.8	70.7	76.8	83.4	85.4	84.9	80.2	70.6	62.8	59.0	85.4
		MEDIAN	47.5	51.9	59.0	65.3	72.8	79.4	81.7	81.3	76.3	66.6	56.7	49.3	65.7
		LOWEST MEAN	37.9	41.0	54.0	61.2	69.1	76.7	79.0	78.9	72.6	60.0	49.1	41.0	37.9
		HIGHEST MEAN YEAR	1989	1976	1974	1981	2000	1998	1998	1999	1998	1984	1985	1984	1998
		LOWEST MEAN YEAR	1977	1978	1971	1983	1971	1974	1972	1973	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
005	AMITE	HIGHEST MEAN	58.1	58.2	64.7	70.6	76.6	82.9	83.4	83.9	80.4	71.9	64.5	59.7	83.9
		MEDIAN	49.1	52.4	59.6	65.7	73.3	79.0	81.1	80.9	76.1	67.3	58.3	50.4	66.2
		LOWEST MEAN	40.1	43.5	54.5	61.4	70.0	76.5	78.8	77.7	73.7	60.0	50.0	41.6	40.1
		HIGHEST MEAN YEAR	1974	1976	1985	1981	2000	1998	1998	1999	1980	1984	1985	1984	1999
		LOWEST MEAN YEAR	1977	1978	1996	1993	1988	1983	1972	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.2	-0.2	-0.3	-0.2	-0.3	-0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
006	ASHLAND	HIGHEST MEAN	51.0	55.5	61.9	68.9	76.4	83.6	86.7	84.7	81.7	68.9	61.1	57.6	86.7
		MEDIAN	45.2	49.2	56.5	63.0	70.9	77.9	81.0	80.2	74.8	64.3	54.6	46.8	63.6
		LOWEST MEAN	35.2	38.6	52.2	57.3	66.0	74.3	78.4	76.3	70.3	57.1	47.9	37.5	35.2
		HIGHEST MEAN YEAR	1999	1999	1974	1981	1996	1998	1998	1999	1980	1971	1973	1984	1998
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1976	1976	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.1	-0.3	-0.4	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
008	BASTROP	HIGHEST MEAN	50.4	57.8	62.4	70.6	75.6	83.2	87.4	86.4	82.2	71.6	60.8	55.8	87.4
		MEDIAN	44.4	49.1	56.2	64.2	72.1	79.1	82.1	82.4	75.7	65.5	55.0	47.2	64.5
		LOWEST MEAN	34.9	38.4	50.8	58.9	68.0	76.1	79.5	76.2	70.3	59.8	47.1	36.0	34.9
		HIGHEST MEAN YEAR	1975	1976	1974	1981	1987	1998	1980	2000	1980	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1997	1976	1974	1994	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.2	-0.3	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
011	BATON ROUGE R	HIGHEST MEAN	59.5	59.9	65.6	71.8	78.3	83.2	84.5	85.1	81.7	73.2	65.8	61.6	85.1
		MEDIAN	50.6	53.8	59.8	66.9	74.5	79.7	81.7	81.3	77.2	67.8	59.2	52.2	66.9
		LOWEST MEAN	41.1	44.4	55.8	61.7	70.2	76.2	79.6	78.4	74.3	61.6	51.0	43.6	41.1
		HIGHEST MEAN YEAR	1974	2000	1974	1999	2000	1998	1998	1999	1986	1984	1985	1971	1999
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1983	1984	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
015	BIENVILLE 3 N	HIGHEST MEAN	51.3	56.5	62.8	69.3	76.5	83.8	86.9	85.2	80.8	68.9	61.5	56.9	86.9
		MEDIAN	45.6	49.1	56.3	63.5	71.5	78.6	82.0	81.1	76.1	65.4	54.8	47.1	64.1
		LOWEST MEAN	35.7	39.4	51.9	59.5	66.8	74.8	78.9	77.0	69.6	57.6	47.3	37.5	35.7
		HIGHEST MEAN YEAR	1999	1976	1974	1981	1996	1998	1998	2000	1980	1985	1985	1984	1998
		LOWEST MEAN YEAR	1977	1978	1978	1998	1976	1974	1976	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
016	BOGALUSA	HIGHEST MEAN	59.9	58.0	64.4	72.4	78.0	84.1	84.6	85.4	81.8	72.7	65.7	61.2	85.4
		MEDIAN	49.4	52.3	59.5	66.2	73.6	79.7	82.0	81.4	76.7	67.4	58.3	50.9	66.5
		LOWEST MEAN	40.4	42.8	54.3	61.0	70.2	77.6	79.9	77.5	73.4	61.0	50.3	41.6	40.4
		HIGHEST MEAN YEAR	1974	1976	1997	1999	2000	1998	1980	1999	1972	1984	1985	1971	1999
		LOWEST MEAN YEAR	1977	1978	1996	1993	1993	1974	1994	1992	1975	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	0.9	-0.1	0.0	-0.2	-0.2	-0.2	-0.3	-0.2	-0.3	-0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
017	BOOTHVILLE	HIGHEST MEAN	64.4	62.8	68.2	73.5	79.8	84.4	85.6	86.1	82.8	76.6	70.5	66.5	86.1
		MEDIAN	55.0	57.6	62.8	68.0	75.5	81.1	83.2	83.0	79.8	72.3	64.5	57.2	69.8
		LOWEST MEAN	46.1	48.6	57.7	64.6	72.7	78.8	80.8	80.8	76.4	65.7	55.3	48.3	46.1
		HIGHEST MEAN YEAR	1974	1990	1985	1999	2000	1998	1998	1999	1986	1984	1985	1971	1999
		LOWEST MEAN YEAR	1978	1978	1996	1993	1976	1976	1994	1992	1975	1976	1976	1989	1978
		MIN OBS TIME ADJUSTMENT	-1.1	-0.8	-0.9	-0.4	-0.3	-0.2	-0.2	-0.2	-0.3	-0.5	-0.8	-1.0	
		MAX OBS TIME ADJUSTMENT	-0.8	-1.4	-1.1	-1.0	-0.6	-0.4	-0.4	-0.4	-0.6	-0.6	-0.6	-0.9	
018	BOYCE 3 WNW	HIGHEST MEAN	55.0	58.9	64.9	72.1	79.5	85.3	87.8	87.6	81.5	72.0	62.7	60.6	87.8
		MEDIAN	48.4	52.6	59.3	66.6	74.3	80.0	82.6	81.6	76.9	67.8	57.6	50.1	66.4
		LOWEST MEAN	37.7	42.3	54.2	61.2	69.6	76.9	80.1	78.6	73.0	59.6	48.6	41.1	37.7
		HIGHEST MEAN YEAR	1999	2000	2000	1999	1998	1998	1998	1999	1998	1984	1985	1984	1998
		LOWEST MEAN YEAR	1977	1978	1978	1983	1976	1974	1972	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	




# CLIMATOGRAPHY OF THE UNITED STATES NO. 81

## Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

### LOUISIANA

Page 19

			NORMALS STATISTICS												
No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
019	BRUSLY 2 W	HIGHEST MEAN	58.3	58.7	64.9	71.2	77.3	82.2	84.0	83.7	80.9	71.6	64.7	60.7	84.0
		MEDIAN	49.6	52.9	59.9	65.9	74.1	79.8	81.5	80.9	76.4	67.0	58.4	51.2	66.5
		LOWEST MEAN	40.3	43.9	55.3	61.2	70.7	77.1	79.1	78.0	72.9	60.2	49.6	41.2	40.3
		HIGHEST MEAN YEAR	1974	2000	1974	1999	2000	1998	1998	1999	1980	1984	1985	1971	1998
		LOWEST MEAN YEAR	1977	1978	1996	1993	1976	1976	1984	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.6	1.0	0.7	0.1	0.0	0.0	0.2	0.2	0.3	1.1	1.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.2	
020	BUNKIE	HIGHEST MEAN	55.1	58.5	65.0	72.1	78.8	83.9	85.9	86.0	81.5	72.3	65.1	60.1	86.0
		MEDIAN	49.0	52.7	59.7	66.3	74.4	80.3	82.7	81.7	76.8	67.3	58.5	50.6	66.7
		LOWEST MEAN	39.8	42.3	55.0	61.2	69.7	77.2	79.1	77.1	72.8	60.4	51.0	41.7	39.8
		HIGHEST MEAN YEAR	1974	1976	2000	1999	1998	1998	1998	1999	1980	1984	1973	1984	1999
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1983	1994	1994	1994	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.2	-0.2	-0.2	-0.1	-0.2	-0.3	0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
021	BURAS	HIGHEST MEAN	63.3	61.0	66.7	73.0	78.7	83.6	84.5	85.2	83.4	76.0	69.9	64.9	85.2
		MEDIAN	53.5	56.3	62.1	68.5	75.5	81.0	82.2	81.9	79.2	71.5	63.9	55.9	69.3
		LOWEST MEAN	43.6	46.1	57.9	64.1	71.1	78.5	80.4	79.6	76.4	65.4	55.1	47.8	43.6
		HIGHEST MEAN YEAR	1974	1999	1997	1981	2000	1998	1980	1999	1980	1984	1985	1984	1999
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1976	1972	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	0.9	-0.1	0.0	-0.2	-0.2	-0.2	-0.2	-0.2	-0.3	-0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.2	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
022	CALHOUN RESEA	HIGHEST MEAN	51.2	58.4	63.4	70.7	75.7	82.9	86.9	85.8	82.5	70.7	62.0	58.6	86.9
		MEDIAN	45.9	50.0	57.8	63.8	72.2	79.6	82.6	82.3	75.5	65.1	56.5	47.8	65.2
		LOWEST MEAN	36.3	39.6	51.6	58.4	68.3	76.4	80.1	77.3	71.0	58.7	49.1	38.3	36.3
		HIGHEST MEAN YEAR	1975	1976	1974	1981	1987	1998	1980	2000	1980	1973	1973	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1997	1976	1976	1989	1992	1974	1976	1976	2000	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.2	-0.3	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
024	CARVILLE 2 SW	HIGHEST MEAN	57.5	60.0	64.9	72.6	78.3	82.8	84.8	84.9	81.4	73.6	66.4	61.4	84.9
		MEDIAN	51.0	53.8	60.0	67.2	75.0	80.3	82.3	82.1	78.2	69.0	60.0	53.2	67.6
		LOWEST MEAN	41.7	44.4	56.2	62.8	72.3	77.6	79.3	77.7	75.0	62.6	51.7	45.3	41.7
		HIGHEST MEAN YEAR	1974	1999	2000	1999	2000	1998	1998	1999	1986	1984	1985	1984	1999
		LOWEST MEAN YEAR	1977	1978	1993	1983	1976	1983	1972	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
026	CLINTON 5 SE	HIGHEST MEAN	57.1	57.5	64.2	70.3	76.4	82.3	83.9	84.1	80.5	72.1	64.6	60.1	84.1
		MEDIAN	48.5	52.0	58.6	65.1	72.9	78.6	81.1	80.3	76.2	66.7	58.2	49.9	65.6
		LOWEST MEAN	38.0	41.6	53.5	60.5	68.8	76.5	79.0	77.7	72.7	60.3	48.8	41.5	38.0
		HIGHEST MEAN YEAR	1974	1990	1985	1999	2000	1998	1998	1999	1986	1984	1985	1984	1999
		LOWEST MEAN YEAR	1977	1978	1996	1993	1976	1983	1972	1994	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.2	-0.2	-0.3	-0.2	-0.3	0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
028	CONVERSE	HIGHEST MEAN	51.7	56.3	63.7	69.0	75.2	82.4	86.4	84.4	82.0	69.7	61.9	58.3	86.4
		MEDIAN	46.2	50.4	56.7	63.7	71.5	78.0	81.5	81.0	75.2	65.0	55.8	47.8	64.4
		LOWEST MEAN	36.9	39.5	52.0	59.2	67.0	75.4	79.2	76.9	71.1	57.7	47.6	39.3	36.9
		HIGHEST MEAN YEAR	1989	1990	1974	1981	1998	1998	1998	1999	1980	1971	1973	1984	1998
		LOWEST MEAN YEAR	1978	1978	1996	1983	1976	1976	1972	1992	1974	1976	1976	1989	1978
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.1	-0.3	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.2	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
029	COTTON VALLEY	HIGHEST MEAN	49.3	54.3	61.0	68.1	74.6	82.3	86.5	85.5	80.2	67.5	59.2	55.5	86.5
		MEDIAN	43.9	47.9	55.0	62.2	70.7	77.5	81.4	80.9	74.4	63.9	53.5	45.7	63.0
		LOWEST MEAN	34.1	37.4	50.4	57.1	65.9	73.9	78.8	76.9	68.9	56.4	45.8	35.5	34.1
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1996	1998	1998	2000	1980	1971	1985	1984	1998
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1989	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.1	0.9	0.0	0.1	0.0	0.3	0.2	0.3	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
031	COVINGTON 4 N	HIGHEST MEAN	61.0	61.4	66.3	71.2	78.2	82.8	83.9	84.1	80.7	73.4	66.4	61.5	84.1
		MEDIAN	50.7	54.2	60.8	66.5	74.2	79.3	81.4	81.2	77.1	68.3	58.8	52.5	67.2
		LOWEST MEAN	43.0	45.1	56.3	61.9	70.7	76.9	78.9	78.1	74.3	62.0	51.5	44.1	43.0
		HIGHEST MEAN YEAR	1974	1990	1997	1981	2000	1998	2000	2000	1980	1984	1985	1971	2000
		LOWEST MEAN YEAR	1977	1978	1996	1993	1976	1995	1994	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-0.9	-0.9	-0.4	-0.3	-0.2	-0.2	-0.3	-0.4	-0.6	-0.9	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.4	-2.0	-1.7	-1.3	-0.9	-0.6	-0.5	-0.6	-0.9	-1.1	-1.1	-1.4	
032	CROWLEY 2 NE	HIGHEST MEAN	57.3	58.8	65.6	73.0	78.6	83.1	85.0	85.0	82.3	73.6	66.4	62.2	85.0
		MEDIAN	50.3	53.7	60.6	67.3	75.5	80.7	82.0	81.8	77.6	69.1	60.3	52.2	67.7
		LOWEST MEAN	41.6	43.9	55.7	62.6	72.2	78.1	80.3	79.0	74.1	62.4	52.6	42.2	41.6
		HIGHEST MEAN YEAR	1974	1976	2000	1981	1998	1998	1980	1999	1980	1984	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1983	1989	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.2	-0.1	-0.1	-0.2	-0.3	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.2	0.2	0.1	0.0	0.0	-0.1	-0.1	0.0	0.1	




# CLIMATOGRAPHY OF THE UNITED STATES NO. 81

## Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

### LOUISIANA


Page 20

			NORMALS STATISTICS												
No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
034	DE QUINCY	HIGHEST MEAN	54.4	58.9	63.7	69.5	76.0	81.8	84.2	83.3	80.7	71.0	64.1	59.3	84.2
		MEDIAN	48.4	51.8	58.4	64.8	72.5	78.5	80.9	80.8	75.9	66.8	57.8	50.3	65.6
		LOWEST MEAN	39.6	41.7	53.6	60.8	68.8	75.2	78.4	77.4	72.2	58.1	50.1	41.7	39.6
		HIGHEST MEAN YEAR	1999	2000	1997	1999	2000	1998	1980	1999	1980	1984	1973	1984	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1976	1976	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	1.5	1.7	1.0	0.8	0.1	0.0	0.0	0.3	0.2	0.3	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
035	DE RIDDER	HIGHEST MEAN	54.9	59.2	65.3	71.2	78.6	84.5	86.9	85.5	83.5	72.0	65.5	60.8	86.9
		MEDIAN	48.8	52.7	60.2	66.2	74.0	79.9	82.3	82.2	77.2	67.5	59.1	50.8	66.7
		LOWEST MEAN	40.2	42.3	54.5	61.9	70.3	77.2	80.0	78.7	73.8	60.7	51.3	41.6	40.2
		HIGHEST MEAN YEAR	1999	1999	2000	1981	1996	1998	1998	1998	1980	1984	1973	1984	1998
		LOWEST MEAN YEAR	1977	1978	1996	1993	1976	1976	1994	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.2	-0.2	-0.2	-0.1	-0.2	-0.3	0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
036	DONALDSONVILL	HIGHEST MEAN	60.9	59.8	65.9	72.3	77.7	83.3	85.0	84.9	82.2	73.2	66.8	63.4	85.0
		MEDIAN	50.8	54.2	61.1	67.4	75.2	80.2	82.1	81.6	77.5	68.5	60.8	53.5	67.8
		LOWEST MEAN	41.4	45.4	55.5	62.8	70.8	77.7	79.1	78.8	74.3	61.9	51.2	43.8	41.4
		HIGHEST MEAN YEAR	1974	1976	1997	1981	1998	1998	1998	1999	1980	1973	1973	1971	1998
		LOWEST MEAN YEAR	1977	1978	1996	1993	1976	1976	1974	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.2	-0.2	-0.1	-0.2	-0.3	-0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
037	ELIZABETH	HIGHEST MEAN	54.6	58.0	65.0	71.2	77.0	83.9	85.5	84.8	81.6	71.5	64.4	60.2	85.5
		MEDIAN	48.5	52.3	59.0	65.7	73.6	79.2	81.7	81.4	76.4	67.0	58.6	50.3	66.2
		LOWEST MEAN	39.2	42.0	54.5	61.1	69.6	76.3	79.2	77.6	73.8	59.3	50.8	41.3	39.2
		HIGHEST MEAN YEAR	1989	1990	1974	1981	1998	1998	1998	1999	1980	1973	1973	1984	1998
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1976	1976	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.2	-0.2	-0.1	-0.1	-0.2	-0.3	0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
038	EPPS 6 WNW	HIGHEST MEAN	50.6	56.1	60.8	71.0	76.4	83.4	85.5	85.1	81.4	70.1	59.9	56.4	85.5
		MEDIAN	44.8	49.1	56.6	63.5	72.2	79.3	81.9	81.2	75.2	65.3	55.5	46.7	64.4
		LOWEST MEAN	33.9	38.2	51.6	58.9	67.6	75.8	79.5	76.5	70.3	59.4	48.0	37.6	33.9
		HIGHEST MEAN YEAR	1999	1976	2000	1981	1996	1998	1998	2000	1998	1971	1973	1984	1998
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1976	1972	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.4	-0.3	-0.4	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
039	EUNICE	HIGHEST MEAN	56.6	60.3	67.1	73.1	79.6	84.8	87.0	87.0	83.0	73.5	66.5	61.7	87.0
		MEDIAN	50.2	54.3	61.3	67.7	75.8	81.6	83.5	82.8	78.3	69.1	60.7	52.4	68.3
		LOWEST MEAN	41.0	44.1	55.8	61.4	71.4	77.7	81.6	80.7	75.3	62.0	52.6	43.5	41.0
		HIGHEST MEAN YEAR	1974	1999	2000	1999	1998	1998	1998	1999	1980	1973	1973	1984	1998
		LOWEST MEAN YEAR	1977	1978	1983	1983	1976	1983	1984	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.2	-0.2	-0.1	-0.1	-0.2	-0.3	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
040	FRANKLIN 3 NW	HIGHEST MEAN	60.9	61.1	65.8	71.8	77.4	82.2	83.7	83.4	80.9	73.4	66.7	63.3	83.7
		MEDIAN	52.3	55.0	61.1	67.0	74.9	79.7	81.4	81.1	77.1	68.8	60.5	53.9	67.8
		LOWEST MEAN	43.0	45.9	56.5	62.5	71.6	77.2	79.6	78.8	73.2	60.9	50.8	45.3	43.0
		HIGHEST MEAN YEAR	1974	1999	1974	1999	2000	1998	1998	1999	1986	1984	1985	1984	1998
		LOWEST MEAN YEAR	1977	1978	1983	1983	1976	1983	1976	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
042	FRANKLINTON 3	HIGHEST MEAN	59.3	58.9	66.2	71.3	77.1	82.8	84.3	84.0	81.9	74.2	65.4	61.3	84.3
		MEDIAN	49.7	53.0	59.6	66.3	73.6	79.6	81.7	81.3	76.4	67.0	58.2	51.2	66.6
		LOWEST MEAN	39.9	44.7	54.9	61.3	70.6	76.0	79.3	77.5	73.4	60.2	49.7	43.4	39.9
		HIGHEST MEAN YEAR	1974	1990	1974	1981	2000	1977	1998	1999	1972	1984	1985	1984	1998
		LOWEST MEAN YEAR	1977	1978	1996	1993	1992	1995	1971	1992	1983	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
044	GALLIANO	HIGHEST MEAN	63.3	61.2	66.9	73.4	77.8	83.2	84.3	84.3	82.0	74.0	68.3	63.6	84.3
		MEDIAN	52.4	55.8	62.8	67.7	75.5	80.0	81.9	81.8	78.4	69.9	62.3	54.6	68.6
		LOWEST MEAN	44.1	46.9	56.7	62.8	71.0	78.0	80.0	79.3	75.9	63.3	55.1	46.9	44.1
		HIGHEST MEAN YEAR	1974	1990	1997	1981	2000	1981	1998	1999	1972	1984	1985	1971	1999
		LOWEST MEAN YEAR	1977	1978	1996	1993	1993	1979	1971	1992	1983	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.1	-0.2	-0.2	-0.2	-0.3	-0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
047	GRAND COTEAU	HIGHEST MEAN	58.7	60.6	67.3	73.3	78.0	83.5	85.6	85.8	82.1	73.1	66.1	62.9	85.8
		MEDIAN	52.3	55.4	61.6	67.8	75.6	80.5	82.3	82.2	77.7	69.1	61.0	53.9	68.3
		LOWEST MEAN	42.6	46.2	57.5	63.6	72.2	77.5	80.5	78.9	75.0	63.3	53.6	45.1	42.6
		HIGHEST MEAN YEAR	1974	1999	1974	1981	2000	1998	1998	1999	1980	1984	1973	1984	1999
		LOWEST MEAN YEAR	1977	1978	1996	1993	1993	1976	1987	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-1.2	-0.9	-0.9	-0.4	-0.3	-0.2	-0.2	-0.3	-0.3	-0.6	-0.9	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.5	-2.0	-1.7	-1.3	-0.9	-0.6	-0.4	-0.7	-0.8	-1.1	-1.6	-1.4	



## Page 21

			NORMALS STATISTICS												
No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
053	HACKBERRY 8 S	HIGHEST MEAN	58.1	61.2	67.3	72.5	78.6	83.8	85.3	87.4	83.1	75.0	68.7	61.5	87.4
		MEDIAN	51.0	54.9	61.6	68.5	75.8	81.3	82.9	82.7	79.3	70.9	61.7	53.8	68.6
		LOWEST MEAN	41.8	43.7	55.5	62.8	71.6	78.1	80.2	79.9	76.2	61.6	52.6	45.7	41.8
		HIGHEST MEAN YEAR	1989	2000	2000	1999	1998	1990	1997	1999	1998	1984	1973	1984	1999
		LOWEST MEAN YEAR	1978	1978	1996	1983	1976	1976	1972	1971	1975	1976	1976	1989	1978
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.2	-0.1	-0.1	-0.2	-0.3	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
054	HAMMOND 5 E	HIGHEST MEAN	60.0	58.7	64.9	71.1	76.7	83.0	84.9	84.7	80.8	72.6	66.1	60.9	84.9
		MEDIAN	49.9	52.9	59.7	65.6	73.8	79.5	81.7	81.4	76.7	67.3	58.9	51.5	66.7
		LOWEST MEAN	40.5	43.9	54.8	61.7	69.8	76.9	79.7	78.7	73.6	60.7	50.6	42.5	40.5
		HIGHEST MEAN YEAR	1974	1990	1997	1999	2000	1998	1998	1999	1986	1984	1985	1971	1998
		LOWEST MEAN YEAR	1977	1978	1996	1993	1976	1976	1984	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.1	-0.2	-0.3	-0.2	-0.3	-0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
058	HOMER 3 SSW	HIGHEST MEAN	50.8	55.2	60.8	68.0	74.9	81.4	85.6	84.4	80.5	68.4	59.1	56.0	85.6
		MEDIAN	43.9	47.4	55.2	62.1	70.4	77.5	80.7	80.6	74.5	64.0	53.8	45.7	63.0
		LOWEST MEAN	34.2	37.0	51.0	57.4	66.1	73.3	78.4	77.4	68.7	56.3	46.5	35.9	34.2
		HIGHEST MEAN YEAR	1999	1976	1974	1981	1996	1998	1998	2000	1980	1973	1985	1984	1998
		LOWEST MEAN YEAR	1977	1978	1971	1983	1976	1974	1989	1971	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.2	-0.3	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
060	HOUMA	HIGHEST MEAN	64.4	61.1	67.5	73.2	79.4	83.4	84.6	85.4	82.5	74.9	68.2	64.1	85.4
		MEDIAN	52.4	56.4	62.7	68.6	76.3	80.5	82.4	82.4	78.8	70.0	62.2	55.0	69.0
		LOWEST MEAN	44.8	46.4	57.4	63.4	72.4	78.8	80.3	79.7	75.8	63.0	53.3	45.8	44.8
		HIGHEST MEAN YEAR	1974	2000	1997	1999	2000	1998	1998	1999	1986	1984	1985	1971	1999
		LOWEST MEAN YEAR	1977	1978	1996	1993	1993	1983	1994	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.2	-0.2	-0.1	-0.2	-0.3	-0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
061	JEANERETTE 5	HIGHEST MEAN	58.5	59.4	65.6	72.4	77.3	82.3	83.9	83.1	81.0	73.2	66.5	63.1	83.9
		MEDIAN	50.9	54.0	60.5	66.7	74.6	79.7	81.6	81.2	77.1	68.2	60.3	52.8	67.6
		LOWEST MEAN	42.4	43.7	55.2	62.8	71.3	77.4	79.7	78.4	74.0	61.7	52.3	42.9	42.4
		HIGHEST MEAN YEAR	1974	1976	1974	1981	2000	1998	1980	1999	1980	1984	1985	1984	1980
		LOWEST MEAN YEAR	1978	1978	1996	1993	1976	1983	1994	1992	1975	1976	1976	1989	1978
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.2	-0.1	-0.1	-0.2	-0.3	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
062	JENA 4 WSW	HIGHEST MEAN	51.5	56.2	62.5	70.0	75.6	83.5	85.4	84.5	80.7	69.9	62.4	58.4	85.4
		MEDIAN	45.9	50.3	57.6	64.4	72.0	78.7	81.5	80.7	75.2	65.1	56.2	48.1	64.6
		LOWEST MEAN	36.0	40.2	52.6	58.8	67.6	75.9	79.3	76.9	72.0	58.4	48.3	39.7	36.0
		HIGHEST MEAN YEAR	1999	1976	1974	1981	2000	1998	1998	2000	1980	1973	1985	1984	1998
		LOWEST MEAN YEAR	1977	1978	1996	1993	1976	1976	1989	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.1	-0.3	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1
063	JENNINGS	HIGHEST MEAN	56.3	59.3	66.3	72.1	77.5	82.6	84.4	84.7	82.2	73.3	65.6	61.9	84.7
		MEDIAN	49.8	53.7	60.5	66.5	74.9	80.0	81.6	81.8	77.8	68.6	60.4	51.8	67.3
		LOWEST MEAN	41.3	43.3	54.8	61.7	71.4	77.6	80.0	78.1	74.8	61.0	51.0	42.7	41.3
		HIGHEST MEAN YEAR	1974	1976	1974	1981	1978	1977	1980	1999	1980	1973	1973	1984	1999
		LOWEST MEAN YEAR	1977	1978	1996	1983	1993	1988	1989	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.2	-0.1	-0.1	-0.2	-0.3	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
065	JONESVILLE LO	HIGHEST MEAN	52.3	57.0	63.2	70.8	77.6	83.2	85.6	85.7	81.4	71.5	63.5	58.8	85.7
		MEDIAN	47.2	51.2	58.4	65.6	73.9	80.2	82.3	81.4	76.8	67.1	56.9	48.4	65.8
		LOWEST MEAN	36.9	39.6	53.4	60.6	68.8	77.2	80.0	78.9	72.2	59.7	49.0	40.4	36.9
		HIGHEST MEAN YEAR	1999	1999	1974	1981	1998	1998	1998	1999	1980	1973	1985	1984	1999
		LOWEST MEAN YEAR	1977	1978	1996	1993	1976	1974	1989	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.1	-0.2	-0.4	0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
069	LAFAYETTE	HIGHEST MEAN	59.5	60.3	67.4	73.3	78.5	83.2	84.8	84.6	81.9	74.5	67.2	62.8	84.8
		MEDIAN	51.2	54.9	61.5	67.9	75.6	80.4	82.0	82.0	77.0	68.9	60.5	53.5	68.2
		LOWEST MEAN	43.1	45.8	57.3	63.8	71.9	78.2	80.4	78.9	74.8	63.0	52.6	43.9	43.1
		HIGHEST MEAN YEAR	1974	1999	1974	1981	1998	1998	1980	1999	1972	1984	1985	1971	1980
		LOWEST MEAN YEAR	1977	1978	1996	1993	1976	1983	1994	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	-0.2	-0.3	-0.2	-0.2	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1	-0.3	-0.2	
		MAX OBS TIME ADJUSTMENT	-0.1	-0.1	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	
070	LAFAYETTE REG	HIGHEST MEAN	60.1	60.4	67.3	72.7	79.8	83.8	84.4	86.0	82.0	75.2	67.0	64.7	86.0
		MEDIAN	51.8	55.2	61.7	67.8	75.4	80.2	82.2	82.1	77.7	69.3	61.0	54.2	68.3
		LOWEST MEAN	44.0	46.1	57.2	63.3	72.0	77.7	80.0	79.0	75.0	62.7	53.0	44.4	44.0
		HIGHEST MEAN YEAR	1974	1990	1974	1999	1998	1998	1986	1999	1972	1984	1985	1971	1999
		LOWEST MEAN YEAR	1977	1978	1971	1983	1971	1983	1994	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	



# CLIMATOGRAPHY OF THE UNITED STATES NO. 81


## Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

### LOUISIANA

Page 22

			NORMALS STATISTICS												
No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
071	LAKE ARTHUR 1	HIGHEST MEAN	56.5	59.4	67.3	72.4	78.6	83.3	85.0	85.8	82.2	73.6	66.5	61.7	85.8
		MEDIAN	49.5	53.2	60.5	67.1	75.1	80.9	82.7	82.2	78.0	69.4	60.2	52.2	67.4
		LOWEST MEAN	39.7	42.0	55.9	62.4	71.7	78.3	80.6	79.4	75.0	62.5	51.0	43.2	39.7
		HIGHEST MEAN YEAR	1998	2000	2000	1999	1998	1990	1980	1999	1980	1984	1985	1984	1999
		LOWEST MEAN YEAR	1977	1978	1978	1983	1976	1976	1972	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.2	-0.1	-0.1	-0.2	-0.3	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.2	0.2	0.1	0.0	0.0	-0.1	-0.1	0.0	0.1	
073	LAKE CHARLES	HIGHEST MEAN	57.1	60.8	65.9	72.1	77.9	83.3	84.9	85.9	82.1	74.6	66.2	62.0	85.9
		MEDIAN	51.3	54.7	60.9	67.6	74.9	80.6	82.5	82.4	78.3	69.4	60.8	53.1	67.8
		LOWEST MEAN	42.4	45.0	56.6	63.0	72.2	78.3	80.1	79.6	75.1	62.3	52.3	44.5	42.4
		HIGHEST MEAN YEAR	1989	2000	2000	1999	2000	1998	1998	1999	1998	1971	1973	1984	1999
		LOWEST MEAN YEAR	1978	1978	1996	1983	1973	1983	1972	1973	1974	1976	1976	1989	1978
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
074	LAKE PROVIDEN	HIGHEST MEAN	49.7	55.3	60.0	69.3	76.5	82.7	85.3	86.2	81.7	70.3	60.8	54.8	86.2
		MEDIAN	43.5	47.8	55.8	63.3	71.7	79.5	82.3	81.1	75.6	65.5	54.9	46.1	63.9
		LOWEST MEAN	33.6	36.9	50.4	58.6	67.2	75.6	79.4	77.8	70.1	59.1	46.8	37.1	33.6
		HIGHEST MEAN YEAR	1990	1976	2000	1999	1987	1998	1980	2000	1998	1971	1985	1984	2000
		LOWEST MEAN YEAR	1977	1978	1980	1983	1976	1974	1972	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.4	-0.3	-0.4	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
075	LEESVILLE	HIGHEST MEAN	53.8	57.4	65.0	71.2	77.1	84.7	86.1	84.6	82.6	70.3	64.0	59.4	86.1
		MEDIAN	47.9	51.7	58.7	65.1	72.8	78.7	81.5	80.7	75.9	65.8	57.1	49.5	65.7
		LOWEST MEAN	38.9	41.5	53.9	60.9	68.9	75.6	79.1	76.8	72.6	58.8	49.5	40.2	38.9
		HIGHEST MEAN YEAR	1975	1999	1974	1981	1996	1998	1998	1980	1980	1973	1973	1984	1998
		LOWEST MEAN YEAR	1977	1978	1996	1997	1976	1976	1989	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.2	-0.2	-0.2	-0.1	-0.2	-0.4	0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.2	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
077	LELAND BOWMAN	HIGHEST MEAN	58.6	59.7	66.5	72.9	77.7	82.6	84.5	84.8	82.4	74.3	67.4	62.6	84.8
		MEDIAN	50.8	54.7	61.1	67.4	75.5	80.5	82.2	82.0	78.2	69.3	61.0	52.8	68.0
		LOWEST MEAN	42.0	45.2	55.1	63.2	72.0	78.2	79.4	79.1	74.6	62.0	52.2	43.9	42.0
		HIGHEST MEAN YEAR	1974	1976	1974	1981	2000	1990	1980	1999	1998	1984	1985	1984	1999
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1983	1994	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.2	-0.2	-0.1	-0.1	-0.2	-0.3	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.2	0.2	0.1	0.0	0.0	-0.1	-0.1	0.0	0.1	
081	LOGANSPOUT 4	HIGHEST MEAN	51.5	57.2	62.5	70.6	75.5	83.1	86.7	85.6	82.3	70.3	62.1	57.4	86.7
		MEDIAN	45.9	50.5	57.7	64.8	71.8	78.8	82.2	81.7	75.7	65.2	55.6	48.0	64.7
		LOWEST MEAN	36.1	40.2	51.9	59.9	69.1	75.3	79.5	76.2	70.6	59.1	48.0	39.1	36.1
		HIGHEST MEAN YEAR	1975	1976	1974	1981	1974	1998	1998	1980	1980	1971	1973	1984	1998
		LOWEST MEAN YEAR	1978	1978	1996	1997	1976	1989	1989	1992	1974	1976	1976	1989	1978
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
084	LSU BEN HUR F	HIGHEST MEAN	58.7	58.7	64.9	71.6	78.1	83.5	85.4	84.9	81.2	72.9	66.4	61.5	85.4
		MEDIAN	50.5	53.3	60.3	66.5	74.5	79.7	81.9	81.3	77.5	67.8	59.9	52.2	67.0
		LOWEST MEAN	40.9	43.9	55.8	61.5	70.7	76.6	79.4	78.8	73.6	61.0	50.9	42.6	40.9
		HIGHEST MEAN YEAR	1974	2000	1985	1981	2000	1998	1998	1999	1980	1984	1985	1984	1998
		LOWEST MEAN YEAR	1977	1978	1996	1993	1976	1983	1972	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.2	-0.2	-0.1	-0.2	-0.3	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
085	LSU CITRUS RE	HIGHEST MEAN	62.5	61.5	67.3	73.6	78.7	83.8	86.1	85.5	84.3	76.2	69.3	64.7	86.1
		MEDIAN	52.7	55.8	61.7	68.7	76.6	81.2	83.1	82.4	79.4	72.1	63.8	56.2	69.6
		LOWEST MEAN	44.4	46.8	56.8	64.5	72.8	79.3	80.8	80.6	76.7	65.8	55.6	47.2	44.4
		HIGHEST MEAN YEAR	1974	1990	2000	1981	2000	1977	1980	1999	1980	1984	1973	1971	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1983	1994	1992	1975	1987	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.2	-0.2	-0.2	-0.2	-0.3	-0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
086	LSU DEAN LEE	HIGHEST MEAN	53.3	57.4	64.2	70.0	77.4	83.3	85.7	84.9	80.9	71.6	63.6	60.1	85.7
		MEDIAN	48.4	51.9	59.0	65.6	73.7	79.8	82.0	81.1	76.5	66.7	57.7	48.9	66.0
		LOWEST MEAN	36.3	39.7	53.5	61.1	68.9	76.5	80.0	78.4	73.4	59.0	48.4	41.1	36.3
		HIGHEST MEAN YEAR	1989	1976	1974	1999	1998	1998	1998	1999	1980	1984	1985	1984	1998
		LOWEST MEAN YEAR	1977	1978	1978	1983	1976	1976	1976	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.2	-0.2	-0.2	-0.1	-0.2	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
088	MANY	HIGHEST MEAN	52.4	57.2	63.0	70.6	76.5	83.9	86.8	84.5	82.4	69.3	62.5	58.9	86.8
		MEDIAN	46.1	50.0	58.2	64.7	72.5	78.5	81.7	81.3	75.3	64.5	56.0	47.6	64.6
		LOWEST MEAN	36.5	39.9	52.0	59.7	68.1	75.4	78.1	76.2	71.1	57.2	47.1	38.8	36.5
		HIGHEST MEAN YEAR	1975	1990	1974	1981	1996	1998	1998	1980	1980	1984	1973	1984	1998
		LOWEST MEAN YEAR	1978	1978	1996	1997	1976	1976	1972	1992	1974	1976	1976	2000	1978
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.1	-0.3	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	






## Page 24

			NORMALS STATISTICS												
No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
115	OBERLIN FIRE	HIGHEST MEAN	56.9	60.5	66.5	72.9	78.3	84.3	85.8	85.8	82.2	73.2	65.9	61.5	85.8
		MEDIAN	50.5	54.9	61.5	68.0	75.2	80.6	82.5	82.3	77.4	68.6	60.2	52.2	67.8
		LOWEST MEAN	41.6	44.8	56.8	63.6	71.7	78.0	80.4	79.0	74.8	61.4	52.1	43.6	41.6
		HIGHEST MEAN YEAR	1999	2000	1974	1981	1998	1998	1998	1999	1980	1984	1973	1984	1999
		LOWEST MEAN YEAR	1978	1978	1996	1983	1976	1976	1972	1992	1975	1976	1976	1989	1978
		MIN OBS TIME ADJUSTMENT	-1.1	-0.8	-0.8	-0.4	-0.3	-0.2	-0.2	-0.3	-0.3	-0.6	-1.0	-1.0	
		MAX OBS TIME ADJUSTMENT	-0.9	-1.4	-1.0	-1.0	-0.7	-0.5	-0.3	-0.6	-0.6	-0.7	-0.8	-0.8	
116	OLLA	HIGHEST MEAN	51.4	55.5	62.0	68.5	75.3	82.2	84.3	84.8	80.3	69.6	61.6	56.7	84.8
		MEDIAN	45.2	49.7	56.8	63.4	71.4	77.8	81.0	80.0	74.7	64.3	55.0	46.7	63.8
		LOWEST MEAN	35.3	38.9	52.4	58.3	66.1	74.9	78.2	76.1	70.4	56.8	47.1	39.2	35.3
		HIGHEST MEAN YEAR	1989	1976	1974	1981	2000	1998	1998	1999	1980	1973	1973	1984	1999
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1976	1972	1992	1974	1976	1976	1983	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.1	-0.3	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.2	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
118	PARADIS 7 S	HIGHEST MEAN	64.2	62.1	68.1	72.7	79.2	83.5	83.9	84.6	80.5	73.7	67.9	63.5	84.6
		MEDIAN	53.6	56.5	62.8	67.8	74.9	79.7	81.3	81.0	77.3	69.5	62.0	55.1	68.5
		LOWEST MEAN	44.6	47.2	58.2	63.9	71.6	77.5	79.1	78.4	74.4	63.2	53.0	46.5	44.6
		HIGHEST MEAN YEAR	1974	1990	1997	1999	2000	1998	1998	1999	1998	1984	1985	1971	1999
		LOWEST MEAN YEAR	1978	1978	1996	1993	1976	1976	1994	1992	1975	1976	1976	1989	1978
		MIN OBS TIME ADJUSTMENT	-1.2	-0.9	-1.0	-0.4	-0.3	-0.2	-0.2	-0.3	-0.4	-0.6	-1.0	-1.1	
		MAX OBS TIME ADJUSTMENT	-2.0	-2.2	-2.2	-1.4	-1.1	-0.7	-0.6	-0.6	-1.0	-1.4	-1.6	-1.9	
120	PLAIN DEALING	HIGHEST MEAN	48.8	54.3	61.1	67.4	74.8	84.4	88.1	85.4	80.4	67.0	59.1	56.0	88.1
		MEDIAN	43.8	47.2	54.9	62.1	70.4	77.7	81.1	80.0	75.0	64.2	53.5	45.7	62.8
		LOWEST MEAN	33.9	37.1	50.4	57.5	65.7	73.5	78.6	77.1	68.3	56.7	46.8	35.7	33.9
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1996	1998	1998	2000	1998	1991	1985	1984	1998
		LOWEST MEAN YEAR	1978	1978	1978	1983	1976	1974	1989	1992	1974	1976	1976	1983	1978
		MIN OBS TIME ADJUSTMENT	1.5	1.8	1.1	0.9	0.0	0.1	0.0	0.3	0.2	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
127	RED RIVER RES	HIGHEST MEAN	50.8	55.4	61.4	69.1	77.7	84.8	88.5	85.7	81.3	69.1	60.1	56.7	88.5
		MEDIAN	45.5	48.8	56.4	63.9	72.7	79.4	82.6	81.4	75.5	65.5	55.1	46.8	64.3
		LOWEST MEAN	34.1	37.5	52.1	58.8	68.5	75.8	80.2	78.5	70.4	58.4	47.1	37.4	34.1
		HIGHEST MEAN YEAR	1999	1976	1974	1999	1996	1998	1998	2000	1980	1973	1973	1984	1998
		LOWEST MEAN YEAR	1978	1978	1978	1983	1976	1974	1976	1992	1974	1976	1976	1983	1978
		MIN OBS TIME ADJUSTMENT	1.6	1.8	1.1	0.9	0.0	0.1	0.0	0.3	0.2	0.4	1.1	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
128	RESERVE	HIGHEST MEAN	61.7	60.8	67.1	72.4	78.6	83.2	85.0	84.9	81.4	73.4	67.7	63.1	85.0
		MEDIAN	51.1	54.3	61.1	66.9	74.8	79.7	82.1	81.4	77.8	68.7	60.4	53.4	67.7
		LOWEST MEAN	43.3	44.8	55.0	62.5	70.9	77.6	79.0	78.9	75.1	62.0	52.4	43.4	43.3
		HIGHEST MEAN YEAR	1974	1976	1985	1979	2000	1998	1998	1999	1980	1984	1985	1971	1998
		LOWEST MEAN YEAR	1977	1978	1996	1993	1988	1983	1994	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.1	-0.2	-0.3	-0.2	-0.3	-0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
130	ROCKEFELLER W	HIGHEST MEAN	58.0	60.0	66.5	72.5	78.0	83.1	85.1	85.3	82.8	74.7	67.8	63.2	85.3
		MEDIAN	51.8	54.6	61.4	67.3	75.8	80.8	82.8	82.6	78.9	70.3	61.7	53.7	68.5
		LOWEST MEAN	40.9	43.6	55.8	63.2	72.6	78.0	81.0	79.5	76.0	62.7	52.3	44.0	40.9
		HIGHEST MEAN YEAR	1989	1999	1997	1981	2000	1980	1980	1999	1980	1973	1985	1984	1999
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1988	1989	1992	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.2	-0.1	-0.1	-0.2	-0.3	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
131	ROSEPINE RESE	HIGHEST MEAN	54.4	58.1	65.0	70.3	77.5	83.9	86.1	85.4	82.6	71.1	62.7	59.9	86.1
		MEDIAN	48.4	51.7	58.5	65.3	73.3	79.2	81.6	81.1	76.5	66.9	57.3	49.3	65.7
		LOWEST MEAN	37.6	40.1	54.1	60.5	69.3	76.0	79.3	78.4	72.7	59.2	49.0	41.3	37.6
		HIGHEST MEAN YEAR	1999	1999	2000	1999	1996	1998	1998	1999	1980	1984	1973	1984	1998
		LOWEST MEAN YEAR	1977	1978	1978	1983	1976	1976	1976	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.2	-0.2	-0.2	-0.1	-0.2	-0.4	0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.2	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
132	RUSTON LA TEC	HIGHEST MEAN	52.8	55.8	61.4	69.0	75.1	83.5	85.5	85.1	80.8	68.5	59.6	56.9	85.5
		MEDIAN	45.0	49.0	56.6	62.8	71.6	78.4	80.9	80.4	74.6	64.6	54.8	46.7	63.5
		LOWEST MEAN	33.7	38.3	51.0	58.5	66.9	74.6	77.9	76.7	68.5	57.1	46.5	37.4	33.7
		HIGHEST MEAN YEAR	1998	1976	1974	1981	1987	1998	1998	1999	1980	1973	1985	1984	1998
		LOWEST MEAN YEAR	1977	1978	1996	1983	1976	1974	1972	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.1	-0.3	-0.4	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
133	ST BERNARD	HIGHEST MEAN	64.3	60.5	66.8	72.7	79.0	84.0	84.6	84.9	80.5	73.5	67.0	62.8	84.9
		MEDIAN	52.3	55.6	61.7	67.5	75.0	79.9	81.7	81.0	77.5	69.3	60.5	53.9	68.0
		LOWEST MEAN	43.0	44.6	57.3	63.8	71.5	77.1	78.6	78.4	73.9	62.9	52.3	46.2	43.0
		HIGHEST MEAN YEAR	1974	1990	2000	1999	2000	1998	1998	1999	1997	1984	1985	1971	1999
		LOWEST MEAN YEAR	1978	1978	1996	1993	1976	1974	1972	1992	1975	1976	1976	1989	1978
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	





# CLIMATOGRAPHY OF THE UNITED STATES NO. 81

## Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

### LOUISIANA

Page 25

			NORMALS STATISTICS												
No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
136	ST JOSEPH 3 N	HIGHEST MEAN	53.0	57.1	63.6	71.4	77.6	83.9	85.7	85.1	81.9	71.3	62.5	58.7	85.7
		MEDIAN	47.0	50.2	58.1	65.2	73.5	80.2	82.8	81.7	76.6	66.7	57.6	49.0	65.4
		LOWEST MEAN	36.3	40.1	53.0	60.6	68.2	76.5	79.8	78.0	71.7	59.7	48.4	40.4	36.3
		HIGHEST MEAN YEAR	1989	1990	2000	1981	2000	1998	1998	2000	1998	1998	1985	1984	1998
		LOWEST MEAN YEAR	1977	1978	1978	1983	1976	1974	1972	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.3	-0.3	-0.4	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
140	SHREVEPORT AP	HIGHEST MEAN	52.9	59.9	64.3	70.4	77.3	84.9	88.5	87.1	82.5	70.9	62.0	60.3	88.5
		MEDIAN	46.8	51.3	59.0	65.4	72.8	79.7	83.1	82.2	76.7	66.8	56.2	49.2	65.6
		LOWEST MEAN	35.4	38.8	53.4	60.1	68.3	76.3	79.6	79.1	72.0	60.7	49.8	37.8	35.4
		HIGHEST MEAN YEAR	1990	1976	1974	1981	1998	1998	1998	1995	1980	1984	1973	1984	1998
		LOWEST MEAN YEAR	1978	1978	1996	1983	1976	1976	1976	1992	1974	1976	1976	1983	1978
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
142	SLIDELL	HIGHEST MEAN	61.0	59.3	65.8	72.5	77.3	84.1	84.7	84.0	81.7	74.5	67.5	61.7	84.7
		MEDIAN	50.7	53.7	60.5	66.6	74.4	80.0	82.2	81.9	77.9	68.7	59.4	51.8	67.3
		LOWEST MEAN	41.6	43.5	55.4	63.0	70.4	77.7	80.0	78.9	73.5	61.4	51.1	45.2	41.6
		HIGHEST MEAN YEAR	1974	1990	1985	1981	1998	1998	1998	1998	1980	1984	1985	1984	1998
		LOWEST MEAN YEAR	1977	1978	1996	1993	1976	1974	1999	1973	1975	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.2	-0.2	-0.3	-0.2	-0.3	-0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
149	TALLULAH	HIGHEST MEAN	51.1	56.0	62.0	70.5	76.0	82.6	84.8	84.7	80.9	69.9	61.2	56.1	84.8
		MEDIAN	45.2	49.1	57.5	64.0	72.5	79.4	81.8	80.8	75.3	65.1	55.5	46.9	64.3
		LOWEST MEAN	34.0	38.7	52.4	58.4	67.5	75.6	78.9	77.0	69.7	58.6	46.8	38.4	34.0
		HIGHEST MEAN YEAR	1989	1976	1974	1981	2000	1998	1980	2000	1972	1971	1985	1984	1980
		LOWEST MEAN YEAR	1977	1978	1983	1983	1976	1974	1984	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.3	-0.3	-0.4	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
150	THIBODAUX 3 E	HIGHEST MEAN	61.2	60.9	67.5	74.3	78.4	83.9	84.9	84.4	82.5	74.1	68.5	63.2	84.9
		MEDIAN	52.4	55.2	61.8	67.5	75.3	80.3	82.0	81.7	77.9	69.6	61.3	54.8	68.6
		LOWEST MEAN	43.2	46.9	56.9	63.7	72.3	77.9	79.3	78.7	75.4	62.2	53.4	46.2	43.2
		HIGHEST MEAN YEAR	1974	2000	1997	1981	2000	1981	1980	1999	1980	1984	1985	1971	1980
		LOWEST MEAN YEAR	1977	1978	1996	1983	1988	1984	1984	1992	1983	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.2	-0.2	-0.2	-0.1	-0.2	-0.3	-0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.2	0.2	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	
155	WINNFIELD 2 W	HIGHEST MEAN	50.6	55.8	62.4	69.3	76.0	83.1	86.3	84.5	81.5	70.1	61.6	57.5	86.3
		MEDIAN	45.4	49.1	57.4	64.2	72.2	78.3	81.2	80.9	75.3	65.2	55.3	47.4	64.4
		LOWEST MEAN	36.4	40.1	52.2	58.8	67.6	75.3	78.9	76.6	71.4	58.6	47.1	38.8	36.4
		HIGHEST MEAN YEAR	1989	1976	1974	1981	1996	1998	1998	2000	1980	1984	1985	1984	1998
		LOWEST MEAN YEAR	1978	1978	1971	1997	1976	1989	1972	1992	1974	1976	1976	2000	1978
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.1	-0.3	-0.4	0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
156	WINNSBORO 5 S	HIGHEST MEAN	51.3	55.8	62.4	70.4	77.0	84.2	86.6	85.5	81.6	70.0	61.6	57.2	86.6
		MEDIAN	46.0	49.2	57.4	64.0	72.7	79.3	82.4	81.1	75.7	65.6	56.2	47.7	64.7
		LOWEST MEAN	34.7	38.6	52.4	59.4	67.3	76.0	79.6	77.8	70.6	58.4	47.7	39.5	34.7
		HIGHEST MEAN YEAR	1999	1990	2000	1981	1996	1998	1998	2000	1980	1973	1973	1984	1998
		LOWEST MEAN YEAR	1977	1978	1978	1983	1976	1974	1972	1992	1974	1976	1976	1989	1977
		MIN OBS TIME ADJUSTMENT	0.8	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.1	-0.3	-0.4	0.5	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
158	WOODWORTH 2 S	HIGHEST MEAN	53.5	57.4	64.7	72.3	77.0	83.5	85.0	85.7	80.7	71.5	63.5	59.7	85.7
		MEDIAN	48.1	51.9	59.0	66.1	73.5	79.2	82.0	81.3	76.2	66.8	57.2	48.9	65.9
		LOWEST MEAN	38.3	40.8	54.6	61.2	68.6	76.3	79.6	78.3	73.3	59.4	49.4	40.7	38.3
		HIGHEST MEAN YEAR	1989	1990	1974	1981	1998	1998	1980	1999	1980	1984	1985	1984	1999
		LOWEST MEAN YEAR	1978	1978	1996	1983	1976	1976	1972	1992	1974	1976	1976	1989	1978
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.1	0.0	-0.3	-0.2	-0.2	-0.1	-0.2	-0.4	0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.4	0.3	0.2	0.2	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	