Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 106388

Station: NEW MEADOWS RANGER STN, ID

Climate Division: ID 4 Lon: 116°17W **NWS Call Sign:** Elevation: 3,870 Feet Lat: 44°58N

									r	Tempe	eratur	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	29.7	8.0	18.9	48+	1963	1	26.3	1981	-41	1979	1	4.8	1979	1430	0	.0	.0	.0	16.7	30.6	10.1
Feb	36.5	11.0	23.8	62	1992	29	30.9	1992	-40	1989	4	13.2	1989	1156	0	.0	.0	.9	6.4	27.7	6.9
Mar	45.5	19.7	32.6	73	1978	30	41.5	1992	-29	1955	5	24.0	1976	1004	0	.0	.0	9.0	.7	29.8	1.2
Apr	55.0	26.6	40.8	86+	1977	26	46.3	1990	-1	1955	3	34.0	1975	727	0	.0	.0	20.4	@	25.4	.0
May	64.3	32.9	48.6	91+	2001	25	53.9	1993	12+	1982	5	44.7	1999	510	0	.0	@	28.3	.0	14.5	.0
Jun	73.2	39.0	56.1	99	1974	15	63.6	1977	20+	1996	19	52.1	1991	278	11	.0	1.3	29.8	.0	5.5	.0
Jul	82.7	42.1	62.4	104	1960	19	68.2	1975	26	1955	2	55.4	1993	135	53	.1	7.5	31.0	.0	1.6	.0
Aug	83.1	40.4	61.8	103	1961	5	65.4	1971	18	1992	26	57.0	1985	140	39	.1	7.2	31.0	.0	3.1	.0
Sep	72.8	32.5	52.7	96+	1998	5	58.1	1998	11+	1999	29	46.2	1985	378	6	.0	1.1	29.5	.0	15.9	.0
Oct	60.2	24.7	42.5	89	1992	2	49.3	1988	8+	1999	16	37.7	1984	699	0	.0	.0	25.4	.1	26.9	.0
Nov	41.3	19.8	30.6	72	1988	1	35.7	1981	-24	1955	16	21.5	1985	1034	0	.0	.0	5.5	4.7	28.5	1.7
Dec	30.2	9.3	19.8	54	1987	7	26.7	1977	-45+	1983	24	9.2	1978	1403	0	.0	.0	.1	16.6	30.6	7.6
Ann	56.2	25.5	40.9	104	Jul 1960	19	68.2	Jul 1975	-45+	Dec 1983	24	4.8	Jan 1979	8894	109	.2	17.1	210.9	45.2	240.1	27.5

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 071-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climate Division: ID 4

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 106388

Station: NEW MEADOWS RANGER STN, ID

NWS Call Sign:

Elevation: 3,870 Feet Lat: 44°58N Lon: 116°17W

										Pı	recipit	tation	(incl	nes)										
			P	recipi	itatio	on Total	S			M	lean N	Numbo Pays (3		Proba	ability th	nat the r		annual j		babilit ation wi		ıal to or	less tha	an the
	Medi					Extreme	S			D	aily Pre	_			Th		•		-	vs Proba	•		ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	2.88	2.94	1.83	1954	17	6.93	1974	.37	1985	12.5	7.2	1.8	.4	.67	.94	1.36	1.74	2.11	2.51	2.96	3.49	4.18	5.29	6.32
Feb	2.62	2.06	3.58	1999	18	6.52	1979	.42	1997	10.7	6.7	1.3	.4	.60	.85	1.23	1.58	1.92	2.28	2.69	3.18	3.82	4.84	5.79
Mar	2.38	2.19	1.43	1997	3	5.07	1983	.13	1994	9.8	6.1	1.2	.2	.61	.84	1.18	1.49	1.79	2.10	2.45	2.87	3.41	4.27	5.07
Apr	2.05	2.00	1.34	1978	27	5.34	1978	.22	1977	8.2	4.8	1.1	.1	.52	.71	1.01	1.28	1.54	1.81	2.12	2.48	2.95	3.70	4.40
May	2.26	2.17	2.00+	1996	18	5.94	1998	.16	1974	9.0	5.4	1.2	.2	.62	.83	1.16	1.44	1.72	2.01	2.34	2.72	3.21	4.00	4.72
Jun	1.90	1.90	1.43	1971	26	3.91	1995	.16	1996	8.0	4.7	1.0	.2	.35	.52	.80	1.05	1.32	1.60	1.92	2.31	2.83	3.66	4.46
Jul	.90	.90	.90	1976	18	1.96	1995	.06	1971	4.8	2.5	.4	.0	.09	.15	.28	.40	.54	.69	.87	1.10	1.41	1.93	2.44
Aug	.81	.52	2.45	1995	17	2.80	1995	.00	2000	4.5	2.1	.3	@	.01	.05	.14	.25	.38	.53	.72	.97	1.33	1.94	2.56
Sep	1.28	1.11	2.04	2000	5	3.78	1986	.00+	1999	5.1	2.9	.6	.2	.00	.00	.09	.27	.49	.75	1.09	1.53	2.17	3.25	4.36
Oct	1.54	1.38	2.07	1975	7	4.66	1975	.00+	1991	5.7	3.5	1.1	.2	.00	.00	.40	.67	.94	1.22	1.55	1.95	2.47	3.33	4.16
Nov	2.71	2.30	1.90	1996	20	9.49	1973	.30	1976	10.1	7.0	1.5	.3	.66	.91	1.31	1.66	2.01	2.38	2.79	3.28	3.93	4.95	5.91
Dec	3.20	2.81	2.41	1999	16	9.59	1996	.17	1989	11.4	7.1	1.9	.3	.44	.70	1.16	1.60	2.07	2.58	3.18	3.91	4.90	6.51	8.06
Ann	24.53	24.38	3.58	Feb 1999	18	9.59	Dec 1996	.00+	Aug 2000	99.8	60.0	13.4	2.5	15.98	17.58	19.65	21.25	22.68	24.07	25.52	27.14	29.12	32.01	34.53

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 106388

Station: NEW MEADOWS RANGER STN, ID

Climate Division: ID 4 NWS Call Sign: Elevation: 3,870 Feet Lat: 44°58N Lon: 116°17W

										Snov	w (incl	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	23.5	20.8	17	17	12.0	1982	23	48.0	1971	46	1993	20	41	1993	9.6	5.9	2.6	1.1	.2	-9.9	-9.9	-9.9	-9.9
Feb	12.0	10.2	18	16	11.1	1976	16	35.2	1979	42	1993	24	38	1993	6.8	4.2	1.6	.4	@	-9.9	-9.9	-9.9	-9.9
Mar	5.5	3.3	8	4	6.0	1973	1	16.3	1976	38	1993	2	29	1976	3.5	2.0	.5	.1	.0	13.9	12.1	10.2	7.3
Apr	1.8	.1	1	#	4.0	1984	12	9.2	1975	24	1976	1	6	1975	1.1	.6	.2	.0	.0	1.6	1.1	.9	.7
May	.2	.0	#	0	2.7	1975	4	2.7	1975	3	1975	4	#+	1990	.2	.1	.0	.0	.0	@	@	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.1	.0	0	0	1.5	1972	25	1.5	1972	0	0	0	0	0	@	@	.0	.0	.0	.0	.0	.0	.0
Oct	.2	.0	#	0	2.3	1971	31	3.5	1975	3	1971	31	#+	1997	.5	.1	.0	.0	.0	.2	@	.0	.0
Nov	12.8	10.0	2	1	13.3	1988	28	52.3	1973	21	1973	27	6	1988	4.4	3.1	1.1	.4	.1	5.8	2.6	1.9	.4
Dec	20.1	16.2	9	7	14.0	1996	5	63.3	1971	37	1992	30	23	1971	8.2	5.8	2.2	.6	@	25.6	22.1	18.5	7.4
Ann	76.2	60.6	N/A	N/A	14.0	Dec 1996	5	63.3	Dec 1971	46	Jan 1993	20	41	Jan 1993	34.3	21.8	8.2	2.6	.3	-9.9	-9.9	-9.9	-9.9

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 106388

Lon: 116°17W

Lat: 44°58N

Station: NEW MEADOWS RANGER STN, ID

Climate Division: ID 4 NWS Call Sign:

				Freez	e Data										
			Spri	ng Freeze Da	ates (Month/	Day)									
Temp (F)		P	robability of	later date in	n spring (thr	u Jul 31) tha	n indicated(*)							
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	7/31	7/26	7/23	7/20	7/18	7/15	7/12	7/09	7/04						
32	7/21	7/15	7/10	7/06	7/02	6/29	6/25	6/20	6/14						
28	6/25	6/19	6/14	6/10	6/06	6/02	5/29	5/25	5/18						
24	6/11	6/03	5/28	5/24	5/19	5/15	5/10	5/04	4/26						
20	5/30	5/22	5/17	5/12	5/08	5/03	4/29	4/23	4/15						
16	5/06	4/27	4/20	4/15	4/10	4/05	3/30	3/24	3/15						
•		•	Fal	l Freeze Dat	es (Month/D	ay)		•	•						
Tomp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)														
remb (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	7/31	8/05	8/08	8/11	8/13	8/16	8/18	8/22	8/26						
32	8/08	8/13	8/17	8/21	8/24	8/28	8/31	9/04	9/10						
28	8/21	8/26	8/30	9/03	9/06	9/09	9/13	9/17	9/22						
24	9/01	9/07	9/11	9/15	9/18	9/21	9/25	9/29	10/05						
20	9/14	9/20	9/24	9/28	10/01	10/05	10/08	10/13	10/19						
16	9/23	9/30	10/05	10/09	10/13	10/17	10/21	10/26	11/02						
•				Freeze F	ree Period										
Temp (F)			Probability	of longer tha	an indicated	freeze free p	eriod (Days)								
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	47	40	34	30	26	22	17	12	5						
32	75	67	61	57	52	48	43	37	30						
28	117	108	102	96	91	86	81	74	65						
24	155	144	135	128	121	114	107	99	87						
20	176	166	158	152	146	140	134	126	116						
16	220	208	199	192	186	179	172	163	151						

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Elevation: 3,870 Feet

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 106388

Station: NEW MEADOWS RANGER STN, ID

Climate Division: ID 4 NWS Call Sign: Elevation: 3,870 Feet Lat: 44°58N Lon: 116°17W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1430	1156	1004	727	510	278	135	140	378	699	1034	1403	8894
60	1275	1016	849	577	358	159	57	58	245	544	884	1248	7270
57	1182	932	756	487	273	104	27	27	178	451	794	1155	6366
55	1120	876	694	428	220	74	16	16	139	390	734	1093	5800
50	965	736	540	289	112	24	2	2	64	246	584	938	4502
32	435	280	115	15	0	0	0	0	0	5	144	417	1411

Base						Coolin	g Degree I	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	29	48	134	278	513	724	942	922	618	329	100	37	4674
55	0	0	0	1	20	108	245	224	67	2	0	0	667
57	0	0	0	0	11	77	194	174	46	1	0	0	503
60	0	0	0	0	3	42	130	111	23	0	0	0	309
65	0	0	0	0	0	11	53	39	6	0	0	0	109
70	0	0	0	0	0	2	14	8	0	0	0	0	24

										Gro	wing 1	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	(Ionthly)								Growi	ng Degre	ee Units (Accumu	lated Mo	onthly)			
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	1	11	100	284	488	710	691	395	134	9	0	0	1	12	112	396	884	1594	2285	2680	2814	2823	2823
45	0 0 2 38 162 344 555 536 259 54 0												0	0	2	40	202	546	1101	1637	1896	1950	1950	1950
50	0 0 0 14 78 212 404 383 147 15 0											0	0	0	0	14	92	304	708	1091	1238	1253	1253	1253
55	0	0	0	0	29	113	257	238	65	1	0	0	0	0	0	0	29	142	399	637	702	703	703	703
60	0	0	0	0	5	43	129	117	16	0	0	0	0	0	0	0	5	48	177	294	310	310	310	310
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	36 0 1 25 113 236 351 496 498 346 184 17												0	1	26	139	375	726	1222	1720	2066	2250	2267	2267

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf