Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 413591

Lon: 97°47W

Station: GLEN ROSE 2 W, TX

Climate Division: TX 3 NWS Call Sign:

									, .	Tempe	eratui	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	58.2	28.9	43.6	89	1969	8	48.5	1990	-1+	1982	14	35.6	1978	664	0	.0	.0	23.2	.7	21.1	.1
Feb	64.0	33.7	48.9	96+	1996	22	57.8	1976	-8	1996	4	39.0	1978	455	3	.0	.2	23.7	.6	13.3	.1
Mar	72.3	41.9	57.1	101	1974	31	64.2	1974	7	1996	9	51.3	1996	268	24	@	.6	30.1	@	6.9	.0
Apr	79.6	49.7	64.7	100	1990	29	70.5	1972	16	1994	7	59.2	1993	100	89	@	2.7	30.0	.0	2.2	.0
May	86.0	58.7	72.4	105	1967	11	78.1	1996	29	1999	7	66.5	1999	28	257	.4	10.1	31.0	.0	.2	.0
Jun	92.5	66.6	79.6	110+	1994	26	84.6	1980	47	1993	1	76.2	1983	0	437	2.5	22.3	30.0	.0	.0	.0
Jul	97.3	69.5	83.4	110+	1978	15	89.6	1978	45	1994	28	79.4	1976	0	571	10.9	29.1	31.0	.0	.0	.0
Aug	97.0	67.7	82.4	115	1984	19	88.0	1999	41	1992	28	75.6	1992	0	538	12.6	28.1	31.0	.0	.0	.0
Sep	89.5	61.7	75.6	110	1985	1	83.2	1977	30	1989	25	70.0	1989	7	326	2.4	18.7	30.0	.0	.2	.0
Oct	80.5	50.9	65.7	99+	1983	4	69.2	1979	9	1993	31	59.0	1993	81	102	.0	5.3	30.9	.0	1.6	.0
Nov	68.5	39.9	54.2	95	1980	8	61.5	1973	5	1993	27	46.1	1993	341	18	.0	.2	28.0	.0	9.2	.0
Dec	59.9	31.1	45.5	86	1973	12	53.1	1984	-15	1989	23	35.2	1983	609	5	.0	.0	25.1	.6	17.7	.1
					Aug			Jul		Dec			Dec								
Ann	78.8	50.0	64.4	115	1984	19	89.6	1978	-15	1989	23	35.2	1983	2553	2370	28.8	117.3	344.0	1.9	72.4	.3

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 123-A

(1) From the 1971-2000 Monthly Normals

Elevation: 655 Feet Lat: 32°14N

- (2) Derived from station's available digital record: 1963-2000
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 413591

Station: GLEN ROSE 2 W, TX

Climate Division: TX 3 NWS Call Sign: Elevation: 655 Feet Lat: 32°14N Lon: 97°47W

										Pı	recipi	tation	(incl	nes)										
	Me	ans/	P	recip	itatio	on Total	s			M	ean N	Numb Oays (3		Proba	ability th		nonthly/	annual j	precipita ated an		ll be equ		· less tha	ın the
		ans(1)				Extremes	5			D	aily Pre	cipitatio	n		Th		•		-	incomplet	•		ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	1.64	1.51	1.91	1979	19	3.82	1973	.00	1986	7.4	3.8	.9	.3	.17	.36	.63	.87	1.11	1.37	1.66	2.02	2.49	3.26	3.98
Feb	2.28	1.70	2.56	1998	26	9.13	1997	.03	1999	7.1	3.9	1.6	.6	.18	.33	.63	.94	1.29	1.69	2.16	2.77	3.60	5.00	6.39
Mar	2.80	2.28	6.25	1989	28	7.48	1989	.03	1971	7.5	4.4	1.7	.6	.27	.47	.85	1.24	1.67	2.14	2.71	3.41	4.38	5.99	7.56
Apr	2.91	2.80	3.83	1964	21	8.07	1973	.33	1987	7.0	4.4	2.0	.8	.50	.75	1.18	1.58	1.99	2.43	2.94	3.56	4.38	5.71	6.98
May	5.20	4.95	5.92	1989	17	11.40	1989	.97	1996	9.2	6.3	3.0	1.7	1.35	1.84	2.59	3.26	3.91	4.60	5.37	6.27	7.46	9.33	11.08
Jun	4.02	3.68	4.27	1988	1	10.24	1989	.42	1978	7.4	5.2	2.5	1.4	.71	1.06	1.65	2.20	2.76	3.37	4.06	4.91	6.03	7.84	9.56
Jul	2.19	1.52	8.48	1995	31	9.73	1995	.00	1993	4.8	3.1	1.3	.6	.05	.18	.46	.77	1.12	1.53	2.03	2.66	3.56	5.07	6.59
Aug	2.18	1.51	3.29	1990	4	9.55	1996	.12	1973	5.8	3.4	1.4	.6	.13	.25	.52	.81	1.15	1.54	2.02	2.63	3.50	4.96	6.43
Sep	3.15	2.54	6.90	1986	2	12.04	1986	.05	1982	6.5	4.3	1.8	.9	.33	.57	1.00	1.44	1.91	2.44	3.07	3.85	4.91	6.66	8.38
Oct	3.83	3.35	4.84	1991	27	10.60	1991	.28	1992	7.6	5.2	2.2	1.3	.33	.59	1.09	1.62	2.21	2.87	3.67	4.66	6.04	8.34	10.60
Nov	2.24	1.88	2.87	1998	13	5.74	1998	.40	1979	7.0	3.9	1.7	.7	.42	.62	.95	1.25	1.56	1.90	2.28	2.73	3.35	4.33	5.26
Dec	2.38	1.99	7.14	1991	20	11.41	1991	.25	1973	7.5	3.8	1.7	.6	.20	.36	.68	1.01	1.37	1.78	2.27	2.90	3.75	5.19	6.60
Ann	34.82	33.45	8.48	Jul 1995	31	12.04	Sep 1986	.00+	Jul 1993	84.8	51.7	21.8	10.1	21.22	23.70	26.96	29.49	31.77	34.02	36.36	38.99	42.21	46.97	51.16

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1963-2000

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 413591

Station: GLEN ROSE 2 W, TX

Climate Division: TX 3 NWS Call Sign: Elevation: 655 Feet Lat: 32°14N Lon: 97°47W

										Snov	w (inc	hes)											
						Sn	ow To	tals									Mea	ın Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	.7	.0	#	0	4.5	1973	11	6.3	1978	5	1973	11	#+	1988	.5	.2	.2	.0	.0	.4	.1	@	.0
Feb	.5	.0	#	0	3.5	1975	23	5.0	1978	2	1979	17	#+	1996	.4	.2	.1	.0	.0	.2	.0	.0	.0
Mar	.2	.0	#	0	3.0	1978	3	3.0	1978	1+	1989	6	#+	1989	.1	.1	@	.0	.0	.1	.0	.0	.0
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	#	0	.0	0	0	.0	0	#	1988	1	#	1988	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.2	.0	#	0	3.5	1976	13	4.0	1976	3	1976	13	#+	1997	.2	.1	@	.0	.0	.1	@	.0	.0
Dec	.2	.0	#	0	3.5	1983	16	3.5	1986	2	1978	31	#+	1997	.2	.2	.1	.0	.0	.1	.0	.0	.0
Ann	1.8	.0	N/A	N/A	4.5	Jan 1973	11	6.3	Jan 1978	5	Jan 1973	11	#+	Dec 1997	1.4	.8	.4	.0	.0	.9	.1	@	.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 413591

Station: GLEN ROSE 2 W, TX

Climate Division: TX 3 NWS Call Sign:

Elevation: 655 Feet Lat: 32°14N Lon: 97°47W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	/Day)			
Temp (F)		P	robability of	later date i	n spring (thr	ru Jul 31) tha	n indicated((*)	
Temp (I')	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/07	5/01	4/26	4/22	4/18	4/14	4/10	4/06	3/30
32	5/02	4/25	4/20	4/15	4/11	4/07	4/02	3/28	3/21
28	4/18	4/11	4/06	4/01	3/28	3/24	3/20	3/15	3/08
24	4/07	3/29	3/22	3/16	3/10	3/05	2/27	2/20	2/11
20	3/21	3/12	3/06	3/01	2/24	2/19	2/14	2/08	1/30
16	3/12	3/01	2/21	2/14	2/07	2/01	1/24	1/14	12/27
		•	Fal	ll Freeze Da	tes (Month/D	Day)			
Temp (F)		Pro	bability of ea	arlier date i	n fall (beginn	ning Aug 1) t	han indicate	ed(*)	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/22	9/29	10/03	10/07	10/11	10/15	10/19	10/24	10/30
32	10/05	10/13	10/19	10/24	10/29	11/03	11/08	11/14	11/22
28	10/14	10/22	10/28	11/02	11/06	11/11	11/15	11/21	11/29
24	10/26	11/03	11/08	11/13	11/17	11/22	11/26	12/02	12/09
20	11/03	11/12	11/18	11/23	11/28	12/03	12/08	12/15	12/23
16	11/14	11/23	11/29	12/05	12/11	12/16	12/23	1/01	0/00
		•		Freeze F	ree Period	•			
Temp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	203	193	187	181	175	170	164	157	148
32	235	223	215	207	200	193	186	178	166
28	251	241	234	228	222	216	210	203	193
24	290	277	267	259	251	244	235	226	212
20	315	302	292	284	276	269	261	251	238
16	>365	349	328	316	307	299	290	280	267

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: GLEN ROSE 2 W, TX

COOP ID: 413591

Climate Division: TX 3 NWS Call Sign: Elevation: 655 Feet Lat: 32°14N Lon: 97°47W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	664	455	268	100	28	0	0	0	7	81	341	609	2553		
60	512	325	158	38	8	0	0	0	0	29	224	466	1760		
57	426	254	108	18	3	0	0	0	0	13	167	384	1373		
55	369	211	80	10	1	0	0	0	0	7	134	334	1146		
50	242	123	31	1	0	0	0	0	0	1	70	225	693		
32	15	2	0	0	0	0	0	0	0	0	1	20	38		

Base						Coolin	g Degree I	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	374	474	778	979	1252	1427	1594	1561	1309	1044	668	438	11898
55	15	38	145	300	540	737	881	848	619	338	111	40	4612
57	10	25	111	247	480	677	819	786	559	282	84	28	4108
60	3	13	69	177	392	587	726	693	469	206	51	17	3403
65	0	3	24	89	257	437	571	538	326	102	18	5	2370
70	0	0	6	33	150	291	416	387	199	38	4	0	1524

										Gro	wing]	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (M	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	196	310	548	746	1014	1192	1353	1320	1065	811	434	242	196	506	1054	1800	2814	4006	5359	6679	7744	8555	8989	9231
45												141	110	310	713	1311	2170	3212	4410	5575	6490	7148	7453	7594
50	54 118 274 450 704 892 1043 1010 765 506 195											73	54	172	446	896	1600	2492	3535	4545	5310	5816	6011	6084
55	21	62	166	309	549	742	888	855	617	360	112	37	21	83	249	558	1107	1849	2737	3592	4209	4569	4681	4718
60	3 22 87 193 398 592 733 700 471 231 54 1										15	3	25	112	305	703	1295	2028	2728	3199	3430	3484	3499	
Base	e Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	50/86 177 245 382 507 680 789 862 832 696 544 314 19											197	177	422	804	1311	1991	2780	3642	4474	5170	5714	6028	6225

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf