Station: FRANKLIN, OH

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 332928

Climate Division: OH 8 NWS Call Sign: Elevation: 670 Feet Lat: 39°33N Lon: 84°19W

									ŗ	Гетр	eratui	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base T	Days (1) emp 65	Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	36.7	18.3	27.5	70	1967	24	36.9	1990	-25+	1963	29	10.5	1977	1163	0	.0	.0	4.6	11.6	27.4	3.3
Feb	41.3	21.0	31.2	75	2000	26	38.6	1998	-12+	1985	3	15.5	1978	948	0	.0	.0	7.1	8.0	23.1	1.9
Mar	52.3	29.7	41.0	86	1998	28	48.2	1976	-7	1980	3	33.5	1984	744	0	.0	.0	16.6	1.6	19.6	.2
Apr	63.7	38.5	51.1	88+	1990	28	56.9	1985	18+	1995	6	46.3	1975	418	1	.0	.0	25.4	.0	8.0	.0
May	74.1	48.4	61.3	96	1996	19	67.9	1991	27	1963	1	56.4	1989	186	70	.0	.4	30.9	.0	.5	.0
Jun	82.6	58.0	70.3	100	1988	26	74.5	1996	38+	1988	10	65.0	1972	26	184	@	3.6	30.0	.0	.0	.0
Jul	86.3	62.1	74.2	101+	1999	31	78.4	1999	42+	1988	1	70.5	2000	1	285	.1	7.1	31.0	.0	.0	.0
Aug	85.0	60.1	72.6	101	1964	4	77.8	1995	39+	1986	30	68.2	1992	10	244	@	5.2	31.0	.0	.0	.0
Sep	78.5	52.0	65.3	101	1953	2	69.4	1998	29	1963	30	60.8	1974	75	82	.0	1.6	30.0	.0	.1	.0
Oct	66.5	40.1	53.3	90	1971	1	61.3	1971	16	1962	27	46.3	1988	376	13	.0	@	29.4	.0	6.9	.0
Nov	53.3	32.6	43.0	80	1958	18	49.3	1985	-9	1958	30	35.1	1976	662	0	.0	.0	17.4	.7	16.1	.0
Dec	41.8	23.7	32.8	74	1982	3	41.5	1982	-21	1989	22	18.6	1989	1000	0	.0	.0	7.6	6.7	24.6	1.0
Ann	63.5	40.4	52.0	101+	Jul 1999	31	78.4	Jul 1999	-25+	Jan 1963	29	10.5	Jan 1977	5609	879	.1	17.9	261.0	28.6	126.3	6.4

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 035-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 332928

Station: FRANKLIN, OH

Climate Division: OH 8 NWS Call Sign: Elevation: 670 Feet Lat: 39°33N Lon: 84°19W

										Pı	recipi	tation	(incl	nes)										
	Mea	ans/	P	recip	itatio	on Total						ays (3	5)	Proba	ability th		nonthly/	annual j indic	precipita ated an	nount	ies (1)		less tha	n the
	Medi	ans(1)				Extremes	i			ս	aily Pre	приацо	n		Th	ese value	s were det	ermined	from the	incomplet	te gamma	distributi	ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	2.56	2.50	3.79	1949	5	6.04	1982	.22	1981	11.6	5.8	1.5	.4	.70	.94	1.31	1.64	1.95	2.29	2.65	3.09	3.66	4.54	5.37
Feb	2.36	2.11	2.27	1988	2	4.75	1988	.35	1978	10.7	5.5	1.3	.3	.57	.79	1.14	1.44	1.75	2.07	2.43	2.86	3.42	4.31	5.14
Mar	3.17	2.88	2.87	1963	5	5.45	1982	1.20	1979	11.7	7.1	2.2	.4	1.44	1.72	2.11	2.42	2.72	3.01	3.33	3.69	4.14	4.83	5.45
Apr	3.83	3.57	2.79	1996	29	8.86	1996	1.05	1971	12.4	8.1	2.6	.7	1.21	1.58	2.12	2.58	3.02	3.48	3.99	4.58	5.34	6.53	7.63
May	4.47	4.41	3.61	1983	1	10.29	1990	1.40	1977	11.6	8.4	2.9	1.0	1.31	1.73	2.37	2.93	3.47	4.03	4.65	5.37	6.32	7.80	9.17
Jun	3.73	3.65	2.89	1997	1	6.89	1998	.94	1988	10.0	7.3	2.4	.9	1.39	1.74	2.24	2.66	3.05	3.46	3.90	4.41	5.06	6.07	6.98
Jul	4.15	3.88	5.10	1973	21	7.69	1996	.50	1974	9.8	6.9	2.9	1.1	1.28	1.67	2.26	2.76	3.25	3.76	4.31	4.97	5.81	7.12	8.34
Aug	3.31	3.25	3.10	1994	29	7.16	1974	1.18	1998	8.7	5.6	2.2	.9	1.16	1.47	1.93	2.31	2.67	3.05	3.46	3.93	4.54	5.49	6.35
Sep	2.66	2.26	4.35	1979	14	7.27	1971	.41	1985	8.1	4.7	1.8	.7	.45	.68	1.07	1.43	1.81	2.22	2.68	3.25	4.00	5.22	6.39
Oct	2.93	2.94	2.65	1993	20	7.26	1983	.53	1982	9.4	5.4	1.8	.7	.82	1.09	1.52	1.88	2.24	2.62	3.04	3.53	4.17	5.17	6.11
Nov	3.36	3.15	3.07	1948	6	8.75	1985	.55	1991	11.3	7.0	2.3	.8	.94	1.26	1.74	2.16	2.57	3.00	3.48	4.04	4.77	5.92	6.99
Dec	3.01	2.85	2.68	1998	22	8.43	1990	.40	1976	11.3	6.1	2.2	.4	1.03	1.32	1.73	2.08	2.42	2.76	3.14	3.58	4.14	5.02	5.82
Ann	39.54	38.66	5.10	Jul 1973	21	10.29	May 1990	.22	Jan 1981	126.6	77.9	26.1	8.3	29.57	31.54	34.04	35.92	37.59	39.19	40.84	42.65	44.84	47.99	50.71

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 332928

Station: FRANKLIN, OH

Climate Division: OH 8 NWS Call Sign: Elevation: 670 Feet Lat: 39°33N Lon: 84°19W

		Sanow Fall Sanow Depth Median Med															Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	2.4	2.2	1	#	3.5	1979	7	6.5	1976	15	1978	24	7	1978	3.1	1.8	.3	.0	.0	5.5	2.5	1.5	.3
Feb	3.0	2.2	1	#	5.0	1979	26	8.0	1980	14	1978	6	9	1978	2.4	1.4	.3	.1	.0	5.5	3.2	2.0	.3
Mar	2.0	1.4	#	0	6.0	1987	31	7.3	1975	6	1987	31	1	1984	1.2	.8	.1	.1	.0	1.5	.9	.2	.0
Apr	.1	.0	#	0	1.0	1973	10	1.0	1973	3	1987	1	#+	1987	.1	.1	.0	.0	.0	.1	@	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.7	.0	#	0	4.5	1980	18	4.5	1980	5	1980	18	#+	1984	.4	.3	.1	.0	.0	.5	.1	@	.0
Dec	1.8	1.0	#	0	6.0	1984	6	6.0	1984	6	1984	8	1	1984	1.4	.7	.2	.1	.0	1.9	.5	.1	.0
Ann	10.0	6.8	N/A	N/A	6.0+	Mar 1987	31	8.0	Feb 1980	15	Jan 1978	24	9	Feb 1978	8.6	5.1	1.0	.3	.0	15.0	7.2	3.8	.6

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 332928

Lon: 84°19W

Lat: 39°33N

1971-2000

Station: FRANKLIN, OH

Climate Division: OH 8 NWS Ca

NWS Call Sign:

				Freez	ze Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated((*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/16	5/12	5/09	5/07	5/04	5/02	4/29	4/27	4/22
32	5/09	5/04	5/01	4/28	4/25	4/22	4/19	4/16	4/11
28	4/23	4/19	4/16	4/14	4/11	4/09	4/07	4/04	3/31
24	4/17	4/12	4/07	4/04	3/31	3/28	3/24	3/20	3/14
20	4/01	3/27	3/23	3/20	3/17	3/15	3/11	3/08	3/03
16	3/19	3/13	3/09	3/05	3/02	2/27	2/23	2/19	2/13
•			Fal	l Freeze Da	tes (Month/D	ay)			
Torrer (F)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/20	9/24	9/27	9/29	10/01	10/03	10/05	10/08	10/12
32	9/29	10/03	10/06	10/09	10/11	10/13	10/16	10/19	10/23
28	10/09	10/14	10/18	10/21	10/24	10/27	10/30	11/03	11/08
24	10/21	10/27	10/31	11/04	11/08	11/11	11/15	11/19	11/25
20	10/30	11/06	11/11	11/15	11/20	11/24	11/28	12/03	12/10
16	11/12	11/19	11/24	11/29	12/03	12/07	12/12	12/17	12/25
•				Freeze F	ree Period		•	•	-
Tomp (F)			Probability	of longer th	an indicated :	freeze free p	eriod (Days)		
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	164	159	155	152	149	146	143	139	134
32	186	180	175	172	168	165	161	157	151
28	215	208	203	199	195	191	187	182	175
24	247	238	231	226	221	215	210	203	194
20	273	264	257	252	246	241	235	229	220
16	300	291	285	280	275	271	265	259	251

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability. Derived from 1971-2000 serially complete daily data

Complete do

Complete documentation available from:

Elevation: 670 Feet

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 332928

Station: FRANKLIN, OH

Climate Division: OH 8 NWS Call Sign: Elevation: 670 Feet Lat: 39°33N Lon: 84°19W

				Deg	ree Days to	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1163	948	744	418	186	26	1	10	75	376	662	1000	5609
60	1008	808	589	275	101	6	0	0	25	249	513	845	4419
57	915	724	505	198	63	2	0	0	11	185	427	755	3785
55	853	671	447	152	44	1	0	0	6	148	372	698	3392
50	709	541	314	65	15	0	0	0	1	77	245	554	2521
32	261	170	43	0	0	0	0	0	0	0	16	167	657

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	121	146	322	573	906	1148	1308	1256	998	660	345	190	7973
55	0	3	13	35	237	459	595	543	313	96	11	9	2314
57	0	0	9	21	195	400	533	481	258	70	5	3	1975
60	0	0	0	8	139	314	440	389	183	41	1	0	1515
65	0	0	0	1	70	184	285	244	82	13	0	0	879
70	0	0	0	0	27	84	146	124	25	3	0	0	409

								Growing Degree Units (2) Base Growing Degree Units (Monthly) Growing Degree Units (Accumulated Monthly)																
Base					Growing	g Degree	Units (M	Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	27	46	156	351	664	910	1058	1007	757	417	175	55	27	73	229	580	1244	2154	3212	4219	4976	5393	5568	5623
45													8	26	117	347	857	1617	2520	3372	3979	4259	4357	4382
50	0 1 3 46 133 367 610 748 697 459 166 49											7	1	4	50	183	550	1160	1908	2605	3064	3230	3279	3286
55	0	0	22	69	234	461	593	542	316	85	23	2	0	0	22	91	325	786	1379	1921	2237	2322	2345	2347
60	0 0 0 5 31 129 319 439 389 195 36 3										0	0	0	5	36	165	484	923	1312	1507	1543	1546	1546	
Base	Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)			
50/86	50/86 16 35 104 220 417 603 720 678 490 267 105 36												16	51	155	375	792	1395	2115	2793	3283	3550	3655	3691

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf