Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 389350

Lon: 81°02W

Station: WINTHROP UNIVERSITY, SC

Climate Division: SC 3 NWS Call Sign:

									,	Tempe	eratui	re (° F)									
	Mea	n (1)						Extr	emes					Degree Base T	Days (1) emp 65		Mean	Numb	er of I	Days (3))
Month	Daily Max	Daily Min	Mean	Highest Daily(2) Year Day Mont Me		Highest Month(1) Mean	Year Lowest Daily(2) Ye		Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0	
Jan	51.8	32.5	42.2	79+	1975	31	53.2	1974	-4	1985	21	31.1	1977	709	0	.0	.0	17.0	.9	15.4	@
Feb	56.7	34.9	45.8	83	1996	27	53.3	1990	6+	1958	18	37.1	1978	538	0	.0	.0	20.0	.5	12.1	.0
Mar	65.0	41.9	53.5	87+	1995	23	59.2	1997	4	1980	3	47.9	1971	366	8	.0	.0	29.1	@	5.6	.0
Apr	73.6	49.3	61.5	94	1968	20	65.7	1981	25	1983	20	55.9	1983	138	31	.0	.2	29.9	.0	.6	.0
May	80.4	58.1	69.3	97+	1953	31	75.3	1991	36	1963	2	65.7	1972	31	163	.0	1.6	31.0	.0	.0	.0
Jun	86.9	66.0	76.5	104	1954	27	81.3	1986	46	1984	1	71.5	1972	1	344	.0	9.5	30.0	.0	.0	.0
Jul	90.1	70.0	80.1	104+	1999	31	85.9	1993	55+	1953	13	76.1	1971	0	466	1.1	17.3	31.0	.0	.0	.0
Aug	88.1	68.9	78.5	106	1983	21	81.7	1987	51	1952	25	75.2	1971	0	418	.4	12.1	31.0	.0	.0	.0
Sep	82.3	62.8	72.6	101	1954	6	75.8	1980	37	1967	30	68.5	1974	7	233	.0	3.7	30.0	.0	.0	.0
Oct	72.8	51.2	62.0	96	1954	4	67.9	1984	25	1952	30	56.6	1987	147	53	.0	.2	30.9	.0	.4	.0
Nov	63.4	42.3	52.9	86+	1958	16	59.3	1985	12	1950	26	45.6	1976	369	5	.0	.0	27.6	.0	5.8	.0
Dec	54.4	35.1	44.8	78+	1998	7	52.6	1971	2	1962	13	36.5	2000	628	0	.0	.0	20.8	.2	12.9	.0
					Aug			Jul		Jan			Jan								
Ann	72.1	51.1	61.6	106	1983	21	85.9	1993	-4	1985	21	31.1	1977	2934	1721	1.5	44.6	328.3	1.6	52.8	@

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 061-A

(1) From the 1971-2000 Monthly Normals

Elevation: 690 Feet Lat: 34°56N

- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 389350

Station: WINTHROP UNIVERSITY, SC

Climate Division: SC 3 NWS Call Sign: Elevation: 690 Feet Lat: 34°56N Lon: 81°02W

										Pı	recipi	tation	(incl	nes)										
			P	recip	itatio	on Total	s			M	lean N of D	Numbo Pays (3		Proba	ability th		nonthly/	annual j	precipita ated an		ll be equ		less tha	ın the
	Medi					Extremes	5			D	aily Pre	cipitatio	n		Th		•		•	vs Probal incomplet	•		ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	4.64	4.77	3.42	1962	6	8.08	1978	.43	1981	11.2	7.6	3.3	1.3	1.55	1.99	2.63	3.18	3.70	4.24	4.83	5.53	6.41	7.79	9.06
Feb	3.97	4.70	3.18	1955	6	7.98	1979	.91	1976	9.2	6.4	2.9	1.2	1.04	1.42	1.99	2.50	3.00	3.52	4.10	4.79	5.69	7.10	8.42
Mar	5.04	4.55	3.87	1979	24	10.25	1980	.74	1985	10.7	7.6	3.5	1.4	1.59	2.07	2.78	3.39	3.97	4.58	5.25	6.03	7.04	8.61	10.06
Apr	3.33	2.85	2.60	1955	14	8.00	1998	.81	1995	8.1	5.7	2.8	.8	.85	1.16	1.64	2.07	2.49	2.94	3.43	4.02	4.79	6.00	7.13
May	3.42	3.31	3.29	1971	13	8.87	1975	.54	2000	9.1	6.0	2.3	.9	.85	1.17	1.67	2.11	2.55	3.01	3.53	4.14	4.94	6.21	7.40
Jun	4.33	3.93	4.02	1979	16	10.43	1995	.46	1993	9.3	6.8	2.9	1.3	1.05	1.46	2.09	2.65	3.21	3.80	4.46	5.24	6.27	7.89	9.41
Jul	4.12	3.71	5.10	1959	9	9.88	1984	.45	1993	9.4	6.9	2.7	1.1	.73	1.09	1.69	2.26	2.83	3.46	4.17	5.03	6.18	8.03	9.80
Aug	3.88	3.77	6.00	1967	23	8.51	1986	.52	1997	8.4	6.0	2.6	1.0	1.22	1.59	2.14	2.61	3.06	3.53	4.04	4.65	5.42	6.64	7.76
Sep	4.68	4.34	5.64	1962	16	12.18	2000	.31	1985	7.1	5.3	2.8	1.7	.66	1.05	1.72	2.37	3.05	3.80	4.66	5.72	7.14	9.46	11.70
Oct	3.80	3.36	3.83	1989	1	11.76	1990	.00	2000	6.5	4.9	2.4	1.2	.25	.63	1.24	1.79	2.38	3.03	3.77	4.69	5.93	7.97	9.93
Nov	3.59	3.57	3.10	1948	28	8.30	1985	.49	1973	8.5	6.0	2.5	.9	1.13	1.47	1.98	2.41	2.83	3.26	3.74	4.30	5.01	6.13	7.17
Dec	3.52	3.10	3.09	1958	28	9.94	1983	.89	1985	10.1	6.9	2.6	.7	1.02	1.36	1.86	2.30	2.72	3.17	3.66	4.23	4.98	6.15	7.23
Ann	48.32	48.84	6.00	Aug 1967	23	12.18	Sep 2000	.00	Oct 2000	107.6	76.1	33.3	13.5	35.60	38.09	41.28	43.68	45.80	47.85	49.96	52.28	55.09	59.15	62.64

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 389350

Station: WINTHROP UNIVERSITY, SC

Climate Division: SC 3 NWS Call Sign: Elevation: 690 Feet Lat: 34°56N Lon: 81°02W

										Snov	w (inc	hes)											
		Fall Depth Median Medi															Mea	ın Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa				Snow = Thr	_	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	1.4	.0	#	#	12.0	1988	7	12.0	1988	12	1988	9	2+	2000	.6	.4	.2	@	@	.9	.5	.2	.1
Feb	1.0	.0	#	#	5.1	1980	9	7.6	1980	9	1979	18	1	1989	.5	.2	.1	.1	.0	.6	.3	.1	.0
Mar	.8	.0	#	0	10.0	1983	24	10.0	1983	10	1983	25	1	1983	.2	.2	.1	@	@	.2	.2	.1	.1
Apr	#	.0	0	0	#	1982	8	#+	1982	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.1	.0	#	0	1.5	2000	19	1.5	2000	#	1971	9	#	1971	@	@	.0	.0	.0	.0	.0	.0	.0
Dec	.6	.0	#	0	9.7	1971	3	10.3	1971	6	1971	3	#+	2000	.2	.1	.1	@	.0	.1	.1	@	.0
Ann	3.9	.0	N/A	N/A	12.0	Jan 1988	7	12.0	Jan 1988	12	Jan 1988	9	2+	Jan 2000	1.5	.9	.5	.1	@	1.8	1.1	.4	.2

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography
of the United States
No. 20
1971-2000

Elevation: 690 Feet

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 389350

Lon: 81°02W

Lat: 34°56N

Station: WINTHROP UNIVERSITY, SC

Climate Division: SC 3 NWS Call Sign:

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated	(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	4/22	4/17	4/13	4/10	4/08	4/05	4/02	3/29	3/24
32	4/14	4/08	4/04	3/31	3/27	3/24	3/20	3/16	3/10
28	4/01	3/25	3/20	3/16	3/12	3/07	3/03	2/26	2/19
24	3/17	3/10	3/04	2/28	2/23	2/19	2/15	2/09	2/02
20	3/08	2/27	2/21	2/15	2/10	2/05	1/30	1/23	1/13
16	2/23	2/13	2/06	1/30	1/24	1/16	1/06	0/00	0/00
			Fal	l Freeze Da	tes (Month/D	ay)		-	
Tomp (F)		Pro	bability of ea	ırlier date i	n fall (beginn	ing Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	10/13	10/18	10/22	10/25	10/29	11/01	11/04	11/08	11/14
32	10/23	10/29	11/02	11/05	11/08	11/12	11/15	11/19	11/25
28	11/05	11/10	11/14	11/18	11/21	11/24	11/27	12/01	12/07
24	11/19	11/26	12/01	12/05	12/09	12/14	12/18	12/23	12/30
20	11/26	12/06	12/14	12/20	12/26	1/01	1/07	1/15	1/28
16	12/15	12/24	12/31	1/06	1/12	1/19	1/28	0/00	0/00
•		•	-	Freeze F	ree Period	•	•	1	
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days))	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	222	216	211	207	203	199	195	191	184
32	249	241	235	230	225	221	216	210	202
28	277	269	263	258	253	249	244	238	230
24	312	304	298	293	288	284	279	273	265
20	>365	341	328	320	313	306	299	291	281
					2.02	215	224		

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

>365

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

>365

Derived from 1971-2000 serially complete daily data

>365

>365

16

Complete documentation available from:

334

324

311

363

345

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 389350

Station: WINTHROP UNIVERSITY, SC

Climate Division: SC 3 NWS Call Sign: Elevation: 690 Feet Lat: 34°56N Lon: 81°02W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree 1	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	709	538	366	138	31	1	0	0	7	147	369	628	2934
60	565	403	233	55	6	0	0	0	1	67	237	482	2049
57	479	324	167	26	1	0	0	0	0	37	170	396	1600
55	424	275	130	14	0	0	0	0	0	22	133	342	1340
50	300	169	60	2	0	0	0	0	0	5	61	225	822
32	39	6	0	0	0	0	0	0	0	0	0	16	61

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	353	392	665	884	1154	1333	1489	1441	1217	929	625	411	10893
55	25	17	82	207	441	643	776	728	527	239	68	24	3777
57	18	11	57	159	381	583	714	666	467	191	46	16	3309
60	11	5	29	98	292	493	621	573	377	128	22	9	2658
65	0	0	8	31	163	344	466	418	233	53	5	0	1721
70	0	0	0	5	71	206	315	264	112	15	0	0	988

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	155	222	429	650	907	1096	1250	1202	986	689	394	201	155	377	806	1456	2363	3459	4709	5911	6897	7586	7980	8181
45												109	80	207	499	999	1751	2697	3792	4839	5675	6209	6472	6581
50	35 66 175 354 597 796 940 892 686 384 156											52	35	101	276	630	1227	2023	2963	3855	4541	4925	5081	5133
55	15	23	90	219	444	646	785	737	536	241	79	25	15	38	128	347	791	1437	2222	2959	3495	3736	3815	3840
60	0 0 3 38 120 296 496 630 582 388 129 32										2	0	3	41	161	457	953	1583	2165	2553	2682	2714	2716	
Base	se Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)			
50/86	0/86 86 136 257 401 600 759 864 840 672 426 230 11											110	86	222	479	880	1480	2239	3103	3943	4615	5041	5271	5381

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf