Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 356907

Lon: 122°31W

Station: PROSPECT 2 SW, OR

Climate Division: OR 3 NWS Call Sign:

									r	Гетр	eratui	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Daily(2) Mean		Month(1)	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0	
Jan	47.5	28.9	38.2	70+	2001	2	43.9	1986	-12	1937	8	33.4	1982	831	0	.0	.0	12.2	.2	21.8	.0
Feb	51.9	30.4	41.2	76+	1995	23	46.7	1991	-2	1950	1	35.3	1989	667	0	.0	.0	16.0	.3	18.3	@
Mar	56.1	32.0	44.1	82+	1966	31	48.7	1986	5	1971	1	39.3	1971	650	0	.0	.0	22.9	.0	18.2	.0
Apr	61.9	34.5	48.2	89+	1987	28	53.7	1987	18	1963	20	41.9	1975	505	0	.0	.0	25.9	.0	12.6	.0
May	69.4	39.2	54.3	102	1983	28	61.1	1992	22	1968	6	49.1	1977	338	6	@	1.0	30.1	.0	5.6	.0
Jun	77.6	44.4	61.0	103+	1992	22	66.0	1986	28+	1976	4	57.5	1980	154	34	.1	3.4	30.0	.0	.7	.0
Jul	86.3	48.6	67.5	106	1987	15	71.9	1996	30	1955	3	60.5	1993	51	126	1.2	11.7	31.0	.0	.0	.0
Aug	86.8	47.8	67.3	110	1981	8	70.9	1992	30	1960	27	63.5	1975	43	113	1.4	12.1	31.0	.0	.0	.0
Sep	81.0	42.6	61.8	106+	1988	2	66.5	1991	22	1950	30	55.1	1986	150	55	.4	6.5	29.9	.0	1.4	.0
Oct	69.3	36.9	53.1	98+	1980	3	60.2	1988	12	1949	19	47.5	1984	376	7	.0	1.1	29.5	.0	7.9	.0
Nov	52.0	32.9	42.5	82	1949	1	48.0	1999	2	1955	15	36.0	1994	677	0	.0	.0	17.6	.0	15.2	.0
Dec	46.1	29.0	37.6	71	1985	24	41.8	1995	-8	1972	8	31.1	1972	850	0	.0	.0	9.9	.6	22.0	.2
Ann	65.5	37.3	51.4	110	Aug 1981	8	71.9	Jul 1996	-12	Jan 1937	8	31.1	Dec 1972	5292	341	3.1	35.8	286.0	1.1	123.7	.2

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 112-A

Elevation: 2,482 Feet Lat: 42°44N

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1931-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 356907

Station: PROSPECT 2 SW, OR

Climate Division: OR 3 NWS Call Sign: Elevation: 2,482 Feet Lat: 42°44N Lon: 122°31W

										Pı	ecipi	tation	(incl	nes)										
	Mea	ans/	P	recip	itatio	on Total						ays (3)	Proba	ability th		nonthly/	annual j indic	precipita ated am	ount	ies (1)		less tha	ın the
	Medi	ans(1)				Extremes	;			ע	aily Pre	сірітатіо	n		Th	ese value	s were det	ermined	from the i	incomplet	te gamma	distributi	ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	6.08	6.32	3.41	1951	17	11.74	1998	.67	1985	15.6	11.6	3.9	1.3	1.65	2.23	3.10	3.87	4.63	5.42	6.29	7.33	8.68	10.80	12.78
Feb	5.03	4.75	2.46	1938	7	12.30	1986	.90	1988	15.4	11.2	3.3	.9	1.48	1.96	2.68	3.30	3.90	4.53	5.22	6.03	7.09	8.74	10.27
Mar	4.71	3.88	3.23	1972	2	9.46	1989	.85	1992	17.0	10.7	2.8	.7	1.53	1.98	2.63	3.20	3.74	4.30	4.91	5.62	6.55	7.98	9.31
Apr	3.19	3.22	2.32	1937	13	5.78	1995	.81	1987	13.5	8.5	1.6	.2	1.10	1.40	1.84	2.21	2.57	2.93	3.33	3.79	4.38	5.30	6.15
May	2.61	2.41	1.92	1944	27	5.98	1977	.09	1982	10.6	6.5	1.9	.2	.48	.71	1.09	1.45	1.81	2.20	2.64	3.18	3.89	5.04	6.13
Jun	1.15	.97	1.85	1937	9	2.76	1984	.08	1999	5.9	3.3	.7	.1	.16	.25	.41	.57	.74	.92	1.14	1.40	1.76	2.34	2.90
Jul	.64	.29	1.50	1987	22	3.54	1987	.00+	1988	2.8	1.5	.3	.1	.00	.01	.06	.14	.24	.36	.52	.74	1.06	1.63	2.22
Aug	.87	.32	1.50	1953	26	5.99	1976	.00+	1994	3.3	2.0	.6	.2	.00	.00	.00	.04	.15	.32	.56	.92	1.48	2.52	3.62
Sep	1.43	1.11	2.38	1977	28	7.17	1986	.00+	1999	5.1	3.2	.8	.3	.00	.00	.18	.42	.69	.98	1.34	1.78	2.41	3.42	4.45
Oct	3.02	3.18	3.84	1950	28	6.54	1979	.00+	1987	8.9	6.1	2.4	.7	.00	.78	1.41	1.87	2.30	2.74	3.22	3.78	4.50	5.63	6.68
Nov	6.70	5.81	4.31	1998	21	16.69	1973	1.00	1976	17.5	12.7	4.6	1.3	1.67	2.30	3.28	4.14	5.00	5.90	6.91	8.11	9.67	12.15	14.47
Dec	6.80	5.58	4.39	1964	22	18.63	1996	.69	1976	16.4	12.3	4.8	1.8	1.34	1.96	2.95	3.87	4.80	5.79	6.92	8.27	10.07	12.95	15.68
Ann	42.23	41.05	4.39	Dec 1964	22	18.63	Dec 1996	.00+	Sep 1999	132.0	89.6	27.7	7.8	28.03	30.70	34.17	36.83	39.21	41.52	43.93	46.60	49.87	54.63	58.79

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1931-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 356907

Station: PROSPECT 2 SW, OR

Climate Division: OR 3 NWS Call Sign: Elevation: 2,482 Feet Lat: 42°44N Lon: 122°31W

										Snov	w (incl	hes)											
			Median Mean Median Snow Fall Snow Depth Snow Depth Snow Depth 1.8 2 # 14.0 1971 14 32.5 1975 23 1971 14 11 198 3.0 1 # 12.0 1971 4 44.5 1971 20 1971 28 8 199 .0 # 0 6.0 1975 21 20.0+ 1985 19 1971 1 5 197 .0 # 0 8.0 1975 15 21.5 1975 3 1972 12 #+ 200 .0 # 0 .5 1975 3 1.5 1975 # 1975 3 # 197														Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean		Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	6.9	1.8	2	#	14.0	1971	14	32.5	1975	23	1971	14	11	1982	3.0	2.6	1.1	.5	@	6.6	5.2	3.4	1.5
Feb	6.6	3.0	1	#	12.0	1971	4	44.5	1971	20	1971	28	8	1990	2.5	2.2	1.0	.4	@	2.8	2.2	1.6	.6
Mar	4.7	.0	#	0	6.0	1975	21	20.0+	1985	19	1971	1	5	1971	2.0	1.7	.8	.2	.0	1.7	1.3	.8	.2
Apr	1.8	.0	#	0	8.0	1975	15	21.5	1975	3	1972	12	#+	2000	1.0	.7	.2	@	.0	@	@	.0	.0
May	.1	.0	#	0	.5	1975	3	1.5	1975	#	1975	3	#	1975	.1	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.1	.0	#	0	2.0	1971	29	2.0	1971	#	1971	29	#	1971	@	@	.0	.0	.0	.0	.0	.0	.0
Oct	.3	.0	#	0	4.0	1971	27	7.0	1971	1	1972	28	#+	1996	.1	.1	.1	.0	.0	.1	.0	.0	.0
Nov	3.2	.0	#	0	11.0	1977	21	21.0	1994	12	1994	17	3	1994	1.0	.9	.3	.1	@	.9	.4	.2	.0
Dec	8.1	3.0	1	#	16.0	1987	15	47.8	1971	20	1971	15	11	1971	2.5	2.2	1.0	.6	.1	5.4	3.9	2.6	1.6
Ann	31.8	7.8	N/A	N/A	16.0	Dec 1987	15	47.8	Dec 1971	23	Jan 1971	14	11+	Jan 1982	12.2	10.4	4.5	1.8	.1	17.5	13.0	8.6	3.9

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 356907

Lon: 122°31W

Lat: 42°44N

Station: PROSPECT 2 SW, OR

Climate Division: OR 3

NWS Call Sign:

				Freez	e Data									
			Spri	ng Freeze D	ates (Month/	Day)								
Spring Freeze Dates (Month/Day)														
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	7/16	7/08	7/03	6/28	6/24	6/20	6/15	6/10	6/02					
32	6/19	6/13	6/08	6/04	5/31	5/27	5/23	5/18	5/12					
28	5/26	5/18	5/12	5/08	5/03	4/28	4/23	4/18	4/10					
24	4/22	4/10	4/02	3/26	3/19	3/13	3/06	2/25	2/14					
20	3/18	3/04	2/23	2/14	2/07	1/30	1/21	1/11	12/26					
16	3/01	2/15	2/04	1/25	1/16	1/06	12/25	12/08	0/00					
•			Fal	l Freeze Da	tes (Month/D	ay)	•	•	•					
T (E)		Pro	bability of ea	rlier date i	n fall (beginn	ing Aug 1) t	han indicate	d(*)						
remp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	8/14	8/22	8/27	8/31	9/04	9/09	9/13	9/18	9/25					
32	9/08	9/14	9/18	9/22	9/25	9/29	10/02	10/07	10/13					
28	9/25	10/02	10/07	10/12	10/16	10/20	10/25	10/30	11/07					
24	10/25	11/03	11/10	11/16	11/22	11/28	12/04	12/11	12/21					
20	11/09	11/20	11/28	12/04	12/11	12/17	12/24	1/01	1/15					
16	11/17	12/02	12/13	12/23	1/01	1/12	1/25	2/18	0/00					
•		•		Freeze F	ree Period	•		1	1					
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)							
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	105	93	85	78	72	65	58	50	39					
32	145	135	128	122	116	111	105	98	88					
28	194	185	177	171	166	160	154	146	137					
24	291	276	265	256	247	238	229	218	203					
20	>365	356	330	315	304	293	283	271	254					
16	>365	>365	>365	>365	347	330	316	302	285					

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Elevation: 2,482 Feet

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 356907

Station: PROSPECT 2 SW, OR

Climate Division: OR 3 NWS Call Sign: Elevation: 2,482 Feet Lat: 42°44N Lon: 122°31W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	831	667	650	505	338	154	51	43	150	376	677	850	5292
60	676	527	495	359	205	68	13	9	71	241	527	695	3886
57	583	443	403	277	141	34	4	2	39	173	439	602	3140
55	521	387	345	225	105	20	1	1	25	134	382	540	2686
50	370	257	207	121	40	3	0	0	6	60	248	388	1700
32	23	9	2	0	0	0	0	0	0	0	9	28	71

Base						Coolin	g Degree I	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	215	266	375	485	691	870	1098	1093	895	654	322	200	7164
55	0	0	5	20	84	200	387	380	230	75	4	0	1385
57	0	0	1	12	57	154	327	320	184	52	2	0	1109
60	0	0	0	4	28	98	243	234	126	27	0	0	760
65	0	0	0	0	6	34	126	113	55	7	0	0	341
70	0	0	0	0	0	7	49	37	16	1	0	0	110

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov De													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	45	91	154	260	457	637	859	853	663	417	117	40	45	136	290	550	1007	1644	2503	3356	4019	4436	4553	4593
45												4	6	35	96	238	542	1029	1733	2431	2945	3215	3261	3265
50												0	0	2	14	78	255	595	1144	1687	2054	2205	2214	2214
55	0	0	0	20	86	207	395	389	234	69	0	0	0	0	0	20	106	313	708	1097	1331	1400	1400	1400
60	0	0	0	1	36	109	250	241	121	21	0	0	0	0	0	1	37	146	396	637	758	779	779	779
Base	se Growing Degree Units for Corn (Monthly)											Growing Degree Units for Corn (Accumulated Monthly)												
50/86	50/86 32 69 123 195 307 415 537 537 447 306 73 2											29	32	101	224	419	726	1141	1678	2215	2662	2968	3041	3070

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf