Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 453529

Station: HARTLINE, WA

Climate Division: WA 7

NWS Call Sign:

Elevation: 1,910 Feet Lat: 47°41N Lon: 119°07W

									r	Гетр	eratui	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	33.2	19.8	26.5	52+	1971	31	35.4	1981	-19	1950	17	13.1	1979	1195	0	.0	.0	.3	13.2	29.0	1.5
Feb	40.4	24.5	32.5	62	1968	29	41.4	1991	-19	1956	16	23.0	1985	912	0	.0	.0	3.3	4.8	24.0	.8
Mar	51.6	30.8	41.2	73+	1994	30	48.2	1992	4	1960	2	35.3	1985	738	0	.0	.0	19.5	.3	19.0	.0
Apr	62.0	35.9	49.0	93+	1977	25	54.4	1977	18	1981	10	43.5	1982	482	0	.0	.1	29.2	.0	9.7	.0
May	71.1	42.6	56.9	100+	1986	31	63.4	1993	24+	1964	14	51.3	1984	267	15	.1	.8	31.0	.0	2.2	.0
Jun	78.9	48.7	63.8	103+	1992	23	70.5	1986	28	1976	1	59.2	1981	117	80	.2	3.4	30.0	.0	.1	.0
Jul	87.1	55.2	71.2	110	1960	19	77.4	1985	34+	1981	8	65.2	1993	32	223	1.8	12.9	31.0	.0	.0	.0
Aug	86.6	55.1	70.9	110	1961	5	76.8	1986	31	1960	22	66.3	1995	29	210	1.6	11.7	31.0	.0	.0	.0
Sep	77.5	47.1	62.3	101	1988	4	68.7	1998	26	1965	17	55.5	1985	172	89	.1	2.3	30.0	.0	.8	.0
Oct	62.3	36.6	49.5	85+	1988	10	56.0	1988	11	1984	31	43.8	1985	484	2	.0	.0	28.6	@	7.6	.0
Nov	43.3	27.6	35.5	67	1989	9	42.0	1999	-8	1985	23	20.7	1985	888	0	.0	.0	6.9	2.9	21.7	.2
Dec	33.5	20.9	27.2	56	1999	16	34.2	1973	-19	1983	23	13.9	1984	1171	0	.0	.0	.5	13.3	28.1	1.2
Ann	60.6	37.1	48.9	110+	Aug 1961	5	77.4	Jul 1985	-19+	Dec 1983	23	13.1	Jan 1979	6487	619	3.8	31.2	241.3	34.5	142.2	3.7

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 041-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 453529

Station: HARTLINE, WA

Climate Division: WA 7 NWS Call Sign: Elevation: 1,910 Feet Lat: 47°41N Lon: 119°07W

										Pı	recipi	tation	(incl	nes)										
	Me	ans/	P	recipi	itatio	on Total	s			M		Numbo Pays (3		Proba	ability th		nonthly/	annual indic	precipita cated an		ll be equ		· less tha	ın the
	Medi					Extremes	S			D	aily Pre	cipitatio	n	These values were determined from the incomplete gamma distribution										
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.83	.73	1.40	1984	25	3.35	1995	.00+	2000	5.4	3.1	.3	@	.00	.00	.21	.37	.52	.68	.86	1.07	1.35	1.79	2.22
Feb	.97	.72	1.70	1999	27	3.64	1980	.00+	1993	5.4	3.1	.4	.1	.00	.00	.28	.45	.62	.79	.99	1.23	1.54	2.06	2.55
Mar	.99	.93	.83+	1998	23	2.73	1983	.15	1985	5.3	3.4	.4	.0	.18	.27	.42	.55	.69	.84	1.01	1.21	1.48	1.91	2.33
Apr	.77	.76	.85+	1992	13	1.72	1993	.00+	1985	4.0	2.5	.3	.0	.00	.11	.25	.38	.50	.63	.79	.96	1.20	1.59	1.97
May	1.06	.87	1.34	1989	27	2.88	1972	.15	1992	5.2	3.1	.5	@	.19	.28	.44	.58	.73	.89	1.07	1.29	1.58	2.05	2.50
Jun	.81	.66	1.78	1987	8	2.42	1984	.00+	1986	3.9	2.6	.3	.1	.00	.11	.26	.39	.52	.66	.82	1.01	1.26	1.67	2.07
Jul	.69	.42	1.40	1975	13	3.43	1992	.00+	1994	3.3	1.6	.4	.2	.00	.01	.08	.17	.28	.42	.59	.82	1.15	1.73	2.32
Aug	.46	.28	1.08	1996	2	1.48	1976	.00+	2000	2.6	1.2	.2	@	.00	.00	.03	.10	.19	.29	.42	.57	.79	1.16	1.55
Sep	.50	.41	1.81	1979	3	2.19	1979	.00+	1999	2.8	1.4	.2	@	.00	.00	.00	.09	.18	.30	.44	.61	.86	1.29	1.70
Oct	.59	.46	.78	1994	31	1.76	1975	.00+	1993	3.6	2.2	.1	.0	.00	.00	.11	.21	.31	.43	.57	.74	.96	1.35	1.73
Nov	1.37	1.21	1.10	1995	14	4.82	1973	.00	1993	7.3	4.4	.5	@	.12	.27	.49	.69	.90	1.13	1.38	1.70	2.12	2.80	3.45
Dec	1.41	1.19	1.05	1982	15	3.86	1973	.00	1986	8.0	4.6	.7	.1	.17	.35	.58	.78	.99	1.20	1.45	1.74	2.12	2.73	3.32
Ann	10.45	10.75	1.81	Sep 1979	3	4.82	Nov 1973	.00+	Aug 2000	56.8	33.2	4.3	.5	5.42	6.28	7.44	8.36	9.21	10.05	10.95	11.96	13.22	15.11	16.79

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 453529

Station: HARTLINE, WA

Climate Division: WA 7 NWS Call Sign: Elevation: 1,910 Feet Lat: 47°41N Lon: 119°07W

										Snov	w (incl	hes)											
						Sno	ow To	tals									Mea	n Nu	nber	of Day	yS (1)		
	Mean	s/Medi	ans (1)						Extre	mes (2)							ow Fa					Depth eshold	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	6.7	6.0	0	0	6.0	1975	5	15.0	1975	0	0	0	0	0	2.4	1.8	.6	.2	.0	-9.9	-9.9	-9.9	-9.9
Feb	3.0	2.0	#	0	3.5	1975	1	15.6	1975	#	1981	12	#	1981	1.5	1.2	.4	.0	.0	-9.9	-9.9	-9.9	-9.9
Mar	.5	.0	0	0	3.0	1975	17	4.0	1975	0	0	0	0	0	.4	.3	.1	.0	.0	-9.9	-9.9	-9.9	-9.9
Apr	.2	.0	0	0	4.0	1975	5	4.0	1975	0	0	0	0	0	.1	.1	.1	.0	.0	-9.9	-9.9	-9.9	-9.9
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	-9.9	-9.9	-9.9	-9.9
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	-9.9	-9.9	-9.9	-9.9
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	-9.9	-9.9	-9.9	-9.9
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	-9.9	-9.9	-9.9	-9.9
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	-9.9	-9.9	-9.9	-9.9
Oct	.3	.0	#	0	2.0	1971	30	2.0+	1991	2	1971	30	#	1971	.1	.1	.0	.0	.0	-9.9	-9.9	-9.9	-9.9
Nov	2.2	.5	#	0	4.5	1973	20	15.5	1973	1+	1992	22	#+	1992	1.0	.6	.2	.0	.0	-9.9	-9.9	-9.9	-9.9
Dec	10.1	9.8	#	0	8.0	1971	12	26.1	1971	#	1995	18	#	1995	2.9	2.5	1.1	.1	.0	-9.9	-9.9	-9.9	-9.9
Ann	23.0	18.3	N/A	N/A	8.0	Dec 1971	12	26.1	Dec 1971	2	Oct 1971	30	#+	Dec 1995	8.4	6.6	2.5	.3	.0	-9.9	-9.9	-9.9	-9.9

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 453529

Lon: 119°07W

Lat: 47°41N

Station: HARTLINE, WA

Climate Division: WA 7 NWS Call Sign:

				Freez	e Data										
			Cnui			Davi									
т					ates (Month/										
Temp (F)		P	robability of	later date ii	n spring (thr	u Jul 31) tha	n indicated(*)							
	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	6/25	6/19	6/14	6/09	6/05	6/01	5/28	5/23	5/16						
32	6/02	5/24	5/19	5/14	5/09	5/04	4/29	4/23	4/15						
28	5/20	5/12	5/06	5/01	4/26	4/21	4/16	4/10	4/02						
24	4/22	4/12	4/05	3/30	3/25	3/19	3/13	3/06	2/24						
20	3/30	3/19	3/12	3/05	2/27	2/20	2/14	2/06	1/26						
16	3/01	2/21	2/15	2/09	2/05	1/31	1/26	1/20	1/11						
<u> </u>			Fal	l Freeze Dat	tes (Month/D	ay)									
T (E)	Fall Freeze Dates (Month/Day) Probability of earlier date in fall (beginning Aug 1) than indicated(*)														
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	9/08	9/14	9/18	9/21	9/24	9/27	10/01	10/05	10/10						
32	9/21	9/27	10/01	10/04	10/07	10/10	10/13	10/17	10/23						
28	10/03	10/10	10/14	10/18	10/22	10/25	10/29	11/02	11/09						
24	10/22	10/28	11/01	11/05	11/08	11/11	11/15	11/19	11/25						
20	10/26	11/03	11/09	11/14	11/19	11/23	11/28	12/04	12/12						
16	11/02	11/11	11/17	11/23	11/28	12/03	12/09	12/15	12/24						
<u>.</u>				Freeze F	ree Period										
Tomp (F)			Probability	of longer tha	an indicated	freeze free p	eriod (Days)								
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	137	128	121	115	110	105	99	93	84						
32	180	170	163	156	150	145	138	131	121						
28	210	199	191	184	178	171	164	156	145						
24	264	251	243	235	228	221	213	204	192						
20	304	290	281	272	264	256	248	238	224						
16	332	318	308	301	294	287	280	271	259						

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

Elevation: 1,910 Feet

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: HARTLINE, WA

COOP ID: 453529

Climate Division: WA 7 NWS Call Sign: Elevation: 1,910 Feet Lat: 47°41N Lon: 119°07W

				Deg	ree Days to	o Selected	Base Tem	peratures	(°F)	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)																
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann											
65	1195	912	738	482	267	117	32	29	172	484	888	1171	6487											
60	1040	772	583	338	150	49	9	7	95	337	738	1016	5134											
57	947	688	490	257	96	24	3	3	61	257	648	923	4397											
55	885	632	430	208	68	15	1	1	43	209	590	861	3943											
50	730	498	289	108	21	2	0	0	16	109	451	710	2934											
32	250	124	18	0	0	0	0	0	0	1	97	248	738											

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	78	136	303	508	771	953	1215	1204	908	543	199	100	6918
55	0	0	2	26	125	278	502	493	261	38	2	0	1727
57	0	0	0	15	92	227	443	432	218	24	0	0	1451
60	0	0	0	6	52	162	356	343	163	11	0	0	1093
65	0	0	0	0	15	80	223	210	89	2	0	0	619
70	0	0	0	0	3	29	123	109	40	0	0	0	304

										Gro	wing 1	Degre	e Uni	ts (2)										
Base														Growing Degree Units (Accumulated Monthly)										
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec												Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40												0	0	17	116	398	925	1643	2613	3574	4250	4567	4603	4603
45	5 0 0 26 155 374 568 815 806 526 188 10											0	0	0	26	181	555	1123	1938	2744	3270	3458	3468	3468
50	0	0	2	74	233	418	660	651	379	92	0	0	0	0	2	76	309	727	1387	2038	2417	2509	2509	2509
55	0	0	0	27	122	276	506	496	245	32	0	0	0	0	0	27	149	425	931	1427	1672	1704	1704	1704
60	0	0	0	7	55	158	355	344	139	11	0	0	0	0	0	7	62	220	575	919	1058	1069	1069	1069
Base	Base Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	50/86 0 6 66 186 339 455 614 610 432 207 15 0											0	0	6	72	258	597	1052	1666	2276	2708	2915	2930	2930

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf