

# Climatology of the United States

No. 20

1971-2000

Station: TAPOCO, NC

COOP ID: 318492

Climate Division: NC 1

NWS Call Sign:

Elevation: 1,110 Feet Lat: 35° 27N

Lon: 83° 56W

## Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	50.1	29.2	39.7	78	1969	30	51.5	1974	-14	1985	21	27.6	1977	785	0	.0	.0	17.0	1.6	19.4	.2
Feb	54.6	31.3	43.0	85	1996	23	49.7	1976	-3	1996	5	34.1	1978	617	0	.0	.0	19.1	1.0	15.8	@
Mar	63.2	38.0	50.6	87	1985	30	57.3	1973	-1	1993	15	43.1	1993	453	6	.0	.0	27.8	.2	10.3	@
Apr	72.4	44.2	58.3	92	1995	10	62.7	1981	20	1992	3	54.2	1983	211	9	.0	.2	29.6	.0	3.4	.0
May	78.7	52.1	65.4	94	2000	12	71.1	1998	28+	1963	3	60.9	1989	87	99	.0	.6	31.0	.0	.1	.0
Jun	84.5	59.1	71.8	100	1988	24	75.3	1986	36+	1966	3	67.4	1992	8	211	@	5.0	30.0	.0	.0	.0
Jul	87.4	62.6	75.0	101	1980	17	79.4	1980	48+	1967	15	72.2	1992	0	309	@	10.8	31.0	.0	.0	.0
Aug	86.4	62.0	74.2	99	1999	3	78.5	1980	46	1992	29	70.6	1992	0	285	.0	8.4	31.0	.0	.0	.0
Sep	80.7	57.5	69.1	95+	1998	14	73.7	1998	31	1967	30	65.4	1982	29	152	.0	2.0	30.0	.0	.0	.0
Oct	71.4	46.1	58.8	88	1986	2	66.6	1984	21	1948	19	53.0	1988	232	37	.0	.0	30.9	.0	2.1	.0
Nov	61.8	38.2	50.0	82+	1971	2	57.9	1985	10+	1970	25	43.3	1976	451	2	.0	.0	26.7	@	9.5	.0
Dec	53.2	32.0	42.6	79	1978	8	51.2	1971	-4	1983	25	32.9	2000	695	0	.0	.0	20.0	.9	17.0	.1
Ann	70.4	46.0	58.2	101	Jul 1980	17	79.4	Jul 1980	-14	Jan 1985	21	27.6	Jan 1977	3568	1110	.0	27.0	324.1	3.7	77.6	.3

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: [www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

086-A

**Climatography  
of the United States  
No. 20  
1971-2000**

National Climatic Data Center  
Federal Building  
151 Patton Avenue  
Asheville, North Carolina 28801  
www.ncdc.noaa.gov

**Station: TAPOCO, NC**

**COOP ID: 318492**

**Climate Division: NC 1**

**NWS Call Sign:**

**Elevation: 1,110 Feet Lat: 35°27N**

**Lon: 83°56W**

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med-ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	5.82	5.33	3.38	1954	16	10.73	1974	1.08	1986	14.0	9.3	4.1	1.5	2.11	2.65	3.44	4.11	4.74	5.38	6.08	6.90	7.94	9.55	11.03
Feb	5.21	5.18	3.30	1957	1	8.89	1989	.84	1978	12.6	8.6	3.7	1.4	2.00	2.48	3.18	3.75	4.30	4.85	5.45	6.15	7.04	8.40	9.64
Mar	6.28	5.43	5.85	1994	27	13.69	1994	2.33	1988	14.2	9.5	4.4	1.7	2.33	2.92	3.76	4.47	5.14	5.83	6.57	7.44	8.54	10.24	11.79
Apr	4.76	4.61	3.73	1998	19	11.14	1998	.85	1976	11.0	8.0	3.3	1.2	1.64	2.09	2.75	3.30	3.83	4.37	4.97	5.66	6.55	7.93	9.19
May	5.63	5.93	3.66	1984	7	12.57	1984	2.68	1971	13.2	9.4	4.0	1.4	2.37	2.88	3.60	4.19	4.74	5.30	5.90	6.59	7.46	8.79	10.00
Jun	5.56	5.15	3.10	1998	5	14.26	1989	1.59	1975	13.1	9.4	4.1	1.6	1.65	2.18	2.97	3.66	4.32	5.01	5.77	6.67	7.83	9.64	11.32
Jul	5.61	4.98	4.10	1974	9	12.89	1971	1.10	1997	12.7	8.8	4.3	1.5	1.67	2.20	3.00	3.69	4.36	5.06	5.83	6.73	7.91	9.74	11.44
Aug	4.10	3.97	4.05	1966	20	7.99	1978	.62	1999	11.4	7.5	2.8	1.0	1.15	1.54	2.13	2.64	3.14	3.67	4.25	4.94	5.83	7.23	8.54
Sep	4.15	3.97	2.99	1989	29	9.77	1989	.54	1978	10.2	6.7	2.9	1.2	1.09	1.48	2.08	2.61	3.13	3.68	4.28	5.00	5.94	7.43	8.81
Oct	3.23	2.73	3.94	1949	31	8.45	1972	.00	2000	8.4	5.5	2.1	.9	.49	.91	1.47	1.91	2.36	2.83	3.35	3.98	4.79	6.08	7.29
Nov	4.58	4.44	3.32	1951	1	8.41	1995	1.44	1987	10.9	7.3	3.3	1.4	2.12	2.52	3.07	3.52	3.94	4.35	4.80	5.31	5.95	6.92	7.79
Dec	5.10	4.50	3.73	1991	1	10.10	1991	1.94	1979	13.0	8.4	3.7	1.5	1.80	2.28	2.97	3.56	4.12	4.70	5.33	6.06	6.99	8.44	9.77
Ann	60.03	60.17	5.85	Mar 1994	27	14.26	Jun 1989	.00	Oct 2000	144.7	98.4	42.7	16.3	45.40	48.30	51.98	54.74	57.18	59.53	61.94	64.59	67.78	72.38	76.32

+ Also occurred on an earlier date(s)

# Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

\*\* Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:  
[www.ncdc.noaa.gov/oa/climate/normals/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normals/usnormals.html)

# Climatography of the United States

## No. 20 1971-2000

National Climatic Data Center  
Federal Building  
151 Patton Avenue  
Asheville, North Carolina 28801  
[www.ncdc.noaa.gov](http://www.ncdc.noaa.gov)

**Station: TAPOCO, NC**

**COOP ID: 318492**

**Climate Division: NC 1**

**NWS Call Sign:**

**Elevation: 1,110 Feet**

**Lat: 35°27N**

**Lon: 83°56W**

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	1.9	.0	#	0	12.0	1988	7	12.0	1988	2	1979	22	#+	1980	.7	.5	.1	.1	.1	.2	.0	.0	.0
Feb	1.7	1.0	#	0	8.0	1985	12	8.0	1985	8	1971	13	#+	1980	.9	.7	.4	.1	.0	.3	.1	.1	.0
Mar	.8	.0	0	0	4.0	1975	2	8.0	1975	0	0	0	0	0	.3	.3	.2	.0	.0	.0	.0	.0	.0
Apr	.5	.0	#	0	10.0	1987	3	10.0	1987	#	1978	21	#	1978	.1	.1	.1	.1	.1	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	#	.0	#	0	#	1979	29	#+	1979	#	1979	29	#	1979	.0	.0	.0	.0	.0	.0	.0	.0	.0
Dec	.2	.0	0	0	2.0	1982	12	2.0	1982	0	0	0	0	0	.3	.1	.0	.0	.0	.0	.0	.0	.0
Ann	5.1	1.0	N/A	N/A	12.0	Jan 1988	7	12.0	Jan 1988	8	Feb 1971	13	#+	Feb 1980	2.3	1.7	.8	.3	.2	.5	.1	.1	.0

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

# Climatography of the United States

## No. 20 1971-2000

**Station:** TAPOCO, NC

**COOP ID:** 318492

**Climate Division:** NC 1

**NWS Call Sign:**

**Elevation:** 1,110 Feet

**Lat:** 35°27N

**Lon:** 83°56W

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/14	5/09	5/06	5/03	5/01	4/28	4/25	4/22	4/17
32	5/02	4/27	4/23	4/20	4/17	4/14	4/11	4/08	4/03
28	4/23	4/15	4/09	4/04	3/30	3/25	3/20	3/14	3/05
24	4/06	3/29	3/23	3/18	3/14	3/09	3/04	2/26	2/18
20	3/16	3/09	3/04	2/28	2/24	2/19	2/15	2/10	2/03
16	3/09	2/27	2/20	2/14	2/09	2/03	1/29	1/22	1/12
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/30	10/04	10/06	10/09	10/11	10/13	10/16	10/19	10/22
32	10/08	10/14	10/19	10/23	10/27	10/30	11/03	11/08	11/14
28	10/16	10/23	10/28	11/01	11/05	11/09	11/13	11/18	11/25
24	10/31	11/07	11/13	11/17	11/22	11/26	12/01	12/06	12/14
20	11/17	11/26	12/02	12/08	12/13	12/18	12/23	12/30	1/08
16	11/28	12/07	12/14	12/20	12/25	12/30	1/05	1/11	1/21
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	180	174	170	166	163	159	156	152	146
32	214	206	201	196	192	187	183	177	170
28	253	241	233	226	219	213	206	197	186
24	281	271	264	258	252	247	241	234	224
20	325	314	305	298	292	285	278	269	258
16	365	344	333	324	317	309	301	292	279

\* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

**0/00** Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:  
[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)

**Climatography  
of the United States  
No. 20  
1971-2000**

**Station: TAPOCO, NC**

**COOP ID: 318492**

**Climate Division: NC 1**

**NWS Call Sign:**

**Elevation: 1,110 Feet    Lat: 35° 27N    Lon: 83° 56W**

Degree Days to Selected Base Temperatures (° F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	785	617	453	211	87	8	0	0	29	232	451	695	3568
60	640	478	314	98	30	1	0	0	6	132	313	548	2560
57	553	399	240	53	13	0	0	0	2	87	237	461	2045
55	497	347	198	32	7	0	0	0	1	63	193	406	1744
50	367	227	112	6	0	0	0	0	0	23	104	281	1120
32	68	13	2	0	0	0	0	0	0	0	1	33	117

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	306	320	578	788	1035	1193	1332	1308	1114	829	541	361	9705
55	22	10	61	130	329	503	619	595	424	179	43	21	2936
57	16	6	42	91	273	443	557	533	366	141	28	15	2511
60	10	1	22	47	197	354	464	440	280	93	14	9	1931
65	0	0	6	9	99	211	309	285	152	37	2	0	1110
70	0	0	0	1	37	95	169	144	59	11	0	0	516

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	120	174	354	558	795	962	1095	1067	883	592	323	174	120	294	648	1206	2001	2963	4058	5125	6008	6600	6923	7097
45	58	93	228	411	640	812	940	912	733	440	204	90	58	151	379	790	1430	2242	3182	4094	4827	5267	5471	5561
50	27	43	132	277	485	662	785	757	583	291	113	38	27	70	202	479	964	1626	2411	3168	3751	4042	4155	4193
55	0	14	60	161	337	512	630	602	433	170	47	15	0	14	74	235	572	1084	1714	2316	2749	2919	2966	2981
60	0	1	25	73	199	363	475	447	289	77	15	0	0	1	26	99	298	661	1136	1583	1872	1949	1964	1964
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	77	115	232	365	516	647	736	727	587	372	204	103	77	192	424	789	1305	1952	2688	3415	4002	4374	4578	4681

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

**Note:** For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:  
[www.ncdc.noaa.gov/oa/climate/normals/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normals/usnormals.html)

## Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.  
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.  
Complete documentation for the 1971-2000 Normals is available on the internet from:  
[www.ncdc.noaa.gov/oa/climate/normal/usnormals.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormals.html)
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.  
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.  
Documentation for the Snow Climatology project is available from the link under references.

## Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- |   |   |
|---|---|
| <ol style="list-style-type: none"><li>a. Temperature/ Precipitation Tables<ol style="list-style-type: none"><li>1. 1971-2000 Monthly Normals</li><li>2. Cooperative Summary of the Day</li><li>3. National Weather Service station records</li><li>4. 1971-2000 serially complete daily data</li></ol></li><li>b. Degree Day Table<ol style="list-style-type: none"><li>1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals</li><li>2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data</li></ol></li></ol> | <ol style="list-style-type: none"><li>c. Snow Tables<ol style="list-style-type: none"><li>1. Snow Climatology</li><li>2. Cooperative Summary of the Day</li></ol></li><li>d. Freeze Data Table<br/>1971-2000 serially complete daily data</li></ol> |
|---|---|

## References

U.S. Climate Normals 1971-2000, [www.ncdc.noaa.gov/normal.html](http://www.ncdc.noaa.gov/normal.html)  
U.S. Climate Normals 1971-2000-Products Clim20, [www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html](http://www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html)  
Snow Climatology Project Description, [www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html](http://www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html)  
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,  
[www1.ncdc.noaa.gov/pub/data/special/serialcomplete\\_jam\\_0900.pdf](http://www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf)