

Climatography of the United States

No. 20

1971-2000

Station: GRANDFATHER MOUNTAIN, NC

COOP ID: 313565

Climate Division: NC 2

NWS Call Sign:

Elevation: 5,300 Feet Lat: 36°07N

Lon: 81°50W

Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	33.7	17.7	25.7	62	1999	28	38.6	1974	-32	1985	21	11.4	1977	1219	0	.0	.0	2.2	10.9	25.7	2.6
Feb	36.1	20.2	28.2	64+	1989	16	34.8	1990	-19	1967	25	19.3	1978	1033	0	.0	.0	3.7	8.6	22.2	1.8
Mar	42.9	26.7	34.8	72	1985	30	41.1	2000	-9	1996	9	28.6	1971	936	0	.0	.0	11.0	3.7	18.6	.2
Apr	51.0	35.6	43.3	75	1960	24	48.1	1994	5	1982	7	37.6	1983	651	0	.0	.0	20.7	.9	10.5	.0
May	58.7	45.4	52.1	78	1996	19	57.4	2000	17	1966	10	47.2	1997	404	3	.0	.0	29.0	@	2.7	.0
Jun	65.0	52.7	58.9	80	1961	2	62.4	1981	31+	1966	1	54.4	1974	195	11	.0	.0	29.8	.0	@	.0
Jul	68.8	56.8	62.8	82	1980	17	67.2	1993	41	1962	27	59.5	1979	97	29	.0	.0	31.0	.0	.0	.0
Aug	67.2	55.9	61.6	91	1968	27	64.9	1980	36	1986	29	57.8	1992	126	20	.0	.0	31.0	.0	.0	.0
Sep	61.8	50.3	56.1	78	1993	1	59.6	1998	24	1967	30	53.4	1982	270	1	.0	.0	29.6	.0	.4	.0
Oct	53.5	39.5	46.5	75	1986	3	52.3	1984	12	1962	26	40.1	1988	575	0	.0	.0	24.4	.2	6.7	.0
Nov	45.0	30.3	37.7	68	1974	3	46.3	1985	-12	1969	15	29.4	1976	820	0	.0	.0	12.7	2.9	14.9	@
Dec	37.7	22.1	29.9	63	1956	7	38.4	1984	-21	1983	25	20.8	1989	1089	0	.0	.0	4.7	7.3	23.0	1.2
Ann	51.8	37.8	44.8	91	Aug 1968	27	67.2	Jul 1993	-32	Jan 1985	21	11.4	Jan 1977	7415	64	.0	.0	229.8	34.5	124.7	5.8

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1955-2001

(3) Derived from 1971-2000 serially complete daily data

038-A

**Climatography
of the United States
No. 20
1971-2000**

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: GRANDFATHER MOUNTAIN, NC

COOP ID: 313565

Climate Division: NC 2

NWS Call Sign:

Elevation: 5,300 Feet Lat: 36°07N

Lon: 81°50W

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med-ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	4.77	4.50	4.83	1998	8	12.01	1998	1.64	1984	14.8	9.8	3.0	.8	1.94	2.38	3.00	3.51	3.99	4.48	5.00	5.61	6.38	7.55	8.62
Feb	4.79	4.71	4.10+	1983	2	13.39	1998	1.55	1988	13.2	9.0	2.8	1.1	1.77	2.22	2.87	3.40	3.92	4.44	5.01	5.67	6.52	7.82	9.00
Mar	5.78	5.85	6.38	1963	12	10.66	1979	1.50	1986	14.5	10.3	3.5	1.3	1.97	2.52	3.32	3.99	4.64	5.30	6.03	6.88	7.96	9.65	11.20
Apr	5.06	4.96	4.65	1992	21	10.80	1987	.69	1975	12.8	8.1	3.1	1.3	1.26	1.74	2.48	3.13	3.77	4.46	5.22	6.12	7.30	9.16	10.91
May	6.03	5.88	4.67	1973	28	9.66	1976	2.81	1997	16.1	10.7	3.8	1.5	2.92	3.43	4.14	4.71	5.24	5.76	6.32	6.96	7.76	8.96	10.04
Jun	6.57	6.52	4.46	1968	8	12.80	1976	.69	1986	14.7	9.6	4.3	1.7	1.85	2.48	3.42	4.24	5.04	5.88	6.81	7.90	9.32	11.55	13.63
Jul	5.40	5.31	6.25	1989	4	11.90	1989	1.76	1977	16.2	10.2	3.5	1.3	2.25	2.74	3.43	4.00	4.54	5.08	5.66	6.33	7.17	8.47	9.64
Aug	5.44	5.02	6.08	1970	9	11.30	1994	1.01	1981	15.7	9.1	3.1	1.1	1.38	1.89	2.68	3.38	4.07	4.80	5.61	6.58	7.84	9.83	11.69
Sep	5.68	4.87	5.52	1959	30	20.10	1979	.84	1984	12.6	7.8	3.4	1.8	1.30	1.83	2.66	3.40	4.15	4.94	5.83	6.89	8.28	10.50	12.59
Oct	4.55	3.55	5.12	1995	5	13.30	1971	.49	2000	10.8	6.2	2.7	1.4	.69	1.08	1.73	2.36	3.02	3.73	4.55	5.55	6.90	9.09	11.19
Nov	4.65	3.86	5.70	1977	6	12.98	1977	1.65	1976	11.3	7.2	3.0	1.3	1.32	1.76	2.42	3.00	3.57	4.16	4.82	5.59	6.60	8.17	9.64
Dec	4.04	3.91	3.46	1958	28	7.43	1986	1.40	1984	13.9	8.4	2.4	.7	1.31	1.70	2.26	2.74	3.21	3.69	4.21	4.82	5.61	6.84	7.98
Ann	62.76	61.44	6.38	Mar 1963	12	20.10	Sep 1979	.49	Oct 2000	166.6	106.4	38.6	15.3	45.47	48.84	53.14	56.40	59.29	62.07	64.95	68.12	71.95	77.51	82.30

+ Also occurred on an earlier date(s)

Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

** Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1955-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States

No. 20 1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: GRANDFATHER MOUNTAIN, NC

COOP ID: 313565

Climate Division: NC 2

NWS Call Sign:

Elevation: 5,300 Feet

Lat: 36°07N

Lon: 81°50W

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	13.7	10.5	3	2	22.5	1996	10	54.0	1977	29	1977	27	14	1977	5.8	4.5	2.1	.9	.1	10.4	7.3	4.9	1.9
Feb	14.1	12.3	4	2	12.0	1979	18	36.8	1979	25+	1998	1	15	1977	5.9	4.8	1.8	.9	.1	11.5	8.5	6.1	2.8
Mar	8.9	4.8	1	#	14.0	1981	23	33.5	1981	24	1993	16	6	1978	4.1	3.0	1.1	.6	.1	5.7	2.8	1.7	.5
Apr	3.8	2.8	#	#	9.0	1988	12	15.5	1988	26	1987	5	5	1987	1.8	1.3	.5	.2	.0	1.6	.6	.3	.0
May	.5	.0	#	0	4.0	1992	8	11.5	1992	3	1992	9	#+	1997	.3	.2	.1	.0	.0	.2	@	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	#	.0	0	0	#	1990	24	#	1990	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.4	#	#	0	4.0	1977	17	7.0	1977	3	1982	25	#+	2000	.2	.2	.1	.0	.0	.2	.1	.0	.0
Nov	3.0	3.0	#	#	6.0	1971	24	9.0	1971	6+	1995	15	1	1995	1.5	1.1	.5	.1	.0	1.5	.5	.1	.0
Dec	8.3	7.3	1	1	15.0	1993	21	29.5	1981	17	1974	1	4	1974	4.3	3.4	1.1	.5	.1	5.9	2.5	1.3	.2
Ann	52.7	40.7	N/A	N/A	22.5	Jan 1996	10	54.0	Jan 1977	29	Jan 1977	27	15	Feb 1977	23.9	18.5	7.3	3.2	.4	37.0	22.3	14.4	5.4

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Climatography of the United States

No. 20 1971-2000

Station: GRANDFATHER MOUNTAIN, NC

COOP ID: 313565

Climate Division: NC 2

NWS Call Sign:

Elevation: 5,300 Feet

Lat: 36° 07N

Lon: 81° 50W

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/07	6/01	5/27	5/23	5/20	5/16	5/12	5/08	5/02
32	5/25	5/20	5/16	5/13	5/10	5/07	5/03	4/30	4/24
28	5/17	5/12	5/08	5/04	5/01	4/28	4/24	4/20	4/14
24	5/08	5/02	4/28	4/24	4/21	4/18	4/14	4/10	4/04
20	4/21	4/16	4/12	4/08	4/05	4/02	3/30	3/26	3/21
16	4/17	4/11	4/07	4/04	3/31	3/28	3/25	3/20	3/15
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/12	9/17	9/21	9/24	9/27	9/30	10/03	10/06	10/12
32	9/22	9/26	9/29	10/02	10/04	10/07	10/09	10/12	10/16
28	9/30	10/05	10/09	10/12	10/15	10/18	10/21	10/25	10/30
24	10/08	10/14	10/18	10/21	10/24	10/27	10/31	11/04	11/09
20	10/18	10/23	10/28	10/31	11/04	11/07	11/11	11/15	11/21
16	10/30	11/05	11/09	11/12	11/16	11/19	11/22	11/26	12/02
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	151	144	138	134	129	125	120	115	107
32	166	159	155	150	147	143	139	134	128
28	187	180	175	170	166	162	158	152	145
24	204	198	193	189	186	182	178	173	167
20	236	228	222	216	212	207	201	195	187
16	253	244	238	233	228	223	218	212	204

* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

**Climatography
of the United States
No. 20
1971-2000**

Station: GRANDFATHER MOUNTAIN, NC

COOP ID: 313565

Climate Division: NC 2

NWS Call Sign:

Elevation: 5,300 Feet Lat: 36°07N Lon: 81°50W

Degree Days to Selected Base Temperatures (°F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1219	1033	936	651	404	195	97	126	270	575	820	1089	7415
60	1064	893	781	501	263	88	23	39	135	424	670	934	5815
57	971	809	688	412	189	46	7	12	75	338	580	841	4968
55	909	753	626	355	148	27	1	5	46	284	522	779	4455
50	763	613	477	223	67	5	0	0	10	170	382	628	3338
32	301	162	83	7	0	0	0	0	0	6	49	187	795

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	106	53	170	346	622	805	955	917	721	453	219	121	5488
55	0	0	0	4	56	142	243	209	78	19	2	0	753
57	0	0	0	2	36	101	186	154	46	11	0	0	536
60	0	0	0	0	17	54	110	87	16	4	0	0	288
65	0	0	0	0	3	11	29	20	1	0	0	0	64
70	0	0	0	0	0	0	3	2	0	0	0	0	5

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	21	32	88	213	415	593	730	697	515	276	116	41	21	53	141	354	769	1362	2092	2789	3304	3580	3696	3737
45	0	7	38	122	273	445	575	542	367	155	48	13	0	7	45	167	440	885	1460	2002	2369	2524	2572	2585
50	0	0	8	57	149	298	420	387	225	65	12	0	0	0	8	65	214	512	932	1319	1544	1609	1621	1621
55	0	0	0	19	61	165	269	235	111	14	0	0	0	0	0	19	80	245	514	749	860	874	874	874
60	0	0	0	0	13	57	126	99	34	0	0	0	0	0	0	0	13	70	196	295	329	329	329	329
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	0	4	35	98	199	313	423	390	250	114	38	7	0	4	39	137	336	649	1072	1462	1712	1826	1864	1871

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.
Complete documentation for the 1971-2000 Normals is available on the internet from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.
Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- | | |
|---|---|
| <ol style="list-style-type: none">a. Temperature/ Precipitation Tables<ol style="list-style-type: none">1. 1971-2000 Monthly Normals2. Cooperative Summary of the Day3. National Weather Service station records4. 1971-2000 serially complete daily datab. Degree Day Table<ol style="list-style-type: none">1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data | <ol style="list-style-type: none">c. Snow Tables<ol style="list-style-type: none">1. Snow Climatology2. Cooperative Summary of the Dayd. Freeze Data Table
1971-2000 serially complete daily data |
|---|---|

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normal.html
U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html
Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,
www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf