Climatography of the United States No. 20

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 331657

Station: CLEVELAND HOPKNS INTL AP, OH

1971-2000

Climate Division: OH 3 NWS Call Sign: CLE Elevation: 770 Feet Lat: 41°24N Lon: 81°51W

									ŗ	Temp	eratui	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	32.6	18.8	25.7	73	1950	25	35.3	1990	-20	1994	19	10.5	1977	1205	0	.0	.0	2.9	14.6	27.5	2.8
Feb	35.8	21.0	28.4	74	2000	26	37.6	1998	-15	1963	26	16.3	1978	1025	0	.0	.0	4.1	11.7	23.3	2.0
Mar	46.1	28.9	37.5	82	1986	30	45.7	1973	-5	1984	9	28.0	1984	847	2	.0	.0	11.5	4.2	20.7	.1
Apr	57.3	37.9	47.6	88	1986	28	53.3	1985	10	1964	1	41.0	1975	516	7	.0	.0	22.1	.2	8.7	.0
May	68.6	48.3	58.5	92	1959	6	66.5	1991	25	1966	10	52.9	1997	235	40	.0	.2	30.4	.0	.6	.0
Jun	77.4	57.7	67.5	104	1988	25	71.1	1995	31	1972	11	61.8	1972	54	140	@	1.8	30.0	.0	@	.0
Jul	81.4	62.3	71.9	100	1988	16	76.2	1999	41	1968	4	68.0	2000	7	236	@	4.2	31.0	.0	.0	.0
Aug	79.2	61.2	70.2	102	1948	27	77.1	1995	38	1982	29	66.9	1992	13	190	.0	2.1	31.0	.0	.0	.0
Sep	72.3	54.3	63.3	101+	1953	3	68.5	1978	34+	1984	28	57.7	1975	114	79	.0	.6	30.0	.0	.0	.0
Oct	60.8	43.7	52.2	89	1953	3	59.0	1971	19	1988	31	46.4	1988	389	8	.0	.0	27.9	.0	2.4	.0
Nov	48.7	34.9	41.8	82	1950	1	47.1	1994	3	1976	30	33.0	1976	680	0	.0	.0	14.7	1.1	13.0	.0
Dec	37.4	24.9	31.1	77	1982	3	39.9	1982	-15	1989	22	18.6	1989	1036	0	.0	.0	5.0	8.9	24.1	.8
Ann	58.1	41.2	49.6	104	Jun 1988	25	77.1	Aug 1995	-20	Jan 1994	19	10.5	Jan 1977	6121	702	.0	8.9	240.6	40.7	120.3	5.7

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 020-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: CLEVELAND HOPKNS INTL AP, OH

COOP ID: 331657

Climate Division: OH 3 NWS Call Sign: CLE Elevation: 770 Feet Lat: 41°24N Lon: 81°51W

										Pı	recipit	tation	(incl	ies)										
	Medi Medi		P	recipi	itatio	on Total					ean N of D	ays (3)	Proba		M	nonthly/ onthly/Ar	annual j indic	precipita ated am	vs Proba	ies (1) Il be equ	els		ın the
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	2.48	2.29	2.53	1995	15	5.81	1995	.76	1981	16.9	7.0	1.0	.2	.88	1.12	1.45	1.74	2.01	2.29	2.59	2.94	3.39	4.08	4.72
Feb	2.29	2.38	2.04	1976	16	4.70	1990	.48	1978	13.7	6.1	1.1	.1	.73	.95	1.27	1.55	1.81	2.09	2.39	2.74	3.19	3.90	4.55
Mar	2.94	3.18	1.96	1964	4	4.97	1985	.86	1990	14.7	7.7	1.6	.2	1.34	1.60	1.96	2.25	2.52	2.79	3.08	3.42	3.83	4.47	5.04
Apr	3.37	3.52	2.10	1990	10	6.07	1998	1.24	1971	14.5	8.2	2.1	.5	1.54	1.84	2.25	2.58	2.89	3.20	3.54	3.92	4.40	5.13	5.79
May	3.50	3.24	3.36	1955	24	9.14	1989	1.02	1977	12.6	8.0	2.3	.7	1.21	1.54	2.03	2.43	2.82	3.22	3.66	4.17	4.82	5.82	6.75
Jun	3.89	3.52	2.97	1972	23	9.06	1972	.65	1988	11.2	7.2	2.4	.8	1.33	1.70	2.24	2.69	3.13	3.58	4.06	4.63	5.37	6.50	7.54
Jul	3.52	3.29	2.71	1950	19	9.12	1992	1.21	1982	10.5	6.4	2.3	1.0	1.48	1.80	2.24	2.61	2.96	3.31	3.69	4.12	4.67	5.51	6.27
Aug	3.69	3.54	3.55	1994	13	8.96	1975	.79	1996	10.4	6.8	2.3	.9	1.16	1.51	2.03	2.48	2.91	3.35	3.84	4.41	5.15	6.29	7.36
Sep	3.77	3.32	4.59	1996	7	11.05	1996	1.03	1995	10.3	6.9	2.8	.9	1.18	1.53	2.07	2.52	2.96	3.42	3.92	4.51	5.28	6.46	7.56
Oct	2.74	2.53	3.36	1954	15	4.92	1990	.93	1982	11.7	6.6	1.7	.4	1.12	1.37	1.73	2.02	2.29	2.57	2.87	3.21	3.65	4.31	4.92
Nov	3.38	3.09	2.33	1999	2	8.80	1985	.80	1976	14.0	8.2	2.1	.5	1.02	1.34	1.82	2.23	2.64	3.05	3.51	4.05	4.75	5.85	6.86
Dec	3.14	2.95	2.39	1992	30	8.59	1990	1.45	1995	16.3	8.0	1.6	.4	1.48	1.75	2.13	2.43	2.71	2.99	3.29	3.63	4.06	4.71	5.29
Ann	38.71	39.45	4.59	Sep 1996	7	11.05	Sep 1996	.48	Feb 1978	156.8	87.1	23.3	6.6	29.48	31.31	33.64	35.38	36.92	38.40	39.91	41.58	43.59	46.48	48.96

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 331657

Station: CLEVELAND HOPKNS INTL AP, OH

Climate Division: OH 3 NWS Call Sign: CLE Elevation: 770 Feet Lat: 41°24N Lon: 81°51W

										Snov	w (incl	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1)	1					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	16.8	15.1	3	2	10.4	1978	20	48.2	1978	21	1978	21	10	1978	13.3	5.3	1.6	.7	@	17.0	10.9	7.2	1.9
Feb	14.2	13.9	2	2	13.6	1993	23	39.1	1993	21+	1993	24	9	1978	10.0	4.0	1.2	.6	.1	14.4	9.0	5.7	1.3
Mar	9.8	7.6	1	1	9.3	1987	31	26.2	1987	15+	1984	2	6	1984	6.8	2.9	1.2	.5	.0	6.7	3.3	1.5	.4
Apr	2.4	1.1	#	0	8.6	1982	6	13.2	1982	14	1987	1	1+	1987	2.3	.7	.2	.1	.0	1.0	.4	.2	@
May	.1	.0	#	0	2.0	1974	6	2.1	1974	#+	1974	7	#	2000	.1	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.4	.0	#	0	4.1	1972	19	5.5	1972	2	1972	19	#	1972	.4	.2	.1	.0	.0	@	.0	.0	.0
Nov	5.1	3.8	#	0	7.5	2000	21	23.4	1996	9	1996	12	2	1996	4.4	1.8	.3	.1	.0	2.6	.6	.2	.0
Dec	12.6	13.1	1	1	12.0	1995	19	27.1	1981	13+	1995	26	4	1995	10.6	3.8	1.1	.4	.1	11.0	4.9	2.6	.5
Ann	61.4	54.6	N/A	N/A	13.6	Feb 1993	23	48.2	Jan 1978	21+	Feb 1993	24	10	Jan 1978	47.9	18.7	5.7	2.4	.2	52.7	29.1	17.4	4.1

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

- (1) Derived from Snow Climatology and 1971-2000 daily data
- (2) Derived from 1971-2000 daily data

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

Climatography of the United States No. 20

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 331657

1971-2000

Station: CLEVELAND HOPKNS INTL AP, OH

Climate Division: OH 3 Lat: 41°24N **NWS Call Sign: CLE** Elevation: 770 Feet Lon: 81°51W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	(Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated((*)	
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/27	5/21	5/17	5/14	5/10	5/07	5/04	4/30	4/24
32	5/16	5/11	5/07	5/03	4/30	4/27	4/24	4/20	4/14
28	4/30	4/26	4/22	4/20	4/17	4/14	4/12	4/08	4/04
24	4/15	4/11	4/08	4/05	4/03	4/01	3/29	3/26	3/22
20	4/06	4/01	3/28	3/25	3/22	3/20	3/16	3/13	3/08
16	4/01	3/24	3/19	3/14	3/10	3/05	3/01	2/23	2/16
			Fal	l Freeze Da	tes (Month/D	Day)		•	•
Tomn (F)		Pro	bability of ea	arlier date ii	n fall (beginn	ing Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/24	9/28	10/02	10/04	10/07	10/10	10/12	10/16	10/20
32	10/08	10/13	10/17	10/20	10/23	10/26	10/29	11/02	11/07
28	10/23	10/27	10/30	11/02	11/04	11/07	11/09	11/13	11/17
24	11/02	11/07	11/11	11/14	11/17	11/20	11/23	11/27	12/02
20	11/11	11/17	11/22	11/25	11/29	12/02	12/06	12/10	12/17
16	11/22	11/28	12/03	12/07	12/11	12/15	12/19	12/23	12/30
		•	•	Freeze F	ree Period		•	•	•
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	170	163	158	153	149	145	140	135	128
32	194	188	183	179	175	171	167	163	156
28	219	212	208	204	201	197	193	189	183
24	248	241	236	232	227	223	219	214	206
20	273	266	260	255	251	246	241	236	228
16	304	294	287	281	276	270	264	257	247

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Derived from 1971-2000 serially complete daily data www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography
of the United States
No. 20
1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 331657

Station: CLEVELAND HOPKNS INTL AP, OH

Climate Division: OH 3 NWS Call Sign: CLE Elevation: 770 Feet Lat: 41°24N Lon: 81°51W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1205	1025	847	516	235	54	7	13	114	389	680	1036	6121
60	1064	884	697	375	142	15	0	3	39	265	547	895	4926
57	971	800	608	292	95	6	0	0	17	195	458	802	4244
55	909	744	550	240	70	3	0	0	9	155	401	740	3821
50	763	607	409	131	27	0	0	0	1	76	268	598	2880
32	297	199	77	1	0	0	0	0	0	0	18	185	777

Base	Cooling Degree Days (1) Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Ann 69 91 243 483 831 1077 1251 1202 958 647 324 122 7298														
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
32	69	91	243	483	831	1077	1251	1202	958	647	324	122	7298		
55	0	1	15	48	175	390	538	489	281	76	15	3	2031		
57	0	1	11	36	139	334	476	428	230	55	10	2	1722		
60	0	0	6	21	94	254	383	336	163	30	4	1	1292		
65	0	0	2	7	40	140	236	190	79	8	0	0	702		
70	0	0	0	1	13	61	114	82	30	1	0	0	302		

										Gro	wing	Degre	e Uni	ts (2)											
Base					Growing	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)												
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov De													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
40	21	33	118	274	594	845	1013	964	729	413	158	41	21	54	172	446	1040	1885	2898	3862	4591	5004	5162	5203	
45	7	12	68	171	442	695	858	809	579	273	86	20	7	19	87	258	700	1395	2253	3062	3641	3914	4000	4020	
50	1	4	34	99	301	546	703	654	429	161	47	5	1	5	39	138	439	985	1688	2342	2771	2932	2979	2984	
55	0	0	15	51	180	398	548	499	290	80	15	2	0	0	15	66	246	644	1192	1691	1981	2061	2076	2078	
60	0	0	4	24	97	262	393	344	171	33	4	0	0	0	4	28	125	387	780	1124	1295	1328	1332	1332	
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)			
50/86	6 6 17 75 163 348 544 684 647 449 221 78											23	6	23	98	261	609	1153	1837	2484	2933	3154	3232	3255	

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf