

Climatography of the United States

No. 20

1971-2000

Station: OSCEOLA, IA

COOP ID: 136316

Climate Division: IA 8

NWS Call Sign:

Elevation: 1,110 Feet Lat: 41°02N Lon: 93°45W

Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	29.6	10.4	20.0	64	1981	24	31.5	1989	-28	1982	10	6.8	1979	1395	0	.0	.0	2.0	16.4	30.2	7.5
Feb	36.0	15.0	25.5	75	1972	29	36.1	2000	-26	1996	2	11.5	1978	1106	0	.0	.0	5.5	10.8	26.2	4.3
Mar	48.3	25.5	36.9	87	1986	29	43.5	2000	-20	1962	1	28.7	1975	871	0	.0	.0	15.1	3.5	21.0	.5
Apr	60.8	36.9	48.9	90+	1952	29	55.2	1998	7+	1975	3	41.9	1983	488	5	.0	.1	25.7	.1	7.7	.0
May	71.7	48.3	60.0	96	1953	25	67.7	1977	27	1976	3	53.6	1997	204	50	.0	.1	31.0	.0	.4	.0
Jun	81.0	58.4	69.7	102+	1954	25	74.9	1988	37	1998	4	63.5	1982	28	168	.2	3.8	30.0	.0	.0	.0
Jul	85.8	63.4	74.6	106+	1954	13	80.2	1999	42	1971	30	69.3	1992	6	302	.5	10.1	31.0	.0	.0	.0
Aug	84.0	60.9	72.5	105	1954	4	79.9	1983	38	1950	20	66.3	1992	19	249	.4	7.3	31.0	.0	.0	.0
Sep	76.3	51.2	63.8	100	1953	28	69.8	1998	28+	1972	30	57.6	1993	114	77	.0	2.2	29.9	.0	.5	.0
Oct	64.0	39.6	51.8	94+	1953	2	56.9	1973	9	1972	19	45.7	1988	411	4	.0	.1	28.5	.1	6.7	.0
Nov	47.3	27.0	37.2	80+	1999	9	47.8	1999	-7+	1964	30	28.7	1991	836	0	.0	.0	14.2	2.8	21.4	.3
Dec	33.9	15.2	24.6	68	1998	4	31.1	1979	-25	1989	23	8.4	1983	1254	0	.0	.0	3.7	12.4	29.6	4.0
Ann	59.9	37.7	48.8	106+	Jul 1954	13	80.2	Jul 1999	-28	Jan 1982	10	6.8	Jan 1979	6732	855	1.1	23.7	247.6	46.1	143.7	16.6

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

088-A

Climatography of the United States

No. 20

1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: OSCEOLA, IA

COOP ID: 136316

Climate Division: IA 8

NWS Call Sign:

Elevation: 1,110 Feet Lat: 41°02N

Lon: 93°45W

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med-ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.92	.84	2.15	1960	12	3.48	1996	.00	1986	5.0	3.2	.4	.1	.05	.13	.27	.41	.55	.71	.90	1.13	1.45	1.98	2.49
Feb	1.12	.99	1.39	1951	25	2.52	1997	.19	1987	5.3	3.3	.5	@	.22	.32	.49	.64	.79	.96	1.14	1.37	1.67	2.14	2.60
Mar	2.27	1.79	2.34	1998	31	5.84	1998	.12	1994	6.3	4.7	1.5	.4	.25	.43	.74	1.06	1.40	1.77	2.22	2.77	3.52	4.75	5.96
Apr	3.46	3.35	2.45	1978	18	6.69	1978	.82	1989	8.6	6.4	2.6	.9	1.01	1.34	1.84	2.26	2.68	3.11	3.59	4.16	4.89	6.03	7.10
May	4.62	4.60	4.65	1950	9	11.62	1996	.87	2000	10.4	8.4	3.7	1.2	1.22	1.66	2.33	2.92	3.50	4.10	4.78	5.58	6.62	8.26	9.80
Jun	4.52	3.89	4.83	1981	8	9.47	1981	.62	1992	8.8	7.2	3.2	1.2	1.11	1.53	2.19	2.77	3.35	3.97	4.65	5.46	6.53	8.22	9.80
Jul	4.95	3.79	6.01	1981	4	15.99	1993	.03	1983	8.4	6.6	3.2	1.6	.51	.88	1.56	2.25	2.99	3.83	4.81	6.04	7.71	10.48	13.19
Aug	4.16	3.43	6.02	1987	26	14.73	1987	.61	1984	8.3	6.6	2.4	1.1	.76	1.12	1.73	2.30	2.88	3.50	4.21	5.07	6.22	8.06	9.81
Sep	4.11	3.12	8.80	1992	15	12.74	1992	.80	1979	7.3	6.0	2.6	1.1	.82	1.19	1.80	2.35	2.91	3.51	4.18	5.00	6.08	7.81	9.45
Oct	2.81	2.52	3.20	1974	31	6.74	1998	.00	1975	6.5	4.9	1.7	.8	.18	.46	.91	1.32	1.75	2.23	2.79	3.47	4.39	5.89	7.35
Nov	2.33	2.21	6.20	1952	17	6.05	1992	.00	1989	6.2	4.5	1.6	.6	.31	.60	1.00	1.33	1.66	2.01	2.40	2.87	3.49	4.48	5.41
Dec	1.22	.98	1.90	1972	30	3.03	1982	.06	1979	4.9	3.3	.7	.2	.20	.31	.49	.65	.83	1.01	1.23	1.49	1.83	2.39	2.93
Ann	36.49	35.73	8.80	Sep 1992	15	15.99	Jul 1993	.00+	Nov 1989	86.0	65.1	24.1	9.2	23.29	25.74	28.93	31.40	33.61	35.77	38.03	40.54	43.62	48.14	52.09

+ Also occurred on an earlier date(s)

Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

** Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States

No. 20 1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: OSCEOLA, IA

COOP ID: 136316

Climate Division: IA 8

NWS Call Sign:

Elevation: 1,110 Feet

Lat: 41°02N

Lon: 93°45W

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	7.2	6.5	3	1	10.2	1996	26	22.5	1996	20	1996	31	13	1971	2.5	2.0	.8	.2	@	14.5	9.7	6.0	1.5
Feb	6.2	4.8	3	1	8.0	1994	23	18.0	1978	24	1978	24	17	1978	2.7	2.0	.8	.3	.0	9.8	6.2	3.7	2.4
Mar	3.5	1.4	1	#	9.1	1998	9	15.0	1984	21	1978	6	7	1978	1.2	1.0	.5	.1	.0	3.7	2.2	1.3	.7
Apr	1.5	.0	#	0	9.0	1973	9	15.0	1973	15	1973	10	2	1973	.5	.4	.2	.1	.0	.6	.4	.3	.1
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.6	.0	#	0	7.7	1997	27	10.4	1997	10	1997	27	1	1997	.1	.1	.1	.1	.0	.2	.2	.1	@
Nov	1.6	.3	#	#	8.3	1992	26	8.3	1992	8	1992	27	1	1995	1.0	.6	.2	.1	.0	1.6	.8	.2	.0
Dec	5.3	3.0	2	1	10.4	2000	12	27.2	2000	16	2000	20	10	2000	2.4	1.8	.6	.2	@	9.4	5.4	2.7	1.2
Ann	25.9	16.0	N/A	N/A	10.4	Dec 2000	12	27.2	Dec 2000	24	Feb 1978	24	17	Feb 1978	10.4	7.9	3.2	1.1	@	39.8	24.9	14.3	5.9

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States

No. 20 1971-2000

Station: OSCEOLA, IA

COOP ID: 136316

Climate Division: IA 8

NWS Call Sign:

Elevation: 1,110 Feet

Lat: 41°02N

Lon: 93°45W

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/15	5/11	5/08	5/05	5/02	4/29	4/26	4/23	4/19
32	5/08	5/03	4/29	4/26	4/23	4/21	4/17	4/14	4/09
28	4/24	4/20	4/17	4/15	4/12	4/10	4/08	4/05	4/01
24	4/17	4/12	4/09	4/06	4/04	4/01	3/29	3/26	3/22
20	4/09	4/04	3/31	3/28	3/24	3/21	3/18	3/14	3/09
16	4/01	3/26	3/21	3/16	3/12	3/08	3/04	2/27	2/20
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/16	9/20	9/24	9/26	9/29	10/01	10/04	10/07	10/11
32	9/23	9/28	10/02	10/05	10/09	10/12	10/15	10/19	10/24
28	10/01	10/08	10/13	10/17	10/21	10/24	10/28	11/02	11/09
24	10/12	10/19	10/24	10/28	11/01	11/05	11/09	11/14	11/21
20	10/24	10/30	11/04	11/08	11/12	11/15	11/19	11/24	12/01
16	10/29	11/05	11/10	11/14	11/18	11/22	11/26	12/01	12/08
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	167	161	156	153	149	145	142	137	131
32	190	182	177	172	167	163	158	153	145
28	209	203	198	194	190	187	183	178	171
24	237	228	221	216	211	206	200	194	185
20	257	248	242	236	231	226	221	215	206
16	279	269	262	256	250	244	238	231	221

* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

**Climatography
of the United States
No. 20
1971-2000**

Station: OSCEOLA, IA

COOP ID: 136316

Climate Division: IA 8 NWS Call Sign: Elevation: 1,110 Feet Lat: 41°02N Lon: 93°45W

Degree Days to Selected Base Temperatures (°F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1395	1106	871	488	204	28	6	19	114	411	836	1254	6732
60	1240	966	716	351	113	6	0	4	47	272	686	1099	5500
57	1147	882	625	276	73	2	0	1	23	200	597	1006	4832
55	1085	832	569	231	53	1	0	0	13	157	541	944	4426
50	932	701	427	137	19	0	0	0	2	77	404	796	3495
32	437	299	89	4	0	0	0	0	0	1	79	328	1237

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	65	116	241	510	869	1130	1320	1253	953	616	234	97	7404
55	0	6	8	48	208	441	607	540	276	59	5	0	2198
57	0	0	2	33	167	382	545	479	226	40	2	0	1876
60	0	0	0	17	114	296	452	389	160	19	0	0	1447
65	0	0	0	5	50	168	302	249	77	4	0	0	855
70	0	0	0	0	16	75	169	137	28	0	0	0	425

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	3	27	123	349	660	924	1095	1032	742	409	97	9	3	30	153	502	1162	2086	3181	4213	4955	5364	5461	5470
45	0	8	63	232	506	774	940	877	594	276	47	4	0	8	71	303	809	1583	2523	3400	3994	4270	4317	4321
50	0	1	30	136	359	624	785	722	448	163	20	0	0	1	31	167	526	1150	1935	2657	3105	3268	3288	3288
55	0	0	9	65	222	474	630	567	310	84	3	0	0	0	9	74	296	770	1400	1967	2277	2361	2364	2364
60	0	0	3	27	118	327	475	414	197	35	0	0	0	0	3	30	148	475	950	1364	1561	1596	1596	1596
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	1	24	89	217	404	613	744	693	474	255	67	7	1	25	114	331	735	1348	2092	2785	3259	3514	3581	3588

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.
Complete documentation for the 1971-2000 Normals is available on the internet from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.
Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- | | |
|---|---|
| <ol style="list-style-type: none">a. Temperature/ Precipitation Tables<ol style="list-style-type: none">1. 1971-2000 Monthly Normals2. Cooperative Summary of the Day3. National Weather Service station records4. 1971-2000 serially complete daily datab. Degree Day Table<ol style="list-style-type: none">1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data | <ol style="list-style-type: none">c. Snow Tables<ol style="list-style-type: none">1. Snow Climatology2. Cooperative Summary of the Dayd. Freeze Data Table
1971-2000 serially complete daily data |
|---|---|

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normal.html
U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html
Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,
www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf