

Climatology of the United States

No. 20

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: CROSSETT 2 SSE, AR

1971-2000

COOP ID: 031730

Climate Division: AR 9

NWS Call Sign:

Elevation: 180 Feet Lat: 33°08N Lon: 91°58W

Temperature (°F)																					
Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	53.1	29.5	41.3	82	1950	24	48.2	1990	-3+	1948	18	32.8	1977	735	0	.0	.0	18.9	1.5	19.8	.0
Feb	58.9	33.0	46.0	87	1977	26	53.0	1990	-9	1951	2	36.3	1978	534	0	.0	.0	21.4	.8	14.9	.0
Mar	67.1	40.2	53.7	92	1974	31	59.6	1974	11	1996	9	48.4	1996	358	6	.0	@	29.1	@	7.6	.0
Apr	74.8	47.1	61.0	95	1987	22	67.4	1981	26	1996	7	55.0	1997	159	38	.0	.2	29.9	.0	1.4	.0
May	82.0	56.2	69.1	98	1951	30	73.2	1987	35+	1992	7	63.7	1976	36	163	.0	2.8	31.0	.0	.0	.0
Jun	88.8	64.2	76.5	102	1988	30	81.5	1998	43	1988	11	72.6	1974	1	346	.2	14.7	30.0	.0	.0	.0
Jul	92.1	68.2	80.2	108	1954	16	84.0	1998	52+	1967	15	76.7	1972	0	471	1.6	23.6	31.0	.0	.0	.0
Aug	92.1	66.7	79.4	108	1954	11	83.9	2000	50	1948	18	74.5	1992	0	445	1.8	22.4	31.0	.0	.0	.0
Sep	86.3	59.9	73.1	105+	2000	1	78.2	1998	34	1983	22	67.4	1974	13	257	.4	11.9	30.0	.0	.0	.0
Oct	76.9	47.1	62.0	98+	1953	1	66.9	1984	22	1987	8	54.7	1976	149	57	.0	1.1	31.0	.0	2.5	.0
Nov	64.9	39.0	52.0	87+	1955	13	56.9	1985	15	1976	29	44.0	1976	396	5	.0	.0	27.4	@	9.1	.0
Dec	56.0	32.1	44.1	85	1982	3	53.8	1984	0+	1983	25	34.6	1983	649	0	.0	.0	21.9	.8	17.2	.1
Ann	74.4	48.6	61.5	108+	Aug 1954	11	84.0	Jul 1998	-9	Feb 1951	2	32.8	Jan 1977	3030	1788	4.0	76.7	332.6	3.1	72.5	.1

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

020-A

Climatology of the United States

No. 20 1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: CROSSETT 2 SSE, AR

COOP ID: 031730

Climate Division: AR 9

NWS Call Sign:

Elevation: 180 Feet Lat: 33°08N

Lon: 91°58W

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	5.81	5.20	3.80	1999	29	15.72	1999	1.36	1986	9.9	8.1	3.9	2.2	1.65	2.20	3.03	3.76	4.47	5.21	6.02	6.99	8.24	10.20	12.03
Feb	5.27	4.90	9.30	1991	19	13.64	1991	.58	1996	7.4	6.2	3.4	1.8	.94	1.40	2.17	2.89	3.63	4.42	5.33	6.43	7.89	10.25	12.50
Mar	5.95	5.64	5.55	1955	21	12.86	1973	2.09	1982	8.7	7.6	4.3	2.0	2.41	2.96	3.73	4.36	4.96	5.57	6.23	6.99	7.95	9.42	10.75
Apr	5.61	5.24	6.48	1958	25	20.46	1991	1.01	1987	7.4	6.1	3.5	2.0	1.11	1.61	2.44	3.19	3.96	4.78	5.71	6.83	8.31	10.68	12.94
May	5.82	5.44	4.57	1978	8	14.32	1975	.14	1998	8.2	7.0	3.7	1.9	.78	1.25	2.09	2.90	3.75	4.69	5.78	7.11	8.92	11.88	14.74
Jun	4.60	4.16	4.60	1974	8	10.84	1975	.62	1998	7.8	6.5	3.3	1.5	1.04	1.47	2.14	2.75	3.35	4.00	4.72	5.58	6.72	8.52	10.23
Jul	4.04	3.38	4.75	1973	5	12.64	1988	.80	2000	7.6	6.3	2.8	1.4	.69	1.04	1.63	2.19	2.76	3.37	4.08	4.93	6.07	7.92	9.68
Aug	3.16	2.37	4.45	1962	24	9.86	1984	.21	1976	6.8	5.1	2.2	.8	.40	.65	1.10	1.54	2.01	2.52	3.12	3.86	4.86	6.51	8.10
Sep	3.26	3.14	4.44	1957	3	7.80	1974	.88	1984	6.3	5.2	2.0	.9	.90	1.21	1.68	2.09	2.49	2.91	3.38	3.92	4.64	5.76	6.80
Oct	4.19	3.53	6.40	1991	30	10.60	1985	.26	1998	6.0	5.2	2.8	1.4	.53	.86	1.46	2.04	2.66	3.35	4.14	5.12	6.46	8.64	10.76
Nov	4.96	4.47	3.80	1969	18	11.21	1986	1.65	1995	7.6	6.6	3.5	1.8	1.89	2.35	3.01	3.56	4.08	4.61	5.19	5.86	6.71	8.01	9.21
Dec	5.38	5.34	4.23	1982	26	17.98	1982	.74	1980	8.9	7.5	3.7	1.9	1.35	1.86	2.64	3.33	4.02	4.74	5.55	6.51	7.76	9.73	11.59
Ann	58.05	55.76	9.30	Feb 1991	19	20.46	Apr 1991	.14	May 1998	92.6	77.4	39.1	19.6	39.15	42.73	47.37	50.91	54.08	57.16	60.35	63.90	68.22	74.52	80.00

+ Also occurred on an earlier date(s)

Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

** Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States

No. 20

1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: CROSSETT 2 SSE, AR

COOP ID: 031730

Climate Division: AR 9

NWS Call Sign:

Elevation: 180 Feet

Lat: 33°08N

Lon: 91°58W

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	.7	.0	#	0	2.5	1975	13	4.5	1977	2	1978	22	#+	1996	.5	.5	.0	.0	.0	.1	.0	.0	.0
Feb	.2	.0	#	0	2.5	1978	1	2.5	1978	2	1978	1	#+	1979	.1	.1	.0	.0	.0	@	.0	.0	.0
Mar	#	.0	0	0	#	1975	14	#+	1975	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	#	.0	#	0	#	1976	28	#+	1976	#+	1976	28	#+	1976	.0	.0	.0	.0	.0	.0	.0	.0	.0
Dec	.3	.0	#	0	4.0	1983	17	4.0+	1983	#	1978	9	#	1978	.1	.1	.1	.0	.0	.0	.0	.0	.0
Ann	1.2	.0	N/A	N/A	4.0	Dec 1983	17	4.5	Jan 1977	2+	Feb 1978	1	#+	Jan 1996	.7	.7	.1	.0	.0	.1	.0	.0	.0

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

**Climatography
of the United States
No. 20
1971-2000**

Station: CROSSETT 2 SSE, AR

COOP ID: 031730

Climate Division: AR 9

NWS Call Sign:

Elevation: 180 Feet

Lat: 33°08N

Lon: 91°58W

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	4/23	4/19	4/16	4/14	4/11	4/09	4/06	4/04	3/31
32	4/18	4/13	4/10	4/07	4/04	4/02	3/30	3/27	3/22
28	4/05	3/29	3/24	3/20	3/17	3/13	3/09	3/04	2/26
24	3/19	3/11	3/06	3/02	2/25	2/21	2/16	2/11	2/04
20	3/10	3/01	2/22	2/16	2/11	2/06	1/31	1/24	1/15
16	3/01	2/18	2/10	2/02	1/25	1/15	12/28	0/00	0/00
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/30	10/05	10/09	10/13	10/16	10/19	10/22	10/26	11/01
32	10/10	10/16	10/20	10/24	10/27	10/30	11/03	11/07	11/13
28	10/23	10/29	11/03	11/07	11/11	11/15	11/19	11/24	12/01
24	10/31	11/09	11/15	11/21	11/26	12/01	12/06	12/12	12/21
20	11/20	11/28	12/04	12/09	12/14	12/19	12/24	12/30	1/07
16	12/04	12/15	12/24	12/31	1/08	1/18	2/04	0/00	0/00
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	205	199	194	190	187	183	179	175	168
32	227	219	214	209	205	200	196	190	183
28	270	259	252	245	239	233	226	219	208
24	306	294	286	279	273	266	259	251	239
20	336	324	316	309	303	297	291	284	273
16	>365	>365	>365	>365	>365	342	326	313	298

* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Climatography
of the United States
No. 20
1971-2000

Station: CROSSETT 2 SSE, AR

COOP ID: 031730

Climate Division: AR 9

NWS Call Sign:

Elevation: 180 Feet Lat: 33°08N Lon: 91°58W

Degree Days to Selected Base Temperatures (°F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	735	534	358	159	36	1	0	0	13	149	396	649	3030
60	581	397	223	73	8	0	0	0	2	69	262	502	2117
57	496	320	157	39	3	0	0	0	0	38	194	415	1662
55	439	270	120	23	1	0	0	0	0	23	155	360	1391
50	306	163	51	5	0	0	0	0	0	5	78	238	846
32	33	5	0	0	0	0	0	0	0	0	0	18	56

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	321	395	671	869	1150	1336	1494	1468	1233	931	600	392	10860
55	14	16	78	202	438	646	781	755	543	241	64	21	3799
57	10	10	53	158	378	586	719	693	483	193	43	14	3340
60	1	3	26	102	290	496	626	600	395	131	22	8	2700
65	0	0	6	38	163	346	471	445	257	57	5	0	1788
70	0	0	0	9	71	204	316	294	142	17	0	0	1053

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	160	247	453	660	923	1108	1260	1231	1004	697	388	209	160	407	860	1520	2443	3551	4811	6042	7046	7743	8131	8340
45	91	155	312	511	768	958	1105	1076	854	543	263	124	91	246	558	1069	1837	2795	3900	4976	5830	6373	6636	6760
50	47	84	200	368	613	808	950	921	704	391	158	65	47	131	331	699	1312	2120	3070	3991	4695	5086	5244	5309
55	20	41	109	234	458	658	795	766	554	258	84	31	20	61	170	404	862	1520	2315	3081	3635	3893	3977	4008
60	3	13	48	129	309	508	640	611	406	147	39	10	3	16	64	193	502	1010	1650	2261	2667	2814	2853	2863
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	120	175	299	427	615	753	844	819	668	470	256	147	120	295	594	1021	1636	2389	3233	4052	4720	5190	5446	5593

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.
Complete documentation for the 1971-2000 Normals is available on the internet from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.
Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- | | |
|---|---|
| <ol style="list-style-type: none">a. Temperature/ Precipitation Tables<ol style="list-style-type: none">1. 1971-2000 Monthly Normals2. Cooperative Summary of the Day3. National Weather Service station records4. 1971-2000 serially complete daily datab. Degree Day Table<ol style="list-style-type: none">1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data | <ol style="list-style-type: none">c. Snow Tables<ol style="list-style-type: none">1. Snow Climatology2. Cooperative Summary of the Dayd. Freeze Data Table
1971-2000 serially complete daily data |
|---|---|

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normal.html
U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html
Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,
www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf