Station: LONDON, OH

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 334681

Climate Division: OH 5 NWS Call Sign: Elevation: 1,020 Feet Lat: 39°53N Lon: 83°27W

									r	Гетр	eratur	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	•		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	33.3	16.5	24.9	72	1950	25	33.8	1998	-24	1994	19	10.0	1977	1244	0	.0	.0	3.1	12.8	27.5	3.9
Feb	38.2	18.8	28.5	73	2000	25	37.1	1976	-19	1985	3	13.7	1978	1022	0	.0	.0	5.6	9.3	23.5	2.2
Mar	49.4	27.4	38.4	82+	1998	30	46.9	1973	-14	1984	9	28.9	1984	825	0	.0	.0	15.9	2.2	20.1	.2
Apr	61.0	36.5	48.8	89	1942	30	55.2	1985	12	1982	4	43.7	1975	489	1	.0	.0	25.8	.1	9.5	.0
May	72.1	48.2	60.2	93	1962	18	67.8	1991	23	1966	10	53.9	1997	207	58	.0	.3	30.9	.0	.8	.0
Jun	80.5	57.7	69.1	102	1988	25	72.9	1991	35+	1977	10	64.6	1972	29	151	@	3.5	30.0	.0	.0	.0
Jul	84.4	61.5	73.0	109	1936	9	76.4	1999	42+	1977	28	69.7	2000	2	248	.1	6.7	31.0	.0	.0	.0
Aug	82.1	58.9	70.5	102	1936	19	76.1	1995	37	1965	29	66.7	1992	22	193	@	3.7	31.0	.0	.0	.0
Sep	76.2	51.5	63.9	102	1953	2	68.0	1986	28	1942	28	59.5	1974	97	63	.0	1.1	30.0	.0	.3	.0
Oct	64.5	39.6	52.1	92	1951	4	58.0	1971	16	1976	28	45.2	1988	408	6	.0	.0	29.0	.0	5.7	.0
Nov	50.6	31.2	40.9	80	1950	1	46.6	1985	0	1976	30	33.5	1976	723	0	.0	.0	16.2	.9	16.3	@
Dec	38.8	22.6	30.7	74	1982	3	39.0	1982	-18+	1989	23	15.3	1989	1065	0	.0	.0	5.9	7.3	24.6	1.0
Ann	60.9	39.2	50.1	109	Jul 1936	9	76.4	Jul 1999	-24	Jan 1994	19	10.0	Jan 1977	6133	720	.1	15.3	254.4	32.6	128.3	7.3

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 046-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1936-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 334681

Station: LONDON, OH

Climate Division: OH 5 NWS Call Sign: Elevation: 1,020 Feet Lat: 39°53N Lon: 83°27W

										Pı	recipi	tation	(incl	nes)										
	Ma		P	recip	itatio	on Total	S			M	ean N	Numbo Pays (3		Proba	ability th		nonthly/	annual j	precipita ated an		ll be equ		· less tha	in the
		ans/ ans(1)				Extremes	s			D	aily Pre	cipitatio	n		Th		•		-	incomplet	•		ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	2.43	2.17	3.47	1959	21	6.54	1996	.30	1981	9.8	5.6	1.3	.4	.57	.80	1.16	1.48	1.79	2.13	2.50	2.95	3.54	4.47	5.34
Feb	2.21	2.05	2.18	1975	23	5.27	1979	.12	1987	8.5	5.4	1.3	.3	.47	.68	1.00	1.30	1.59	1.91	2.26	2.69	3.25	4.15	5.00
Mar	2.79	2.63	3.56	1964	9	5.46	1997	.85	1979	9.8	6.6	2.0	.4	1.15	1.40	1.76	2.06	2.34	2.62	2.93	3.28	3.72	4.41	5.02
Apr	3.58	3.71	2.20	1940	20	7.24	1998	.69	1971	10.6	7.6	2.6	.6	1.16	1.50	2.00	2.43	2.84	3.26	3.73	4.27	4.97	6.06	7.06
May	4.07	3.62	2.46	1947	25	8.27	1996	1.29	1988	10.7	8.1	3.2	.9	1.49	1.87	2.42	2.88	3.32	3.77	4.26	4.82	5.55	6.66	7.68
Jun	4.30	3.70	3.29	1947	2	8.29	1989	1.05	1988	10.0	7.4	3.2	1.2	1.53	1.93	2.52	3.01	3.48	3.97	4.49	5.10	5.89	7.10	8.21
Jul	4.04	3.96	3.02	1953	18	8.55	1980	.74	1982	8.8	6.4	2.8	1.1	1.16	1.55	2.13	2.63	3.12	3.63	4.19	4.86	5.72	7.08	8.33
Aug	3.39	3.11	4.25	1995	6	7.11	1980	.48+	1996	8.0	5.8	2.5	.8	.88	1.20	1.69	2.12	2.55	3.00	3.50	4.09	4.86	6.08	7.22
Sep	2.78	2.19	4.76	1979	14	7.07	1979	.53	1985	7.3	5.0	1.9	.6	.55	.80	1.21	1.58	1.96	2.37	2.83	3.38	4.12	5.30	6.42
Oct	2.60	2.23	2.95	1995	6	6.50	1983	.67	1994	8.2	5.4	1.6	.4	.79	1.04	1.41	1.72	2.03	2.35	2.70	3.12	3.65	4.48	5.26
Nov	3.27	3.04	3.05	1955	16	11.29	1985	.33	1976	9.4	6.5	2.4	.6	.82	1.13	1.60	2.02	2.44	2.88	3.37	3.95	4.72	5.92	7.05
Dec	2.93	2.68	2.24	1937	17	7.66	1990	1.20	1992	9.8	6.6	2.1	.5	1.11	1.39	1.78	2.10	2.41	2.72	3.06	3.46	3.96	4.73	5.43
Ann	38.39	37.28	4.76	Sep 1979	14	11.29	Nov 1985	.12	Feb 1987	110.9	76.4	26.9	7.8	28.25	30.24	32.78	34.69	36.38	38.01	39.69	41.55	43.78	47.02	49.80

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1936-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 334681

Station: LONDON, OH

Climate Division: OH 5 NWS Call Sign:

Elevation: 1,020 Feet Lat: 39°53N Lon: 83°27W

										Snov	v (incl	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa	-				Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Ionthly Snow Fall		Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	6.2	1.0	2	#	12.0	1978	25	40.5	1978	24	1996	12	14	1996	2.8	2.2	.6	.3	@	-9.9	-9.9	-9.9	-9.9
Feb	5.0	-99.9	2	#	10.0	1984	29	10.0	1984	21	1985	11	18	1985	1.6	1.3	.4	@	@	3.1	2.9	2.3	1.8
Mar	2.8	2.5	#	#	5.0	1999	9	10.0	1999	12	1978	9	4	1978	1.3	1.1	.2	.1	.0	2.0	1.4	.9	.7
Apr	.3	.0	#	0	4.0	1973	12	5.0	1973	2	1987	4	#+	1996	.2	.1	@	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.2	.0	#	0	5.0	1974	20	5.0	1974	5	1974	20	#+	1993	@	@	@	@	.0	.1	.1	.1	.0
Nov	.3	.0	#	0	3.0	1996	21	3.0	1996	5	1980	19	1	1980	.4	.3	@	.0	.0	.2	.0	.0	.0
Dec	2.8	.8	#	#	6.2	1995	20	10.6	1974	7	1974	2	1	1995	1.6	1.2	.3	.1	.0	1.3	.7	.4	.0
Ann	17.6	-9.9	N/A	N/A	12.0	Jan 1978	25	40.5	Jan 1978	24	Jan 1996	12	18	Feb 1985	7.9	6.2	1.5	.5	@	-9.9	-9.9	-9.9	-9.9

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Station: LONDON, OH

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 334681

1-2000

Climate Division: OH 5 NWS Call Sign: Elevation: 1,020 Feet Lat: 39°53N Lon: 83°27W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date in	n spring (thr	u Jul 31) tha	n indicated((*)	
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/27	5/21	5/17	5/13	5/10	5/06	5/02	4/28	4/22
32	5/12	5/07	5/04	5/01	4/29	4/26	4/23	4/20	4/16
28	4/28	4/24	4/22	4/19	4/17	4/14	4/12	4/09	4/05
24	4/18	4/13	4/09	4/06	4/03	3/30	3/27	3/23	3/18
20	4/07	4/01	3/29	3/26	3/23	3/20	3/17	3/13	3/08
16	3/29	3/23	3/19	3/15	3/12	3/09	3/05	3/01	2/24
		•	Fal	l Freeze Dat	tes (Month/D	ay)	•		
Tomm (F)		Pro	bability of ea	arlier date ii	ı fall (beginn	ing Aug 1) t	han indicate	d(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/20	9/23	9/26	9/28	9/30	10/02	10/04	10/07	10/10
32	9/25	9/29	10/03	10/05	10/08	10/10	10/13	10/16	10/21
28	10/07	10/12	10/16	10/20	10/23	10/26	10/29	11/02	11/08
24	10/20	10/25	10/29	11/02	11/05	11/08	11/11	11/15	11/21
20	10/28	11/04	11/09	11/14	11/18	11/22	11/26	12/02	12/09
16	11/08	11/15	11/21	11/25	11/30	12/04	12/08	12/14	12/21
				Freeze F	ree Period	•			•
To (E)			Probability	of longer tha	an indicated	freeze free p	eriod (Days)		
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	164	157	151	147	143	139	134	129	122
32	181	174	169	165	161	157	153	149	142
28	209	202	197	192	188	184	180	174	167
24	240	231	225	220	215	211	206	200	191
20	266	257	250	245	239	234	229	222	213
16	288	279	273	267	262	256	251	244	235

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 334681

Station: LONDON, OH

Climate Division: OH 5 NWS Call Sign: Elevation: 1,020 Feet Lat: 39°53N Lon: 83°27W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1244	1022	825	489	207	29	2	22	97	408	723	1065	6133
60	1089	882	670	344	116	7	0	4	35	272	573	910	4902
57	996	798	583	264	76	2	0	0	15	202	484	817	4237
55	934	742	525	215	54	1	0	0	8	161	428	759	3827
50	781	608	386	114	19	0	0	0	1	82	294	615	2900
32	310	204	69	1	0	0	0	0	0	0	27	202	813

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	89	105	267	503	873	1112	1269	1194	956	621	295	160	7444
55	0	0	10	27	215	423	556	481	274	69	5	4	2064
57	0	0	6	17	174	365	494	419	221	48	2	0	1746
60	0	0	0	6	122	279	401	330	151	25	0	0	1314
65	0	0	0	1	58	151	248	193	63	6	0	0	720
70	0	0	0	0	21	59	115	92	17	0	0	0	304

										Gro	wing 1	Degre	e Uni	ts (2)										
Base	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov 40 20 36 147 334 660 903 1040 976 744 422 163 45 6 16 85 216 506 753 885 821 595 283 92															Growi	ng Degre	ee Units (Accumu	lated Mo	onthly)			
														Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	20	36	147	334	660	903	1040	976	744	422	163	45	20	56	203	537	1197	2100	3140	4116	4860	5282	5445	5490
45	6	16	85	216	506	753	885	821	595	283	92	21	6	22	107	323	829	1582	2467	3288	3883	4166	4258	4279
50													0	3	47	177	532	1135	1865	2531	2977	3147	3196	3200
55	0	0	21	68	226	453	575	511	307	87	16	0	0	0	21	89	315	768	1343	1854	2161	2248	2264	2264
60	0	0	3	29	125	308	420	358	189	39	5	0	0	0	3	32	157	465	885	1243	1432	1471	1476	1476
Base	Base Growing Degree Units for Corn (Monthly)													•	Gr	owing D	egree Ur	its for C	orn (Acc	umulate	d Month	ly)	•	
50/86	50/86 5 24 98 217 414 596 704 658 480 262 91 2:												5	29	127	344	758	1354	2058	2716	3196	3458	3549	3571

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf