CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Station Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971 - 2000



17 MAINE

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE
NATIONAL CLIMATIC DATA CENTER
ASHEVILLE, NC



(This Page Intentionally Left Blank)



MAINE

NOTES

Product Description:
This Climatography includes 1971-2000 normals of monthly and annual maximum, minimum, and mean temperature (degrees F), monthly and annual total precipitation (inches), and heating and cooling degree days (base 65 degrees F). Normals stations include both National Weather Service Cooperative Network and Principal Observation (First-Order) locations in the 50 states, Puerto Rico, the Virgin Islands, and Pacific Islands.

Abbreviations:
No. = Station Number in State Map
COOP ID = Cooperative Network ID (1:2=State ID, 3:6=Station Index)
WBAN ID = Weather Bureau Army Navy ID, if assigned
Elements = Input Elements (X=Maximum Temperature, N=Minimum Temperature, P=Precipitation)
Call = 3-Letter Station Call Sign, if assigned
MAX = Normal Maximum Temperature (degrees Fahrenheit)
MEAN = Average of MAX and MIN (degrees Fahrenheit)
MIN = Normal Minimum Temperature (degrees Fahrenheit)
HDD = Total Heating Degree Days (base 65 degrees Fahrenheit)
CDD = Total Cooling Degree Days (base 65 degrees Fahrenheit)
Latitude = Latitude in degrees, minutes, and hemisphere (N=North, S=South)
Longitude = Longitude in degrees, minutes, and hemisphere (W=West, E=East)
Elev = Elevation in feet above mean sea level
Flag 1 = * if a published *Local Climatological Data* station
Flag 2 = + if WMO Fully Qualified (see *Note* below)

HIGHEST MEAN/YEAR = Maximum Mean Monthly Value/Year, 1971-2000
MEDIAN = Median Mean Monthly Value/Year, 1971-2000
LOWEST MEAN/YEAR = Minimum Mean Monthly Value/Year, 1971-2000
MAX OBS TIME ADJUSTMENT = Add to MAX to Get Midnight Obs. Schedule
MIN OBS TIME ADJUSTMENT = Add to MIN to Get Midnight Obs. Schedule

Note: In 1989, the World Meteorological Organization (WMO) prescribed standards of data completeness for the 1961-1990 WMO Standard Normals. For full qualification, no more than three consecutive year-month values can be missing for a given month or no more than five overall values can be missing for a given month (out of 30 values). Stations meeting these standards are indicated with a '+' sign in Flag 2. Otherwise, stations are included in the normals if they have at least 10 year-month values for each month and have been active since January 1999 or were a previous normals station.

Map Legend: Numbers correspond to 'No.' in Station Inventory; Shaded Circles indicate Temperature and Precipitation Stations, Triangles (Point Up) indicate Precipitation-Only Stations, Triangles (Point Down) indicate Temperature-Only Stations, and Hexagons indicate stations with Flag 1 = *.

Computational Procedures:

A climate normal is defined, by convention, as the arithmetic mean of a climatological element computed over three consecutive decades (WMO,1989). Ideally, the data record for such a 30-year period should be free of any inconsistencies in observational practices (*e.g.*, changes in station location, instrumentation, time of observation, *etc.*) and be serially complete (*i.e.*, no missing values). When present, inconsistencies can lead to a non-climatic bias in one period of a station's record relative to another, yielding an "inhomogeneous" data record. Adjustments and estimations can make a climate record "homogeneous" and serially complete, and allow a climate normal to be calculated simply as the average of the 30 monthly values.

The methodology employed to generate the 1971-2000 normals is not the same as in previous normals, as it addresses inhomogeneity and missing data value problems using several steps. The technique developed by Karl *et al.* (1986) is used to adjust monthly maximum and minimum temperature observations of conterminous U.S. stations to a consistent midnight-to-midnight schedule. All monthly temperature averages and precipitation totals are cross-checked against archived daily observations to ensure internal consistency. Each monthly observation is evaluated using a modified quality control procedure (Peterson *et al*.,1998), where station observation departures are computed, compared with neighboring stations, and then flagged and estimated where large differences with neighboring values exist. Missing or discarded temperature and precipitation observations are replaced using a weighting function derived from the observed relationship between a candidate's monthly observations and those of up to 20 neighboring stations whose observations are most strongly correlated with the candidate site. For temperature estimates, neighboring stations were selected from the U.S. Historical Climatology Network (USHCN; Karl *et al.* 1990). For precipitation estimates, all available stations were potential neighbors, maximizing station density for estimating the more spatially variable precipitation values.

Peterson and Easterling (1994) and Easterling and Peterson (1995) outline the method for adjusting temperature inhomogeneities. This technique involves comparing the record of the candidate station with a reference series generated from neighboring data. The reference series is reconstructed using a weighted average of first difference observations (the difference from one year to the next) for neighboring stations with the highest correlation with the candidate. The underlying assumption behind this methodology is that temperatures over a region have similar tendencies in variation. If this assumption is violated, the potential discontinuity is evaluated for statistical significance. Where significant discontinuities are detected, the difference in average annual temperatures before and after the inhomogeneity is applied to adjust the mean of the earlier block with the mean of the latter block of data. Such an evaluation requires a minimum of five years between discontinuities. Consequently, if multiple changes occur within five years or if a change occurs very near the end of the normals period (*e.g.,* after 1995), the discontinuity may not be detectable using this methodology.

The monthly normals for maximum and minimum temperature and precipitation are computed simply by averaging the appropriate 30 values from the 1971-2000 record. The monthly average temperature normals are computed by averaging the corresponding monthly maximum and minimum normals. The annual temperature normals are calculated by taking the average of the 12 monthly normals. The annual precipitation and degree day normals are the sum of the 12 monthly normals. Trace precipitation totals are shown as zero. Precipitation totals include rain and the liquid equivalent of frozen and freezing precipitation (*e.g.*, snow, sleet, freezing rain, and hail). For many NWS locations, indicated with an '*' next to 'HDD' and 'CDD' in the degree day table, degree day normals are computed directly from daily values for the 1971-2000 period. For all other stations, estimated degree day totals are based on a modification of the rational conversion formula developed by Thom (1966), using daily spline-fit means and standard deviations of average temperature as inputs.

References:

Easterling, D.R, and T.C. Peterson, 1995: A new method for detecting and adjusting for undocumented discontinuities in climatological time series. *Intl. J. Clim.*, **15**, 369-377.
Karl, T.R., C.N. Williams, Jr., P.J. Young, and W.M. Wendland,1986: A model to estimate the time of observation bias associated with monthly mean maximum, minimum, and mean temperatures for the United States, *J. Clim. Appl. Met.*, **25**, 145-160.
Peterson, T.C., and D.R. Easterling, 1994: Creation of homogeneous composite climatological reference series. *Intl. J. Clim.*, **14**, 671-679.
Peterson,T.C., R. Vose, R. Schmoyer, and V. Razuvaev, 1998: Global Historical Climatology Network (GHCN) quality control of monthly temperature data. *Intl. J. Clim.*, **18**, 1169-1179.
Thom, H.C.S., 1966: Normal degree days above any base by the universal truncation coefficient, *Month. Wea. Rev.*, **94**, 461-465.
World Meteorological Organization, 1989: Calculation of Monthly and Annual 30-Year Standard Normals, WCDP-No. 10, WMO-TD/No. 341, Geneva: World Meteorological Organization.

Release Date: Revised 02/2002* **National Climatic Data Center/NESDIS/NOAA, Asheville, North Carolina**

17 - MAINE





MAINE

STATION INVENTORY

No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
1	170100		XNP	ACADIA NATIONAL PARK		44 21 N	68 16 W	470		
2	170177		P	ALBION		44 29 N	69 29 W	320		
3	170200		XNP	ALLAGASH		47 05 N	69 01 W	596		
4	170275	14605	XNP	AUGUSTA AP	AUG	44 19 N	69 48 W	350		+
5	170355	14606	XNP	BANGOR INTL AP	BGR	44 48 N	68 49 W	148		
6	170398		XNP	BARNARD		45 17 N	69 09 W	545		
7	170480		XNP	BELFAST		44 24 N	69 00 W	30		+
8	170600		P	BINGHAM WYMAN DAM		45 04 N	69 54 W	400		+
9	170655		P	BLANCHARD		45 16 N	69 35 W	600		
10	170814		XNP	BRASSUA DAM		45 40 N	69 49 W	1060		+
11	170833		XNP	BRIDGEWATER		46 25 N	67 51 W	420		+
12	170844		XNP	BRIDGTON 3 NW		44 05 N	70 44 W	560		+
13	170934		XNP	BRUNSWICK	NHZ	43 54 N	69 56 W	70		
14	171175	14607	XNP	CARIBOU MUNICIPAL AP	CAR	46 52 N	68 02 W	624	*	+
15	171472		XNP	CLAYTON LAKE		46 37 N	69 32 W	1000		
16	171628		XNP	CORINNA		44 55 N	69 16 W	220		+
17	171833		XNP	DANFORTH		45 40 N	67 52 W	380		
18	171975		XNP	DOVER-FOXCROFT		45 11 N	69 15 W	460		
19	172238		XNP	EAST HIRAM		43 53 N	70 45 W	528		+
20	172426	14608	XNP	EASTPORT		44 55 N	67 00 W	85		+
21	172620		XNP	ELLSWORTH		44 32 N	68 26 W	20		
22	172700		XNP	EUSTIS		45 13 N	70 29 W	1260		
23	172765		XNP	FARMINGTON		44 41 N	70 09 W	420		+
24	172878		XNP	FORT KENT		47 14 N	68 37 W	610		+
25	173046		XNP	GARDINER		44 13 N	69 47 W	140		+
26	173261		XNP	GRAND LAKE STREAM		45 11 N	67 47 W	290		+
27	173417		P	GUILFORD		45 10 N	69 23 W	400		
28	173567		P	HARMONY		44 57 N	69 33 W	320		
29	173588		P	HARRIS STATION		45 28 N	69 52 W	830		+
30	173892	14609	XNP	HOULTON INTL AP	HUL	46 07 N	67 48 W	476		+
31	173944		XNP	HOULTON 5 N		46 12 N	67 50 W	390		
32	174086		XNP	JACKMAN		45 38 N	70 16 W	1190		+
33	174183		XNP	JONESBORO		44 39 N	67 39 W	185		+
34	174193		XNP	KENNEBUNKPORT		43 21 N	70 28 W	20		
35	174324		P	KINGFIELD		44 58 N	70 10 W	630		
36	174566		XNP	LEWISTON		44 06 N	70 13 W	180		+
37	174781		XNP	LONG FALLS DAM		45 13 N	70 12 W	1160		+
38	174817		P	LOVELL		44 09 N	70 54 W	490		
39	174878		P	MACHIAS		44 43 N	67 27 W	20		+
40	174927		XNP	MADISON		44 48 N	69 53 W	260		+
41	175261		XNP	MIDDLE DAM		44 47 N	70 55 W	1460		+
42	175304		XNP	MILLINOCKET		45 39 N	68 42 W	360		+
43	175460		P	MOOSEHEAD		45 35 N	69 43 W	1028		+
44	175675		XNP	NEWCASTLE		44 03 N	69 32 W	190		+
45	176430		XNP	ORONO		44 54 N	68 40 W	115		+
46	176705		P	PHILLIPS		44 49 N	70 21 W	600		
47	176881		XNP	PORT CLYDE		43 55 N	69 16 W	30		
48	176905	14764	XNP	PORTLAND INTL AP	PWM	43 39 N	70 18 W	45	*	+
49	176937		XNP	PRESQUE ISLE		46 39 N	68 00 W	599		+
50	177037		XNP	RANGELEY		44 58 N	70 39 W	1530		+
51	177174		XNP	RIPOGENUS DAM		45 53 N	69 11 W	965		
52	177325		XNP	RUMFORD 1 SSE		44 32 N	70 32 W	630		+
53	177479		XNP	SANFORD 2 NNW		43 28 N	70 47 W	280		+
54	178398		XNP	SQUA PAN DAM		46 33 N	68 20 W	610		
55	178965		XNP	VAN BUREN 2		47 10 N	67 56 W	456		+
56	178974		XNP	VANCEBORO 2		45 34 N	67 26 W	420		+
57	179151		XNP	WATERVILLE TREATMENT PLT		44 32 N	69 39 W	73		+
58	179314		XNP	WEST BUXTON 2 NNW		43 42 N	70 37 W	150		+
59	179538		P	WEST PARIS		44 20 N	70 35 W	540		
60	179593		XNP	WEST ROCKPORT 1 NNW		44 12 N	69 09 W	380		
61	179891		XNP	WOODLAND		45 09 N	67 24 W	140		



MAINE

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	ACADIA NATIONAL PARK	MAX	31.9	34.4	41.6	52.7	65.0	74.2	79.8	78.2	69.2	57.9	47.1	36.9	55.7
		MEAN	21.0	24.1	32.0	42.4	53.7	62.8	68.5	67.3	58.7	48.2	38.0	26.8	45.3
		MIN	10.0	13.8	22.3	32.0	42.3	51.3	57.1	56.3	48.1	38.4	28.8	16.7	34.8
003	ALLAGASH	MAX	18.3	23.6	34.9	46.4	62.7	71.7	76.1	74.2	64.7	51.2	37.2	24.8	48.8
		MEAN	4.3	7.2	20.4	35.2	48.9	57.9	62.7	60.7	51.6	40.0	28.3	13.1	35.9
		MIN	-9.8	-9.3	5.9	23.9	35.1	44.1	49.2	47.1	38.4	28.7	19.3	1.4	22.8
004	AUGUSTA AP	MAX	28.5	32.1	41.2	53.1	66.0	74.8	80.5	79.0	70.1	58.4	46.0	34.1	55.3
		MEAN	19.5	22.9	32.5	43.7	55.4	64.4	70.1	68.7	59.9	48.8	38.1	25.7	45.8
		MIN	10.5	13.6	23.7	34.3	44.7	53.9	59.7	58.3	49.6	39.2	30.2	17.3	36.3
005	BANGOR INTL AP	MAX	27.6	30.9	40.2	52.6	65.4	74.4	79.6	78.1	69.1	57.3	44.8	33.1	54.4
		MEAN	18.0	21.2	31.2	42.9	54.5	63.9	69.2	67.7	58.8	47.8	37.1	24.5	44.7
		MIN	8.3	11.4	22.1	33.2	43.6	53.3	58.7	57.2	48.5	38.2	29.3	15.8	35.0
006	BARNARD	MAX	23.8	27.9	37.8	49.6	63.9	72.4	76.9	75.7	66.6	54.9	42.1	29.6	51.8
		MEAN	13.1	16.6	27.7	39.7	52.4	61.4	66.6	65.0	55.7	44.7	34.1	20.8	41.5
		MIN	2.4	5.2	17.5	29.7	40.9	50.4	56.3	54.3	44.8	34.4	26.0	11.9	31.2
007	BELFAST	MAX	31.1	33.8	42.0	52.8	64.6	73.8	79.3	77.9	69.8	58.5	46.7	35.7	55.5
		MEAN	20.9	23.4	32.3	42.7	53.5	62.6	68.2	66.9	59.0	48.4	38.4	26.6	45.2
		MIN	10.6	12.9	22.6	32.5	42.4	51.3	57.1	55.9	48.1	38.2	30.1	17.5	34.9
010	BRASSUA DAM	MAX	20.9	24.6	34.2	45.8	60.6	70.2	74.9	73.3	64.2	51.7	38.5	26.2	48.8
		MEAN	9.3	11.9	22.4	35.7	49.0	59.3	64.3	62.4	53.5	42.2	30.8	16.8	38.1
		MIN	-2.3	-0.9	10.6	25.5	37.3	48.3	53.7	51.4	42.8	32.7	23.1	7.3	27.5
011	BRIDGEWATER	MAX	21.5	25.7	36.2	49.2	64.6	73.8	78.3	75.9	65.9	53.3	39.1	26.5	50.8
		MEAN	10.6	13.8	25.5	38.6	51.6	61.1	65.8	63.6	54.3	43.4	31.5	17.1	39.7
		MIN	-0.3	1.9	14.8	28.0	38.6	48.3	53.2	51.2	42.7	33.4	23.9	7.7	28.6
012	BRIDGTON 3 NW	MAX	28.6	32.4	41.3	52.7	66.2	74.1	78.8	76.7	68.6	57.6	45.0	33.5	54.6
		MEAN	16.5	20.0	29.9	41.3	53.7	62.2	67.2	65.1	56.5	45.5	35.4	23.1	43.0
		MIN	4.3	7.5	18.4	29.8	41.1	50.2	55.5	53.5	44.4	33.4	25.8	12.7	31.4
013	BRUNSWICK	MAX	31.0	34.2	42.7	54.2	65.3	74.3	80.0	79.1	70.3	59.3	47.8	36.6	56.2
		MEAN	20.6	23.8	33.0	43.6	54.0	63.1	68.9	67.9	59.1	48.0	38.2	26.8	45.6
		MIN	10.1	13.4	23.3	33.0	42.6	51.9	57.7	56.7	47.8	36.7	28.5	17.0	34.9
014	CARIBOU MUNICIPAL AP	MAX	19.3	23.2	34.1	47.0	62.6	71.8	76.3	74.2	64.1	51.4	37.4	24.8	48.9
		MEAN	9.5	13.0	24.6	38.1	51.6	60.8	65.6	63.4	53.8	42.8	30.6	16.4	39.2
		MIN	-0.3	2.9	15.2	29.2	40.7	49.9	54.8	52.6	43.6	34.1	23.7	8.0	29.5
015	CLAYTON LAKE	MAX	18.9	22.5	33.9	45.4	61.2	71.2	75.1	73.6	63.9	50.6	36.9	24.7	48.2
		MEAN	6.4	8.5	20.7	34.7	48.7	58.5	62.8	60.8	51.7	40.0	28.3	13.8	36.2
		MIN	-6.1	-5.6	7.4	24.0	36.2	45.8	50.4	47.9	39.4	29.4	19.6	2.9	24.3
016	CORINNA	MAX	25.7	29.3	39.0	51.6	65.8	74.2	79.2	77.6	68.7	57.1	43.7	31.1	53.6
		MEAN	13.3	16.3	27.8	40.7	53.5	62.4	67.7	65.6	56.6	44.9	34.3	20.6	42.0
		MIN	0.8	3.3	16.6	29.7	41.2	50.6	56.2	53.6	44.5	32.7	24.8	10.0	30.3
017	DANFORTH	MAX	23.9	27.5	37.5	49.2	63.9	73.3	77.9	76.7	67.5	54.9	42.0	29.6	52.0
		MEAN	10.7	13.8	25.4	38.4	51.0	60.1	65.1	63.7	54.4	42.9	32.2	18.5	39.7
		MIN	-2.6	0.1	13.3	27.6	38.0	46.8	52.2	50.6	41.3	30.9	22.3	7.4	27.3
018	DOVER-FOXCROFT	MAX	23.6	27.5	36.9	48.5	63.8	72.6	78.1	76.5	67.1	54.8	41.7	29.1	51.7
		MEAN	12.1	15.6	25.8	38.1	51.4	60.5	66.0	64.3	54.8	43.3	32.6	19.3	40.3
		MIN	0.6	3.6	14.6	27.7	38.9	48.3	53.9	52.0	42.4	31.7	23.4	9.4	28.9
019	EAST HIRAM	MAX	28.4	32.1	41.3	53.4	66.5	75.0	80.1	78.2	69.5	57.7	44.7	33.2	55.0
		MEAN	15.5	18.1	29.2	41.4	53.3	62.5	67.5	65.4	56.5	44.9	34.5	22.1	42.6
		MIN	2.5	4.1	17.1	29.4	40.1	49.9	54.8	52.5	43.5	32.1	24.2	11.0	30.1
020	EASTPORT	MAX	30.4	31.9	39.2	49.6	60.2	68.9	74.5	74.1	66.4	56.0	45.5	35.4	52.7
		MEAN	22.1	24.0	31.7	41.5	50.8	58.6	64.0	64.1	57.6	48.3	38.8	27.8	44.1
		MIN	13.7	16.1	24.2	33.3	41.3	48.2	53.5	54.1	48.7	40.5	32.1	20.2	35.5
021	ELLSWORTH	MAX	30.1	33.1	41.3	52.5	64.5	73.3	78.5	77.4	68.2	56.8	45.5	34.6	54.7
		MEAN	20.4	23.1	32.2	42.7	53.6	62.3	68.0	67.1	58.5	48.0	38.1	26.1	45.0
		MIN	10.7	13.1	23.0	32.8	42.7	51.3	57.5	56.7	48.8	39.2	30.6	17.5	35.3
022	EUSTIS	MAX	21.2	24.4	34.1	46.0	61.3	70.2	74.8	73.0	63.9	51.4	38.2	26.4	48.7
		MEAN	10.2	12.8	23.2	36.0	48.8	58.1	62.9	60.8	52.2	41.5	30.4	17.2	37.8
		MIN	-0.9	1.1	12.3	25.9	36.3	46.0	51.0	48.6	40.5	31.5	22.5	8.0	26.9
023	FARMINGTON	MAX	25.9	30.2	39.0	51.5	65.4	73.7	78.6	76.9	68.1	56.7	43.2	31.2	53.4
		MEAN	14.4	18.3	28.3	40.2	51.8	60.8	65.9	64.2	55.0	44.9	34.5	21.6	41.7
		MIN	2.9	6.4	17.5	28.9	38.2	47.9	53.2	51.4	41.9	33.1	25.7	11.9	29.9
024	FORT KENT	MAX	19.0	23.1	34.2	46.1	62.1	72.0	76.5	74.5	64.7	52.1	38.2	24.9	49.0
		MEAN	6.4	9.4	22.2	36.2	50.1	60.0	64.9	62.6	53.1	42.0	30.1	14.5	37.6
		MIN	-6.2	-4.3	10.1	26.3	38.0	47.9	53.2	50.7	41.4	31.8	21.9	4.1	26.2
025	GARDINER	MAX	28.7	31.7	40.6	52.4	65.1	74.0	79.6	78.2	69.7	58.1	45.8	34.3	54.9
		MEAN	17.8	20.7	31.2	42.6	54.2	63.2	68.8	67.3	58.6	47.4	37.0	24.8	44.5
		MIN	6.8	9.7	21.8	32.8	43.3	52.3	57.9	56.3	47.4	36.6	28.1	15.2	34.0
026	GRAND LAKE STREAM	MAX	27.1	30.5	39.4	50.9	64.3	73.6	79.3	78.1	69.2	57.3	44.8	32.5	53.9
		MEAN	15.3	18.2	28.1	40.0	52.1	61.6	67.3	65.9	56.9	45.6	35.0	22.0	42.3
		MIN	3.4	5.8	16.8	29.1	39.8	49.5	55.2	53.7	44.5	33.9	25.1	11.5	30.7



MAINE

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
030	HOULTON INTL AP	MAX	22.5	26.1	36.4	49.1	64.3	73.5	78.4	76.2	66.0	53.5	39.9	27.4	51.1
		MEAN	11.4	14.3	25.8	38.5	51.6	60.8	66.1	63.9	54.1	43.0	31.5	17.7	39.9
		MIN	0.2	2.4	15.1	27.8	38.8	48.1	53.8	51.5	42.1	32.4	23.0	7.9	28.6
031	HOULTON 5 N	MAX	23.0	27.0	37.3	50.0	65.3	74.3	78.4	76.3	66.1	53.8	39.9	28.1	51.6
		MEAN	12.1	15.0	26.6	39.6	52.7	61.8	66.6	64.9	55.5	44.4	32.6	18.8	40.9
		MIN	1.1	3.0	15.9	29.1	40.0	49.3	54.7	53.4	44.9	34.9	25.3	9.4	30.1
032	JACKMAN	MAX	21.3	25.2	35.1	46.9	62.2	71.6	76.2	74.7	65.5	52.6	39.4	26.5	49.8
		MEAN	10.3	13.1	23.5	36.9	50.1	59.9	64.6	62.8	53.9	42.4	31.5	17.4	38.9
		MIN	-0.8	1.0	11.9	26.8	38.0	48.1	53.0	50.8	42.2	32.2	23.6	8.3	27.9
033	JONESBORO	MAX	28.0	30.9	39.0	50.1	61.1	69.4	74.9	74.7	67.1	55.9	44.8	33.7	52.5
		MEAN	18.2	20.8	30.0	40.8	51.0	59.2	64.8	64.4	56.7	46.2	36.6	24.5	42.8
		MIN	8.3	10.7	20.9	31.4	40.8	49.0	54.6	54.0	46.2	36.5	28.3	15.2	33.0
034	KENNEBUNKPORT	MAX	31.9	34.2	41.2	51.5	61.1	70.3	76.3	75.0	68.1	58.0	48.1	37.8	54.5
		MEAN	21.6	23.8	32.2	41.9	51.5	60.8	66.7	65.3	57.7	46.9	38.6	28.0	44.6
		MIN	11.3	13.3	23.2	32.2	41.9	51.3	57.1	55.6	47.2	35.7	29.1	18.1	34.7
036	LEWISTON	MAX	29.4	33.0	41.9	53.8	66.8	76.0	81.5	79.5	70.2	58.4	45.6	34.3	55.9
		MEAN	20.5	23.7	33.2	44.4	56.4	65.7	71.4	69.7	60.8	49.4	38.5	26.7	46.7
		MIN	11.5	14.4	24.5	35.0	45.9	55.3	61.2	59.9	51.4	40.3	31.4	19.1	37.5
037	LONG FALLS DAM	MAX	22.7	26.2	35.4	47.3	62.1	71.3	76.2	74.5	65.5	53.2	40.1	27.8	50.2
		MEAN	11.6	14.5	24.3	36.9	50.0	59.7	64.7	62.8	54.1	42.9	31.7	18.4	39.3
		MIN	0.4	2.7	13.1	26.5	37.9	48.1	53.2	51.1	42.6	32.6	23.3	8.9	28.4
040	MADISON	MAX	26.2	30.0	39.0	50.6	64.3	73.3	78.5	77.0	68.0	56.3	43.4	31.3	53.2
		MEAN	15.0	17.8	28.3	40.6	52.7	62.1	67.5	65.9	57.1	46.2	35.6	22.5	42.6
		MIN	3.7	5.5	17.5	30.6	41.1	50.9	56.4	54.7	46.1	36.0	27.8	13.6	32.0
041	MIDDLE DAM	MAX	23.4	26.7	35.9	46.7	61.4	70.9	75.6	74.0	65.0	52.8	39.9	28.3	50.1
		MEAN	11.8	14.2	24.5	36.7	49.9	59.8	64.4	62.7	54.0	42.5	31.5	18.3	39.2
		MIN	0.2	1.7	13.1	26.7	38.4	48.6	53.2	51.4	43.0	32.2	23.1	8.3	28.3
042	MILLINOCKET	MAX	23.4	27.2	37.1	49.4	63.9	73.3	78.5	76.7	66.8	54.4	41.5	29.0	51.8
		MEAN	12.8	15.7	26.5	39.6	52.6	62.5	67.9	65.8	56.2	44.4	33.7	20.1	41.5
		MIN	2.1	4.2	15.8	29.7	41.3	51.6	57.3	54.9	45.5	34.3	25.8	11.1	31.1
044	NEWCASTLE	MAX	29.7	33.1	41.5	53.2	65.3	73.2	78.6	76.9	67.8	56.8	45.3	34.4	54.7
		MEAN	21.1	24.3	33.0	43.6	54.7	62.9	68.5	67.1	58.7	48.1	37.9	26.5	45.5
		MIN	12.4	15.4	24.5	34.0	44.0	52.5	58.3	57.3	49.5	39.4	30.5	18.5	36.4
045	ORONO	MAX	27.7	30.9	40.2	52.0	65.8	74.8	80.4	77.7	67.1	54.7	42.8	32.0	53.8
		MEAN	17.9	21.2	31.0	42.0	53.9	62.7	68.4	66.1	56.4	45.3	35.5	23.7	43.7
		MIN	8.1	11.5	21.7	32.0	41.9	50.6	56.4	54.5	45.7	35.9	28.1	15.3	33.5
047	PORT CLYDE	MAX	32.4	34.4	41.3	49.7	58.8	66.1	72.4	71.4	65.1	55.3	46.4	37.4	52.6
		MEAN	24.8	26.6	34.0	42.3	51.2	58.4	64.5	64.0	58.0	49.0	40.6	30.6	45.3
		MIN	17.1	18.7	26.7	34.8	43.5	50.7	56.5	56.5	50.9	42.6	34.7	23.8	38.0
048	PORTLAND INTL AP	MAX	30.9	34.1	42.2	52.8	63.3	72.8	78.8	77.3	68.9	57.9	47.1	36.4	55.2
		MEAN	21.7	24.8	33.7	43.7	53.8	62.9	68.7	67.2	58.7	47.7	38.3	27.6	45.7
		MIN	12.5	15.6	25.2	34.7	44.2	52.9	58.6	57.2	48.5	37.4	29.5	18.7	36.3
049	PRESQUE ISLE	MAX	20.7	25.0	35.6	48.3	64.3	73.2	77.2	75.6	65.9	52.9	38.3	25.9	50.2
		MEAN	11.0	14.9	25.9	38.7	52.5	61.5	66.2	64.4	55.3	43.9	31.5	17.6	40.3
		MIN	1.2	4.7	16.2	29.0	40.6	49.8	55.1	53.1	44.6	34.9	24.7	9.3	30.3
050	RANGELEY	MAX	22.1	26.1	35.9	47.4	62.3	71.3	76.1	74.1	65.4	52.8	39.4	27.5	50.0
		MEAN	9.4	11.6	22.7	36.1	49.6	59.2	64.1	62.1	53.7	41.9	30.7	16.9	38.2
		MIN	-3.3	-2.9	9.4	24.7	36.8	47.0	52.0	50.0	42.0	30.9	21.9	6.3	26.2
051	RIPOGENUS DAM	MAX	21.2	25.0	34.9	46.4	61.5	71.6	76.5	75.0	65.7	52.9	39.3	26.7	49.7
		MEAN	9.7	12.5	22.2	35.6	49.5	59.9	65.2	63.3	54.4	42.6	31.3	17.2	38.6
		MIN	-1.9	0.0	9.5	24.7	37.4	48.1	53.8	51.5	43.0	32.2	23.3	7.7	27.4
052	RUMFORD 1 SSE	MAX	27.1	31.0	40.1	52.2	66.2	74.5	79.3	77.4	68.9	57.3	43.7	31.8	54.1
		MEAN	17.1	20.3	30.2	42.3	54.6	63.3	68.2	66.6	58.0	47.1	36.0	23.2	43.9
		MIN	7.0	9.6	20.3	32.3	43.0	52.1	57.1	55.8	47.1	36.8	28.3	14.6	33.7
053	SANFORD 2 NNW	MAX	32.0	36.0	45.2	57.1	69.6	77.8	82.5	80.4	72.1	61.1	47.9	36.6	58.2
		MEAN	21.9	25.0	34.4	45.1	56.5	65.2	70.3	68.6	60.3	49.3	38.7	27.6	46.9
		MIN	11.7	14.0	23.6	33.1	43.3	52.6	58.1	56.8	48.5	37.4	29.4	18.5	35.6
054	SQUA PAN DAM	MAX	20.4	24.8	35.3	46.9	62.7	72.7	77.6	75.3	65.2	52.2	38.5	25.6	49.8
		MEAN	7.2	9.9	22.1	36.1	49.6	59.5	64.3	61.8	52.2	41.4	29.8	14.7	37.4
		MIN	-6.0	-5.1	8.8	25.2	36.4	46.2	50.9	48.3	39.1	30.5	21.1	3.8	24.9
055	VAN BUREN 2	MAX	18.8	22.9	33.7	46.3	62.1	71.9	76.1	74.3	64.5	51.8	38.3	25.2	48.8
		MEAN	5.9	8.8	21.8	36.6	50.4	60.2	65.0	62.9	53.4	41.9	30.5	14.9	37.7
		MIN	-7.0	-5.3	9.8	26.9	38.7	48.5	53.9	51.5	42.3	31.9	22.7	4.5	26.5
056	VANCEBORO 2	MAX	25.2	28.5	38.5	50.7	65.4	74.7	79.5	78.2	68.7	56.1	42.4	30.4	53.2
		MEAN	13.3	15.8	27.1	39.6	52.4	61.6	67.1	65.7	56.5	44.5	33.6	20.1	41.4
		MIN	1.4	3.1	15.6	28.5	39.3	48.5	54.7	53.2	44.3	32.8	24.8	9.8	29.7
057	WATERVILLE TREATMENT PL	MAX	28.3	31.6	41.1	53.1	66.4	75.3	80.7	78.8	70.3	58.5	45.5	33.5	55.3
		MEAN	16.8	19.4	30.2	42.0	54.2	63.5	69.0	67.1	58.6	46.8	35.9	23.5	43.9
		MIN	5.2	7.2	19.3	30.8	41.9	51.6	57.2	55.3	46.9	35.1	26.2	13.4	32.5



MAINE

TEMPERATURE NORMALS (Degrees Fahrenheit)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
058	WEST BUXTON 2 NNW	MAX	30.2	33.9	42.5	54.4	66.7	75.5	80.5	78.7	70.0	58.8	46.7	35.2	56.1
		MEAN	18.3	21.3	31.4	42.3	53.7	62.9	68.2	66.4	57.6	46.3	36.2	24.7	44.1
		MIN	6.4	8.7	20.2	30.2	40.6	50.2	55.9	54.0	45.2	33.7	25.6	14.1	32.1
060	WEST ROCKPORT 1 NNW	MAX	28.8	31.4	39.3	50.2	61.6	70.5	76.0	74.9	66.8	56.2	45.4	34.6	53.0
		MEAN	19.3	21.8	31.1	41.9	52.8	61.8	67.5	66.6	58.7	47.8	37.7	26.0	44.4
		MIN	9.8	12.2	22.8	33.5	43.9	53.0	59.0	58.2	50.6	39.4	29.9	17.3	35.8
061	WOODLAND	MAX	28.1	31.1	40.0	51.8	65.4	74.6	80.1	79.0	69.7	57.5	45.5	33.7	54.7
		MEAN	16.6	19.1	29.0	41.0	52.8	62.1	67.7	66.4	57.0	46.3	36.2	23.3	43.1
		MIN	5.0	7.1	18.0	30.1	40.1	49.5	55.3	53.7	44.3	35.1	26.9	12.9	31.5



MAINE

PRECIPITATION NORMALS (Total in Inches)

No.	Station Name	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	ACADIA NATIONAL PARK	5.94	4.52	5.46	4.93	4.53	4.10	3.38	2.93	4.42	4.86	6.42	5.81	57.30
002	ALBION	4.09	2.86	4.57	3.48	3.72	4.34	2.88	2.71	3.96	3.74	4.49	3.95	44.79
003	ALLAGASH	2.79	1.95	2.10	2.52	2.99	3.56	3.93	3.67	3.35	3.25	3.16	2.65	35.92
004	AUGUSTA AP	3.26	2.55	3.64	3.78	3.90	3.58	3.43	3.25	3.60	4.04	3.81	3.50	42.34
005	BANGOR INTL AP	3.34	2.54	3.44	3.32	3.40	3.41	3.24	2.99	3.39	3.48	3.69	3.33	39.57
006	BARNARD	3.86	2.68	3.61	3.63	4.33	4.06	3.59	3.81	3.87	3.82	4.05	3.49	44.80
007	BELFAST	4.06	3.01	4.38	4.45	4.18	3.88	3.20	3.01	4.10	4.33	4.74	4.31	47.65
008	BINGHAM WYMAN DAM	3.16	2.12	3.35	3.46	4.04	4.54	4.00	3.84	3.89	3.82	3.85	3.31	43.38
009	BLANCHARD	4.03	2.65	3.96	4.27	4.42	4.35	3.29	3.48	4.22	4.43	4.70	3.58	47.38
010	BRASSUA DAM	3.02	2.23	2.91	3.41	3.80	4.10	4.19	3.78	3.86	3.56	3.48	3.05	41.39
011	BRIDGEWATER	3.62	2.50	3.08	3.33	3.78	3.62	3.74	3.85	3.59	3.46	3.83	3.49	41.89
012	BRIDGTON 3 NW	4.25	3.36	4.18	3.99	3.77	4.05	4.03	3.97	3.66	4.61	4.25	3.81	47.93
013	BRUNSWICK	4.06	3.57	4.55	4.47	4.11	3.57	3.31	3.15	3.71	4.19	4.87	4.47	48.03
014	CARIBOU MUNICIPAL AP	2.97	2.06	2.57	2.64	3.28	3.31	3.89	4.15	3.27	2.99	3.12	3.19	37.44
015	CLAYTON LAKE	2.78	2.12	2.16	2.62	2.92	3.86	3.86	3.16	3.43	3.35	2.85	2.42	35.53
016	CORINNA	3.45	2.52	3.64	3.72	3.72	3.83	3.44	3.61	3.82	3.82	3.80	3.45	42.82
017	DANFORTH	3.79	2.69	3.88	3.32	3.89	3.45	3.27	2.99	3.59	3.54	3.79	3.56	41.76
018	DOVER-FOXCROFT	3.85	2.78	3.48	3.65	3.80	3.98	3.55	3.57	4.08	3.82	3.85	3.62	44.03
019	EAST HIRAM	3.96	3.15	4.26	4.42	3.99	3.89	4.12	3.63	3.68	4.58	4.58	4.10	48.36
020	EASTPORT	4.31	3.24	4.03	3.60	3.77	3.35	3.06	2.98	3.81	4.00	4.24	4.43	44.82
021	ELLSWORTH	4.27	3.14	4.22	4.20	3.85	3.66	3.46	2.94	4.05	4.20	4.70	4.11	46.80
022	EUSTIS	2.66	2.45	2.82	3.16	3.40	4.05	3.68	3.50	3.61	3.20	3.33	2.78	38.64
023	FARMINGTON	3.73	2.81	4.03	4.10	3.97	4.50	3.65	3.94	3.73	4.06	4.20	3.94	46.66
024	FORT KENT	2.78	1.85	2.25	2.72	3.29	3.54	3.91	4.16	3.39	3.08	2.89	2.93	36.79
025	GARDINER	3.70	2.73	4.02	4.04	3.81	3.74	3.28	3.25	3.61	3.92	4.19	3.68	43.97
026	GRAND LAKE STREAM	4.28	3.14	4.11	3.77	3.51	3.39	3.37	3.10	3.82	3.73	4.38	4.18	44.78
027	GUILFORD	3.91	2.66	3.74	3.71	3.93	4.23	3.33	3.44	3.98	4.09	4.03	3.60	44.65
028	HARMONY	3.39	2.30	3.49	3.54	3.80	4.16	3.25	3.32	3.75	3.73	3.84	3.15	41.72
029	HARRIS STATION	2.39	1.67	2.28	2.86	3.50	3.96	3.82	3.56	3.52	3.16	2.99	2.44	36.15
030	HOULTON INTL AP	3.28	2.12	2.71	2.84	3.23	3.66	3.46	3.69	3.44	3.31	3.62	3.27	38.63
031	HOULTON 5 N	3.79	2.46	2.98	3.19	3.61	3.81	3.46	4.08	3.44	3.45	3.50	3.57	41.34
032	JACKMAN	2.84	2.10	2.58	3.06	3.35	3.97	4.19	3.81	3.77	3.29	3.37	2.97	39.30
033	JONESBORO	5.10	3.65	4.63	4.56	4.54	3.73	3.64	3.13	4.06	4.32	5.05	4.89	51.30
034	KENNEBUNKPORT	3.94	3.41	4.26	4.33	4.32	3.38	3.01	3.02	3.65	4.77	4.63	4.35	47.07
035	KINGFIELD	3.65	2.61	3.69	3.98	3.94	4.63	3.77	3.93	3.46	3.91	4.25	3.56	45.38
036	LEWISTON	3.90	3.00	4.52	4.11	3.80	3.82	3.63	3.06	3.48	4.08	4.27	4.12	45.79
037	LONG FALLS DAM	3.09	2.16	3.28	3.42	3.46	3.77	3.73	3.40	3.41	3.40	3.68	3.04	39.84
038	LOVELL	3.85	2.90	3.95	3.86	3.88	3.70	3.34	4.68	3.23	3.95	3.91	3.45	44.70
039	MACHIAS	4.97	3.50	4.63	4.36	4.47	3.58	3.51	3.02	4.23	4.21	5.11	4.98	50.57
040	MADISON	3.23	2.32	3.20	3.31	3.64	3.63	3.28	3.25	3.26	3.50	3.61	3.36	39.59
041	MIDDLE DAM	2.67	1.94	2.74	2.80	3.42	3.87	3.71	3.91	3.44	3.48	3.22	2.55	37.75
042	MILLINOCKET	3.37	2.39	3.08	3.54	3.78	3.94	3.80	3.95	3.67	3.70	3.67	3.45	42.34
043	MOOSEHEAD	2.97	2.15	2.96	3.22	3.38	4.12	4.01	3.81	3.68	3.43	3.33	3.04	40.10
044	NEWCASTLE	4.35	3.22	4.42	4.24	4.00	3.58	3.11	2.75	3.83	4.10	4.70	4.63	46.93
045	ORONO	3.52	2.37	3.26	3.21	3.34	3.56	3.37	3.24	3.84	3.40	3.53	3.63	40.27
046	PHILLIPS	3.54	2.68	3.33	3.52	4.02	4.70	3.25	3.48	3.81	3.86	4.20	3.23	43.62
047	PORT CLYDE	4.91	3.42	4.71	4.36	3.59	2.63	2.71	2.29	3.81	3.60	4.65	4.02	44.70
048	PORTLAND INTL AP	4.09	3.14	4.14	4.26	3.82	3.28	3.32	3.05	3.37	4.40	4.72	4.24	45.83
049	PRESQUE ISLE	2.55	1.68	2.12	2.35	3.44	3.43	3.71	3.94	3.44	3.28	2.77	2.56	35.27
050	RANGELEY	3.23	2.17	3.15	3.18	3.40	4.07	3.88	3.99	3.64	3.46	3.44	3.00	40.61
051	RIPOGENUS DAM	2.85	1.94	2.87	3.21	3.54	3.98	4.11	3.90	3.67	3.31	3.39	2.96	39.73
052	RUMFORD 1 SSE	3.39	2.31	3.71	3.82	3.94	4.38	3.88	4.25	3.64	3.98	4.24	3.37	44.91
053	SANFORD 2 NNW	4.16	3.51	4.51	4.50	3.92	3.53	3.91	3.63	3.75	4.27	4.82	4.28	48.79
054	SQUA PAN DAM	2.91	2.13	2.46	2.68	3.45	3.40	3.53	3.86	3.33	3.15	2.97	3.13	37.00
055	VAN BUREN 2	2.75	1.97	2.28	2.65	3.39	3.51	4.36	3.84	3.36	3.25	3.14	3.05	37.55
056	VANCEBORO 2	3.68	2.50	3.16	3.47	4.08	3.81	3.94	3.64	4.07	3.92	4.31	3.54	44.12
057	WATERVILLE TREATMENT PL	3.33	2.41	3.63	3.39	3.70	3.76	3.59	3.37	3.78	3.90	3.59	3.19	41.64
058	WEST BUXTON 2 NNW	3.73	3.01	4.31	4.45	3.91	3.60	3.82	3.21	3.72	4.32	4.49	3.95	46.52
059	WEST PARIS	3.56	2.50	3.34	3.64	3.38	3.90	3.29	3.85	3.18	3.89	3.74	3.21	41.48
060	WEST ROCKPORT 1 NNW	4.76	3.43	4.73	4.74	4.38	3.80	3.19	2.90	4.31	4.79	5.25	4.98	51.26
061	WOODLAND	4.11	3.25	3.90	3.76	3.78	3.57	3.27	3.09	3.71	4.07	4.50	4.22	45.23



MAINE

DEGREE DAYS (Total)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	ACADIA NATIONAL PARK	HDD	1366	1145	1024	679	355	103	19	27	199	522	812	1186	7437
		CDD	0	0	0	0	2	36	126	97	8	0	0	0	269
003	ALLAGASH	HDD	1884	1621	1382	896	500	219	96	153	404	777	1103	1611	10646
		CDD	0	0	0	0	1	6	24	18	1	0	0	0	50
004	AUGUSTA AP	HDD	1410	1180	1009	640	306	80	12	17	175	504	806	1219	7358
		CDD	0	0	0	0	6	60	170	131	21	0	0	0	388
005	BANGOR INTL AP	HDD	1458	1228	1049	664	329	79	16	24	199	534	839	1257	7676
		CDD	0	0	0	0	4	45	145	105	14	0	0	0	313
006	BARNARD	HDD	1610	1357	1157	761	393	130	39	56	282	630	928	1372	8715
		CDD	0	0	0	0	3	22	89	57	3	0	0	0	174
007	BELFAST	HDD	1368	1167	1015	671	359	106	18	31	191	517	798	1191	7432
		CDD	0	0	0	0	1	31	117	89	10	0	0	0	248
010	BRASSUA DAM	HDD	1728	1490	1320	882	499	184	70	111	347	707	1025	1496	9859
		CDD	0	0	0	0	2	11	48	29	2	0	0	0	92
011	BRIDGEWATER	HDD	1689	1434	1223	792	419	136	54	87	324	672	1005	1485	9320
		CDD	0	0	0	0	3	17	77	43	2	0	0	0	142
012	BRIDGTON 3 NW	HDD	1505	1262	1091	712	354	114	36	65	261	605	889	1300	8194
		CDD	0	0	0	0	2	29	103	69	6	0	0	0	209
013	BRUNSWICK	HDD	1379	1155	992	643	344	98	12	22	190	528	806	1184	7353
		CDD	0	0	0	0	2	41	130	112	12	0	0	0	297
014	CARIBOU MUNICIPAL AP	HDD*	1719	1466	1254	805	417	159	58	103	344	691	1039	1505	9560
		CDD*	0	0	0	0	7	39	80	56	9	0	0	0	191
015	CLAYTON LAKE	HDD	1818	1585	1375	909	507	202	98	147	401	776	1102	1587	10507
		CDD	0	0	0	0	1	7	29	15	1	0	0	0	53
016	CORINNA	HDD	1604	1364	1154	731	361	109	23	53	256	623	922	1377	8577
		CDD	0	0	0	0	5	31	106	71	5	0	0	0	218
017	DANFORTH	HDD	1687	1434	1229	799	437	162	58	84	322	685	985	1442	9324
		CDD	0	0	0	0	1	13	59	43	3	0	0	0	119
018	DOVER-FOXCROFT	HDD	1640	1385	1218	807	424	152	49	80	310	675	974	1418	9132
		CDD	0	0	0	0	1	15	81	58	3	0	0	0	158
019	EAST HIRAM	HDD	1536	1313	1109	709	365	109	24	55	258	622	916	1330	8346
		CDD	0	0	0	0	2	33	101	66	3	0	0	0	205
020	EASTPORT	HDD	1331	1147	1031	706	442	199	68	57	225	521	786	1153	7666
		CDD	0	0	0	0	0	4	37	29	2	0	0	0	72
021	ELLSWORTH	HDD	1382	1174	1019	670	355	104	18	27	200	527	810	1207	7493
		CDD	0	0	0	0	1	24	111	91	5	0	0	0	232
022	EUSTIS	HDD	1701	1463	1297	872	503	215	98	146	386	731	1040	1483	9935
		CDD	0	0	0	0	0	9	33	15	0	0	0	0	57
023	FARMINGTON	HDD	1569	1308	1140	744	411	143	45	79	303	622	917	1347	8628
		CDD	0	0	0	0	2	17	74	52	2	0	0	0	147
024	FORT KENT	HDD	1819	1559	1329	865	466	167	66	112	362	715	1049	1566	10075
		CDD	0	0	0	0	3	15	62	37	3	0	0	0	120
025	GARDINER	HDD	1464	1240	1048	673	338	102	16	32	202	547	842	1247	7751
		CDD	0	0	0	0	4	47	131	102	9	0	0	0	293
026	GRAND LAKE STREAM	HDD	1542	1312	1144	750	401	123	29	45	248	602	902	1333	8431
		CDD	0	0	0	0	1	21	100	73	4	0	0	0	199
030	HOULTON INTL AP	HDD	1664	1420	1217	796	420	148	59	87	332	683	1007	1467	9300
		CDD	0	0	0	0	2	21	93	50	3	0	0	0	169
031	HOULTON 5 N	HDD	1643	1400	1191	763	388	118	37	63	289	640	973	1435	8940
		CDD	0	0	0	0	4	22	86	57	4	0	0	0	173
032	JACKMAN	HDD	1699	1453	1286	846	464	166	68	108	336	700	1006	1476	9608
		CDD	0	0	0	0	2	12	56	37	2	0	0	0	109
033	JONESBORO	HDD	1453	1238	1086	726	437	180	58	65	257	582	853	1257	8192
		CDD	0	0	0	0	0	7	50	46	5	0	0	0	108
034	KENNEBUNKPORT	HDD	1346	1156	1017	695	419	145	26	52	225	562	793	1150	7586
		CDD	0	0	0	0	0	19	78	63	4	0	0	0	164
036	LEWISTON	HDD	1380	1155	986	619	279	58	6	12	144	485	795	1188	7107
		CDD	0	0	0	0	10	77	204	157	17	0	0	0	465
037	LONG FALLS DAM	HDD	1657	1416	1263	843	467	170	64	100	331	686	1000	1445	9442
		CDD	0	0	0	0	1	11	55	32	2	0	0	0	101
040	MADISON	HDD	1552	1323	1139	732	385	114	27	51	244	585	882	1320	8354
		CDD	0	0	0	0	2	28	103	76	6	0	0	0	215
041	MIDDLE DAM	HDD	1650	1422	1256	849	470	169	68	98	332	698	1005	1449	9466
		CDD	0	0	0	0	1	12	50	28	1	0	0	0	92
042	MILLINOCKET	HDD	1620	1382	1194	764	390	107	26	51	273	641	940	1394	8782
		CDD	0	0	0	0	5	30	114	75	7	0	0	0	231
044	NEWCASTLE	HDD	1361	1140	992	642	325	98	18	26	198	524	815	1195	7334
		CDD	0	0	0	0	2	35	123	92	8	0	0	0	260



MAINE

DEGREE DAYS (Total)

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
045	ORONO	HDD	1459	1226	1056	689	353	119	37	47	270	611	887	1282	8036
		CDD	0	0	0	0	7	51	142	81	12	0	0	0	293
047	PORT CLYDE	HDD	1248	1077	962	683	431	204	56	69	212	497	733	1066	7238
		CDD	0	0	0	0	0	6	39	35	2	0	0	0	82
048	PORTLAND INTL AP	HDD*	1346	1141	985	649	361	116	19	37	199	523	790	1152	7318
		CDD*	0	0	0	0	7	51	144	120	24	1	0	0	347
049	PRESQUE ISLE	HDD	1676	1404	1213	789	392	131	51	71	298	655	1005	1470	9155
		CDD	0	0	0	0	4	26	87	51	6	0	0	0	174
050	RANGELEY	HDD	1724	1496	1314	868	480	184	74	121	341	717	1032	1492	9843
		CDD	0	0	0	0	1	9	44	30	1	0	0	0	85
051	RIPOGENUS DAM	HDD	1718	1469	1326	883	483	165	63	97	323	695	1011	1482	9715
		CDD	0	0	0	0	1	10	68	42	2	0	0	0	123
052	RUMFORD 1 SSE	HDD	1488	1252	1079	682	330	96	26	40	218	558	870	1296	7935
		CDD	0	0	0	0	7	44	125	88	8	0	0	0	272
053	SANFORD 2 NNW	HDD	1337	1121	949	597	272	66	8	18	157	489	790	1161	6965
		CDD	0	0	0	0	7	71	172	131	16	0	0	0	397
054	SQUA PAN DAM	HDD	1793	1546	1332	869	481	177	83	128	386	733	1056	1560	10144
		CDD	0	0	0	0	2	10	59	30	1	0	0	0	102
055	VAN BUREN 2	HDD	1833	1575	1340	852	455	158	64	104	350	719	1035	1554	10039
		CDD	0	0	0	0	3	14	64	39	2	0	0	0	122
056	VANCEBORO 2	HDD	1602	1378	1177	762	394	126	32	45	260	636	943	1391	8746
		CDD	0	0	0	0	3	24	96	66	5	0	0	0	194
057	WATERVILLE TREATMENT PL	HDD	1497	1278	1079	690	342	91	15	32	204	564	874	1287	7953
		CDD	0	0	0	0	4	44	137	95	11	0	0	0	291
058	WEST BUXTON 2 NNW	HDD	1448	1225	1044	681	353	109	21	49	231	582	866	1251	7860
		CDD	0	0	0	0	2	43	120	90	7	0	0	0	262
060	WEST ROCKPORT 1 NNW	HDD	1417	1210	1053	695	383	129	28	44	198	533	822	1211	7723
		CDD	0	0	0	0	2	32	105	92	9	0	0	0	240
061	WOODLAND	HDD	1503	1285	1117	721	385	120	30	43	246	580	865	1293	8188
		CDD	0	0	0	0	4	32	114	85	7	0	0	0	242



MAINE

NORMALS STATISTICS

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	ACADIA NATION	HIGHEST MEAN	32.6	32.8	37.5	45.5	58.3	66.9	71.8	70.7	65.6	54.2	43.1	33.6	71.8
		MEDIAN	21.6	23.4	31.5	42.7	53.8	62.8	68.8	67.7	58.3	48.5	38.1	26.5	45.0
		LOWEST MEAN	12.8	15.7	26.4	38.6	49.6	59.1	64.2	63.8	55.8	43.8	34.7	12.3	12.3
		HIGHEST MEAN YEAR	1990	1981	1977	1986	1998	1999	1994	1973	1999	1971	1975	1994	1994
		LOWEST MEAN YEAR	1981	1993	1984	1972	1974	1982	1992	1982	1978	1974	1992	1989	1989
		MIN OBS TIME ADJUSTMENT	-1.5	-1.9	-1.1	-0.9	-0.8	-0.8	-0.5	-0.9	-1.1	-1.6	-1.5	-1.4	
		MAX OBS TIME ADJUSTMENT	-1.9	-2.4	-1.9	-2.2	-2.3	-2.1	-1.4	-1.7	-2.7	-2.8	-2.4	-1.8	
003	ALLAGASH	HIGHEST MEAN	13.3	17.8	28.1	41.6	54.0	63.1	65.4	64.5	59.9	45.3	33.0	24.4	65.4
		MEDIAN	5.4	6.5	19.7	35.2	48.9	57.9	62.6	60.6	51.0	39.8	27.9	11.6	35.8
		LOWEST MEAN	-5.1	-3.6	14.4	30.2	43.1	53.8	58.1	57.0	47.8	35.3	24.1	0.2	-5.1
		HIGHEST MEAN YEAR	1990	1981	2000	1987	1989	1999	1995	1990	1999	1995	1999	1996	1995
		LOWEST MEAN YEAR	1994	1993	1984	1975	1974	1986	1992	1982	1978	1974	1986	1989	1994
		MIN OBS TIME ADJUSTMENT	1.5	2.3	1.4	0.1	-0.8	-0.6	-0.5	-0.3	-0.5	0.5	1.0	0.9	
		MAX OBS TIME ADJUSTMENT	0.5	0.6	0.6	0.5	0.4	0.3	0.1	0.0	0.0	0.1	0.0	0.2	
004	AUGUSTA AP	HIGHEST MEAN	27.2	33.0	38.7	47.7	59.4	69.5	74.2	72.7	66.3	54.7	42.9	32.0	74.2
		MEDIAN	20.1	22.5	32.5	43.5	55.3	64.6	70.3	68.3	59.5	48.7	37.4	26.9	45.4
		LOWEST MEAN	10.7	14.3	25.7	40.2	48.8	60.5	66.1	65.2	56.5	41.8	34.2	11.5	10.7
		HIGHEST MEAN YEAR	1990	1981	2000	1986	1991	1999	1999	1973	1999	1971	1999	1996	1999
		LOWEST MEAN YEAR	1994	1993	1984	1975	1974	1977	1992	1982	1995	1974	1996	1989	1994
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
005	BANGOR INTL A	HIGHEST MEAN	26.4	31.6	37.1	46.8	59.1	68.0	73.1	70.3	64.3	52.9	42.6	33.2	73.1
		MEDIAN	18.4	20.7	31.1	43.1	55.0	64.1	69.3	67.7	58.3	47.5	36.4	25.2	44.5
		LOWEST MEAN	8.4	11.3	25.8	39.6	49.9	60.6	64.7	64.6	55.1	42.9	34.0	10.3	8.4
		HIGHEST MEAN YEAR	1990	1981	1977	1986	1998	1999	1994	1980	1999	1995	1979	1973	1994
		LOWEST MEAN YEAR	1994	1993	1984	1995	1997	1977	1992	1982	1978	1980	1980	1989	1994
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
006	BARNARD	HIGHEST MEAN	21.9	26.7	34.4	44.2	57.7	65.8	70.1	68.7	62.8	50.5	38.6	27.9	70.1
		MEDIAN	13.7	16.2	27.2	40.0	52.3	61.5	66.7	65.1	55.3	44.8	34.1	21.8	41.4
		LOWEST MEAN	2.7	5.9	21.4	35.4	47.4	57.9	60.8	62.2	52.2	39.5	30.5	5.2	2.7
		HIGHEST MEAN YEAR	1990	1981	1977	1986	1998	1999	1994	1973	1999	1971	1979	1996	1994
		LOWEST MEAN YEAR	1994	1993	1984	1972	1974	1982	1992	1982	1978	1993	1986	1989	1994
		MIN OBS TIME ADJUSTMENT	1.4	2.2	1.3	0.0	-0.7	-0.6	-0.5	-0.3	-0.5	0.6	1.1	0.9	
		MAX OBS TIME ADJUSTMENT	0.2	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.2	
007	BELFAST	HIGHEST MEAN	28.7	31.5	36.8	45.7	58.4	66.8	71.1	70.1	63.9	53.6	43.8	33.3	71.1
		MEDIAN	21.1	23.4	32.3	42.6	54.1	62.8	68.4	67.0	58.8	48.3	38.4	27.3	45.1
		LOWEST MEAN	13.2	15.0	27.6	39.7	49.4	58.2	64.4	63.5	54.5	44.7	34.4	10.5	10.5
		HIGHEST MEAN YEAR	1990	1984	1977	1986	1991	1976	1973	1973	1999	1971	1979	1973	1973
		LOWEST MEAN YEAR	1994	1993	1984	1995	1997	1982	1992	1982	1980	1974	1996	1989	1989
		MIN OBS TIME ADJUSTMENT	-1.4	-1.8	-1.0	-0.9	-1.0	-0.7	-0.5	-0.8	-1.0	-1.4	-1.4	-1.3	
		MAX OBS TIME ADJUSTMENT	-1.9	-2.6	-1.8	-1.9	-2.0	-1.7	-1.2	-1.9	-1.9	-2.0	-1.9	-1.7	
010	BRASSUA DAM	HIGHEST MEAN	18.3	23.2	29.0	41.4	56.4	64.9	67.1	66.0	61.1	48.1	35.5	26.2	67.1
		MEDIAN	9.6	11.4	21.8	36.1	48.8	59.4	64.2	62.1	53.2	42.4	30.8	18.0	37.8
		LOWEST MEAN	-0.6	1.1	15.1	30.6	42.0	55.3	59.6	58.0	48.4	37.3	26.4	1.2	-0.6
		HIGHEST MEAN YEAR	1990	1981	1973	1987	1998	1999	1999	1973	1999	1971	1999	1996	1999
		LOWEST MEAN YEAR	1994	1993	1984	1975	1974	1986	1992	1982	1978	1974	1976	1989	1994
		MIN OBS TIME ADJUSTMENT	1.4	2.2	1.3	0.0	-0.8	-0.6	-0.5	-0.3	-0.5	0.6	1.0	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.2	
011	BRIDGEWATER	HIGHEST MEAN	19.1	25.7	31.9	44.8	57.3	65.3	69.0	67.5	61.9	48.8	36.5	26.5	69.0
		MEDIAN	11.0	13.2	25.2	38.7	51.4	60.9	65.7	63.6	54.3	42.8	31.4	17.0	39.4
		LOWEST MEAN	0.5	4.0	19.4	33.8	44.5	57.6	61.1	59.8	50.6	39.2	26.7	2.4	0.5
		HIGHEST MEAN YEAR	1990	1981	1979	1987	1989	1999	1994	1984	1999	1995	1979	1996	1994
		LOWEST MEAN YEAR	1994	1993	1972	1972	1974	1977	1992	1982	1978	1974	1986	1989	1994
		MIN OBS TIME ADJUSTMENT	-1.5	-1.6	-1.0	-0.8	-1.0	-0.7	-0.5	-0.7	-0.8	-1.2	-1.2	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.0	-1.0	-0.7	-0.6	-0.7	-0.6	-0.4	-0.4	-0.7	-0.8	-0.8	-0.8	
012	BRIDGTON 3 NW	HIGHEST MEAN	23.4	28.4	36.8	44.9	58.4	66.0	70.5	70.2	63.5	51.0	40.8	29.7	70.5
		MEDIAN	16.0	19.9	29.6	41.5	53.9	62.1	67.3	65.1	56.3	45.6	35.5	24.2	43.0
		LOWEST MEAN	6.1	10.1	24.0	36.8	49.7	58.6	62.0	62.0	53.6	40.4	31.7	7.0	6.1
		HIGHEST MEAN YEAR	1990	1984	1977	1976	1975	1994	1975	1973	1999	1971	1975	1973	1975
		LOWEST MEAN YEAR	1994	1993	1984	1975	1997	1982	2000	1981	1981	1993	1986	1989	1994
		MIN OBS TIME ADJUSTMENT	1.3	2.1	1.1	0.0	-0.6	-0.6	-0.5	-0.3	-0.5	0.5	1.0	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.0	
013	BRUNSWICK	HIGHEST MEAN	27.9	31.8	38.3	46.1	57.6	66.6	71.8	71.0	63.5	54.3	42.7	33.5	71.8
		MEDIAN	21.5	23.7	32.6	43.8	54.0	63.3	69.1	67.7	58.6	48.0	38.3	27.7	45.3
		LOWEST MEAN	12.6	15.6	27.7	39.1	49.2	59.7	64.9	64.7	55.6	42.6	34.4	12.8	12.6
		HIGHEST MEAN YEAR	1990	1981	1977	1973	1975	1999	1994	1984	1999	1971	1975	1973	1994
		LOWEST MEAN YEAR	1994	1993	1984	1971	1974	1982	1992	1982	1978	1974	1996	1989	1994
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	



MAINE

NORMALS STATISTICS

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
014	CARIBOU MUNIC	HIGHEST MEAN	17.3	26.9	31.7	43.9	57.2	64.1	69.1	66.6	61.7	47.8	35.5	26.2	69.1
		MEDIAN	9.9	12.4	24.2	38.3	51.5	60.5	65.8	63.7	53.8	43.0	29.9	16.3	39.1
		LOWEST MEAN	-0.7	4.2	18.4	34.3	45.4	56.9	60.3	58.2	50.1	38.7	26.0	3.5	-0.7
		HIGHEST MEAN YEAR	1990	1981	1977	1987	1999	1976	1995	1990	1999	1995	1979	1996	1995
		LOWEST MEAN YEAR	1994	1993	1972	1995	1974	1986	1992	1982	1978	1972	1976	1989	1994
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
015	CLAYTON LAKE	HIGHEST MEAN	16.9	18.8	27.8	40.8	56.0	63.2	66.1	64.5	59.8	45.3	33.6	23.9	66.1
		MEDIAN	6.8	7.8	19.6	35.2	48.7	58.6	62.7	60.7	51.4	40.2	28.4	13.7	36.1
		LOWEST MEAN	-3.8	-2.9	14.8	29.8	42.7	54.0	57.8	57.0	48.0	35.0	22.8	-1.5	-3.8
		HIGHEST MEAN YEAR	1990	1981	2000	1987	1998	1999	1995	1973	1999	1995	1999	1996	1995
		LOWEST MEAN YEAR	1994	1993	1972	1975	1974	1986	1992	1982	1978	1974	1986	1989	1994
		MIN OBS TIME ADJUSTMENT	1.5	2.2	1.3	0.1	-0.8	-0.6	-0.5	-0.3	-0.5	0.6	1.0	0.9	
		MAX OBS TIME ADJUSTMENT	0.5	0.6	0.6	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.2	
016	CORINNA	HIGHEST MEAN	21.5	26.5	33.8	44.9	58.6	67.0	71.2	69.2	63.2	49.8	39.5	29.3	71.2
		MEDIAN	13.9	15.6	27.6	41.0	53.6	62.5	67.5	65.4	56.3	45.0	33.7	20.9	41.5
		LOWEST MEAN	3.3	4.9	22.3	36.1	48.6	58.2	63.4	61.6	52.9	40.2	30.5	2.8	2.8
		HIGHEST MEAN YEAR	1990	1981	1977	1986	1998	1999	1988	1973	1999	1995	1979	1996	1988
		LOWEST MEAN YEAR	1994	1993	1972	1972	1974	1985	1992	1982	1995	1974	1989	1989	1989
		MIN OBS TIME ADJUSTMENT	1.4	2.2	1.2	0.0	-0.7	-0.6	-0.5	-0.3	-0.5	0.6	1.0	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.2	
017	DANFORTH	HIGHEST MEAN	19.9	24.0	31.8	43.1	56.6	64.9	68.6	67.4	62.5	48.0	36.9	28.1	68.6
		MEDIAN	11.6	13.1	24.8	38.8	50.9	60.1	65.0	63.5	54.0	42.8	31.7	18.9	39.5
		LOWEST MEAN	1.1	3.1	19.5	34.1	45.6	56.4	60.8	59.7	50.4	38.3	28.6	0.6	0.6
		HIGHEST MEAN YEAR	1990	1981	1977	1987	1998	1999	1994	1990	1999	1995	1999	1996	1994
		LOWEST MEAN YEAR	1994	1993	1972	1975	1974	1982	1992	1982	1978	1974	1986	1989	1989
		MIN OBS TIME ADJUSTMENT	1.4	2.1	1.2	0.0	-0.7	-0.6	-0.5	-0.3	-0.5	0.6	1.0	0.8	
		MAX OBS TIME ADJUSTMENT	0.2	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.2	
018	DOVER-FOXCROF	HIGHEST MEAN	21.9	24.6	32.3	43.3	57.1	64.8	69.8	67.9	62.6	48.6	37.8	27.1	69.8
		MEDIAN	12.6	14.9	25.0	38.5	51.1	60.5	66.0	64.3	54.5	43.4	31.4	20.1	39.8
		LOWEST MEAN	2.0	5.0	19.5	32.8	46.6	57.4	61.7	60.6	51.2	37.2	28.0	8.1	2.0
		HIGHEST MEAN YEAR	1990	1998	1977	1986	1998	1999	1994	1984	1999	1995	1999	1996	1994
		LOWEST MEAN YEAR	1994	1993	1972	1975	1997	1982	1992	1982	1978	1974	1986	1989	1994
		MIN OBS TIME ADJUSTMENT	1.4	2.2	1.3	0.0	-0.8	-0.6	-0.5	-0.3	-0.5	0.6	1.0	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.2	
019	EAST HIRAM	HIGHEST MEAN	23.9	28.0	34.8	46.8	58.3	67.6	70.2	69.7	61.9	50.3	39.9	29.6	70.2
		MEDIAN	16.1	17.8	28.9	41.7	53.2	62.2	67.5	65.3	56.2	45.1	34.6	22.3	42.4
		LOWEST MEAN	6.5	8.6	24.1	36.2	49.1	58.4	63.3	62.7	53.4	38.9	29.5	5.4	5.4
		HIGHEST MEAN YEAR	1990	1984	1977	1986	1975	1976	1994	1973	1999	1971	1999	1998	1994
		LOWEST MEAN YEAR	1982	1979	1972	1975	1997	1982	2000	1982	1986	1974	1972	1989	1989
		MIN OBS TIME ADJUSTMENT	1.3	2.1	1.1	0.0	-0.6	-0.6	-0.5	-0.3	-0.5	0.5	1.0	0.9	
		MAX OBS TIME ADJUSTMENT	0.2	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.0	
020	EASTPORT	HIGHEST MEAN	29.4	32.7	36.7	44.3	54.9	62.0	66.6	66.2	63.3	52.7	43.5	34.2	66.6
		MEDIAN	22.4	23.4	31.6	41.8	50.6	58.5	64.0	64.2	57.4	48.1	38.9	27.7	43.9
		LOWEST MEAN	13.4	16.1	26.0	38.4	47.9	55.1	61.0	61.4	54.7	44.8	35.0	13.1	13.1
		HIGHEST MEAN YEAR	1990	1981	2000	1986	1991	1999	1999	1984	1999	1995	1979	1973	1999
		LOWEST MEAN YEAR	1994	1993	1984	1972	1974	1977	1992	1982	1978	1974	1986	1989	1989
		MIN OBS TIME ADJUSTMENT	-1.1	-1.3	-0.9	-0.8	-0.8	-0.7	-0.5	-0.7	-0.8	-1.1	-0.9	-1.0	
		MAX OBS TIME ADJUSTMENT	-0.7	-0.6	-0.6	-0.6	-0.6	-0.6	-0.4	-0.5	-0.7	-0.7	-0.5	-0.7	
021	ELLSWORTH	HIGHEST MEAN	27.7	31.4	36.8	45.7	57.4	66.3	71.6	69.7	63.3	53.0	42.7	33.8	71.6
		MEDIAN	21.2	22.7	31.8	42.6	53.8	62.3	68.1	67.4	58.4	48.1	38.1	26.6	44.8
		LOWEST MEAN	11.9	15.1	27.1	39.3	50.1	59.8	64.3	63.6	55.8	43.5	34.3	9.9	9.9
		HIGHEST MEAN YEAR	1990	1981	1977	1986	1998	1999	1994	1973	1999	1995	1979	1973	1994
		LOWEST MEAN YEAR	1994	1993	1984	1992	1974	1985	1992	1986	1978	1974	1976	1989	1989
		MIN OBS TIME ADJUSTMENT	-1.1	-1.5	-0.9	-0.8	-0.9	-0.7	-0.5	-0.7	-0.8	-1.2	-1.1	-1.0	
		MAX OBS TIME ADJUSTMENT	-0.7	-1.0	-0.6	-0.6	-0.6	-0.6	-0.4	-0.9	-0.7	-0.7	-0.8	-0.7	
022	EUSTIS	HIGHEST MEAN	20.3	22.8	29.4	41.8	55.2	63.3	67.4	64.6	58.2	46.9	35.4	25.7	67.4
		MEDIAN	10.5	12.6	22.8	36.3	48.8	58.1	62.9	60.6	52.0	41.7	30.3	18.3	38.0
		LOWEST MEAN	1.0	3.4	16.3	30.5	43.0	54.3	58.8	57.0	48.4	36.6	26.7	2.8	1.0
		HIGHEST MEAN YEAR	1990	1981	1977	1986	1998	1999	1994	1973	1999	1971	1999	1998	1994
		LOWEST MEAN YEAR	1994	1979	1984	1972	1997	1982	1992	1982	1978	1974	1980	1989	1994
		MIN OBS TIME ADJUSTMENT	1.5	2.2	1.3	0.0	-0.8	-0.6	-0.5	-0.3	-0.5	0.6	1.1	1.0	
		MAX OBS TIME ADJUSTMENT	0.3	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.2	
023	FARMINGTON	HIGHEST MEAN	22.1	28.5	34.9	45.8	57.4	65.3	69.4	68.3	61.0	50.2	38.4	29.3	69.4
		MEDIAN	15.5	18.5	28.1	40.7	51.6	60.5	65.9	63.8	54.9	44.9	34.5	23.1	41.5
		LOWEST MEAN	4.9	8.8	21.7	35.6	46.1	56.8	61.8	60.7	51.0	39.5	31.0	7.3	4.9
		HIGHEST MEAN YEAR	1990	1981	1977	1986	1998	1999	1994	1973	1999	1971	1999	1998	1994
		LOWEST MEAN YEAR	1982	1993	1984	1975	1974	1982	1992	1982	1978	1974	1986	1989	1982
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	



MAINE

No.	Station Name	Element	NORMALS STATISTICS JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
024	FORT KENT	HIGHEST MEAN	13.0	22.9	30.3	43.2	55.3	63.7	68.2	65.9	61.0	48.3	34.6	24.6	68.2
		MEDIAN	7.0	9.5	21.5	36.2	50.6	60.0	64.6	62.8	52.9	41.9	29.4	14.4	37.3
		LOWEST MEAN	-2.6	-2.1	15.6	30.6	43.5	55.2	59.5	57.1	48.1	37.6	25.6	2.4	-2.6
		HIGHEST MEAN YEAR	1990	1981	1977	1987	1998	1999	1975	1990	1999	1971	1979	1996	1975
		LOWEST MEAN YEAR	1994	1993	1989	1985	1974	1986	1992	1982	1978	1993	1986	1989	1994
		MIN OBS TIME ADJUSTMENT	0.8	1.1	0.0	-0.5	-1.0	-0.8	-0.7	-0.8	-1.0	-0.7	0.2	0.3	
		MAX OBS TIME ADJUSTMENT	0.5	0.6	0.5	0.4	0.2	0.2	0.0	0.0	-0.2	0.0	0.0	0.2	
025	GARDINER	HIGHEST MEAN	26.1	29.7	36.8	46.6	59.1	68.3	72.7	70.0	63.9	52.8	41.5	32.9	72.7
		MEDIAN	18.6	20.4	30.9	42.9	54.3	63.0	68.7	67.1	58.2	47.2	36.8	25.8	44.1
		LOWEST MEAN	8.8	11.3	23.8	39.3	49.3	58.9	65.1	63.4	55.1	43.4	32.9	8.4	8.4
		HIGHEST MEAN YEAR	1990	1981	1977	1986	1998	1999	1994	1973	1999	1995	1979	1996	1994
		LOWEST MEAN YEAR	1994	1993	1984	1975	1974	1985	1992	1982	1986	1974	1976	1989	1989
		MIN OBS TIME ADJUSTMENT	0.5	1.1	0.0	-0.5	-0.8	-0.7	-0.5	-0.7	-1.0	-0.6	0.2	0.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.6	0.4	0.4	0.3	0.2	0.1	0.0	-0.2	0.0	0.0	0.0	
026	GRAND LAKE ST	HIGHEST MEAN	22.6	27.5	34.2	44.1	56.8	65.6	70.2	69.3	62.1	50.2	39.7	31.0	70.2
		MEDIAN	15.1	17.2	27.7	40.0	52.4	61.3	67.6	65.5	56.8	45.8	34.6	21.9	42.1
		LOWEST MEAN	7.0	9.0	22.0	35.5	47.2	58.2	63.3	63.0	53.5	41.2	31.4	5.6	5.6
		HIGHEST MEAN YEAR	1990	1981	1979	1987	1998	1976	1994	1984	1999	1971	1979	1973	1994
		LOWEST MEAN YEAR	1994	1993	1972	1995	1974	1977	1992	1982	1995	1993	1986	1989	1989
		MIN OBS TIME ADJUSTMENT	1.3	2.1	1.2	0.0	-0.7	-0.6	-0.4	-0.3	-0.5	0.6	0.2	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.2	
030	HOULTON INTL	HIGHEST MEAN	18.9	27.3	33.7	43.4	56.7	65.2	71.5	67.9	62.4	47.6	35.9	27.8	71.5
		MEDIAN	12.0	13.7	25.6	39.1	51.5	60.8	66.0	63.9	53.9	43.3	30.7	17.3	39.6
		LOWEST MEAN	0.7	3.6	19.3	33.4	46.2	56.6	60.2	59.2	49.1	38.3	27.5	1.9	0.7
		HIGHEST MEAN YEAR	1990	1981	1979	1987	1999	1973	1973	1973	1999	1995	1999	1996	1973
		LOWEST MEAN YEAR	1994	1993	1972	1975	1974	1977	1992	1982	1978	1974	1986	1989	1994
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
031	HOULTON 5 N	HIGHEST MEAN	20.2	25.1	32.8	45.2	57.8	66.5	69.6	68.1	62.7	49.6	37.2	27.4	69.6
		MEDIAN	12.8	14.1	26.4	40.1	52.4	61.8	66.3	64.6	55.4	44.7	32.3	18.1	40.7
		LOWEST MEAN	2.0	5.5	21.0	35.0	46.7	58.1	61.8	61.3	52.0	39.5	28.0	3.2	2.0
		HIGHEST MEAN YEAR	1990	1981	1977	1987	1999	1999	1994	1984	1999	1995	1999	1996	1994
		LOWEST MEAN YEAR	1994	1993	1972	1975	1974	1986	1992	1982	1978	1974	1986	1989	1994
		MIN OBS TIME ADJUSTMENT	-1.3	-1.6	-1.0	-0.8	-1.0	-0.7	-0.5	-0.8	-0.8	-1.2	-1.2	-1.2	
		MAX OBS TIME ADJUSTMENT	-0.8	-1.1	-0.7	-0.6	-0.7	-0.6	-0.4	-0.6	-0.7	-0.8	-0.8	-0.8	
032	JACKMAN	HIGHEST MEAN	19.9	24.4	31.4	42.6	56.2	64.9	68.5	66.5	60.8	48.3	37.0	25.1	68.5
		MEDIAN	10.2	13.0	23.1	37.2	49.9	59.5	64.4	62.6	54.0	42.7	31.2	18.7	38.8
		LOWEST MEAN	0.7	2.1	16.3	31.1	43.7	57.1	60.1	58.8	49.5	36.7	27.1	2.0	0.7
		HIGHEST MEAN YEAR	1990	1981	1977	1986	1998	1999	1994	1973	1999	1995	1979	1998	1994
		LOWEST MEAN YEAR	1994	1993	1984	1975	1974	1980	1992	1972	1978	1974	1976	1989	1994
		MIN OBS TIME ADJUSTMENT	1.5	2.2	1.3	0.0	-0.8	-0.6	-0.5	-0.3	-0.5	0.6	1.0	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.2	
033	JONESBORO	HIGHEST MEAN	26.7	29.5	36.3	44.1	54.9	62.5	68.0	67.0	64.6	51.6	41.5	31.5	68.0
		MEDIAN	18.9	19.6	29.9	41.0	50.8	59.2	64.7	64.6	56.6	46.2	36.6	25.1	42.4
		LOWEST MEAN	9.9	12.4	24.5	36.6	47.1	55.8	62.1	60.6	53.3	40.6	32.2	7.5	7.5
		HIGHEST MEAN YEAR	1990	1984	2000	1986	1999	1995	1994	1990	1999	1995	1999	1973	1994
		LOWEST MEAN YEAR	1982	1993	1972	1972	1974	1977	1992	1982	1986	1974	1978	1989	1989
		MIN OBS TIME ADJUSTMENT	1.3	2.1	1.1	0.0	-0.7	-0.6	-0.4	-0.3	-0.5	0.6	0.2	0.8	
		MAX OBS TIME ADJUSTMENT	0.2	0.6	0.5	0.4	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.2	
034	KENNEBUNKPORT	HIGHEST MEAN	29.9	31.8	37.3	45.0	55.7	64.8	69.8	68.9	62.1	52.8	43.0	34.7	69.8
		MEDIAN	22.9	23.3	32.4	42.4	51.4	60.9	66.9	65.5	57.7	46.6	38.7	28.7	44.4
		LOWEST MEAN	12.9	15.1	26.5	37.7	48.4	56.5	63.6	61.6	54.5	42.7	35.0	12.8	12.8
		HIGHEST MEAN YEAR	1990	1981	1973	1976	1991	1999	1999	1973	1999	1971	1979	1996	1999
		LOWEST MEAN YEAR	1994	1979	1984	1972	1974	1982	1992	1982	1995	1974	1976	1989	1989
		MIN OBS TIME ADJUSTMENT	1.3	2.0	1.0	0.0	-0.6	-0.6	-0.5	-0.3	-0.5	0.6	1.0	0.9	
		MAX OBS TIME ADJUSTMENT	0.2	0.5	0.4	0.4	0.4	0.3	0.1	0.0	0.0	0.1	0.1	0.1	
036	LEWISTON	HIGHEST MEAN	28.5	32.8	38.3	48.2	61.5	70.0	74.7	73.1	65.2	54.6	43.5	33.1	74.7
		MEDIAN	20.8	23.0	33.1	44.7	56.2	65.5	71.4	69.7	60.6	49.3	38.4	28.1	46.6
		LOWEST MEAN	11.9	16.0	27.3	40.5	51.4	61.2	66.2	66.6	58.4	45.0	34.9	13.7	11.9
		HIGHEST MEAN YEAR	1990	1981	1977	1986	1998	1976	1994	1973	1999	1971	1979	1996	1994
		LOWEST MEAN YEAR	1994	1993	1984	1972	1974	1982	2000	1982	1986	1974	1986	1989	1994
		MIN OBS TIME ADJUSTMENT	-0.6	-0.8	-0.5	-0.4	-0.4	-0.3	-0.2	-0.4	-0.4	-0.5	-0.6	-0.5	
		MAX OBS TIME ADJUSTMENT	-0.2	-0.2	-0.1	-0.1	-0.1	-0.1	-0.1	-0.2	-0.2	-0.2	-0.2	-0.2	
037	LONG FALLS DA	HIGHEST MEAN	20.4	24.4	32.2	43.0	56.3	64.2	68.0	66.8	60.7	48.2	36.3	26.8	68.0
		MEDIAN	11.5	14.2	23.3	37.1	49.6	59.8	64.7	62.7	54.1	43.2	31.5	19.3	39.1
		LOWEST MEAN	1.7	3.9	17.3	32.1	44.5	55.7	60.1	59.3	49.6	38.1	28.5	3.5	1.7
		HIGHEST MEAN YEAR	1990	1981	1973	1986	1998	1999	1994	1973	1999	1995	1979	1998	1994
		LOWEST MEAN YEAR	1994	1993	1984	1972	1997	1982	1992	1982	1978	1974	1980	1989	1994
		MIN OBS TIME ADJUSTMENT	1.5	2.2	1.3	0.0	-0.8	-0.6	-0.5	-0.3	-0.5	0.6	1.0	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.2	



MAINE

NORMALS STATISTICS

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
040	MADISON	HIGHEST MEAN	23.4	27.8	34.3	44.9	58.5	66.8	71.1	69.4	63.8	50.7	41.0	29.8	71.1
		MEDIAN	15.8	16.8	28.0	41.1	52.4	62.1	67.6	65.2	56.8	46.3	35.3	24.0	42.1
		LOWEST MEAN	5.1	7.6	22.2	35.2	47.6	58.3	63.5	61.9	53.7	42.4	31.9	5.8	5.1
		HIGHEST MEAN YEAR	1990	1981	1983	1986	1998	1999	1994	1973	1999	1971	1979	1973	1994
		LOWEST MEAN YEAR	1994	1993	1972	1975	1974	1982	1992	1982	1978	1974	1995	1989	1994
		MIN OBS TIME ADJUSTMENT	1.4	2.2	1.3	0.0	-0.8	-0.6	-0.5	-0.3	-0.5	0.6	1.0	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.2	
041	MIDDLE DAM	HIGHEST MEAN	21.7	24.6	32.0	42.8	55.9	64.4	67.4	67.1	60.0	48.7	36.7	26.6	67.4
		MEDIAN	12.4	14.1	24.2	37.1	49.6	59.8	64.4	62.5	54.2	42.3	31.7	20.1	38.8
		LOWEST MEAN	2.5	4.6	15.9	30.6	44.3	55.5	60.9	59.4	49.7	36.1	26.4	2.2	2.2
		HIGHEST MEAN YEAR	1990	1981	1973	1987	1998	1999	1988	1973	1999	1971	1979	1996	1988
		LOWEST MEAN YEAR	1982	1979	1984	1975	1997	1985	1992	1982	1978	1974	1980	1989	1989
		MIN OBS TIME ADJUSTMENT	1.4	2.1	1.2	0.0	-0.7	-0.6	-0.5	-0.3	-0.5	0.6	1.0	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.2	
042	MILLINOCKET	HIGHEST MEAN	21.0	25.0	33.2	44.6	58.1	67.2	70.9	69.2	63.7	49.5	38.2	28.8	70.9
		MEDIAN	13.3	14.9	26.1	40.1	52.8	62.3	67.9	65.7	56.2	45.0	32.7	20.3	41.3
		LOWEST MEAN	2.1	5.1	20.4	35.0	45.9	59.2	63.0	61.9	52.5	39.4	30.2	5.2	2.1
		HIGHEST MEAN YEAR	1990	1981	1977	1987	1998	1999	1994	1984	1999	1995	1999	1996	1994
		LOWEST MEAN YEAR	1994	1993	1972	1972	1974	1980	1992	1982	1978	1974	1986	1989	1994
		MIN OBS TIME ADJUSTMENT	1.4	2.2	1.3	0.0	-0.7	-0.6	-0.5	-0.4	-0.5	0.6	1.0	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.2	
044	NEWCASTLE	HIGHEST MEAN	28.7	32.4	38.2	46.8	58.2	67.0	72.0	69.8	64.1	52.8	42.6	33.0	72.0
		MEDIAN	22.1	23.8	32.9	43.8	54.5	62.9	68.7	67.3	58.4	48.1	37.6	27.6	45.2
		LOWEST MEAN	13.3	16.1	27.3	40.5	50.4	59.0	64.4	63.7	55.7	43.5	34.4	12.1	12.1
		HIGHEST MEAN YEAR	1990	1981	1977	1976	1998	1976	1999	1973	1999	1971	1999	1996	1999
		LOWEST MEAN YEAR	1994	1993	1984	1972	1974	1982	1992	1982	1986	1974	1972	1989	1989
		MIN OBS TIME ADJUSTMENT	-1.3	-1.6	-1.0	-0.8	-0.8	-0.7	-0.5	-0.8	-0.9	-1.3	-1.3	-1.0	
		MAX OBS TIME ADJUSTMENT	-1.2	-1.7	-1.1	-1.2	-1.2	-1.1	-0.8	-1.4	-1.2	-1.2	-1.2	-1.0	
045	ORONO	HIGHEST MEAN	25.6	31.9	39.0	46.9	58.7	68.5	72.6	69.0	65.3	51.0	41.5	33.4	72.6
		MEDIAN	18.7	19.7	30.4	42.2	54.1	62.4	68.3	66.2	55.7	45.2	34.8	24.0	43.4
		LOWEST MEAN	10.2	14.1	25.8	37.6	48.6	57.8	61.4	62.4	52.7	41.1	31.3	8.1	8.1
		HIGHEST MEAN YEAR	1983	1981	1977	1983	1999	1999	1982	1988	1999	1995	1999	1996	1982
		LOWEST MEAN YEAR	1977	1993	1992	1989	1990	1985	1992	1989	1991	1992	1989	1989	1989
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
047	PORT CLYDE	HIGHEST MEAN	31.9	33.8	38.9	45.1	54.3	62.0	67.5	66.4	62.0	54.1	45.0	36.1	67.5
		MEDIAN	26.0	26.2	34.0	42.5	51.2	58.6	64.6	64.0	57.8	48.7	40.9	31.3	45.2
		LOWEST MEAN	17.1	17.4	28.3	38.6	48.0	54.1	61.5	60.2	55.1	45.2	36.5	17.6	17.1
		HIGHEST MEAN YEAR	1990	1984	1973	1976	1975	1999	1999	1973	1999	1971	1975	1996	1999
		LOWEST MEAN YEAR	1981	1979	1984	1972	1990	1982	1992	1982	1978	1974	1976	1989	1981
		MIN OBS TIME ADJUSTMENT	-1.3	-1.7	-1.0	-0.8	-0.8	-0.7	-0.5	-0.8	-0.9	-1.3	-1.2	-1.0	
		MAX OBS TIME ADJUSTMENT	-1.2	-1.7	-1.2	-1.2	-1.2	-1.1	-0.8	-1.4	-1.1	-1.2	-1.2	-1.0	
048	PORTLAND INTL	HIGHEST MEAN	29.8	32.7	38.6	46.9	57.7	66.3	72.4	70.7	63.3	52.5	42.7	34.5	72.4
		MEDIAN	22.8	24.7	34.3	43.5	53.6	63.3	69.1	67.3	58.4	47.2	38.5	28.6	45.7
		LOWEST MEAN	12.6	16.4	28.7	40.9	51.1	58.2	65.0	63.6	56.5	43.2	34.7	13.4	12.6
		HIGHEST MEAN YEAR	1990	1981	1973	1986	1991	1999	1994	1973	1999	1995	1975	1996	1994
		LOWEST MEAN YEAR	1971	1979	1984	1975	1997	1982	1992	1982	1995	1976	1972	1989	1971
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
049	PRESQUE ISLE	HIGHEST MEAN	18.5	26.5	32.9	45.3	58.3	66.5	69.6	67.6	63.2	48.1	36.3	24.5	69.6
		MEDIAN	11.7	14.3	25.4	39.2	52.3	61.3	65.6	64.2	55.2	44.6	31.3	18.0	40.0
		LOWEST MEAN	1.0	4.7	19.4	33.6	45.9	57.4	60.7	59.9	51.2	39.9	27.3	3.2	1.0
		HIGHEST MEAN YEAR	1990	1981	1977	1987	1999	1999	1975	1990	1999	1995	1999	1973	1975
		LOWEST MEAN YEAR	1994	1993	1972	1972	1974	1986	1992	1982	1986	1974	1996	1989	1994
		MIN OBS TIME ADJUSTMENT	-1.7	-1.7	-1.1	-0.9	-1.1	-0.8	-0.5	-0.8	-1.0	-1.4	-1.3	-1.3	
		MAX OBS TIME ADJUSTMENT	-1.5	-1.8	-1.3	-1.2	-1.3	-1.2	-0.8	-0.6	-0.8	-1.3	-1.3	-1.2	
050	RANGELEY	HIGHEST MEAN	18.9	22.5	30.3	43.2	55.4	63.3	67.3	67.0	59.7	48.1	35.3	25.1	67.3
		MEDIAN	9.7	11.7	21.9	36.3	49.4	59.5	64.1	61.7	53.6	42.0	30.9	18.1	38.0
		LOWEST MEAN	0.6	1.2	16.0	30.6	43.0	54.8	59.9	57.8	49.2	36.9	26.1	0.9	0.6
		HIGHEST MEAN YEAR	1990	1984	1973	1986	1998	1999	1975	1973	1999	1971	1999	1996	1975
		LOWEST MEAN YEAR	1994	1979	1984	1975	1997	1980	1992	1982	1978	1974	1980	1989	1994
		MIN OBS TIME ADJUSTMENT	1.5	2.2	1.3	0.0	-0.8	-0.6	-0.5	-0.3	-0.5	0.6	1.1	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.2	
051	RIPOGENUS DAM	HIGHEST MEAN	18.6	23.6	29.3	41.5	54.2	63.7	68.4	66.8	60.5	47.5	35.7	24.9	68.4
		MEDIAN	10.0	11.9	21.6	35.8	49.7	59.9	65.3	63.1	54.1	43.2	31.0	18.5	38.5
		LOWEST MEAN	-1.0	2.0	15.9	30.9	42.8	56.2	60.0	59.1	50.3	37.5	27.9	2.3	-1.0
		HIGHEST MEAN YEAR	1990	1981	1977	1987	1998	1999	1975	1990	1999	1995	1999	1996	1975
		LOWEST MEAN YEAR	1994	1993	1984	1995	1974	1986	1992	1982	1978	1974	1986	1989	1994
		MIN OBS TIME ADJUSTMENT	1.4	2.1	2.2	1.3	0.0	-0.1	-0.1	0.7	0.6	1.4	1.0	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.6	0.6	0.5	0.5	0.3	0.1	0.0	-0.1	0.1	0.0	0.1	



MAINE

NORMALS STATISTICS

No.	Station Name	Element	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
052	RUMFORD 1 SSE	HIGHEST MEAN	25.0	30.4	36.2	47.0	60.6	67.3	72.0	70.1	64.0	52.1	40.6	30.0	72.0
		MEDIAN	18.2	19.7	29.7	42.7	54.6	63.3	68.3	66.2	57.5	47.0	35.9	24.7	43.8
		LOWEST MEAN	8.0	13.3	24.0	36.5	48.1	59.4	62.8	63.8	54.7	42.2	31.4	7.4	7.4
		HIGHEST MEAN YEAR	1990	1981	1977	1986	1998	1999	1994	1995	1999	1971	1979	1998	1994
		LOWEST MEAN YEAR	1994	1979	1984	1972	1974	1982	1992	1982	1978	1974	1986	1989	1989
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
053	SANFORD 2 NNW	HIGHEST MEAN	29.8	32.3	39.5	49.0	61.1	70.3	73.7	71.8	64.9	55.4	43.7	33.6	73.7
		MEDIAN	23.2	24.5	34.9	45.4	56.4	65.4	70.2	68.6	59.8	49.1	39.0	27.9	46.7
		LOWEST MEAN	13.4	17.3	27.9	40.2	51.3	60.2	66.7	65.7	57.4	44.2	33.8	14.0	13.4
		HIGHEST MEAN YEAR	1990	1984	1977	1991	1991	1976	1994	1988	1999	1971	1999	1996	1994
		LOWEST MEAN YEAR	1982	1993	1984	1972	1974	1982	2000	1986	1978	1974	1976	1989	1982
		MIN OBS TIME ADJUSTMENT	-1.3	-1.7	-0.9	-0.9	-0.7	-0.7	-0.5	-0.8	-1.0	-1.4	-1.3	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.8	-2.5	-1.6	-1.8	-1.8	-1.6	-1.2	-1.8	-1.9	-1.9	-1.9	-1.6	
054	SQUA PAN DAM	HIGHEST MEAN	15.3	23.1	30.3	41.6	55.8	64.0	68.2	65.1	58.7	45.9	34.8	24.6	68.2
		MEDIAN	7.3	9.3	21.0	36.5	49.5	59.3	64.2	62.2	52.2	41.4	30.2	14.7	37.2
		LOWEST MEAN	-3.7	-1.1	15.9	32.3	42.3	55.0	59.2	57.4	47.4	37.3	25.9	-0.6	-3.7
		HIGHEST MEAN YEAR	1990	1981	1977	1987	1998	1999	1995	1984	1999	1971	1999	1996	1995
		LOWEST MEAN YEAR	1994	1993	1972	1975	1974	1986	1992	1982	1978	1974	1986	1989	1994
		MIN OBS TIME ADJUSTMENT	1.5	2.2	1.3	0.1	-0.7	-0.6	-0.5	-0.4	-0.5	0.6	1.0	0.8	
		MAX OBS TIME ADJUSTMENT	0.5	0.6	0.6	0.5	0.4	0.3	0.1	0.0	0.0	0.1	0.0	0.2	
055	VAN BUREN 2	HIGHEST MEAN	13.3	23.6	30.3	42.4	56.3	64.8	69.2	66.8	61.7	47.2	35.1	24.9	69.2
		MEDIAN	6.2	8.3	20.5	37.0	50.1	60.4	65.0	62.9	53.1	42.4	30.0	14.9	37.5
		LOWEST MEAN	-3.3	-1.9	15.0	32.5	43.6	55.1	60.3	57.6	49.1	37.5	25.2	0.8	-3.3
		HIGHEST MEAN YEAR	1983	1981	1979	1987	1999	1999	1975	1990	1999	1995	2000	1973	1975
		LOWEST MEAN YEAR	1994	1993	1997	1972	1974	1986	1992	1982	1978	1972	1986	1989	1994
		MIN OBS TIME ADJUSTMENT	1.5	2.3	1.4	0.1	-0.8	-0.6	-0.5	-0.8	-0.5	0.5	1.0	0.9	
		MAX OBS TIME ADJUSTMENT	0.5	0.6	0.6	0.5	0.4	0.3	0.1	0.0	0.0	0.1	0.0	0.2	
056	VANCEBORO 2	HIGHEST MEAN	21.1	26.0	33.0	44.6	56.6	66.0	70.6	68.7	63.3	49.4	38.1	28.6	70.6
		MEDIAN	14.3	15.0	26.7	39.9	52.8	61.5	67.2	65.7	56.2	44.8	33.5	20.0	41.2
		LOWEST MEAN	4.4	5.9	20.8	35.1	47.8	57.0	62.4	62.7	52.4	40.2	30.0	4.2	4.2
		HIGHEST MEAN YEAR	1990	1981	1979	1987	1989	1976	1973	1984	1999	1995	1979	1996	1973
		LOWEST MEAN YEAR	1994	1993	1972	1995	1974	1986	1992	1982	1978	1974	1992	1989	1989
		MIN OBS TIME ADJUSTMENT	1.4	2.1	1.2	0.0	-0.7	-0.6	-0.5	-0.8	-0.5	0.6	0.2	0.8	
		MAX OBS TIME ADJUSTMENT	0.3	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.2	
057	WATERVILLE TR	HIGHEST MEAN	25.0	27.8	36.9	45.9	59.1	68.3	72.6	71.2	65.2	53.0	41.0	31.7	72.6
		MEDIAN	17.4	19.1	30.1	42.1	53.9	63.6	69.0	67.0	58.2	47.0	35.7	24.3	43.9
		LOWEST MEAN	6.7	10.3	24.0	38.2	49.4	59.8	64.8	63.9	55.8	42.0	32.0	7.3	6.7
		HIGHEST MEAN YEAR	1990	1998	1977	1986	1998	1999	1994	1973	1999	1971	1999	1996	1994
		LOWEST MEAN YEAR	1994	1993	1984	1972	1974	1982	1992	1982	1978	1980	1986	1989	1994
		MIN OBS TIME ADJUSTMENT	1.4	2.1	1.2	0.0	-0.7	-0.6	-0.5	-0.3	-0.5	0.6	1.0	0.9	
		MAX OBS TIME ADJUSTMENT	0.3	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.2	
058	WEST BUXTON 2	HIGHEST MEAN	26.8	29.5	36.8	46.3	57.9	67.2	71.9	70.1	63.9	51.9	41.0	31.9	71.9
		MEDIAN	19.8	20.9	31.2	42.5	53.3	62.9	68.3	66.6	57.5	46.2	35.9	25.3	44.0
		LOWEST MEAN	8.2	13.3	25.0	38.6	49.5	56.8	64.6	62.3	52.5	41.5	32.2	10.2	8.2
		HIGHEST MEAN YEAR	1990	1998	2000	1986	1991	1999	1994	1973	1999	1971	1999	1996	1994
		LOWEST MEAN YEAR	1981	1993	1984	1972	1974	1982	1992	1982	1978	1974	1976	1989	1981
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
060	WEST ROCKPORT	HIGHEST MEAN	28.8	30.7	36.7	45.1	57.4	65.2	70.1	70.2	64.2	52.9	42.1	33.1	70.2
		MEDIAN	20.7	20.9	30.6	41.8	52.0	62.0	68.1	66.5	58.3	47.4	37.3	26.4	44.2
		LOWEST MEAN	10.0	14.7	24.8	38.0	48.0	56.8	63.4	62.1	54.6	44.3	33.4	12.2	10.0
		HIGHEST MEAN YEAR	1990	1998	2000	1998	1991	1999	1999	1973	1999	1971	1994	1996	1973
		LOWEST MEAN YEAR	1981	1979	1984	1972	1974	1982	1986	1982	1986	1974	1986	1989	1981
		MIN OBS TIME ADJUSTMENT	0.5	1.1	-0.1	-0.6	-0.8	-0.7	-0.5	-0.7	-1.0	-0.6	0.2	0.2	
		MAX OBS TIME ADJUSTMENT	0.3	0.5	0.4	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.0	0.0	
061	WOODLAND	HIGHEST MEAN	25.6	29.3	36.0	44.9	57.5	67.5	70.5	69.9	62.8	50.7	40.7	32.2	70.5
		MEDIAN	16.5	18.6	28.6	40.9	52.9	61.9	68.2	66.2	57.0	46.4	35.8	22.9	42.8
		LOWEST MEAN	6.8	6.4	22.7	37.3	47.6	58.4	62.6	62.7	53.9	41.7	32.2	7.3	6.4
		HIGHEST MEAN YEAR	1990	1981	1977	1987	1998	1999	1999	1973	1999	1995	1999	1996	1999
		LOWEST MEAN YEAR	1994	1993	1993	1995	1974	1982	1992	1979	1978	1974	1992	1989	1993
		MIN OBS TIME ADJUSTMENT	1.3	2.1	1.2	0.0	-0.7	-0.6	-0.5	-0.3	-0.5	0.6	0.2	0.8	
		MAX OBS TIME ADJUSTMENT	0.2	0.6	0.5	0.5	0.4	0.3	0.1	0.0	-0.1	0.1	0.0	0.2	