

Getting started with git (and L^AT_EX)

Graham W. Wilson

Almost minimal working example (MWE) of using git. Also included are some examples of using L^AT_EX for equations, figures, tables, and references. You can see this project on Overleaf with this Overleaf shared [link](#).

1 git/github

Git is a distributed version control system similar in functionality to earlier incarnations like cvs and svn. It is the de facto standard in software development and for scientific computing. It is used for tracking software changes and for coordinating concurrent work on associated projects amongst multiple people. For most of our class use case, we will deal with the simple workflow of personal use rather than collaborative use.

For each project, we will use github as the remote software repository, and a local git client like the git command line interface (CLI) on Ubuntu to manage git transactions.

A pre-requisite is a github account. This includes a username, password and secondary authentication mechanism. For the latter, I use https based authentication using a Personal Access Token (PAT); this is a 40 character automatically generated secondary password. Make sure you do not publish your PAT!

Once you have the above setup, you can create a new remote project repository by going to your github web page (github.com/yourusername), being logged in (with your password and possibly PAT), go to “Repositories” link on the top, and click on the green “New” button. This will create the new repository with the project name you assigned - for example “Projectile-Motion”. When you go to that repository, there should be another green button marked “Code”. This gives a number of methods for cloning your

remote repository locally on your computer. My preference is to use https, namely,

```
git clone https://github.com/yourusername/ProjectileMotion.git
```

This will copy the entire repository named ProjectileMotion to a folder/directory with that name to your current path. So if you are at /home/yourusername, the git directory will be at /home/yourusername/ProjectileMotion.

You can then navigate to that folder by doing,

```
cd ProjectileMotion
```

and use the code or add more code content.

It is always a good idea to check the status of your local repository, especially after making changes.

```
git status
```

Especially before, but also after executing git commands.

If you have new untracked files that you want to be tracked, you can add them piecemeal,

```
git add specific-file.txt
```

 or all at once (all files at current path and below)

```
git add .
```

It is OK (and often very desirable) to not have all files under git control. This can be managed using a .gitignore hidden file.

If you want to add all files all at once (all files at current path and below), one can do

```
git add .
```

Another `git status` here would help confirm what got added and this is a good time to undo any mistakes. (The files that were in red should now be in green.

Now we are ready to commit the changes to your local repository, including a short "commit" comment.

```
git commit -m "My commit message"
```

In order to “publish” or synchronize your local repository changes to the remote repository (github) one needs to “push” the changes to github. This needs authentication with your github username and PAT (for https). It is possible to cache your github credentials locally for up to 10 hours (so that

the username/PAT do not need to be respecified in further local-to-remote transactions).

```
git push
```

There is of course more functionality to git/github than described above, and various more advanced workflows, but these are some of the essential steps for single person use that takes advantage of the

2 L^AT_EX

L^AT_EX is a document preparation system that can handle documents ranging from basic notes, to lab reports, to technical documents, scientific papers and textbooks. It is especially strong in focusing the author on the content and the structure of the document, rather on details of typesetting and what ends up on specific pages. It is the tool of choice for documents with equations.

It used to have a reasonably steep learning curve, because it needs to be compiled rather than being WYSIWYG (what-you-see-is-what-you-get). Now there are LaTeX integrated development environments (IDEs) like Overleaf that allow one to add content and visualize the type-set document essentially instantaneously. Overleaf has become particularly powerful for working in a team on a common document. To get started with Overleaf you will need an account.

3 Some L^AT_EX examples

The Rayleigh distribution has the following probability density function,

$$p(r; \sigma) = \frac{r}{\sigma^2} \exp(-r^2/(2\sigma^2)) \quad (1)$$

where $r \geq 0$ and σ is known as the scale parameter. It relates to the magnitude of a bi-variate uncorrelated Gaussian distribution. An example of random numbers drawn from this distribution is shown in Fig. 1.

An environment `tabularx`, an extension of `tabular`, creates a paragraph-like column whose width automatically expands so that the declared width of the environment is filled. Table 1 shows a minimal working example.




Figure 1: Random numbers following the Rayleigh distribution with scale parameter, $\sigma = 1$.

Table 1: Example table.

Case	Method#1	Method#2	Method#3
1	50	837	970
2	47	877	230
3	31	25	415
4	35	144	2356
5	45	300	556

4 Previous work

There are many ways to reference bibliographic information. Here I used a style file from the CMS experiment. The references below are taken verbatim from an Overleaf template.

A simple L^AT_EX example of one author was written by [1] and several authors by [2]. A book can be cited by [3]. A much longer L^AT_EX example was written by [4]. An example of a technical report was written by [5].

References

- [1] A. C. Moretti, “A weighted projection centering method”, *Computational & Applied Mathematics* **22** (2003) 19–36.
- [2] J. J. B. Bechara and R. D. Galvão, “The use of interactive computing for vehicle routing”, in *Recent Advances in System Modelling and Optimization*, pp. 22–32. Springer, 1986.
- [3] L. Kleinrock, “Queueing systems: theory”. John Wiley, 1975.
- [4] N. Maculan, G. Plateau, and A. Lisser, “Integer linear models with a polynomial number of variables and constraints for some classical combinatorial optimization problems”, *Pesquisa Operacional* **23** (2003) 161–168.
- [5] H. H. Yanasse, “An exact algorithm for the tree case of the minimization of open orders problem”, technical report LAC-001/97, INPE, 1997.