

A Pharmacological and Molecular Analysis of the Telomere Lengthening Composition from Patent WO2012106692A1: An Evidence-Based Evaluation

Executive Summary

Patent WO2012106692A1 outlines a composition of 30 natural ingredients purported to increase telomere length in human cells.¹ The central claim of the patent is that this effect is achieved primarily through the induction of telomerase, the enzyme responsible for telomere elongation, with milk thistle extract (silymarin) identified as the principal activating agent. The patent supports this assertion with preliminary in-vitro screening data and a single-subject case study.¹

This report provides an exhaustive, evidence-based analysis of the patented formulation, deconstructing its scientific basis by examining each of its 30 components and their potential interactions. The investigation reveals that the direct evidence supporting the patent's primary claim of universal telomerase activation is tenuous and conflicts with a significant body of scientific literature. Research demonstrates that silymarin's effect on telomerase is highly context-dependent, showing inhibition in various cancer cell lines, which suggests a more complex, homeostatic regulatory role rather than that of a simple inducer.² The patent's reliance on a single, preliminary study on endothelial progenitor cells to substantiate its claim represents a significant oversimplification of this dualistic activity.¹

However, a comprehensive review of the formulation's individual components reveals an alternative and more scientifically plausible mechanism of action. The composition is overwhelmingly comprised of potent antioxidant and anti-inflammatory agents. These ingredients act on numerous, well-characterized pathways—such as neutralizing reactive oxygen species (ROS), upregulating endogenous antioxidant defenses via Nrf2, and inhibiting key inflammatory mediators like NF- κ B, COX, and LOX. The formulation is structured to leverage powerful synergistic interactions, including the enhancement of bioavailability between certain polyphenols and the regeneration of key antioxidants within a complex network.

Therefore, this analysis concludes that while the patented composition may indeed contribute to cellular health and promote longevity, its primary mechanism is far more likely to be the comprehensive mitigation of systemic oxidative stress and chronic inflammation. These two processes are established drivers of accelerated telomere attrition. By reducing the cellular damage that shortens telomeres, the formulation can indirectly preserve telomere length. The true value of the composition lies not in the unsubstantiated claim of direct telomerase activation, but in its potential as a multi-pathway antioxidant and anti-inflammatory complex that addresses the broader molecular hallmarks of aging.

Deconstruction of the Patented Formulation

Introduction to the Patent's Claims

The international patent application WO2012106692A1, titled "Compound and Method for Increasing Telomere Length," puts forth a central assertion: that a specific combination of natural products can lengthen telomeres by inducing the production of telomerase.¹ Telomeres, the protective nucleoprotein caps at the ends of chromosomes, naturally shorten with each cell division, a process linked to cellular senescence and organismal aging.¹ Telomerase is the ribonucleoprotein enzyme that counteracts this shortening by adding telomeric DNA repeats to chromosome ends. The patent posits that by activating this enzyme in somatic cells, where it is typically suppressed, the composition can reverse telomere shortening and restore a cellular phenotype associated with youth.¹

Composition Breakdown

The formulation detailed in the patent is a complex mixture of 30 distinct natural ingredients, organized into a specific proportional structure based on the weight of the "activating ingredients" in a representative 455 mg dosage.¹

- **Group 1 (Approximately 50% by weight):** This group consists of a single primary ingredient:
 - **Milk Thistle (*Silybum marianum*) Seed Extract:** Also referred to as silymarin, this component is presented as the cornerstone of the formulation and the principal telomerase inducer.¹
- **Group 2 (Approximately 25% by weight):** This group is a combination of nine additional extracts and compounds:
 - Horny Goat Weed (*Epimedium sagittatum*) Extract
 - Grape Seed (*Vitis vinifera*) Extract
 - Turmeric (*Curcuma longa*) Root Extract
 - Ashwagandha (*Withania somnifera*) Root Extract
 - Bacopa (*Bacopa monnieri*) Leaf Extract
 - N-acetyl-L-cysteine (NAC)
 - Pomegranate (*Punica granatum*) Fruit Extract
 - DL-alpha Lipoic Acid (ALA)
 - Asian Ginseng (*Panax ginseng*) Root Extract
- **Group 3 (Approximately 25% by weight):** This group comprises the remaining 20 ingredients:

- Berberine (*Coptis chinensis*) Rhizome Extract
- Bilberry (*Vaccinium myrtillus*) Fruit Extract
- Blueberry (*Vaccinium angustifolium*) Fruit Extract
- Red Raspberry (*Rubus idaeus*) Fruit Extract
- Green Tea (*Camellia sinensis*) Leaf Extract
- White Tea (*Camellia sinensis*) Leaf Extract
- Black Tea (*Camellia sinensis*) Leaf Extract
- Acacia (*Acacia nilotica*) Bark Extract
- Plantain (*Plantago major*) Leaf Extract
- L-glutathione
- Velvet Bean (*Mucuna pruriens*) Extract
- Hawthorn (*Crataegus pinnatifida*) Root Extract
- Quercetin
- Boswellia (*Boswellia serrata*) Fruit Extract
- Maca (*Lepidium meyenii*) Root Extract
- Hawthorn (*Crataegus pinnatifida*) Fruit Extract
- Resveratrol
- Harada (*Terminalia chebula*) Fruit Extract
- Shilajit Extract
- Chia (*Salvia hispanica*) Seed Extract

Evidentiary Basis Presented in the Patent

The patent's justification for this specific combination rests on two primary pieces of evidence, both of which are preliminary in nature and limited in scientific scope.

1. **In-Vitro Screening for hTERT Induction:** The patent describes engaging an outside laboratory (Sierra Sciences) to screen various natural product samples for their ability to induce the expression of messenger RNA (mRNA) for the human telomerase reverse transcriptase (hTERT) protein in normal human BJ fibroblast cells. hTERT is the catalytic subunit of the telomerase enzyme. An ingredient was designated a "Hit" if, at a particular concentration, it produced two or more replicates where the number of induced hTERT transcripts was greater than zero.¹ This screen identified silymarin, resveratrol, and numerous other ingredients in the final formulation as "Hits".¹
2. **A Single-Subject "Working Example":** The patent presents an uncontrolled case study of a 52-year-old male who consumed the formulated capsules daily for four months. Pre- and post-regimen testing of average telomere length in white blood cells, using a Quantitative PCR (qPCR) method, reportedly showed an increase from 8.3 kilobase pairs (kb) to 8.44 kb.¹

The patent's argument is constructed upon a significant logical leap. It presupposes that the detection of any hTERT mRNA induction above zero in an in-vitro cell culture screen is a reliable indicator of an ingredient's ability to activate telomerase meaningfully in a living organism. It then combines these "Hits" with other generally healthful compounds and uses an uncontrolled, single-person observation as definitive proof of efficacy. This

methodological framework conflates preliminary, hypothesis-generating data with clinical validation and fails to account for the immense complexities of bioavailability, metabolism, dose-response relationships, and potential antagonistic interactions within a multi-component mixture when consumed by a human subject. This fragile evidentiary foundation will be a central point of critical analysis throughout this report.

Comprehensive Analysis of Individual Components

A thorough evaluation of the patented composition requires a detailed examination of each of its 30 ingredients. The following table provides a summary of the key active compounds and their primary mechanisms of action relevant to cellular aging and longevity, followed by detailed monographs for each component. This overview immediately reveals a predominant theme: the formulation is overwhelmingly composed of agents with well-documented antioxidant and anti-inflammatory properties.

Table 1: Summary of Composition Ingredients, Active Compounds, and Primary Mechanisms Relevant to Cellular Aging

Ingredient Name (as per patent)	Botanical/Scientific Name	Key Active Compound(s)	Primary Documented Mechanism(s)	Relevance to Cellular Aging & Longevity
Milk Thistle Extract	<i>Silybum marianum</i>	Silymarin (Silybin, Isosilybin, etc.)	Antioxidant, Anti-inflammatory, Hepatoprotective, Telomerase Modulator	Mitigates oxidative stress, reduces inflammation, supports detoxification, context-dependent telomerase regulation. ¹
Horny Goat Weed Extract	<i>Epimedium sagittatum</i>	Icariin (Flavonoid)	PDE5 Inhibition, Anti-inflammatory, Antioxidant, Phytoestrogenic	Supports vascular health, reduces inflammation, potential hormonal modulation. ⁶
Grape Seed Extract	<i>Vitis vinifera</i>	Proanthocyanidins (OPCs), Flavonoids	Potent Antioxidant, Anti-inflammatory, Cardioprotective	Protects against oxidative damage, supports vascular integrity, reduces blood pressure. ⁸
Turmeric Root Extract	<i>Curcuma longa</i>	Curcuminoids (Curcumin)	Potent Anti-inflammatory (NF-κB, COX), Antioxidant, Nrf2 Activator	Broadly reduces chronic inflammation, mitigates oxidative stress, supports cellular defense pathways. ¹⁰
Ashwagandha Root Extract	<i>Withania somnifera</i>	Withanolides, Alkaloids	Adaptogen (HPA-axis modulation), Anti-inflammatory,	Enhances stress resilience, reduces cortisol, protects

			Neuroprotective	against neuro-inflammation. ¹²
Bacopa Leaf Extract	<i>Bacopa monnieri</i>	Bacosides (Triterpenoid Saponins)	Nootropic, Adaptogen, Antioxidant, Anti-inflammatory	Supports cognitive function, protects neurons from oxidative damage, reduces neuro-inflammation. ¹⁴
N-acetyl-L-cysteine	N/A	N-acetyl-L-cysteine	Glutathione Precursor, Direct Antioxidant, Mucolytic, Anti-inflammatory	Replenishes master antioxidant (GSH), directly scavenges ROS, reduces systemic inflammation. ¹⁶
Pomegranate Fruit Extract	<i>Punica granatum</i>	Punicalagins, Ellagic Acid, Anthocyanins	Potent Antioxidant, Anti-inflammatory, Anticarcinogenic	Provides superior antioxidant protection, inhibits key inflammatory pathways (NF-κB, MAPK). ¹⁸
DL-alpha Lipoic Acid	N/A	Lipoic Acid (LA), Dihydrolipoic Acid (DHLA)	Universal Antioxidant, Regenerates other antioxidants (GSH, Vit C/E)	Protects all cellular compartments from oxidative stress, key hub in the antioxidant network. ²⁰
Asian Ginseng Root Extract	<i>Panax ginseng</i>	Ginsenosides	Adaptogen, Immunomodulatory, Antioxidant, Anti-inflammatory	Improves stress response, supports immune function, reduces oxidative damage. ²²
Berberine Rhizome Extract	<i>Coptis chinensis</i>	Berberine (Isoquinoline Alkaloid)	AMPK Activator, Anti-inflammatory, Antioxidant, Metabolic Regulator	Supports metabolic health, activates cellular energy sensing, reduces inflammation via AMPK and MAPK pathways. ²³
Bilberry Fruit Extract	<i>Vaccinium myrtillus</i>	Anthocyanins, Flavonoids	Antioxidant, Anti-inflammatory, Vasoprotective	Scavenges free radicals, protects collagen and capillaries, reduces inflammation. ²⁵
Blueberry Fruit Extract	<i>Vaccinium angustifolium</i>	Anthocyanins, Flavonoids	Potent Antioxidant, Anti-inflammatory, Neuroprotective	Protects against oxidative stress, particularly in the brain, inhibits inflammatory cytokine expression. ²⁷
Red Raspberry Fruit Extract	<i>Rubus idaeus</i>	Ellagic Acid, Anthocyanins	Antioxidant, Anti-inflammatory (COX inhibition),	Scavenges free radicals, inhibits inflammatory enzymes

			Anticarcinogenic	similarly to NSAIDs. ²⁹
Green/White/Black Tea Leaf Extract	<i>Camellia sinensis</i>	Catechins (EGCG), L-theanine	Potent Antioxidant, Anti-inflammatory, Cardioprotective, Neuroprotective	Protects against cellular damage from ROS, reduces inflammation, supports cardiovascular and brain health. ³¹
Acacia Bark Extract	<i>Acacia nilotica</i>	Tannins, Flavonoids, Alkaloids	Anti-inflammatory, Antioxidant, Antimicrobial, Glucose-lowering	Reduces inflammation, scavenges free radicals, supports metabolic health. ³³
Plantain Leaf Extract	<i>Plantago major</i>	Iridoid Glycosides (Aucubin), Phenolics	Anti-inflammatory, Antioxidant, Wound-healing, Antimicrobial	Soothes tissues, reduces inflammation via nitric oxide pathway, protects against microbial damage. ³⁵
L-glutathione	N/A	Glutathione (Tripeptide)	Master Antioxidant, Detoxification Agent, Redox Regulator	Central to cellular antioxidant defense, detoxifies xenobiotics, maintains cellular redox balance. ³⁷
Velvet Bean Extract	<i>Mucuna pruriens</i>	L-DOPA, Alkaloids	Neuro-supportive, Antioxidant, Anti-inflammatory	Precursor to dopamine, supports nervous system health, exhibits antioxidant properties. ³⁹
Hawthorn Root/Fruit Extract	<i>Crataegus pinnatifida</i>	Flavonoids, Proanthocyanidins	Cardioprotective, Vasodilator, Antioxidant	Supports heart function, improves coronary blood flow, protects LDL from oxidation. ⁴¹
Quercetin	N/A	Quercetin (Flavonoid)	Potent Antioxidant, Anti-inflammatory, Bioavailability Enhancer	Scavenges free radicals, inhibits inflammatory markers (TNF- α , IL-6), enhances absorption of other polyphenols. ⁴³
Boswellia Fruit Extract	<i>Boswellia serrata</i>	Boswellic Acids (AKBA, KBA)	Potent Anti-inflammatory (5-LOX inhibitor)	Specifically targets the leukotriene inflammatory pathway, distinct from NSAIDs. ⁴⁵
Maca Root Extract	<i>Lepidium meyenii</i>	Macamides, Macaenes	Adaptogen, Energizer, Fertility-enhancer	Enhances resilience to stress, supports endocrine function and energy levels. ⁴⁷

Resveratrol	N/A	Trans-Resveratrol (Stilbenoid)	Sirtuin Activator, Antioxidant, Anti-inflammatory, Cardioprotective	Modulates longevity pathways (SIRT1), protects endothelium, inhibits platelet aggregation. ⁴⁸
Harada Fruit Extract	<i>Terminalia chebula</i>	Tannins, Phenolic Acids	Potent Antioxidant, Anti-inflammatory, Broad-spectrum Protective	Exhibits powerful free radical scavenging and multi-organ protective effects (hepato-, nephro-, neuro-). ⁵⁰
Shilajit Extract	N/A	Fulvic Acid, Dibenzo- α -pyrones	Adaptogen, Anti-inflammatory, Antioxidant, Energizer	Supports mitochondrial function, enhances nutrient transport, reduces inflammation. ¹
Chia Seed Extract	<i>Salvia hispanica</i>	Omega-3 Fatty Acids (ALA), Fiber, Antioxidants	Anti-inflammatory, Cardioprotective	Provides essential fatty acids that are precursors to anti-inflammatory molecules. ¹

3.1 Milk Thistle (*Silybum marianum*)

Active Components: The primary active constituent of milk thistle seed extract is a complex of flavonolignans collectively known as silymarin. This complex is composed of several isomers, including silybin A and B (often referred to together as silibinin), isosilybin A and B, silychristin, and silydianin, along with the flavonoid taxifolin.¹ Silymarin is lipophilic, meaning it is fat-soluble, which influences its administration and bioavailability.⁵

Documented Effects: Milk thistle has a long history of use, spanning over 2,000 years, primarily as a treatment for liver and biliary disorders.⁵ Modern research has largely substantiated its hepatoprotective effects. The mechanisms of action are multifaceted. Silymarin stabilizes cellular membranes, which helps prevent toxins from entering cells, a key aspect of its protective effect against liver damage from sources like mushroom poisoning or drug-induced toxicity.⁵

Furthermore, silymarin is a potent antioxidant. It directly scavenges a wide range of free radicals and inhibits lipid peroxidation, thereby protecting cellular structures from oxidative damage.⁵ It also exerts an indirect antioxidant effect by stimulating the synthesis of glutathione (GSH) and increasing the activity of superoxide dismutase (SOD), key components of the body's endogenous antioxidant defense system.⁵² Its anti-inflammatory properties are also well-documented, involving the modulation of pathways such as NF- κ B.⁵¹ The patent identifies silymarin as its lead compound for telomerase activation, a claim that will be analyzed in detail in a dedicated section of this report.¹

3.2 Horny Goat Weed (*Epimedium sagittatum*)

Active Components: The primary bioactive compounds in horny goat weed are flavonoids, with icariin being the most studied and pharmacologically active constituent.⁶ The plant contains over 200 compounds in total, but icariin is responsible for many of its purported effects.⁷

Documented Effects: Traditionally used in Chinese medicine (TCM) for enhancing sexual function and treating symptoms of menopause, horny goat weed's effects are primarily attributed to icariin.⁶ Mechanistically, icariin acts as a phosphodiesterase type 5 (PDE5) inhibitor, the same mechanism employed by prescription medications for erectile dysfunction, which helps increase blood flow.⁶ Preclinical (animal and in-vitro) studies have also shown that icariin possesses cholesterol-lowering, anti-inflammatory, and antioxidant properties, which may contribute to its potential in preventing atherosclerosis.⁶

Icariin also exhibits phytoestrogenic properties, meaning it can mimic the effects of estrogen in the body.⁶ This explains its traditional use for postmenopausal symptoms and its observed effects in studies on improving bone density and cholesterol profiles in postmenopausal women.⁶ However, this estrogenic activity warrants caution for individuals with hormone-sensitive conditions.⁶ The patent lists horny goat weed as a "Hit ingredient," indicating it induced hTERT mRNA expression in their initial in-vitro screen.¹

3.3 Grape Seed Extract (*Vitis vinifera*)

Active Components: Grape seed extract (GSE) is a rich source of polyphenolic compounds, most notably oligomeric proanthocyanidin complexes (OPCs). It also contains other potent antioxidants, including phenolic acids, anthocyanins, and flavonoids.⁸ GSE is considered one of the best-known dietary sources of proanthocyanidins.⁸

Documented Effects: The primary benefit of GSE stems from its high antioxidant content, which allows it to protect cells against oxidative stress, tissue damage, and inflammation.⁸ A key mechanism is its ability to reduce the oxidation of low-density lipoprotein (LDL) cholesterol, a critical step in the development of atherosclerosis.⁸ Studies in humans have shown that GSE can inhibit fat oxidation in the blood and reduce levels of oxidized LDL.⁸

Beyond its antioxidant capacity, GSE has demonstrated significant cardiovascular benefits. A review of 16 studies found that GSE supplementation significantly reduced both systolic and diastolic blood pressure.⁸ It also appears to improve blood flow and may have blood-thinning effects, potentially reducing the risk of clots.⁸ Its anti-inflammatory and antimicrobial properties are also well-documented.⁹ The patent identifies grape seed extract as a "Hit ingredient," suggesting it passed their initial screen for hTERT mRNA induction.¹

3.4 Turmeric (*Curcuma longa*)

Active Components: The principal active compounds in turmeric are a group of polyphenols called curcuminoids. The most abundant and biologically active of these is curcumin, which is responsible for turmeric's characteristic golden-orange color and most of its therapeutic effects.¹⁰

Documented Effects: Curcumin is one of the most extensively studied natural compounds, renowned for its potent anti-inflammatory and antioxidant activities.¹⁰ Its anti-inflammatory effects are broad, stemming from its ability to modulate numerous molecular targets. Crucially, it inhibits the activation of the NF-κB pathway, a master regulator of the inflammatory response, and also suppresses inflammatory enzymes like cyclooxygenase (COX) and lipoxygenase (LOX).¹⁰

As an antioxidant, curcumin can directly neutralize free radicals. Perhaps more importantly, it boosts the body's own antioxidant defenses by activating the Nrf2 pathway, which upregulates the expression of endogenous antioxidant enzymes like glutathione S-transferases (GSTs) and heme oxygenase 1 (HO-1).¹⁰ These dual actions make it highly effective at mitigating oxidative stress. A major challenge with curcumin is its very poor oral bioavailability due to rapid metabolism and elimination.¹⁰ This is a critical factor to consider in any formulation. Turmeric is listed as a "Hit ingredient" in the patent.¹

3.5 Ashwagandha (*Withania somnifera*)

Active Components: The main bioactive constituents of ashwagandha are steroidal lactones known as withanolides (such as withaferin A), along with various alkaloids and saponins.¹²

Documented Effects: Ashwagandha is a cornerstone of Ayurvedic medicine, where it is classified as a *Rasayana* (rejuvenator) and, in modern terms, an adaptogen.¹³ An adaptogen is a substance that increases an organism's ability to adapt to environmental, physical, and psychological stressors, helping to maintain homeostasis.¹ Ashwagandha achieves this primarily by modulating the hypothalamic-pituitary-adrenal (HPA) axis, the body's central stress response system. Studies have shown it can significantly reduce levels of cortisol, the primary stress hormone.¹³

In addition to its adaptogenic properties, ashwagandha exhibits significant anti-inflammatory, antioxidant, and neuroprotective effects.¹² Its anti-inflammatory action has been compared to that of hydrocortisone in animal models and involves the inhibition of pathways like MAPK/NF-κB.¹³ The patent includes ashwagandha for its role as an adaptogen, intended to help the body avoid damage from stressors that contribute to the aging process.¹

3.6 Bacopa (*Bacopa monnieri*)

Active Components: The primary active compounds responsible for the pharmacological effects of *Bacopa monnieri* are a class of triterpenoid saponins known as bacosides, including bacoside A and bacoside B.¹⁴

Documented Effects: *Bacopa monnieri*, also known as Brahmi, is a revered herb in Ayurvedic medicine, traditionally used as a nootropic to improve memory, intellect, and longevity.¹⁵ Modern research supports its role as a cognitive enhancer. Human clinical trials have demonstrated that bacopa supplementation can improve memory, learning rate, attention, and the speed of processing visual information.¹⁴

The mechanisms underlying these benefits are multifaceted. Bacosides have demonstrated potent antioxidant effects, particularly within the brain, where they neutralize free radicals and prevent lipid peroxidation—a process linked to neurodegenerative disorders.¹⁴ Bacopa also possesses anti-inflammatory properties, with studies showing it can suppress the release of pro-inflammatory cytokines and inhibit key inflammatory enzymes.¹⁴ The patent lists bacopa as a "Hit ingredient" from its hTERT induction screen.¹

3.7 N-acetyl-L-cysteine (NAC)

Active Components: N-acetyl-L-cysteine (NAC) is the N-acetyl derivative of the semi-essential amino acid L-cysteine.¹⁶

Documented Effects: NAC's primary and most critical role in cellular health is serving as a direct and reliable precursor for the synthesis of glutathione (GSH).¹⁶ GSH is often called the body's "master antioxidant," a tripeptide that is central to cellular detoxification and redox balance.³⁷ The synthesis of GSH is rate-limited by the availability of cysteine. By providing a stable and bioavailable source of cysteine, NAC effectively replenishes intracellular GSH levels, which is the basis for its use as an antidote for acetaminophen poisoning.¹⁶

Beyond its role as a GSH precursor, NAC has other mechanisms of action. Its free thiol group allows it to act as a direct scavenger of reactive oxygen species (ROS).⁶⁸ It is also a potent mucolytic agent, capable of breaking disulfide bonds in mucus glycoproteins, which is why it is used in respiratory conditions.¹⁶ Furthermore, NAC exhibits anti-inflammatory properties by reducing levels of pro-inflammatory cytokines like TNF- α and IL-6, partly through the suppression of the NF- κ B pathway.¹⁷ The patent justifies its inclusion based on NAC's ability to increase glutathione levels, thereby reducing free radical damage and the rate of accelerated telomere shortening.¹

3.8 Pomegranate (*Punica granatum*)

Active Components: Pomegranate is exceptionally rich in a diverse range of polyphenols. Its most potent and

unique bioactive compounds are the ellagitannins, particularly punicalagin, which is found in the husk and juice. Upon digestion, these are metabolized into urolithins. The fruit also contains high levels of anthocyanins (responsible for its deep red color), ellagic acid, and other flavonoids.¹⁸

Documented Effects: Pomegranate possesses one of the highest antioxidant capacities among all fruits, with studies suggesting its potential is greater than that of red wine and green tea.¹⁸ This potent activity is primarily attributed to its punicalagin content. It is highly effective at reducing macrophage oxidative stress, scavenging free radicals, and inhibiting lipid peroxidation.¹⁸

In addition to its antioxidant prowess, pomegranate demonstrates powerful anti-inflammatory, anticarcinogenic, and cardioprotective effects.¹⁸ It can inhibit key inflammatory signaling pathways, including NF-κB and MAPK, and has been shown to suppress the growth of various cancer cell lines and induce apoptosis.¹⁸ Its cardiovascular benefits include reducing blood pressure and preventing LDL oxidation, a key factor in atherosclerosis.¹⁸ Pomegranate is listed as a "Hit ingredient" in the patent's hTERT screen.¹

3.9 DL-alpha Lipoic Acid (ALA)

Active Components: Alpha-lipoic acid (ALA), also known as thioctic acid, is a naturally occurring organosulfur compound. It exists in two forms: an oxidized form (lipoic acid, LA) and a reduced form (dihydrolipoic acid, DHLA), which together form a potent redox couple.²⁰

Documented Effects: ALA is often referred to as the "universal antioxidant" or the "antioxidant of antioxidants" due to its unique properties.²¹ It is amphiphilic, meaning it is soluble in both water and fat. This allows it to exert its antioxidant effects in all cellular compartments, including the aqueous cytosol and the lipid-rich cell membranes, and it can cross the blood-brain barrier.²¹

Both LA and DHLA are capable of directly scavenging a wide variety of ROS and RNS.²⁰ However, ALA's most significant role may be its ability to regenerate other primary antioxidants. It can recycle oxidized forms of vitamin C, vitamin E, coenzyme Q10, and, most importantly, glutathione, effectively restoring their antioxidant capacity and creating a synergistic antioxidant network.²⁰ It also functions as a cofactor for key mitochondrial enzymes involved in energy metabolism.²⁰ The patent includes ALA specifically to reduce oxidative damage to telomeres.¹

3.10 Asian Ginseng (*Panax ginseng*)

Active Components: The main pharmacologically active constituents of *Panax ginseng* are a class of steroidal saponins known as ginsenosides.²²

Documented Effects: *Panax ginseng* is one of the most well-known and researched adaptogens in traditional

medicine. It is used to enhance physical and mental performance, improve vitality, and increase the body's resistance to stress.²² Clinical research has shown that it can improve psychologic function and immune function.²²

The ginsenosides are responsible for these effects and have been shown in preclinical studies to possess a variety of beneficial properties, including anti-inflammatory, antioxidant, and anticancer activities.²² By helping the body cope with stressors, ginseng can mitigate the physiological damage, including oxidative stress and inflammation, that contributes to aging. The patent identifies Asian ginseng as a "Hit ingredient" in its hTERT induction screen.¹

3.11 Berberine (*Coptis chinensis*)

Active Components: The primary active compound is berberine, a bright yellow isoquinoline alkaloid found in the rhizomes of *Coptis chinensis* and other plants like *Berberis* species.²³

Documented Effects: Berberine has a long history of use in traditional Chinese medicine, primarily for its antibacterial and anti-inflammatory properties.²⁴ Modern research has identified a key molecular target for berberine: AMP-activated protein kinase (AMPK). AMPK is a master regulator of cellular energy homeostasis.²³ By activating AMPK, berberine influences a host of metabolic processes, leading to benefits in conditions like type 2 diabetes and metabolic syndrome.²³

The activation of AMPK also contributes to berberine's potent anti-inflammatory effects, as it can suppress inflammatory pathways like NF- κ B and MAPK.²³ Furthermore, berberine is a powerful antioxidant, capable of upregulating endogenous antioxidant enzymes like SOD and inhibiting ROS production.²³ Berberine is listed as a "Hit ingredient" in the patent.¹

3.12 Bilberry (*Vaccinium myrtillus*)

Active Components: Bilberry fruit is exceptionally rich in a class of flavonoid pigments called anthocyanins, which are responsible for its deep blue-purple color. It also contains other flavonoids and phenolic acids.²⁵

Documented Effects: The high concentration of anthocyanins gives bilberry potent antioxidant and anti-inflammatory properties.²⁵ These compounds are effective free radical scavengers and can inhibit the generation of ROS at the cellular level.²⁵ In addition to its antioxidant capacity, bilberry has significant vasoprotective and collagen-stabilizing effects. Its anthocyanosides have been shown to strengthen the collagen matrix of connective tissues, increase intracellular vitamin C levels, and decrease the permeability and fragility of capillaries.²⁶ This makes it beneficial for vascular health and conditions involving inflammation of connective tissues. The patent includes bilberry as a general antioxidant.¹

3.13 Blueberry (*Vaccinium angustifolium*)

Active Components: Similar to bilberry, the primary bioactive compounds in blueberries are anthocyanins, which are flavonoids that give the fruit its characteristic color. Blueberries contain a wide array of anthocyanidins, including malvidin, cyanidin, and delphinidin.²⁷

Documented Effects: Blueberries are renowned for their outstanding antioxidant and anti-inflammatory capabilities, largely due to their anthocyanin content.²⁷ These compounds effectively scavenge free radicals and have been shown to inhibit the expression of pro-inflammatory cytokines and enzymes like COX-2 and NF-κB.²⁸ Research has particularly highlighted the neuroprotective effects of blueberries, suggesting they may help improve cognitive function and protect the brain from age-related decline. Their benefits also extend to cardiovascular health, with studies indicating they can help reduce blood pressure and arterial stiffness.²⁸ The patent includes blueberry for its antioxidant properties.¹

3.14 Red Raspberry (*Rubus idaeus*)

Active Components: Red raspberries are a rich source of polyphenols, particularly ellagic acid and anthocyanins. They also contain other flavonoids like quercetin and kaempferol.²⁹

Documented Effects: The phytochemicals in red raspberries provide potent antioxidant and anti-inflammatory benefits. Ellagic acid is a well-studied compound known for its anticarcinogenic and antimutagenic properties, acting as a scavenger to bind and inactivate cancer-causing chemicals.²⁹ The anti-inflammatory action of raspberries is particularly noteworthy. Research has shown that their anthocyanins can inhibit the COX-1 and COX-2 enzymes, which are key mediators of pain and inflammation. This mechanism is similar to that of nonsteroidal anti-inflammatory drugs (NSAIDs) like ibuprofen.²⁹ The patent includes red raspberry as an antioxidant.¹

3.15, 3.16, 3.17 Green, White, and Black Tea (*Camellia sinensis*)

Active Components: All three types of tea come from the same plant, *Camellia sinensis*, but differ in their processing. Green and white teas are unoxidized or minimally oxidized, preserving a high content of polyphenols called catechins. The most abundant and potent of these is epigallocatechin-3-gallate (EGCG).³¹ Black tea is fully oxidized, which converts some catechins into theaflavins and thearubigins, which also have antioxidant properties. Tea also contains the amino acid L-theanine, known for its calming and focus-enhancing effects.³²

Documented Effects: The health benefits of tea are largely attributed to its high catechin content, especially EGCG. These compounds are powerful antioxidants that protect cells from damage caused by free radicals.³¹ This antioxidant activity is a key factor in tea's association with a reduced risk of chronic diseases, including heart disease and some cancers.³¹ EGCG also has strong anti-inflammatory properties, suppressing the activity of pro-inflammatory chemicals.³¹ Tea consumption has been linked to improved cardiovascular health by reducing blood pressure and cholesterol, as well as neuroprotective effects that may protect the brain from aging.³¹ All three tea extracts are listed as "Hit ingredients" in the patent.¹

3.18 Acacia (*Acacia nilotica*)

Active Components: The bark of *Acacia nilotica* (also known as *Vachellia nilotica*) is rich in a variety of phytochemicals, including tannins, flavonoids, alkaloids, saponins, and terpenoids.³³ These compounds are responsible for its wide range of medicinal properties.

Documented Effects: *Acacia nilotica* has a long history of use in traditional medicine for numerous ailments, including diarrhea, wound healing, and microbial infections.³³ Scientific studies have confirmed its significant anti-inflammatory, antioxidant, antimicrobial, and antidiabetic activities.³³ Its anti-inflammatory effects have been demonstrated in animal models of carrageenan-induced edema, where it showed significant inhibition of swelling.⁷⁸ The plant's antioxidant activity is attributed to its high content of phenolic compounds like tannins and flavonoids, which are effective at scavenging free radicals.³⁴ It is listed as a "Hit ingredient" in the patent.¹

3.19 Plantain (*Plantago major*)

Active Components: The active constituents of plantain leaf include iridoid glycosides (notably aucubin), phenolic compounds like caffeic acid, and flavonoids.³⁵ The plant also contains mucilage, which contributes to its soothing properties.

Documented Effects: Traditionally, plantain has been used topically for wounds and skin irritations and internally for respiratory and digestive issues.³⁵ Research has confirmed its anti-inflammatory, antimicrobial, antioxidant, and wound-healing properties.³⁵ Its anti-inflammatory mechanism appears to differ from that of NSAIDs, possibly involving the reduction of nitric oxide levels rather than COX inhibition.³⁵ Its antioxidant properties help protect against free radical damage, and its antimicrobial effects are effective against a range of pathogens. The patent lists plantain as a "Hit ingredient".¹

3.20 L-glutathione

Active Components: L-glutathione (GSH) is a tripeptide molecule composed of three amino acids: glutamate, cysteine, and glycine.³⁷ It is synthesized in almost every cell of the human body.

Documented Effects: Glutathione is the most abundant endogenous antioxidant and is often called the "master antioxidant".³⁷ Its primary role is to protect cells from damage caused by reactive oxygen species (ROS), free radicals, and other toxins. It achieves this by donating a reducing equivalent from its thiol group (-SH), which neutralizes oxidants. In this process, GSH is oxidized to glutathione disulfide (GSSG), which is then recycled back to GSH by the enzyme glutathione reductase in an NADPH-dependent reaction.³⁸

Beyond direct radical scavenging, GSH is a critical cofactor for detoxification enzymes like glutathione S-transferases (GSTs), which conjugate toxins to make them water-soluble for excretion.³⁷ It also plays a vital role in immune function, redox signaling, and regenerating other antioxidants like vitamins C and E.³⁷ The patent includes L-glutathione for its role in supporting telomere health, likely by reducing the oxidative stress that damages them.¹

3.21 Velvet Bean (*Mucuna pruriens*)

Active Components: The most significant active component in velvet bean is L-DOPA (levodopa), a direct precursor to the neurotransmitter dopamine.⁴⁰ The seeds also contain other alkaloids and bioactive compounds.

Documented Effects: In traditional Ayurvedic medicine, *Mucuna pruriens* is used to treat a variety of conditions, including nervous disorders, male infertility, and as an aphrodisiac.³⁹ Its high L-DOPA content makes it a natural source for the treatment of Parkinson's disease.³⁹ Beyond its neurological effects, the bean exhibits antioxidant, anti-inflammatory, antimicrobial, and antidiabetic properties.³⁹ Its antioxidant activity is thought to contribute to its efficacy in managing free radical-mediated diseases like rheumatoid arthritis and aging.³⁹ The patent lists velvet bean as a "Hit ingredient".¹

3.22 & 3.26 Hawthorn (*Crataegus pinnatifida*) Root and Fruit

Active Components: Both the root and fruit (berries) of the hawthorn plant are rich in bioactive compounds, primarily flavonoids and oligomeric proanthocyanidins (OPCs).

Documented Effects: Hawthorn has a long history of traditional use and is widely recognized in modern herbal medicine for its benefits to the cardiovascular system.⁴¹ Its primary actions are cardioprotective. It has a positive inotropic effect, meaning it can increase the force of the heart's contraction, while also acting as a vasodilator,

particularly on coronary arteries, which improves blood flow to the heart muscle.⁴²

Clinical studies have shown that hawthorn extracts can be effective in treating chronic heart failure, improving symptoms like exercise tolerance and ankle edema.⁴² It also has antioxidant properties that can protect LDL cholesterol from oxidation, helping to slow the development of atherosclerosis.⁴² Both the root and fruit extracts are listed as "Hit ingredients" in the patent.¹

3.23 Quercetin

Active Components: Quercetin is a flavonoid, a type of plant polyphenol, that is one of the most abundant antioxidants in the human diet. It is found in many foods, including onions, apples, berries, and tea.⁴⁴

Documented Effects: Quercetin's primary benefits stem from its powerful antioxidant and anti-inflammatory properties.⁴³ As an antioxidant, it directly scavenges free radicals and helps combat oxidative stress, which is linked to numerous chronic diseases.⁴⁴ Its anti-inflammatory effects are significant; test-tube and human studies have shown it can reduce markers of inflammation such as TNF- α and IL-6.⁴⁴

A crucial aspect of quercetin, particularly in a multi-ingredient formulation, is its ability to act as a bioavailability enhancer for other polyphenols. For example, it can inhibit enzymes that metabolize catechins, thereby increasing their absorption and efficacy.⁸⁰ Like many flavonoids, its own bioavailability can be low, though this can be improved with certain formulations.⁴³ Quercetin is listed as a "Hit ingredient" in the patent.¹

3.24 Boswellia (*Boswellia serrata*)

Active Components: The active constituents of the oleogum resin from *Boswellia serrata* (frankincense) are a group of pentacyclic triterpenes known as boswellic acids. The most important of these are β -boswellic acid, keto- β -boswellic acid (KBA), and acetyl-11-keto- β -boswellic acid (AKBA).⁴⁵

Documented Effects: Boswellia is renowned for its potent anti-inflammatory properties, which have been utilized for centuries in Ayurvedic medicine to treat inflammatory conditions like arthritis.⁴⁵ The mechanism of action of boswellic acids is distinct from that of NSAIDs. While NSAIDs primarily inhibit COX enzymes, boswellic acids are specific, non-redox inhibitors of 5-lipoxygenase (5-LOX).⁴⁵ The 5-LOX enzyme is responsible for the synthesis of leukotrienes, which are powerful pro-inflammatory mediators. By inhibiting this pathway, boswellia exerts a unique and targeted anti-inflammatory effect. Clinical studies have suggested its efficacy in rheumatoid arthritis, osteoarthritis, and inflammatory bowel diseases.⁴⁵ The patent lists it as a "Hit ingredient".¹

3.25 Maca (*Lepidium meyenii*)

Active Components: The unique bioactive compounds in maca root include macamides and macaenes, which are specific alkaloids and fatty acid derivatives. It is also a nutritious food source, containing amino acids, vitamins, and minerals.⁴⁷

Documented Effects: Maca is a Peruvian plant that has been cultivated for over 2,000 years in the high Andes. It is traditionally used as a food to enhance nutrition, energy, and fertility in both humans and animals.⁴⁷ Maca is considered an adaptogen, helping the body to resist physiological and mental stress. Scientific evidence has shown that maca has nutritional, energizing, and fertility-enhancing properties. Clinical trials have demonstrated its efficacy in improving sexual dysfunction and increasing sperm count and motility.⁴⁷ Its adaptogenic qualities make it a promising nutraceutical for preventing a range of diseases associated with stress and endocrine imbalance. Maca is listed as a "Hit ingredient" in the patent.¹

3.27 Resveratrol

Active Components: Resveratrol is a polyphenolic compound belonging to the stilbenoid class. It exists in two isomers, *trans*- and *cis*-, with *trans*-resveratrol being the more biologically active and stable form.⁴⁸ It is famously found in the skins of red grapes and is also sourced from Japanese knotweed (

Polygonum cuspidatum).

Documented Effects: Resveratrol has garnered significant attention for its potential anti-aging effects. A key mechanism of action is its ability to activate Sirtuin 1 (SIRT1), a protein deacetylase that plays a crucial role in regulating cellular metabolism, stress resistance, and longevity pathways.⁴⁸ This action is thought to mimic some of the beneficial effects of caloric restriction.

In addition to sirtuin activation, resveratrol is a potent antioxidant and anti-inflammatory agent.⁴⁸ It protects endothelial cells from lipid damage, promotes vasodilation by modulating nitric oxide synthesis, and inhibits platelet aggregation, all of which contribute to its cardioprotective effects.⁴⁸ Like curcumin, its bioavailability is a significant limitation, though this can be enhanced by co-administration with other compounds. Resveratrol is listed as a "Hit ingredient" in the patent, with several tests showing positive hTERT induction.¹

3.28 Harada (*Terminalia chebula*)

Active Components: The fruit of *Terminalia chebula*, also known as Haritaki, is rich in a wide array of bioactive compounds, including tannins (such as chebulagic and chebulinic acid), phenolic acids (gallic acid, ellagic acid),

flavonoids, and triterpenoids.⁵⁰

Documented Effects: *Terminalia chebula* is a highly revered plant in Ayurvedic and other traditional medicine systems, often called the "King of Medicines." Scientific research has validated its broad spectrum of biological activities, including potent antioxidant, anti-inflammatory, antiviral, anticancer, antibacterial, hepatoprotective, nephroprotective, and neuroprotective effects.⁵⁰ Its powerful antioxidant and free radical scavenging properties are central to its therapeutic potential, allowing it to protect cells and tissues throughout the body from oxidative damage. The patent lists it as a "Hit ingredient".¹

3.29 Shilajit

Active Components: Shilajit is a complex, mineral-rich substance that exudes from rocks in high mountain ranges. Its primary bioactive component is fulvic acid, which is accompanied by humic substances and dibenzo- α -pyrones.¹

Documented Effects: Used in Ayurvedic medicine as a rejuvenator and anti-aging compound, shilajit is known for its anti-inflammatory, antioxidant, and energizing properties.¹ Fulvic acid is thought to enhance the transport of minerals and other nutrients into cells, thereby improving mitochondrial function and energy production. Animal models have suggested it has anti-ulcer, anti-anxiety, and anti-stress capabilities, positioning it as a potent adaptogen that supports both mental and physical health.¹

3.30 Chia (*Salvia hispanica*)

Active Components: Chia seeds are best known for being an excellent plant-based source of omega-3 fatty acids, specifically alpha-linolenic acid (ALA). They are also rich in dietary fiber, protein, and various antioxidants.¹

Documented Effects: The primary health benefit of chia seeds relevant to cellular aging comes from their high ALA content. ALA is an essential fatty acid that serves as a precursor to the long-chain omega-3s EPA and DHA, which are known to be converted into potent anti-inflammatory molecules like resolvins and protectins. By providing this substrate, chia seeds can help modulate the inflammatory response in the body. The patent includes chia seed extract because omega-3 fatty acids are known to protect telomeres.¹

Special Focus: The Role of Milk Thistle (Silymarin) in Telomere Biology

The Patent's Central Premise

The core of the patent's scientific argument rests on the identification of milk thistle extract, or silymarin, as a "significant potential telomerase inducer".¹ This assertion is foundational to the claim that the entire composition works to lengthen telomeres. The patent's primary support for this mechanism is a citation to a 2010 study published in the

Journal of Cardiovascular Pharmacology by Parzonko and Naruszewicz.¹ A critical examination of this study, alongside contradictory evidence from other research, is essential to evaluate the validity of this central premise.

Analysis of the Cited Evidence (Parzonko and Naruszewicz, 2010)

The study cited by the patent, titled "Silymarin Inhibits Endothelial Progenitor Cells' Senescence and Protects Against the Antiproliferative Activity of Rapamycin: Preliminary Study," investigated a very specific cellular context.⁴ Endothelial progenitor cells (EPCs) are crucial for repairing the lining of blood vessels, and their senescence contributes to cardiovascular disease. Rapamycin, an immunosuppressant drug used on drug-eluting stents, is known to induce senescence in EPCs, partly by inactivating telomerase.¹

The researchers cultured human EPCs in the presence of rapamycin, silymarin, or both. Their key finding, and the one seized upon by the patent, was that incubation of EPCs with silymarin alone resulted in a threefold increase in telomerase activity compared to control cells.⁴ Furthermore, when co-incubated with rapamycin, silymarin counteracted the drug's known inhibitory effect, reducing the number of senescent cells and restoring their proliferative and tube-forming capacity.⁴

While these findings are significant within their specific context, several limitations prevent their direct extrapolation to a general claim of telomere lengthening in healthy humans. First, this was an *in-vitro* study, meaning the effects were observed in isolated cells in a petri dish, not in a complex living organism. Second, the effect was demonstrated in a specific cell type—endothelial progenitor cells—which, as progenitor cells, have different telomerase regulation than most differentiated somatic cells. Third, the most dramatic effects were seen under conditions of chemical stress induced by rapamycin. This study provides compelling evidence that silymarin may protect EPCs from drug-induced senescence, but it does not establish silymarin as a universal telomerase activator for diverse, healthy human cells.

Contradictory Evidence: Telomerase Inhibition

The patent's singular focus on the Parzonko study omits a crucial body of research that points to the opposite effect of silymarin on telomerase, particularly in the context of cancer. Telomerase activation is a hallmark of approximately 85-90% of cancers, as it allows tumor cells to bypass normal senescence and achieve replicative immortality. Consequently, a desirable characteristic of an anticancer agent is the ability to *inhibit* telomerase.

Multiple studies have shown that silymarin possesses this very activity.

- A 2011 study by Faezizadeh et al. investigated the effect of silymarin on the human leukemia cell line K562. The results showed that treatment with silymarin led to a significant, dose-dependent *inhibition* of telomerase activity. This telomerase inhibition was positively correlated with the induction of apoptosis (programmed cell death) in the cancer cells.³
- Similarly, a study on the HepG2 human hepatocellular carcinoma (liver cancer) cell line found that treating the cells with IC50 concentrations of either doxorubicin (a chemotherapy drug) or silymarin alone caused a significant decrease in telomerase activity, down to 72% of control levels.²

These findings are not anomalous; they align with the broader understanding of silymarin and its primary component, silybin, as potential chemopreventive and anticancer agents.⁵ The ability to suppress telomerase in malignant cells is a key part of this anticancer profile.

The Context-Dependent Duality of Silymarin's Effect on Telomerase

The seemingly contradictory findings—telomerase activation in progenitor cells and inhibition in cancer cells—do not necessarily invalidate each other. Instead, they reveal a more sophisticated, context-dependent dualism in silymarin's biological activity. Telomerase is not simply "good" or "bad"; its activity is tightly regulated and highly desirable in certain contexts (e.g., stem cell maintenance, tissue repair) while being dangerously aberrant in others (e.g., cancer).

A substance that acts as a blunt, universal "telomerase activator" could theoretically carry a risk of promoting carcinogenesis. Conversely, a substance that universally inhibits telomerase could impair the function of essential stem and progenitor cell populations. The evidence suggests that silymarin may act not as a simple on/off switch, but as a homeostatic regulator of telomerase activity. It appears to support or enhance telomerase function in healthy, non-cancerous progenitor cells, particularly under stress (as seen in the Parzonko study), while actively suppressing its aberrant expression in malignant cells (as seen in the cancer cell line studies).

This nuanced understanding fundamentally challenges the patent's simplistic claim. By presenting silymarin as a universal "telomerase inducer," the patent misrepresents its likely mechanism of action and ignores the critical duality that defines its pharmacological profile.

Alternative and More Plausible Mechanisms for Telomere Protection

Given the complexity of its effects on telomerase, it is more probable that silymarin's primary contribution to cellular longevity and telomere health stems from its well-established and powerful antioxidant and anti-inflammatory properties. Oxidative stress is a major driver of telomere attrition. Reactive oxygen species can directly damage the guanine-rich sequence of telomeric DNA, leading to single-strand breaks and accelerated shortening. Chronic inflammation also contributes to a pro-oxidant cellular environment and increases cell turnover rates, further hastening telomere loss.

By stabilizing cell membranes, directly scavenging free radicals, boosting endogenous glutathione levels, and suppressing inflammatory pathways like NF-κB, silymarin reduces the systemic burden of oxidative and inflammatory stress.⁵ This action creates a more favorable cellular environment that indirectly protects telomeres from accelerated damage and shortening. This mechanism is independent of any direct modulation of the telomerase enzyme and is a far more scientifically robust explanation for the potential anti-aging benefits of silymarin.

Analysis of Synergistic Interactions and Formulation Dynamics

The potential efficacy of a 30-ingredient composition does not reside solely in the individual actions of its components, but in their collective, synergistic interactions. A well-designed formulation leverages these interactions to enhance bioavailability, create networked effects, and target multiple pathways simultaneously. This section analyzes the formulation as an integrated system.

Table 2: Identified Synergistic Interactions within the Formulation

Interacting Components	Type of Synergy	Mechanism of Interaction	Supporting Evidence
Quercetin + Green Tea Extract (Catechins)	Enhanced Bioavailability & Efficacy	Quercetin inhibits the COMT enzyme, which methylates and degrades catechins like EGCG, increasing their cellular absorption and stability.	80
Turmeric (Curcumin) + Resveratrol	Enhanced Bioavailability & Anti-inflammatory Effect	Co-encapsulation improves stability and absorption of both compounds. Animal studies show co-administration increases resveratrol plasma levels. They target complementary inflammatory pathways.	87
Boswellia + Turmeric (Curcumin)	Broad-Spectrum Anti-inflammatory	Boswellia inhibits the 5-LOX pathway (leukotrienes), while curcumin inhibits COX enzymes and NF-κB. Targeting different pathways provides a more comprehensive	89

		anti-inflammatory effect.	
N-acetyl-L-cysteine (NAC) + L-glutathione	Master Antioxidant System Support	NAC provides the rate-limiting precursor (cysteine) for endogenous glutathione (GSH) synthesis, while supplemental L-glutathione provides the molecule directly, creating a robust system for maintaining GSH levels.	91
Alpha Lipoic Acid (ALA) + Vitamins C & E, Glutathione	Antioxidant Network Regeneration	ALA is a universal antioxidant that directly recycles oxidized forms of Vitamin C, Vitamin E, and Glutathione, restoring their antioxidant capacity and sustaining the network's function.	21
Ashwagandha + Asian Ginseng	Balanced Adaptogenic Effect	Ashwagandha provides calming, cortisol-reducing effects, while Ginseng provides energizing, cognitive-supporting effects. Their combination promotes stress resilience without over-stimulation or sedation.	94
Grape Seed Extract + Green Tea Extract	Enhanced Antioxidant Activity	The combination of proanthocyanidins from grape seed and catechins from green tea results in a synergistic increase in free radical scavenging activity, greater than either extract alone.	96
Resveratrol + Quercetin	Enhanced Bioavailability & Metabolic Effects	Quercetin can inhibit the sulfation of resveratrol, slowing its metabolism and increasing its bioavailability. The combination has shown synergistic effects on adipose tissue metabolism.	98
Berberine + Resveratrol	Enhanced Metabolic & Hypolipidemic Effects	The combination shows enhanced effects in reducing serum cholesterol and lipid accumulation in adipocytes, potentially through upregulation of the LDL receptor and increased intracellular berberine.	100
Pomegranate Extract + Green Tea Extract	Enhanced Antioxidant & Anti-inflammatory Effects	The potent polyphenols from both sources (punicalagins and catechins) work in synergy to combat oxidative stress, lower cholesterol, and reduce	102

		inflammation.	
--	--	---------------	--

5.1 Bioavailability and Pharmacokinetic Synergies

The efficacy of any orally administered natural compound is fundamentally limited by its bioavailability—the fraction of the dose that reaches systemic circulation. Several ingredients in this formula have notoriously poor bioavailability, but the composition includes some inherent synergies that may partially address this issue.

- **Quercetin and Green Tea Catechins:** This is a well-documented and powerful synergistic pairing. The primary catechin in green tea, EGCG, is rapidly metabolized in the body via methylation by the enzyme catechol-O-methyltransferase (COMT). Quercetin is a known inhibitor of COMT. By co-administering quercetin with green tea extract, the formulation effectively slows the degradation of EGCG, leading to significantly higher cellular absorption and bioavailability. One study showed quercetin increased the cellular uptake of EGCG four-fold in lung cells and two-fold in kidney cells, while substantially decreasing its rate of methylation.⁸⁰ This interaction makes the green tea component of the formula far more potent than it would be alone.
- **Curcumin and Resveratrol:** Both curcumin and resveratrol suffer from poor stability and bioavailability. However, research shows that their co-encapsulation can have synergistic benefits. A study using pectin-caseinate nanoparticles found that co-delivery enhanced the stability and encapsulation efficiency of both compounds. Subsequent animal experiments demonstrated that mice administered the co-encapsulated formula had significantly higher plasma concentrations of resveratrol compared to those given nanoparticles with resveratrol alone.⁸⁷ This suggests a mutually beneficial pharmacokinetic relationship is present in the formulation.

Despite these positive internal synergies, the formulation exhibits a glaring omission. The bioavailability of both curcumin and resveratrol can be dramatically increased by co-administration with piperine, the active alkaloid in black pepper. Piperine inhibits key metabolic enzymes (glucuronidation enzymes) that rapidly break down these polyphenols in the gut and liver. Studies have shown that piperine can increase curcumin's bioavailability by up to 2000% and resveratrol's by 229%.¹⁰⁴ The absence of a dedicated and potent bioenhancer like piperine for its key, low-bioavailability ingredients is a significant design flaw that could substantially limit the overall efficacy of the composition.

5.2 The Antioxidant Network: A Multi-Layered Defense

The formulation's greatest strength lies in its construction of a comprehensive and networked antioxidant defense system that operates on multiple levels.

- **The Glutathione System Core:** The inclusion of both L-Glutathione and its direct precursor, N-acetyl-L-cysteine (NAC), represents a sophisticated, dual-pronged approach to supporting the body's master antioxidant system.¹ Direct oral supplementation of glutathione has historically been questioned due to poor absorption. NAC, however, is readily absorbed and efficiently delivers the rate-limiting amino acid,

cysteine, into the cell for endogenous glutathione synthesis.⁶⁶ By providing both the final product (L-Glutathione) and the key building block (NAC), the formula ensures robust support for maintaining optimal intracellular glutathione levels, which is more effective than either component in isolation.⁹¹

- **The Antioxidant Regeneration Cascade:** Alpha-Lipoic Acid (ALA) functions as a critical linchpin within this network. Its unique ability to function in both aqueous and lipid environments allows it to operate throughout the cell.²¹ Crucially, its reduced form, DHLA, can regenerate other primary antioxidants after they have neutralized a free radical. This includes recycling vitamin C, vitamin E, and glutathione back to their active, reduced states.²⁰ The patent mentions that vitamins C and E are included for "stability and general health impacts"¹, but their function is far more integral. They are not merely additives but are essential nodes in a dynamic antioxidant recycling cascade orchestrated by ALA, dramatically extending the functional lifespan of the entire antioxidant system.⁹³
- **Broad-Spectrum Polyphenol Support:** This core network is further supported by a vast array of potent polyphenol-rich extracts, including those from grape seed, green tea, pomegranate, and various berries. These compounds provide a high-capacity, front-line defense, scavenging a wide variety of free radicals and reducing the overall oxidative load on the core glutathione and vitamin systems.⁸ The synergy between grape seed extract and green tea extract, for instance, has been shown to produce a greater free radical scavenging effect than the sum of the individual extracts.⁹⁶

5.3 Multi-Pathway Anti-inflammatory Effects

Chronic, low-grade inflammation is a key driver of aging (termed "inflammaging"). The formulation employs a multi-pronged strategy to combat inflammation by targeting several distinct molecular pathways.

- **Boswellia and Curcumin Synergy:** This is a classic and powerful anti-inflammatory combination. The two compounds have complementary mechanisms of action. Boswellic acids from *Boswellia serrata* are potent inhibitors of the 5-lipoxygenase (5-LOX) enzyme, which is responsible for producing inflammatory leukotrienes.⁴⁵ Curcumin, on the other hand, primarily targets the cyclooxygenase (COX) enzymes and the master inflammatory transcription factor, NF-κB.¹⁰ By simultaneously blocking these two major, parallel inflammatory cascades, the combination can achieve a broader and more potent anti-inflammatory effect than high doses of either substance alone.⁸⁹
- **Systemic NF-κB Inhibition:** The NF-κB pathway is a central hub for inflammatory signaling. A remarkable number of ingredients in the formulation converge on the inhibition of this pathway. In addition to curcumin, compounds like silymarin, berberine, resveratrol, and the catechins from green tea have all been shown to suppress NF-κB activation.¹⁰ This creates a redundant and powerful systemic effect, ensuring that this critical inflammatory pathway is modulated from multiple angles.

5.4 Adaptogenic and Cognitive Harmony

The formulation includes several adaptogens and nootropics that work together to enhance stress resilience and

support cognitive function, which are often compromised during the aging process.

- **Ashwagandha and Asian Ginseng:** The combination of these two premier adaptogens creates a balanced effect on the body's stress response system. While both help modulate the HPA axis, ashwagandha is generally considered to have more calming, anxiolytic, and cortisol-reducing properties.¹³ *Panax ginseng*, conversely, is often more stimulating, enhancing mental and physical stamina and cognitive performance under stress.¹¹¹ Combining them may offer comprehensive stress protection—providing both calm resilience and sustained energy—without the risk of over-stimulation from ginseng alone or potential lethargy from ashwagandha alone.⁹⁴
- **Cognitive Support Matrix:** The adaptogens are complemented by nootropic ingredients like *Bacopa monnieri*. Bacopa is known to enhance memory and learning through its antioxidant and anti-inflammatory effects in the brain.¹⁴ This creates a matrix of compounds that not only helps the body manage the physiological impact of stress but also supports the cognitive functions that are vulnerable to it.

Critical Evaluation of the Patent's Formulation and Evidentiary Basis

A rigorous scientific assessment requires a critical evaluation of the evidence presented within the patent itself, as well as an analysis of the overall formulation design. The evidence provided in WO2012106692A1 is exceptionally weak and does not meet the standards required to substantiate its primary claims.

Critique of the In-Vitro "Hit" Screening

The patent's primary justification for including many of its ingredients is their designation as a "Hit" in an in-vitro screen for hTERT mRNA induction.¹ The methodology, as described, has several profound limitations that undermine its scientific validity as proof of concept.

The criterion for a "Hit" was defined as any sample producing "two or more replicates at a particular concentration wherein the number of induced hTERT transcripts was greater than zero".¹ This represents an extremely low and scientifically questionable threshold. It fails to establish:

1. **Magnitude:** The patent itself notes that the average induction for many "Hits" was orders of magnitude lower than that of the positive control compound (C0057684). For example, one silymarin sample was "4-fold less," another was "16-fold less," and a resveratrol sample was "24-fold less" potent than the control.¹ Simply being "greater than zero" is not biologically meaningful without context.
2. **Statistical Significance:** The patent provides no statistical analysis (e.g., p-values) to demonstrate that the observed increases were significantly different from the baseline or a negative control.
3. **Biological Relevance:** An increase in mRNA transcripts does not automatically translate to an increase in functional protein or enzyme activity. Post-transcriptional and post-translational regulation can significantly

alter the final outcome.

4. **Dose-Response:** The data shows hits at various concentrations without establishing a clear dose-response relationship, which is fundamental to pharmacological assessment.

This type of high-throughput screen is a tool for initial discovery and hypothesis generation. It is designed to cast a wide net and identify potential candidates for further, more rigorous investigation. To present these preliminary, low-threshold results as a primary pillar of evidence for a final formulation is a significant misrepresentation of the data's scientific weight.

Critique of the n=1 "Working Example"

The patent attempts to provide in-vivo validation through a "Working Example" of a single 52-year-old male who took the supplement for four months.¹ The reported increase in average telomere length was from 8.3 kb to 8.44 kb, a change of 0.14 kb or approximately 1.7%.

This example is scientifically invalid and constitutes an anecdote, not evidence. Its flaws include:

- **Lack of a Control Group:** There is no placebo group for comparison, making it impossible to determine if the observed change was due to the supplement or other factors.
- **No Blinding:** The subject and researchers were aware of the intervention, introducing significant potential for bias.
- **Insufficient Statistical Power:** A sample size of one (n=1) has no statistical power. The result cannot be generalized to any population.
- **Measurement Variability:** Telomere length measurement by qPCR is subject to inherent technical variability. A small change of 1.7% could easily fall within the margin of error for the assay.
- **Confounding Variables:** The four-month period could have included numerous lifestyle changes (diet, exercise, stress levels, sleep) that are known to influence telomere length, none of which were controlled for or reported.

To present this uncontrolled, single-subject observation as a "Working Example" that validates the formulation's efficacy is scientifically meaningless and highly misleading.

Assessment of Formulation Design

Beyond the weak evidence, the design of the formulation itself raises questions about its scientific rationale.

- **"Shotgun" vs. Targeted Approach:** The inclusion of 30 different ingredients, many with highly overlapping functions (e.g., multiple berry extracts all providing antioxidant anthocyanins), is characteristic of a "shotgun" or "kitchen sink" formulation strategy. This approach contrasts with a targeted strategy, where a smaller number of ingredients are selected to act on specific, well-defined pathways with minimal redundancy. The design suggests a philosophy of including as many generally beneficial compounds as possible under a single marketing umbrella, rather than creating a precisely engineered, mechanistically focused product.

- **Bioavailability Oversight:** As detailed in the previous section, the failure to include a dedicated, potent bioenhancer like piperine is a critical oversight. Given that two of the formula's key "Hit" ingredients, curcumin and resveratrol, are known for their extremely poor bioavailability, this omission calls into question the formulation's ability to deliver therapeutic doses of these compounds to target tissues. This suggests a lack of sophistication in the pharmacological design of the product.

Overall Strength of Evidence

The evidence presented *within the patent itself* is profoundly weak. It relies on a low-threshold in-vitro screen and a scientifically invalid anecdote. The claims made are not substantiated by the data provided. The potential therapeutic value of the formulation rests not on the patent's flawed evidence, but on the extensive body of independent scientific literature that supports the antioxidant, anti-inflammatory, and adaptogenic properties of its many individual components and their synergistic interactions, as analyzed in the preceding sections of this report.

Conclusion and Expert Recommendations

Synthesis of Findings

This comprehensive analysis of the composition detailed in patent WO2012106692A1 leads to a clear and multifaceted conclusion. The patent's central claim—that the 30-ingredient formula lengthens telomeres through the direct induction of telomerase, primarily driven by silymarin—is not supported by a robust body of scientific evidence. The evidentiary basis provided within the patent is scientifically weak, relying on a preliminary in-vitro screen with a low threshold for success and an uncontrolled, single-subject case study that is anecdotally and statistically insignificant.

Furthermore, the claim of universal telomerase activation by silymarin is a significant oversimplification. The scientific literature reveals a more complex, context-dependent duality, where silymarin appears to inhibit telomerase in cancer cell lines while potentially supporting its activity in specific progenitor cells under stress. This suggests a homeostatic regulatory role, not that of a simple inducer. The patent's failure to acknowledge this critical nuance undermines its core mechanistic assertion.

Reinterpretation of the Formulation's Value

Despite the unsubstantiated nature of its primary claim, the formulation is not without potential merit. The true value of this composition lies in its powerful and comprehensive design as a multi-pathway antioxidant and anti-inflammatory complex. The vast majority of its 30 ingredients are potent agents that combat oxidative stress and chronic inflammation—two of the fundamental pillars of the aging process and established drivers of accelerated telomere attrition.

The formulation's design, while appearing as a "shotgun" approach, successfully assembles a synergistic network of compounds that:

1. **Provide a high-capacity, broad-spectrum antioxidant shield** through a diverse array of polyphenols.
2. **Support and replenish the body's core endogenous antioxidant system** through the synergistic pairing of L-glutathione and its precursor, NAC.
3. **Establish a dynamic antioxidant regeneration cascade** orchestrated by alpha-lipoic acid, which recycles key vitamins and glutathione.
4. **Target multiple, distinct inflammatory pathways simultaneously** through complementary agents like curcumin (COX/NF- κ B) and boswellia (5-LOX).
5. **Enhance the body's resilience to stress** through a balanced combination of adaptogens like ashwagandha and Asian ginseng.

Final Assessment

The composition described in WO2012106692A1 may indeed confer significant benefits for cellular health and contribute to the maintenance of telomere length, thereby promoting longevity. However, the mechanism through which it most likely achieves this is not via direct, universal telomerase activation. Instead, its probable efficacy stems from its ability to profoundly reduce the burden of systemic oxidative stress and chronic inflammation, thus mitigating the root causes of accelerated telomere shortening.

In essence, the product is a potent, broad-spectrum anti-aging formula whose primary marketing claim does not align with its most scientifically defensible mechanism of action. The formulation could be considered a sophisticated antioxidant and anti-inflammatory supplement. However, identified design flaws, most notably the omission of a potent bioenhancer like piperine to improve the absorption of key ingredients like curcumin and resveratrol, suggest that its practical efficacy could be significantly improved.

Recommendations

For any claims regarding telomere lengthening or anti-aging to be scientifically validated, the following steps would be necessary:

1. **Reformulation for Bioavailability:** The formulation should be optimized to include proven bioenhancers (e.g., piperine) or advanced delivery systems (e.g., liposomal or nanoparticle encapsulation) for its low-bioavailability components to ensure that therapeutic concentrations can be achieved in vivo.
2. **Rigorous Preclinical Studies:** Dose-response studies in appropriate animal models are required to establish safety and efficacy, and to elucidate the precise molecular mechanisms of action of the complete formula, not

just its individual parts.

3. **Randomized Controlled Trials (RCTs):** The ultimate validation requires well-designed, double-blind, placebo-controlled human clinical trials. These trials should be of sufficient duration and statistical power to detect meaningful changes. Key endpoints should include not only average telomere length (measured with highly accurate methods like Telomere Restriction Fragment analysis) but also a comprehensive panel of biomarkers for oxidative stress (e.g., F2-isoprostanes, 8-OHdG), inflammation (e.g., hs-CRP, IL-6, TNF- α), and metabolic health.

Without such rigorous scientific validation, the claims made in the patent remain speculative, and the formulation should be regarded as a general wellness supplement with potential antioxidant and anti-inflammatory benefits, rather than a proven telomere-lengthening agent.

Works cited

1. WO2012106692A1.pdf
2. Effects of silymarin and silymarin-doxorubicin applications on telomerase activity of human hepatocellular carcinoma cell line HepG2 - PubMed, accessed July 30, 2025, <https://pubmed.ncbi.nlm.nih.gov/26011349/>
3. The Effect of Silymarin on Telomerase Activity in the Human Leukemia Cell Line K562 - Thieme Connect, accessed July 30, 2025, <https://www.thieme-connect.com/products/ejournals/pdf/10.1055/s-0031-1298464.pdf>
4. Silymarin inhibits endothelial progenitor cells' senescence ... - PubMed, accessed July 30, 2025, <https://pubmed.ncbi.nlm.nih.gov/20838231/>
5. Milk Thistle (PDQ®) - National Cancer Institute, accessed July 30, 2025, <https://www.cancer.gov/about-cancer/treatment/cam/hp/milk-thistle-pdq>
6. Horny Goat Weed: 3 Benefits, Uses, Side Effects, and More - Health, accessed July 30, 2025, <https://www.health.com/horny-goat-weed-7501306>
7. Horny Goat Weed – Does It Really Work? - Chemist Click, accessed July 30, 2025, <https://www.chemistclick.co.uk/news/horny-goat-weed>
8. 10 Benefits of Grape Seed Extract, Based on Science - Healthline, accessed July 30, 2025, <https://www.healthline.com/nutrition/grape-seed-extract-benefits>
9. Grape seed extract: Benefits and side effects - Medical News Today, accessed July 30, 2025, <https://www.medicalnewstoday.com/articles/263332>
10. Curcumin | Linus Pauling Institute | Oregon State University, accessed July 30, 2025, <https://lpi.oregonstate.edu/mic/dietary-factors/phytochemicals/curcumin>
11. Turmeric Health Benefits and Side Effects, accessed July 30, 2025, <https://health.clevelandclinic.org/turmeric-health-benefits>
12. Ashwagandha: Usefulness and Safety | NCCIH, accessed July 30, 2025, <https://www.nccih.nih.gov/health/ashwagandha>
13. Health Benefits of Ashwagandha - WebMD, accessed July 30, 2025, <https://www.webmd.com/diet/health-benefits-ashwagandha>
14. 7 Emerging Benefits of Bacopa monnieri (Brahmi) - Healthline, accessed July 30, 2025, <https://www.healthline.com/nutrition/bacopa-monnieri-benefits>
15. Bacopa monnieri - StatPearls - NCBI Bookshelf, accessed July 30, 2025, <https://www.ncbi.nlm.nih.gov/books/NBK589635/>

16. N-Acetylcysteine as an antioxidant and disulphide breaking agent: the reasons why, accessed July 30, 2025, <https://www.tandfonline.com/doi/full/10.1080/10715762.2018.1468564>
17. N-Acetylcysteine (NAC): Impacts on Human Health - MDPI, accessed July 30, 2025, <https://www.mdpi.com/2076-3921/10/6/967>
18. Potent health effects of pomegranate - PMC - PubMed Central, accessed July 30, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC4007340/>
19. Pomegranate (*Punica granatum* L.) Extract Effects on Inflammaging - MDPI, accessed July 30, 2025, <https://www.mdpi.com/1420-3049/29/17/4174>
20. Alpha-Lipoic Acid - StatPearls - NCBI Bookshelf, accessed July 30, 2025, <https://www.ncbi.nlm.nih.gov/books/NBK564301/>
21. Alpha-Lipoic Acid: Biological Mechanisms and Health Benefits - ResearchGate, accessed July 30, 2025, https://www.researchgate.net/publication/384895391_Alpha-Lipoic_Acid_Biological_Mechanisms_and_Health_Benefits
22. Panax ginseng - PubMed, accessed July 30, 2025, <https://pubmed.ncbi.nlm.nih.gov/14596440/>
23. Antioxidant and Anti-Inflammatory Activities of Berberine in the Treatment of Diabetes Mellitus - PMC - PubMed Central, accessed July 30, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC3942282/>
24. Berberine: A Review of its Pharmacokinetics Properties and Therapeutic Potentials in Diverse Vascular Diseases, accessed July 30, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC8964367/>
25. Full article: Anthocyanins profiling of bilberry (*Vaccinium myrtillus* L.) extract that elucidates antioxidant and anti-inflammatory effects - Taylor & Francis Online, accessed July 30, 2025, <https://www.tandfonline.com/doi/full/10.1080/09540105.2021.1986471>
26. Bilberry - Restorative Medicine, accessed July 30, 2025, <https://restorativemedicine.org/library/monographs/bilberry/>
27. Blueberry (*Vaccinium* spp.) Anthocyanins and Their Functions, Stability, Bioavailability, and Applications - MDPI, accessed July 30, 2025, <https://www.mdpi.com/2304-8158/13/17/2851>
28. A review of the physiological functions of blueberry anthocyanins and their applications in food - BIO Web of Conferences, accessed July 30, 2025, https://www.bio-conferences.org/articles/bioconf/pdf/2023/04/bioconf_icbb2023_02011.pdf
29. I. Executive Summary II. Cancer III. Cardiovascular Health IV. Aging & Cognitive Function V. Obesity, Weight Management, and Diabetes VI. References - Blackberry & Raspberry Information, accessed July 30, 2025, <https://rubus.ces.ncsu.edu/wp-content/uploads/2012/10/raspberry-health-benefits.pdf?fwd=no>
30. Effect of Processing and Storage on the Antioxidant Ellagic Acid Derivatives and Flavonoids of Red Raspberry (*Rubus idaeus*) Jams | Request PDF - ResearchGate, accessed July 30, 2025, https://www.researchgate.net/publication/11831194_Effect_of_Processing_and_St

[orange_on_the_Antioxidant_Ellagic_Acid_Derivatives_and_Flavonoids_of_Red_Raspberry_Rubus_ideaus_Jams](#)

31. EGCG (Epigallocatechin Gallate): Benefits, Dosage, and Safety - Healthline, accessed July 30, 2025, <https://www.healthline.com/nutrition/egcg-epigallocatechin-gallate>
32. 10 Evidence-Based Benefits of Green Tea - Healthline, accessed July 30, 2025, <https://www.healthline.com/nutrition/top-10-evidence-based-health-benefits-of-green-tea>
33. The Acacia (*Vachellia nilotica* (L.) P.J.H. Hurter & Mabb.): Traditional Uses and Recent Advances on Its Pharmacological Attributes and Potential Activities - MDPI, accessed July 30, 2025, <https://www.mdpi.com/2072-6643/16/24/4278>
34. Acacia nilotica as a potential remedy for obesity, accessed July 30, 2025, https://rpbs.journals.ekb.eg/article_380844_88459c37bbd8581254cbadbb36432384.pdf
35. Plantain's therapeutic uses | EBSCO Research Starters, accessed July 30, 2025, <https://www.ebsco.com/research-starters/complementary-and-alternative-medicine/plantains-therapeutic-uses>
36. Antimicrobial and Other Biomedical Properties of Extracts from *Plantago major*, Plantaginaceae - MDPI, accessed July 30, 2025, <https://www.mdpi.com/1424-8247/16/8/1092>
37. What is the mechanism of Glutathione? - Patsnap Synapse, accessed July 30, 2025, <https://synapse.patsnap.com/article/what-is-the-mechanism-of-glutathione>
38. The antioxidant glutathione - PubMed, accessed July 30, 2025, <https://pubmed.ncbi.nlm.nih.gov/36707132/>
39. An assessment of potential nutritive and medicinal properties of *Mucuna pruriens*: a natural food legume - PubMed Central, accessed July 30, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC7239958/>
40. MUCUNA | "The Dopamine Bean" Extract Powder - Anima Mundi Herbals, accessed July 30, 2025, <https://animamundiherbals.com/products/mucuna-pruriens>
41. Hawthorn: Usefulness and Safety | NCCIH, accessed July 30, 2025, <https://www.nccih.nih.gov/health/hawthorn>
42. (PDF) Hawthorn - A Health Food - ResearchGate, accessed July 30, 2025, https://www.researchgate.net/publication/258478051_Hawthorn_-_A_Health_Food
43. Quercetin, Inflammation and Immunity - MDPI, accessed July 30, 2025, <https://www.mdpi.com/2072-6643/8/3/167>
44. Quercetin: Benefits, Side Effects, Dosage, and Foods - Healthline, accessed July 30, 2025, <https://www.healthline.com/nutrition/quercetin>
45. Boswellic Acids in Chronic Inflammatory Diseases - Thieme Connect, accessed July 30, 2025, <https://www.thieme-connect.com/products/ejournals/pdf/10.1055/s-2006-947227.pdf>
46. An Anti-Inflammatory Composition of *Boswellia serrata* Resin Extracts Alleviates

- Pain and Protects Cartilage in Monoiodoacetate-Induced Osteoarthritis in Rats, accessed July 30, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC7261341/>
47. Ethnobiology and Ethnopharmacology of *Lepidium meyenii* (Maca), a Plant from the Peruvian Highlands - PMC - PubMed Central - National Institutes of Health (NIH) |, accessed July 30, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC3184420/>
 48. The Sirtuin System: The Holy Grail of Resveratrol? - PMC - PubMed Central, accessed July 30, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC3613783/>
 49. Screening Analysis of Sirtuins Family Expression on Anti-Inflammation of Resveratrol in Endothelial Cells - PubMed, accessed July 30, 2025, <https://pubmed.ncbi.nlm.nih.gov/31158122/>
 50. Comprehensive Review on Fruit of *Terminalia chebula*: Traditional Uses, Phytochemistry, Pharmacology, Toxicity, and Pharmacokinetics - MDPI, accessed July 30, 2025, <https://www.mdpi.com/1420-3049/29/23/5547>
 51. Identification of hepatoprotective flavonolignans from silymarin, accessed July 30, 2025, <https://pubmed.ncbi.nlm.nih.gov/20231449/>
 52. Silymarin: a review of its clinical properties in the management of hepatic disorders, accessed July 30, 2025, <https://pubmed.ncbi.nlm.nih.gov/11520257/>
 53. Silymarin, a naturally occurring polyphenolic antioxidant flavonoid, inhibits azoxymethane-induced colon carcinogenesis in male F344 rats - PubMed, accessed July 30, 2025, <https://pubmed.ncbi.nlm.nih.gov/12216075/>
 54. Identification of hepatoprotective flavonolignans from silymarin - PNAS, accessed July 30, 2025, <https://www.pnas.org/doi/abs/10.1073/pnas.0914009107>
 55. Horny Goat Weed - Uses, Side Effects, and More - WebMD, accessed July 30, 2025, <https://www.webmd.com/vitamins/ai/ingredientmono-699/horny-goat-weed>
 56. Horny Goat Weed – Health Information Library | PeaceHealth, accessed July 30, 2025, <https://www.peacehealth.org/medical-topics/id/hn-4391000>
 57. Grape Seed Extract benefits, dosage, and side effects - Examine.com, accessed July 30, 2025, <https://examine.com/supplements/grape-seed-extract/>
 58. Incorporation of grape seed extract towards wound care product development - PMC, accessed July 30, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC8113434/>
 59. Turmeric Benefits | Johns Hopkins Medicine, accessed July 30, 2025, <https://www.hopkinsmedicine.org/health/wellness-and-prevention/turmeric-benefits>
 60. Turmeric and Curcumin: Health, Spice, and Supplement Information From WebMD, accessed July 30, 2025, <https://www.webmd.com/diet/supplement-guide-turmeric>
 61. Bioavailability of Curcumin: Problems and Promises | Molecular Pharmaceutics, accessed July 30, 2025, <https://pubs.acs.org/doi/abs/10.1021/mp700113r>
 62. The immunomodulatory role of *Withania somnifera* (L.) dunal in inflammatory diseases, accessed July 30, 2025, <https://www.frontiersin.org/journals/pharmacology/articles/10.3389/fphar.2023.1084757/full>
 63. Ashwagandha | Memorial Sloan Kettering Cancer Center, accessed July 30, 2025,

- <https://www.mskcc.org/cancer-care/integrative-medicine/herbs/ashwagandha>
64. Ashwagandha (*Withania somnifera*) – a herb with versatile medicinal properties empowering human physical and mental health, accessed July 30, 2025, https://www.jpccr.eu/pdf-141582-68402?filename=Ashwagandha%20_Withania.pdf
 65. Pharmacological attributes of *Bacopa monnieri* extract: Current updates and clinical manifestation - *Frontiers*, accessed July 30, 2025, <https://www.frontiersin.org/journals/nutrition/articles/10.3389/fnut.2022.972379/full>
 66. N-acetylcysteine Pharmacology and Applications in Rare Diseases—Repurposing an Old Antioxidant - PubMed Central, accessed July 30, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC10376274/>
 67. N-acetylcysteine (NAC) monograph - Texas Health and Human Services, accessed July 30, 2025, <https://www.hhs.texas.gov/sites/default/files/documents/acetylcysteine-nac-monograph.pdf>
 68. (PDF) N-Acetylcysteine (NAC) and its Immunomodulatory Properties: Part II. Mechanisms of action - ResearchGate, accessed July 30, 2025, https://www.researchgate.net/publication/363902323_N-Acetylcysteine_NAC_and_its_Immunomodulatory_Properties_Part_II_Mechanisms_of_action
 69. N-acetylcysteine Pharmacology and Applications in Rare Diseases ..., accessed July 30, 2025, <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10376274/>
 70. N-acetylcysteine - a safe antidote for cysteine/glutathione deficiency - PMC, accessed July 30, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC4540061/>
 71. Phytochemicals and pharmacology of pomegranate (*Punica granatum* L.): nutraceutical benefits and industrial applications: a review - *Frontiers*, accessed July 30, 2025, <https://www.frontiersin.org/journals/nutrition/articles/10.3389/fnut.2025.1528897/full>
 72. Potent health effects of pomegranate - PMC, accessed July 30, 2025, <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4007340/>
 73. Lipoic Acid | Linus Pauling Institute | Oregon State University, accessed July 30, 2025, <https://lpi.oregonstate.edu/mic/dietary-factors/lipoic-acid>
 74. Promising Antioxidative Effect of Berberine in Cardiovascular Diseases - PubMed Central, accessed July 30, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC8936808/>
 75. Research Breakdown on Green Tea Extract - Examine.com, accessed July 30, 2025, <https://examine.com/supplements/green-tea-extract/research/>
 76. Green Tea: Current Knowledge and Issues - MDPI, accessed July 30, 2025, <https://www.mdpi.com/2304-8158/14/5/745>
 77. Green Tea Catechins - Today's Dietitian Magazine, accessed July 30, 2025, <https://www.todaysdietitian.com/newarchives/0819p18.shtml>
 78. Analgesic and Antiinflammatory Activity of *Acacia nilotica* (L.) W, accessed July 30, 2025, <https://www.iomcworld.com/open-access/analgesic-and-antiinflammatory-activit>

[y-of-iacacia-nilotica-l-willd-ex-idelile-mimosaceae-used-in-the-traditional-man-agement-of--120135.html](#)

79. Glutathione - Wikipedia, accessed July 30, 2025, <https://en.wikipedia.org/wiki/Glutathione>
80. Quercetin increased bioavailability and decreased methylation of green tea polyphenols in vitro and in vivo - PMC, accessed July 30, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC3590855/>
81. The preventive use of resveratrol increases its antioxidant effect by SIRT1 and subclinical anti-inflammatory action in Neuro-2A cells - PubMed, accessed July 30, 2025, <https://pubmed.ncbi.nlm.nih.gov/36481976/>
82. Resveratrol has its antioxidant and anti-inflammatory protective mechanisms decreased in aging - PubMed, accessed July 30, 2025, <https://pubmed.ncbi.nlm.nih.gov/36525827/>
83. Silymarin Inhibits Endothelial Progenitor Cells' Senescence and Protects Against the Antiproliferative Activity of Rapamycin: Preliminary Study | Request PDF - ResearchGate, accessed July 30, 2025, https://www.researchgate.net/publication/46256157_Silymarin_Inhibits_Endothelial_Progenitor_Cells'_Senescence_and_Protects_Against_the_Antiproliferative_Activity_of_Rapamycin_Preliminary_Study
84. www.researchgate.net, accessed July 30, 2025, https://www.researchgate.net/publication/46256157_Silymarin_Inhibits_Endothelial_Progenitor_Cells'_Senescence_and_Protects_Against_the_Antiproliferative_Activity_of_Rapamycin_Preliminary_Study#:~:text=Silymarin%20increased%20telomerase%20activity%203,formation%20in%20Matrigel%20by%20rapamycin.
85. Mechanistic Insights into the Pharmacological Significance of Silymarin - MDPI, accessed July 30, 2025, <https://www.mdpi.com/1420-3049/27/16/5327>
86. Unveiling Synergistic Antioxidant Effects of Green Tea and Peppermint: Role of Polyphenol Interactions and Blend Preparation - PubMed, accessed July 30, 2025, <https://pubmed.ncbi.nlm.nih.gov/40650033/>
87. Curcumin in Pectin-Caseinate Enhances Resveratrol Bioavailability - Bohrium, accessed July 30, 2025, <https://www.bohrium.com/paper-details/curcumin-in-pectin-caseinate-enhances-resveratrol-bioavailability/1150875178767482880-1364>
88. The Combination of Bioavailable Concentrations of Curcumin and Resveratrol Shapes Immune Responses While Retaining the Ability to Reduce Cancer Cell Survival - MDPI, accessed July 30, 2025, <https://www.mdpi.com/1422-0067/25/1/232>
89. Anti-Inflammatory Combo (Boswellia Curcumin) - ZAZA Nail Boutique, accessed July 30, 2025, <http://www.zazabatonrouge.com/shop-1/p/anti-inflammatory-combo-boswellia-c-urcumin>
90. The Good, the Bad, and the Truth About Spinal Force (2025 Review) (WwRfLTzi), accessed July 30, 2025, <https://www.gooutdoorsne.com/commerce/commercial/upload/view/20339>
91. The Antioxidant Role of Glutathione and N-Acetyl-Cysteine Supplements and

- Exercise-Induced Oxidative Stress - PMC, accessed July 30, 2025,
<https://pmc.ncbi.nlm.nih.gov/articles/PMC2129149/>
92. S-Acetyl Glutathione Synergy - Powerful Antioxidant Jordan | Ubuy, accessed July 30, 2025,
<https://www.ubuy.com.jo/en/product/2BLBXYT4-designs-for-health-s-acetyl-glutathione-synergy-200mg-with-nac-vitamin-b6-60-capsules>
 93. Orthoplex White Vitamin E Synergy 60c | BioConcepts, accessed July 30, 2025,
<https://www.bioconcepts.com.au/products/orthoplex-white-vitamin-e-synergy-60c>
 94. Jungle Jiant Pro : AN HONEST CUSTOMER REVIEW!! (udnaLntk), accessed July 30, 2025, <https://www.gooutdoorsne.com/commerce/commercial/upload/view/15590>
 95. The Best Adaptogen Combinations for Stress & Energy - Momentous, accessed July 30, 2025,
<https://www.livemomentous.com/blogs/all/best-adaptogen-combinations>
 96. Synergistic Antioxidant Scavenging Activities of Grape Seed and Green Tea Extracts against Oxidative Stress, accessed July 30, 2025,
<https://www.notulaebotanicae.ro/index.php/nbha/article/download/10358/7923/40293>
 97. Synergistic Antioxidant Scavenging Activities of Grape Seed and Green Tea Extracts against Oxidative Stress - SciSpace, accessed July 30, 2025,
<https://scispace.com/pdf/synergistic-antioxidant-scavenging-activities-of-grape-seed-58eokjkrw5.pdf>
 98. Trans Resveratrol + Quercetin - Kobho Labs, accessed July 30, 2025,
<https://kobholabs.com/products/trans-resveratrol-quercetin>
 99. The combination of resveratrol and quercetin enhances the individual effects of these molecules on triacylglycerol metabolism in white adipose tissue - PubMed, accessed July 30, 2025, <https://pubmed.ncbi.nlm.nih.gov/25669932/>
 100. Resveratone Diet Review (2025) – What I Learned After Using It for a Year (ulg8AA2I), accessed July 30, 2025,
<https://www.calpia.ca.gov/wp-content/uploads/formidable/31/ResveratoneDiet-mpBORHAC.pdf>
 101. Combination of Berberine with Resveratrol Improves the Lipid-Lowering Efficacy - PMC, accessed July 30, 2025,
<https://pmc.ncbi.nlm.nih.gov/articles/PMC6321535/>
 102. Green tea with pomegranate flowers |Online Shop Weight 50g - Natura d'Oriente, accessed July 30, 2025,
<https://www.naturadoriente.com/en/green-tea/434-green-tea-with-pomegranate-flowers.html>
 103. Health Benefits of Pomegranate Green Tea, accessed July 30, 2025,
<https://weaverscoffee.com/blogs/blog/health-benefits-of-pomegranate-green-tea-1>
 104. Enhancing the bioavailability of resveratrol by combining it with piperine - PubMed, accessed July 30, 2025, <https://pubmed.ncbi.nlm.nih.gov/21714124/>
 105. Overview of Curcumin and Piperine Effects on Glucose Metabolism: The Case of an Insulinoma Patient's Loss of Consciousness - MDPI, accessed July 30, 2025,

- <https://www.mdpi.com/1422-0067/24/7/6621>
106. Investigating Bioavailability of Curcumin and Piperine Combination in Comparison to Turmeric Rhizomes: An in vitro Study, accessed July 30, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC10838102/>
 107. THERAPEUTIC PERSPECTIVES ON THE COMBINATION OF ALPHA-LIPOIC ACID AND VITAMIN E - PubMed Central, accessed July 30, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC2925278/>
 108. What clinical data exists for vitamin C (Vitamin C), vitamin E (Vitamin E), Alpha-Lipoic Acid (ALA), ferulic acid (Ferulic Acid), and Dimethylaminoethanol (DMAE) in anti-aging skin care formulations? - Dr.Oracle AI, accessed July 30, 2025, <https://www.droracle.ai/articles/179134/what-clinical-data-exists-for-vitamin-cvitamin-e-alpha-lipoic-acid-ferulic-acid-dmae-in-anti-aging-skin-care-formulations>
 109. Is Coolease Legit in 2025? My Honest Review After 365 Days (NPNAZW6q), accessed July 30, 2025, <https://www.calpia.ca.gov/wp-content/uploads/formidable/31/Coolease-MhbohPQ5.pdf>
 110. Can You Take Rhodiola and Ashwagandha Together? - Healthline, accessed July 30, 2025, <https://www.healthline.com/health/rhodiola-and-ashwagandha-together>
 111. Fluxactive Reviews & Complaints (2025): Worth the Hype or Not? (xR8Jvf6y), accessed July 30, 2025, <https://www.gooutdoorsne.com/commerce/commercial/upload/view/20122>
 112. Adaptogen 10 – Ashwagandha, Bacopa, Holy Basil, Rhodiola Rosea, Schisa - Vita Nuova, accessed July 30, 2025, <https://vita-nuova.com/products/adaptogen-10-ashwagandha-bacopa-holy-basil-rhodiola-rosea-schisandra-cordyceps-gotu-kola-siberian-ginseng-panax-ginseng-astragalus-iv-includes-black-pepper-for-added-absorption-1>