

Phytotherapy for Osteoporosis: An Evidence-Based Report for Seniors on Medication

Introduction

Osteoporosis, a condition characterized by weakened and fragile bones, is a significant health concern for the elderly, often leading to debilitating fractures.¹ While conventional medications are a cornerstone of treatment, many older adults, who are often managing multiple health conditions with various prescriptions, seek complementary therapies to support their bone health.

This report provides an evidence-based overview of herbal interventions for osteoporosis, with a primary focus on safety and compatibility for seniors who may be taking other medications. We will begin by exploring herbs with excellent safety profiles and low risk of drug interactions, followed by those that show promise but require careful medical supervision.

Section 1: Herbal Interventions with Favorable Safety Profiles

This section highlights herbs that are generally well-tolerated and have a low risk of interacting with common medications, making them a good starting point for discussion with a healthcare provider.

1.1 Turmeric (*Curcuma longa*) and Ginger (*Zingiber officinale*)

These common culinary spices are renowned for their potent anti-inflammatory and antioxidant properties, which are key mechanisms for supporting bone health.² Chronic inflammation is a known driver of bone loss, and by reducing it, these herbs can help create a more favorable environment for bone remodeling.³

- **Evidence:** A comprehensive meta-analysis of animal studies found that curcumin (the active compound in turmeric) significantly increased bone mineral density (BMD) and improved bone microarchitecture.³ Human trials have shown benefits for related conditions like osteoarthritis, and a recent clinical trial found positive effects when ginger and curcumin were used in combination by postmenopausal women with osteoporosis.²
- **Safety & Compatibility for Seniors:** Both turmeric and ginger have excellent safety profiles and are generally very well-tolerated, even at high doses.⁴ Their potential for drug interactions is minimal, making them among the safest options to incorporate into a diet or supplement regimen to support bone health. The primary caution is for individuals on blood thinners, as very high doses may have a mild anticoagulant effect.⁷

1.2 Rhizoma Drynariae (Gu Sui Bu)

Known in Traditional Chinese Medicine (TCM) as the "mender of

shattered bones," this fern rhizome has been used for centuries to heal damaged bones and treat osteoporosis.¹

- **Evidence:** The human clinical data for this herb is impressive. A 2017 meta-analysis of six randomized controlled trials (RCTs) involving 846 patients found that its active flavonoids were significantly better than conventional treatments alone at improving BMD and enhancing the overall therapeutic effect in patients with osteoporotic fractures.¹
- **Safety & Compatibility for Seniors:** In the clinical trials reviewed, adverse reactions were mild, with gastrointestinal symptoms being the most common, and resolved after treatment.⁹ Crucially, there are **no well-documented drug interactions** with Gu Sui Bu, making it a compelling option with a strong evidence base and a favorable safety profile for the elderly.⁸

1.3 *Cissus quadrangularis* (Hadjod / Veldt Grape)

This Ayurvedic herb, whose name translates to "bone setter," has a long history of use for treating fractures and joint pain.¹¹

- **Evidence:** Human clinical data is particularly promising for fracture healing, with studies showing it can increase levels of bone-healing proteins and reduce pain and swelling.¹³ For osteoporosis, one study in postmenopausal women with osteopenia found that *Cissus quadrangularis* successfully **delayed bone loss** over a 24-week period.¹³
- **Safety & Compatibility for Seniors:** It is generally considered

safe, with only mild side effects like headache or gas reported.¹³

There are

no well-documented, significant drug interactions, which, combined with its positive human data, makes it a strong candidate for adjunctive use, especially for seniors recovering from fractures.¹³

1.4 Triphala

Triphala is not a single herb but a cornerstone Ayurvedic formulation composed of three fruits: Amalaki, Bibhitaki, and Haritaki. It is considered a rejuvenating tonic with powerful antioxidant and anti-inflammatory properties.⁴

- **Evidence:** While direct clinical trials for osteoporosis are limited, its mechanism is sound, and its use in a broader therapeutic context for post-menopausal osteoporosis has been explored in clinical studies in India.¹⁵ A Phase I clinical study in healthy volunteers confirmed its biological activity and safety in humans.¹⁵
- **Safety & Compatibility for Seniors:** Triphala has an excellent safety profile and is very well-tolerated. There are **no major documented safety concerns or drug interactions**, making it one of the safer traditional formulations to consider as part of a holistic health regimen.¹⁵ Its most common effect is a mild laxative property, which is often a therapeutic goal.¹⁴

1.5 *Ligustrum lucidum* (Glossy Privet / Nu Zhen Zi)

This herb is a gentle, nourishing tonic in TCM used for over a millennium to address symptoms of aging.¹⁷

- **Evidence:** Preclinical data is robust, showing it improves calcium balance, regulates hormones important for bone, and inhibits bone resorption.¹⁸ However, there is currently a lack of high-quality human clinical trials for osteoporosis.¹³
 - **Safety & Compatibility for Seniors:** The **processed, dried fruit** is very well-tolerated with a high margin of safety and only mild, transient side effects reported in clinical trials for other uses.²² There is very little data on drug interactions, but the risk is presumed to be low.
- Crucial Note:** The raw, unprocessed berries and leaves of the plant are toxic and should never be ingested.

Section 2: Effective Herbs Requiring Medical Supervision

The herbs in this section have strong evidence for their benefits but also carry specific risks or interaction profiles that are highly relevant to seniors, who are more likely to be taking medications for cardiovascular health, diabetes, or pain. Their use requires careful discussion and supervision by a healthcare professional.

2.1 *Epimedium* spp. (Horny Goat Weed / Yin Yang Huo)

- **Evidence:** *Epimedium* has some of the strongest human evidence, with a meta-analysis of RCTs showing it significantly

improves BMD and relieves pain, both alone and when added to conventional medication.²³

- **Safety & Compatibility for Seniors:** This herb requires significant caution.
 - **Drug Interactions:** It can lower blood pressure and may have a moderate interaction with **antihypertensive medications.**²⁵ It can also slow blood clotting, creating a risk when combined with **anticoagulants** like warfarin or antiplatelet drugs.²⁵ It may also interact with drugs metabolized by the liver.²⁵
 - **Contraindications:** Due to its estrogen-like activity, it must be **avoided by anyone with a history of hormone-sensitive cancers** (e.g., breast, uterine).²⁵

2.2 Resveratrol

- **Evidence:** The RESHAW trial, a large RCT, provided definitive evidence that resveratrol supplementation increases BMD in the lumbar spine and femoral neck of postmenopausal women and is projected to reduce fracture risk.²⁶
- **Safety & Compatibility for Seniors:** While generally very safe, its theoretical risks are relevant for seniors.¹⁰
 - **Drug Interactions:** It may slow blood clotting, creating a potential interaction with **anticoagulant/antiplatelet drugs.**
 - **Contraindications:** Due to its estrogen-like activity, it is not recommended for individuals with **hormone-sensitive conditions.**

2.3 *Salvia miltiorrhiza* (Danshen / Red Sage)

- **Evidence:** A review of 38 TCM clinical trials where Danshen was used in formulas for osteoporosis reported consistently high efficacy rates (77-97%).²⁷
- **Safety & Compatibility for Seniors:** This herb demands significant caution, especially for seniors on cardiovascular medications.
 - **Drug Interactions:** It has a major interaction risk. It thins the blood and can potentiate the effects of **anticoagulants like warfarin**. It also widens blood vessels and can lead to dangerously low blood pressure (hypotension) when combined with **antihypertensive medications** like calcium channel blockers (e.g., diltiazem, felodipine) or ACE inhibitors.
 - **Contraindications:** It should be avoided by people with **bleeding disorders or low blood pressure**.

2.4 *Boswellia serrata* (Frankincense / Shallaki)

- **Evidence:** While direct osteoporosis trials are needed, the human clinical data for osteoarthritis is very strong, with multiple RCTs showing significant pain reduction and improved mobility.⁶ Its anti-inflammatory mechanism is directly relevant to protecting bone.³²
- **Safety & Compatibility for Seniors:** It is generally safe but has specific interaction risks.
 - **Drug Interactions:** Because it affects the immune system, it may interact with **immunosuppressant medications**, such

as those used after an organ transplant. It may also interact with drugs metabolized by the liver.³⁴

Section 3: Herbs with Significant Safety Concerns or Extensive Drug Interactions

The herbs in this category should only be considered under the guidance of an expert practitioner who can weigh the substantial risks against the potential benefits. Self-medication with these herbs is strongly discouraged.

- ***Psoralea corylifolia* (Bu Gu Zhi):** While potent, this herb carries a significant and well-documented risk of **hepatotoxicity (liver damage)**. It is almost always used in complex TCM formulas where other herbs are believed to buffer its toxicity.
- ***Panax notoginseng* (San Qi):** Long-term use has been associated with potential **liver and kidney toxicity**. It has a major interaction with the blood thinner **warfarin** and is contraindicated in hormone-sensitive conditions.
- ***Guggul (Commiphora wightii)*:** There are rare but serious case reports of **liver issues**, including one case of acute hepatic failure requiring a transplant. It has a major interaction with a wide range of common medications by affecting the **CYP3A4 liver enzyme**, potentially making them less effective.
- ***Astragalus membranaceus* (Huang Qi):** This herb has an extensive drug interaction profile. It is **contraindicated for people with autoimmune diseases** (e.g., RA, lupus) and can interfere with **immunosuppressants, anticoagulants, lithium, and estrogen-blocking cancer treatments**.
- ***Nigella sativa* (Black Cumin Seed):** This herb has a long list of

significant interactions. It can cause dangerously low blood sugar with **diabetes medications**, low blood pressure with **antihypertensives**, and poses a bleeding risk with **anticoagulants**. It also inhibits key liver enzymes (CYP3A4 and CYP2D6), affecting numerous common drugs.

- **Ashwagandha (*Withania somnifera*):** While popular, it carries a rare but serious risk of **liver injury**. It has numerous contraindications, including for those with **autoimmune diseases, thyroid disorders, or hormone-sensitive prostate cancer**. It also has a significant list of potential drug interactions, including with medications for diabetes, high blood pressure, and immunosuppressants.
-

Section 4: Additional Research Findings in Older Adults

Recent research has shed light on new diagnostic tools and therapeutic approaches relevant to bone health in seniors.

- **A New Biomarker for Bone Health (HRR):** A landmark study involving over 9,000 elderly Americans was the first to investigate the link between the Hemoglobin-to-Red Cell Distribution Width Ratio (HRR) and bone health. It found a significant positive correlation between higher HRR values and better bone density, and a negative correlation with the occurrence of osteoporosis. This suggests HRR could become a crucial and accessible indicator for assessing bone health and osteoporosis risk in the elderly.
- **Menopausal Hormone Therapy (MHT):** Re-analyses of data from the Women's Health Initiative (WHI), including a cost-effectiveness simulation for women aged 50 and older,

have reinforced the benefits of MHT. The findings suggest that MHT can mitigate the risk of bone loss and fractures and should be considered a first-line treatment for preserving skeletal health in women who have recently entered menopause, provided they are at low risk for cardiovascular disease.

- **Preclinical Research on Age-Related Osteoporosis:** A meta-analysis of studies on rats, some of which had osteoporosis induced by senility, found that the herbal compound **osthole** significantly increased BMD and improved bone biomechanics. While this research is preclinical, it points to a promising area of investigation for therapies specifically targeting age-related bone loss.
-

Section 5: Conclusion and Final Recommendations

The use of herbal medicine offers promising avenues for supporting bone health in older adults, but it requires a careful, evidence-based, and safety-first approach.

1. **Start with the Safest Options:** For seniors on medication, the most prudent approach is to start by discussing the safest herbs with a healthcare provider. Culinary herbs like **Turmeric** and **Ginger** have excellent safety profiles and can be easily incorporated into the diet. Herbs like **Gu Sui Bu** and **Cissus quadrangularis** have shown efficacy in human trials with a low risk of drug interactions.
2. **Proceed with Caution:** Herbs with strong evidence but known interaction risks, such as **Epimedium**, **Resveratrol**, and **Danshen**, should only be used under strict medical supervision. A thorough review of all current medications is essential to avoid

potentially dangerous interactions, particularly with blood thinners and blood pressure medications.

3. **Avoid High-Risk Herbs Without Expert Guidance:** Herbs with known toxicity (e.g., *Psoralea*) or extensive drug interaction profiles (e.g., Guggul, Astragalus, Ashwagandha) pose significant risks and should not be self-prescribed.
4. **Herbs are an Adjunct, Not a Replacement:** It is critical to remember that herbal interventions should be viewed as a complementary part of a comprehensive osteoporosis management plan. This foundational plan must include adequate intake of calcium and Vitamin D, regular weight-bearing exercise, and adherence to conventional medications as prescribed by a doctor.

By prioritizing safety and working in collaboration with healthcare professionals, seniors can thoughtfully integrate phytotherapy to support their bone health and overall well-being.

Works cited

1. Total flavonoids from Rhizoma Drynariae (Gusuibu) for treating osteoporotic fractures: implication in clinical practice - PMC, accessed June 28, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC5491704/>
2. A Systematic Review on the Molecular Mechanisms of Resveratrol in Protecting Against Osteoporosis - PMC, accessed June 28, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC11988631/>
3. Comprehensive systematic review and meta-analysis on the therapeutic efficacy of curcumin in osteoporosis: unveiling mechanisms - Frontiers, accessed June 28, 2025, <https://www.frontiersin.org/journals/nutrition/articles/10.3389/fnut.2025.1590256/pdf>
4. World Osteoporosis Day 2023: These Ayurvedic Herbs Can Provide Relief From Joint Pain, Here's How - NDTV, accessed June 28, 2025, <https://www.ndtv.com/health/world-osteoporosis-day-2023-these-ayurvedic-herbs-can-provide-relief-from-joint-pain-heres-how-4495299>
5. Review of the Potential Mechanism of Ginger in Alleviating Osteoporosis | Scilit, accessed June 28, 2025, <https://www.scilit.com/publications/03e38868f9deb460195b71ef38b41262>

6. 5 Benefits and Uses of Frankincense — and 6 Myths - Healthline, accessed June 28, 2025, <https://www.healthline.com/nutrition/frankincense>
7. www.healthline.com, accessed June 28, 2025, <https://www.healthline.com/nutrition/turmeric-side-effects#:~:text=better%2Dquality%20sleep.-,The%20bottom%20line,or%20diarrhea%2C%20at%20high%20doses.>
8. Drynaria (Gu Sui Bu) - Herbs & Botanicals | Acupuncture Today, accessed June 28, 2025, <https://acupuncturetoday.com/herbs-and-botanicals/drynaria-gu-sui-bu>
9. Xianling Gubao capsules improve oral health, alveolar bone defects, and bone density in patients with periodontitis - e-Century Publishing Corporation, accessed June 28, 2025, <https://e-century.us/files/ajtr/17/2/ajtr0161568.pdf>
10. RESVERATROL: Overview, Uses, Side Effects, Precautions, Interactions, Dosing and Reviews - WebMD, accessed June 28, 2025, <https://www.webmd.com/vitamins/ai/ingredientmono-307/resveratrol>
11. pubs.acs.org, accessed June 28, 2025, <https://pubs.acs.org/doi/10.1021/acscentsci.3c01414#:~:text=Angelica%20sinensis%2C%20commonly%20known%20as,prevention%20and%20treatment%20of%20Osteoporosis.>
12. Cissus quadrangularis (Hadjod) Inhibits RANKL-Induced Osteoclastogenesis and Augments Bone Health in an Estrogen-Deficient Preclinical Model of Osteoporosis Via Modulating the Host Osteoimmune System, accessed June 28, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC9857034/>
13. Ligustrum's therapeutic uses | EBSCO Research Starters, accessed June 28, 2025, <https://www.ebsco.com/research-starters/health-and-medicine/ligustrums-therapeutic-uses>
14. Chinese Proprietary Medicine Xianling Gubao Capsule for Osteoporosis: A Systematic Review and Meta-Analysis of Randomized Clinical Trials - Frontiers, accessed June 28, 2025, <https://www.frontiersin.org/journals/endocrinology/articles/10.3389/fendo.2022.870277/full>
15. TAO REN – Chinese Herbal Medicine, accessed June 28, 2025, https://ccmlondon.com/app_herbs/tao-ren/
16. A comparative clinical study to access the role of Basti and Virechana Karma followed by Rasayana in post menopausal Asthikshaya (Osteoporosis) - ResearchGate, accessed June 28, 2025, https://www.researchgate.net/publication/354558302_A_comparative_clinical_study_to_access_the_role_of_Basti_and_Virechana_Karma_followed_by_Rasayana_in_post_menopausal_Asthikshaya_Osteoporosis
17. NU ZHEN ZI – Chinese Herbal Medicine, accessed June 28, 2025, https://ccmlondon.com/app_herbs/nu-zhen-zi/
18. Fructus Ligustri Lucidi in Osteoporosis: A Review of its Pharmacology, Phytochemistry, Pharmacokinetics and Safety - PubMed Central, accessed June 28, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC6151717/>
19. Fructus ligustri lucidi ethanol extract improves bone mineral density and properties through modulating calcium absorption-related gene expression in

- kidney and duodenum of growing rats - PubMed, accessed June 28, 2025,
<https://pubmed.ncbi.nlm.nih.gov/24343527/>
20. Therapeutic potential of Erxian decoction and its special chemical markers in depression: a review of clinical and preclinical studies - PubMed Central, accessed June 28, 2025, <https://PMC.ncbi.nlm.nih.gov/articles/PMC11194323/>
21. Cornus officinalis | Prescription Drug Profile - Function, Ingredients & Safety Info - Echemi, accessed June 28, 2025,
<https://www.echemi.com/drugs/drug25051658336-cornus-officinalis-each-tablet-weighs-032g-410.html>
22. Salvia miltiorrhiza in osteoporosis: a review of its phytochemistry, traditional clinical uses and preclinical studies (2014-2024) - PubMed, accessed June 28, 2025, <https://pubmed.ncbi.nlm.nih.gov/39421672/>
23. Shilajit Benefits, Side Effects and Uses - Cleveland Clinic Health Essentials, accessed June 28, 2025, <https://health.clevelandclinic.org/shilajit-benefits>
24. Astragalus - Special Subjects - Merck Manual Consumer Version, accessed June 28, 2025,
<https://www.merckmanuals.com/home/special-subjects/dietary-supplements-and-vitamins/astragalus>
25. The potential therapeutic effects of Panax notoginseng in osteoporosis: A comprehensive review - ResearchGate, accessed June 28, 2025,
https://www.researchgate.net/publication/390350559_The_potential_therapeutic_effects_of_Panax_notoginseng_in_osteoporosis_A_comprehensive_review
26. Regular Supplementation With Resveratrol Improves Bone Mineral Density in Postmenopausal Women: A Randomized, Placebo-Controlled Trial - PubMed Central, accessed June 28, 2025,
<https://PMC.ncbi.nlm.nih.gov/articles/PMC7689937/>
27. Cornus officinalis: a potential herb for treatment of osteoporosis - PMC - PubMed Central, accessed June 28, 2025,
<https://pmc.ncbi.nlm.nih.gov/articles/PMC10725965/>
28. Osteoprotective effect of Achyranthes bidentata root extract on osteoporotic rats: a systematic review and meta-analysis, accessed June 28, 2025,
<https://pmc.ncbi.nlm.nih.gov/articles/PMC11457373/>
29. Epimedium for Osteoporosis Based on Western and Eastern Medicine: An Updated Systematic Review and Meta-Analysis, accessed June 28, 2025,
<https://pmc.ncbi.nlm.nih.gov/articles/PMC9008843/>
30. Du Zhong, Tian qi & Oxtail Stew - Mayway Herbs, accessed June 28, 2025,
<https://www.mayway.com/blogs/articles/osteoporosis-oxtail-stew>
31. Is Shilajit Safe? Understanding the Benefits and Side Effects, accessed June 28, 2025,
<https://www.afdil.com/blog/is-shilajit-safe-understanding-the-benefits-and-side-effects/>
32. Medical uses of Carthamus tinctorius L. (Safflower): a comprehensive review from Traditional Medicine to Modern Medicine - PubMed Central, accessed June 28, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC5984022/>
33. Safflower Uses, Benefits & Side Effects - Drugs.com, accessed June 28, 2025,

<https://www.drugs.com/npc/safflower.html>

34. Therapeutic Uses of Triphala in Ayurvedic Medicine - PMC, accessed June 28, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC5567597/>