
Minimal Experiments





Will the Braves Win the World Series?



Will the Braves Win the World Series?

0-33%

33-66%

66-100%

Choice-from-Sets Experiment.

Determine Menus



Subjects Choose





Randomize











Pay











Determine Menus

Subjects Choose

Randomize

Pay









We can help you with that.



0-33% 33-66% 66-100%



\$10 if *True*, \$10 if *False*, \$10 with 66%

0-33% 33-66% 66-100%




0-25% 25-50% 50-75% 75-100%




\$10 if *True*, \$10 if *False*, \$10 with 75% \$10 if *True*, \$10 with 50%

0-25% 25-50% 50-75% 75-100%



{CAB, CBA}, {ABC, ACB, BAC, BCA}



{CAB, CBA}, {ABC, ACB, BAC, BCA}



Everyone likes cookies better than apples and bananas.














Everyone either likes dates best and anyone who doesn't like dates best likes cookies best and dates worst.









Models

{CAB, CBA}, {ABC, ACB, BAC, BCA}

Objects.

Anything a subject can be compensated with.



\$10 if the Red Sox win the 2021 world series \$10 if the Braves win the 2021 world series \$10 with a 66% chance



\$5 with a 100% chance

\$10 with a 50% chance

\$8 with a 75% chance



\$10 Now.

\$20 Next Week.

\$30 Next Month.



(\$10 for you, \$0 for other)

(\$8 for you, \$2 for other)

(\$5 for you, \$5 for other)



Apple

Banana

Cookie

Rankings.

ABC, ACB, BAC, BCA, CAB, CBA

How general can we be?

Model.

{CAB, CBA}, {ABC, ACB, BAC, BCA}

Everyone likes cookies better than apples and bananas.

Test Theory.

{CAB, CBA}, {ABC, ACB, BAC, BCA}

Everyone likes cookies better than apples and bananas.

Categorize and Test Theory.

{DABC, DACB, DBAC, DBCA, DCAB, DCBA}, {CBAD, CABD}, {Rest}

Everyone likes dates best, or cookies best and dates worst.

Just Categorize.

{DABC, DACB, DBAC, DBCA, DCAB, DCBA}, {CBAD, CABD}


How hard is this?

N=3

127

N=9

6,703,903,964,971,298,549,787,012,499,102,923,063,739,682,910,296,196,688,861,780,721,860,882,015,036,773,488,400,937,149,083,451,713,845,015,929,093,243,025,426,876,941,405,973,284,973,216,824,503,042,047





Models

{CAB, CBA}, {ABC, ACB, BAC, BCA}

Neighbors.

Differ by one Inversion.


ABC, ACB, BAC, BCA, CAB, CBA

Neighbors.


Differ by one Inversion.

ABC, ACB, BAC, BCA, CAB, CBA


Permutahedron.




Permutahedron.



Differentiating Vertices.






{CAB, CBA}, {ABC, ACB, BAC, BCA}


Theorem.


An experiment tests a model M:


if and only if


it includes at least one set from each edge between neighbors that are not in the same set under M.


























Cookies and Dates.


DACB


DABC















Test: {A,B,C,D}, {A,D}, {B,D}



{CAB, CBA}, {ABC, ACB, BAC, BCA}