

Gbox420_Nano_Aero_NoTank
/src/Components/Aerobionics
_NoTank.h

```
graph BT; A["Gbox420_Nano_Aero_NoTank  
/src/Components/Aerobionics  
_NoTank.h"] --> B["Gbox420_Nano_Aero_NoTank  
/src/Components/Aerobionics  
_NoTank.cpp"]; A --> C["Gbox420_Nano_Aero_NoTank  
/src/Modules/AeroModule  
_NoTank.cpp"];
```

The diagram illustrates a header file structure. At the top, a grey-shaded box contains the header file path: `Gbox420_Nano_Aero_NoTank/src/Components/Aerobionics_NoTank.h`. Below this box are two white boxes. The left box contains the source file path: `Gbox420_Nano_Aero_NoTank/src/Components/Aerobionics_NoTank.cpp`. The right box contains the source file path: `Gbox420_Nano_Aero_NoTank/src/Modules/AeroModule_NoTank.cpp`. Two blue arrows point from the bottom of each source file box up to the header file box, indicating that both source files include the header file.

Gbox420_Nano_Aero_NoTank
/src/Components/Aerobionics
_NoTank.cpp

Gbox420_Nano_Aero_NoTank
/src/Modules/AeroModule
_NoTank.cpp