## Rajalakshmi Engineering College

Name: Grisha P

Email: 241901030@rajalakshmi.edu.in

Roll no: 241901030 Phone: 9150371403

Branch: REC

Department: I CSE (CS) FA

Batch: 2028

Degree: B.E - CSE (CS)



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 1\_COD\_Question 4

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

## 1. Problem Statement

As part of a programming assignment in a data structures course, students are required to create a program to construct a singly linked list by inserting elements at the beginning.

You are an evaluator of the course and guide the students to complete the task.

## **Input Format**

The first line of input consists of an integer N, which is the number of elements.

The second line consists of N space-separated integers.

**Output Format** 

The output prints the singly linked list elements, after inserting them at the beginning.

Refer to the sample output for formatting specifications.

Sample Test Case

while(temp!=NULL){

temp=temp->next;

printf("%d ", temp->data);

```
Input: 5
   78 89 34 51 67
   Output: 67 51 34 89 78
   Answer
   #include <stdio.h>
#include <stdlib.h>
   struct Node {
     int data:
     struct Node* next;
   };
   void insertAtFront(struct Node**head, int data){
     struct Node*newnode=(struct Node*)malloc(sizeof(struct Node));
     newnode->data=data;
     if(*head==NULL){
       newnode->next=NULL;
       *head=newnode;
     else{
       newnode->next=*head;
        *head=newnode;
     }
   }
   void printList(struct Node*head){
     struct Node*temp=head;
```

241901030

```
24,190,1030
                                                        241901030
int main(){
       struct Node* head = NULL;
       int n;
       scanf("%d", &n);
       for (int i = 0; i < n; i++) {
          int activity;
          scanf("%d", &activity);
          insertAtFront(&head, activity);
       }
                                                                                     241901030
 รtruct Node* current = head;
while (current !- *!! !! :
          struct Node* temp = current;
          current = current->next;
          free(temp);
       }
       return 0;
     }
                                                                             Marks: 10/10
     Status: Correct
241901030
                                                        241901030
```

241901030

241901030

241901030

24,190,1030