


UXD Cycle 1 - RQ 1 - Seperate List



MSAT Interface

Project: Alpha

Name (Bug title)	Type	Fix Location	Assignee
FI_EMPTY	FI	12.4 EditList.java click here to select	Varma
CO_SELF	CO	11.2 StringComparer.java	Un-assigned
DMI_EMPTY	DM	3.3 DatabaseHelper.java	Elina

toolShort

Name (Bug title)	Type	Fix Location	Assignee
FI_EMPTY	FI	12.4 EditList.java click here to select	Varma
EQ_CHECK	EQ	6.3 LoopHelper.java	Max
XSS_REQUEST	XSS	5.4 HttpSender.java	John

toolLong

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

MSAT Interface

Project: Alpha

Name (Bug title)	Type	Fix Location	Assignee
CO_SELF	CO	11.2 StringComparer.java	Un-assigned
DMI_EMPTY	DM	3.3 DatabaseHelper.java	Elina

toolShort

Name (Bug title)	Type	Fix Location	Assignee
EQ_CHECK	EQ	6.3 LoopHelper.java	Max
XSS_REQUEST	XSS	5.4 HttpSender.java	John

toolLong

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

MSAT Interface ?

Project: Alpha

toolLong

Name (Bug title)	Type	Fix Location	Assignee
FI_EMPTY	FI	12.4 EditList.java click here to select	Varma
EQ_CHECK	EQ	6.3 LoopHelper.java	Max
XSS_REQUEST	XSS	5.4 HttpSender.java	John

Filters

Tool

☒ toolLong

☐ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

MSAT Interface ?

Project: Alpha

toolShort

Name (Bug title)	Type	Fix Location	Assignee
FI_EMPTY	FI	12.4 EditList.java click here to select	Varma
CO_SELF	CO	11.2 StringComparer.java	<div>Un-assigned</div>
DMI_EMPTY	DM	3.3 DatabaseHelper.java	Elina

Filters

Tool

☐ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

MSAT Interface ?

Project: Alpha - Selected Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

A computer uses several types of hardware resources, and those are physically limited by nature. Therefore, we have to use those resources wisely. In Java, unlike in older programming languages like C++, memory is automatically managed by the garbage collector; however, there are other resources, usually "IO resources", that we need to manage by ourselves.

Suggested Quick Fixes:

```
44-1204 0754 00000 705 00000 000000000000
0000000000 0000 7005 00 0000000 7000700
4400000000 00 4000000 00 0000000 40000 0000000
00 0000 000 4000 4000000 7000 40000000
```

Apply

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS

MSAT Interface ?

Project: Alpha - (file_path)/12.4 EditList.java

```
1 // *****
2 // Alpha Project
3 // author @savyama
4 // *****
5
6 public class EditList
7 {
8     ...
9
10    public void popup()
11    {
12        size = size - 1;
13    }
14
15    finalize(): 😊
16    ...
17    ...
18    ...
19
20 }
```

Bug Description

FI: Empty finalizer should be deleted (FI_EMPTY)

Empty **finalize()** methods are useless, so they should be deleted.

Fixed

Know More

Filters

Tool

☒ toolLong

☒ toolShort

Bugs

☐ My Bugs

☒ All Bugs

Vulnerability Type

☐ SQL Injection

☐ XSS