

Product Name: CAMPBELL METHAR TRI-KOMBI HERBICIDE
APVMA Approval No: 31536/127849



Label Name:	CAMPBELL METHAR TRI-KOMBI HERBICIDE
-------------	-------------------------------------

Signal Headings:	POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
------------------	---

Constituent Statements:	336 g/L MECOPROP present as the dimethylamine salt 80 g/L 2,4-D present as the dimethylamine and diethanolamine salt 40 g/L DICAMBA present as the dimethylamine salt
-------------------------	---

Mode of Action:	GROUP I HERBICIDE
-----------------	-------------------

Statement of Claims:	For control of broadleaved weeds, clovers, bindii and creeping oxalis in turf. THIS IS A PHENOXY HERBICIDE THAT CAN CAUSE SEVERE DAMAGE TO NATIVE VEGETATION AND SUSCEPTIBLE CROPS SUCH AS COTTON, GRAPES, TOMATOES, OILSEED CROPS AND ORNAMENTALS.
----------------------	--

Net Contents:	2L - 200L
---------------	-----------

Restraints:	This section contains file attachment.
-------------	--

Directions for Use:	This section contains file attachment.
---------------------	--

Other Limitations:	
--------------------	--

Withholding Periods:	
----------------------	--

Trade Advice:	
General Instructions:	Do not mow turf for 2 days before or after treatment. Repeat applications may be required to control some hard to kill weeds and these can be applied at intervals of 7-14 days.
Resistance Warning:	Methar Tri-Kombi is a member of the Phenoxy and Benzoic group of herbicides. The product has the disruptors of plant cell growth mode of action. For weed resistance management Methar Tri-Kombi is a Group I herbicide. Some naturally occurring weed biotypes resistant to Methar Tri-Kombi and other Group I herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weeds population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Methar Tri-Kombi or other Group I herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Colin Campbell (Chemicals) Pty Ltd accepts no liability for any losses that may result from the failure of Methar Tri-Kombi to control resistant weeds.
Precautions:	Re-entry period : If re-entering treated areas before the spray has dried, workers should wear overalls, elbow-length gloves and water-resistant footwear. Clothing must be laundered after each days use.
Protections:	<p>PROTECTION OF WILDLIFE, CRUSTACEANS AND ENVIRONMENT: Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.</p> <p>PROTECTION OF CROPS, NATIVE AND NON-TARGET PLANTS DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures. Avoid spray drift and vapour movement onto susceptible crops such as cotton, tobacco, tomatoes, vines, lupins, fruit trees and ornamentals.</p> <p>PROTECTION OF LIVESTOCK DO NOT graze treated turf/lawn; or feed turf/lawn clippings from any treated area to poultry or livestock.</p>
Storage and Disposal:	<p>Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.</p> <p>Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.</p> <p>If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.</p> <p>This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple-rinse container for disposal. Dispose of rinsate by adding it to the spray tank. Do not dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It</p>

	will then be acceptable for recycling at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be taken separately.
--	---

Safety Directions:	<p>SAFETY DIRECTIONS</p> <p>Harmful if inhaled or swallowed. Corrosive to the eyes and skin. Will irritate the nose and throat. Repeated exposure may cause allergic disorders.</p> <p>When opening the container and preparing spray or using undiluted concentrate, wear protective waterproof clothing over a layer of normal clothing and a washable hat, elbow-length chemical resistant gloves, impervious footwear, goggles and half facepiece respirator with organic vapour/gas cartridge or canister.</p> <p>If applying by boomspray equipment or aerial spraying equipment, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves.</p> <p>If applying by hand-held spray equipment wear chemical resistant clothing buttoned to the neck and wrist over a layer of normal clothing and a washable hat, elbow-length chemical resistant gloves and half facepiece respirator with organic vapour/gas cartridge or canister.</p> <p>If clothing becomes contaminated with product remove clothing immediately.</p> <p>If product on skin, immediately wash area with soap and water.</p> <p>If product in eyes, wash it out immediately with water.</p> <p>After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water.</p> <p>After each day's use, wash gloves, respirator and if rubber wash with detergent and warm water and contaminated clothing.</p>
--------------------	---

First Aid Instructions:	<p>If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.</p>
-------------------------	---

First Aid Warnings:	
---------------------	--

States: NSW, VIC, QLD, SA, ACT, WA only

Situation	Weeds controlled	Rate	Critical Comments
Golf Fairways, Parks, Ovals	Clovers, creeping oxalis, pearlwort, chickweed, mouse-eared chickweed, lambs tongue, dandelion, catsear, fat hen, mallow, staggerweeds fumitory, bindii, cobblers peg, wireweed	4.2L in 450L water per hectare	DO NOT use on buffalo grass.
Golf and bowling greens and lawns		45mL in 20L water per 100m ²	
Newly sown turf		30mL in 20L water per 100m ²	Do not apply until 4 weeks after first mowing.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL RESTRAINTS

DO NOT apply by spraying equipment carried on the back of the user (Manually pressurised backpack sprayer).
DO NOT apply by aircraft
DO NOT apply if heavy rains or storms are forecast within 3 days.
DO NOT irrigate to the point of runoff for at least 3 days after application.
DO NOT apply if crop or weeds are stressed due to dry or excessively moist conditions.
DO NOT exceed maximum application rate of 4.2L/ha (336 g ae/ha).

SPRAY DRIFT RESTRAINTS

DO NOT graze treated areas or feed turf to animals including poultry
DO NOT apply by a vertical sprayer
Specific definitions for terms used in this section of the label can be found at www.apvma.gov.au/spraydrift
DO NOT allow bystanders to come into contact with the spray cloud
DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. The buffer zones in the relevant buffer zone tables below provide guidance but may not be sufficient in all situations. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas
DO NOT apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application.
DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one or two hours after sunrise.

BOOM SPRAYERS

DO NOT apply by a boom sprayer unless the following requirements are met:

- Spray droplets not smaller than a VERY COARSE spray droplet size category
- Minimum distances between the application site and downwind sensitive areas (see 'Mandatory buffer zones' section of the following table titled 'Buffer zones for boom sprayers') are observed.

Buffer zones for boom sprayers

Application rate	Boom height above the target canopy	Mandatory downwind buffer zones	
		Natural aquatic areas	Vegetation areas
Up to 336 g ae/ha	0.5 m or lower	0 metres	0 metres
	1.0 m or lower	30 metres	25 metres