

**DANGEROUS POISON**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

**BARMAC**



**TRINOC**

**TURF HERBICIDE**

**ACTIVE CONSTITUENTS:**  
220 g/L DSMA  
70 g/L MCPA present as the Sodium salt

**GROUP K I HERBICIDE**

For the Control of certain broadleaf and grass  
weeds on bent, fescue and couch golf courses, bowling greens  
and lawns.

**NET CONTENTS: 5L, 20L, 25L, 200L**



**BARMAC INDUSTRIES PTY LTD**  
**14 Annie Street, ROCKLEA. QLD 4106**  
Batch Number .....  
Date of manufacture .....

NRA APPROVAL NUMBER 45895/0401

## DIRECTIONS FOR USE - VIC, WA, SA, QLD, NSW ACT & NT ONLY

### RESTRAINTS:

DO NOT spray on windy days near flowers, vegetables or ornamentals.

DO NOT use on Buffalo, Kikuyu, Queensland Blue Couch, Carpet or Centipede Grass.

DO NOT mow turf for 3 days before or after treatment and do not fertilise within 10 days of spraying.

DO NOT spray if rain is likely within four hours after application.

SITUATION	PEST	RATE	KNAPSACK SPRAYING	CRITICAL COMMENTS
TURF COUCH Golf Greens, Parks, Lawns & Tennis Courts	Barnyard Grass Bindii Capeweed Catsear Chickweed Clovers	600 mL per 100 m <sup>2</sup> in 20 L of water	450 mL in 15 Litres of water	Three split applications at 7 day intervals gives a better result than a single application. Repeat spray as necessary.
Bowling Greens	Cotula Cudweed Dandelion Duckweed	9 L per standard green in 300 L of water		
TURF BENT & FESCUE. Golf Greens, Parks Lawns & Tennis Courts	Fleabane Lamb's Tongue Mouse-eared Chickweed Mullumbimby Couch Nutgrass	300mL per 100m <sup>2</sup> in 20 L of water	230mL in 15 L of water	Treated turf may be discoloured at temperatures over 32°C. Repeat in 10 days or as necessary depending on weed growth
Bowling Greens	Paspalum Scarlet Pimpernel Summergrass Water Couchgreen White Clover	4.5 L per standard green in 300 L of water		

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL  
UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**THIS PRODUCT IS TOO HAZARDOUS TO BE RECOMMENDED FOR USE IN THE HOME  
GARDEN.**

## GENERAL INSTRUCTIONS

Product can be applied with any equipment which delivers the above volumes of water. Best results are obtained when the product is applied to actively growing weeds and the soil is moist. Equipment should be rinsed thoroughly with clean water and then flushed with an ammonia solution.

**PROTECTION OF LIVESTOCK:** Do not feed treated grass clippings from treated areas to poultry or other animals.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT:** Toxic to fish. Do not contaminate streams, rivers or waterways with the chemical or used container.

**PROTECTION OF CROPS, NATIVE AND NON TARGET PLANTS:** Do not apply under meteorological conditions or from spraying equipment which could be expected to cause spray to drift onto nearby susceptible plants, adjacent crops, crop lands or pastures.

**RESISTANT WEEDS WARNING:** Barmac Trinoc Turf Herbicide is a member of the Organoarsenic group and Phenoxy group of herbicides. For weed resistance management Barmac Trinoc Turf Herbicide is a group K & group I herbicide. Some naturally occurring weed biotypes resistant to Barmac Trinoc Turf Herbicide and other group K & group I herbicides may exist through normal; genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Barmac Trinoc Turf Herbicide or other group K and group I herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Barmac Industries Pty Ltd accepts no responsibility for any losses that may result from the failure of Barmac Trinoc Turf Herbicide to control resistant weeds.

**STORAGE AND DISPOSAL:** Store in the closed original container in a well-ventilated area, as cool as possible. Do not store for prolonged periods in direct sunlight. Store in a locked room or place away from children, animals, foods, feedstuffs, seed and fertilizers. Triple or preferably, pressure rinse empty containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. . If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty container in a local authority landfill. If not available bury the containers at a depth of 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers or product should not be burned.

**SAFETY DIRECTIONS:** Poisonous if absorbed by skin contact or swallowed. May irritate the eyes and skin. Avoid contact with the eyes and skin. When preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, a washable hat and rubber gloves. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each days use wash gloves and contaminated clothing.

**FIRST AID:** If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 131 126

**MATERIAL SAFETY DATA SHEET:** Additional information is listed on the Material Safety Data Sheet available from Barmac Industries Pty Ltd.

### NOTICE

This product is designed only for the particular purposes indicated on the label. Failure to use the product strictly as directed may be illegal, prove dangerous and render the product ineffective. The buyer or user is responsible for any misuse or negligence in the handling, storage, use of or disposal of this material. Barmac Industries Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply and use of this product other than those responsibilities mandatorily imposed by Statutes applicable to the sale and supply of these goods