

Tiny teachable instruments

by

Aarón Montoya-Moraga

B.S., Pontificia Universidad Católica de Chile (2014)

M.P.S, New York University (2017)

Submitted to the Program of Media Arts and Sciences, School of
Architecture and Planning

in partial fulfillment of the requirements for the degree of

Master of Science in Media Arts and Sciences

at the

MASSACHUSETTS INSTITUTE OF TECHNOLOGY

June 2021

© Massachusetts Institute of Technology 2021. All rights reserved.

Author
Program of Media Arts and Sciences, School of Architecture and
Planning
May 2021

Certified by
Tod Machover
Muriel R. Cooper Professor of Music and Media
Thesis Supervisor

Accepted by
Tod Machover
Academic Head, Program in Media Arts and Sciences

Tiny teachable instruments

by

Aarón Montoya-Moraga

Submitted to the Program of Media Arts and Sciences, School of Architecture and
Planning

on May 2021, in partial fulfillment of the
requirements for the degree of
Master of Science in Media Arts and Sciences

Abstract

Tiny teachable instruments is a collection of instruments for media arts, using machine learning techniques and deployed in microcontrollers.

Thesis Supervisor: Tod Machover

Title: Muriel R. Cooper Professor of Music and Media

Acknowledgments

This is the acknowledgements section. You should replace this with your own acknowledgements.

Contents

1	Introduction	13
1.1	Section sample 1	13
1.2	Section sample 2	14
1.2.1	Subsection sample	15
1.2.2	Subsection with list	15
1.3	Section sample 3	16
1.3.1	Another subsection sample	16
A	Tables	19
B	Figures	21

List of Figures

B-1	Armadillo slaying lawyer.	21
B-2	Armadillo eradicating national debt.	22

List of Tables

A.1	Armadillos	19
-----	----------------------	----

Chapter 1

Introduction

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aliquam quis sollicitudin metus. Quisque quam ex, tincidunt et porttitor quis, tincidunt faucibus quam. Nulla facilisi. Nam a libero posuere, mattis leo ac, ultrices est. Nullam auctor lacus eu metus venenatis, gravida consectetur felis laoreet. Nam non ante felis. Maecenas id dignissim turpis, eget pulvinar nisl. Cras nec mauris feugiat, aliquam elit ac, blandit ex [1].

Nunc vehicula velit nibh, ut facilisis magna blandit semper. Fusce varius odio in velit mattis porttitor. Vivamus aliquam vulputate quam, non auctor augue ornare ut. Vivamus ac pretium sapien, sed gravida elit. Etiam facilisis risus libero, sed vulputate velit lobortis sed. Aliquam erat volutpat. Sed est orci, dignissim nec varius et, auctor non purus [3, 4]. Morbi feugiat gravida ipsum. Sed maximus nibh eget feugiat tempor. Pellentesque nec urna varius, volutpat dolor at, mattis leo. Vivamus elit eros, pretium sed magna nec, faucibus egestas enim. Vivamus ipsum ex, condimentum eu felis ac, tempus feugiat metus discussed in section 1.2.

1.1 Section sample 1

Ut hendrerit risus egestas, sollicitudin mauris sit amet, fermentum ipsum. Donec vulputate enim in justo pellentesque rhoncus. Nunc a dui condimentum, egestas ipsum eu, fermentum enim. Duis condimentum iaculis luctus. Nam sodales pellentesque

luctus. Aenean tristique ante mattis tellus tincidunt, vitae mattis nunc tristique. Ut nec mattis ante, eu sodales ex.

Praesent pulvinar risus in diam mollis tincidunt. Nam aliquam lacus sed eleifend mattis. Ut at blandit ex, eget molestie massa. Morbi fermentum sit amet mauris ut placerat. Ut in eros pretium, congue felis sit amet, gravida justo. Suspendisse purus leo, posuere sed odio vel, mollis tempus nisi. Aenean est tortor, tincidunt et rhoncus ut, fermentum semper leo [2]. Integer id viverra metus, a blandit neque. In in enim eu ipsum euismod hendrerit.

Cras et pellentesque sapien. Maecenas vitae sollicitudin sapien. Sed elementum feugiat ligula, eu maximus nunc porttitor in. Etiam porttitor nisi ante, vel fermentum arcu pulvinar et. Sed bibendum diam nisl, vitae dapibus elit convallis congue. Ut vehicula lectus et enim consectetur cursus. Praesent non viverra augue, id bibendum risus. Maecenas lorem massa, dignissim ac purus in, tincidunt sodales nisi. Praesent condimentum tempus mauris. Etiam vitae sem maximus, auctor orci at, rhoncus diam. Donec pretium sodales sodales. Donec sodales ultrices metus ac pharetra. Mauris non ullamcorper urna. Mauris ac faucibus tortor, eu lobortis leo are described in detail in section 1.2.

1.2 Section sample 2

Phasellus sed elit vehicula, gravida odio in, vulputate quam. Quisque in elit enim. Vivamus finibus justo elit, sed semper turpis aliquam porttitor. Nulla posuere bibendum nunc sit amet consequat. Vivamus commodo lorem sed metus fermentum rhoncus. Etiam porta sodales purus, vel aliquet lacus facilisis et. Etiam ornare velit non dui auctor fermentum. In elit augue, fringilla at lacinia at, facilisis sit amet lectus. Sed et hendrerit ex. Morbi tristique felis a augue egestas commodo. Nulla porttitor ut urna nec dignissim. Fusce ac pharetra risus, id rhoncus ligula. Pellentesque euismod viverra sem, vel porttitor libero blandit quis. Phasellus orci augue, mattis nec dolor ut, cursus mattis quam. Sed tincidunt eu metus sed pulvinar. Ut a nulla at leo semper accumsan efficitur eget leo.

Sed vel lectus ut dui tempor molestie. Suspendisse blandit sapien posuere quam tempor lobortis. Duis sollicitudin tincidunt dui, at aliquam lorem dictum sit amet. Aenean congue nibh lectus, ut faucibus turpis facilisis quis. Ut aliquet magna at placerat ultricies. Mauris convallis, risus efficitur gravida dapibus, lacus lorem malesuada ligula, eget porta diam felis non turpis. Nulla sed sem finibus, vehicula quam at, vulputate tellus¹

Quisque elit enim, molestie ac metus ut, condimentum convallis nibh:

1.2.1 Subsection sample

In tempus ex nibh, non eleifend risus iaculis ac. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Nullam in nisi eu arcu laoreet sollicitudin. Mauris consectetur venenatis arcu id finibus. Aenean pellentesque consectetur erat lacinia vulputate. Praesent tempus tempus lorem at dignissim. Proin at odio vitae tortor sollicitudin pretium. Quisque ac purus eu sem rutrum bibendum.

Pellentesque ac leo eget lorem vulputate mattis eu a nisl. Duis elit erat, consectetur vulputate ullamcorper a, finibus quis turpis. Vivamus tincidunt dui id purus bibendum malesuada. Fusce accumsan, ipsum quis feugiat sodales, enim est aliquet leo, ut ornare justo mauris quis ex. Sed eros magna, suscipit et blandit non, pretium id felis. Praesent a vehicula tortor. Donec blandit dolor a ipsum sodales, eget aliquet nisl fermentum.

1.2.2 Subsection with list

Ut sollicitudin, lectus eget posuere porttitor, risus dui facilisis risus, a pharetra lacus elit vel eros. Proin fermentum accumsan mauris, quis posuere nisi pharetra scelerisque.

1. Item 1.

2. Item 2.

¹Here is a sample footnote referencing figures B-1 and B-2.

3. Item 3.

Cras nec ullamcorper mauris. Aliquam erat volutpat. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Suspendisse sed dui ac mi auctor scelerisque. Etiam at semper nisi. Cras nec dolor ac purus feugiat auctor. Nunc eget pulvinar massa.

1.3 Section sample 3

Quisque sed ultrices leo. Donec vestibulum auctor nibh, at faucibus libero mollis in. Quisque massa lorem, feugiat a lectus in, lobortis volutpat lectus. Donec accumsan dui erat, eu tempor tortor facilisis sed. Nulla ullamcorper augue et sapien dapibus, quis bibendum velit porta. Nullam mattis vehicula tortor porttitor porta. Interdum et malesuada fames ac ante ipsum primis in faucibus. Praesent suscipit, lorem vel viverra rhoncus, turpis orci dignissim dui, bibendum pulvinar justo sem vel lorem. Nam porttitor mollis tristique. Aliquam rhoncus magna quis nisl varius mattis. Sed rhoncus, diam in gravida iaculis, mauris tellus imperdiet turpis, at porttitor est leo vel velit. Praesent faucibus ornare sodales. Sed eu lorem purus.

1.3.1 Another subsection sample

Nullam rhoncus posuere lacus, id volutpat nisi pulvinar viverra. Quisque quis ultricies ante. Duis sollicitudin sapien nec consequat vehicula. Vestibulum convallis erat in arcu aliquam eleifend. Nunc scelerisque lorem non luctus sodales. Curabitur eleifend odio et sagittis semper. Praesent sodales, diam nec vulputate iaculis, neque leo consectetur nunc, a luctus lacus purus et dui. Sed sit amet tortor ullamcorper, malesuada libero quis, imperdiet tortor. Cras tempor blandit massa, sit amet molestie sapien tincidunt quis. Nullam hendrerit venenatis massa, sed lacinia ligula tincidunt vitae.

Nam efficitur et lacus sed eleifend. Aenean quis ipsum eget leo ultrices ornare. Nullam rhoncus ante odio, at dignissim neque posuere eu. Pellentesque sodales tortor

est, nec egestas sapien mollis quis. In lectus sapien, pellentesque congue erat consequat, hendrerit aliquet elit. Pellentesque eleifend purus ac diam bibendum, ac auctor ipsum posuere. Cras suscipit leo nec velit fermentum, id varius erat eleifend. Proin sagittis purus id ante lacinia, et congue eros tincidunt. Pellentesque at cursus tellus. Quisque id semper nunc. Quisque viverra a ex at ullamcorper. Morbi mollis erat at ex viverra fringilla. Proin ante dolor, dignissim sodales nisl ac, finibus egestas urna.

Nulla porta urna at pulvinar consectetur. Pellentesque suscipit, neque vitae ultricies rutrum, eros tellus iaculis dui, nec pulvinar justo nibh eu urna. Ut euismod massa nisi, et bibendum risus placerat quis. Integer pretium nulla id risus lobortis laoreet. Aenean quis quam fringilla, elementum odio non, lacinia purus. Vestibulum dui sapien, mollis sit amet massa vel, egestas faucibus velit. Phasellus non justo ut ante vestibulum dictum. Nam in nibh et libero malesuada aliquet. Donec in ex in magna luctus volutpat.

Sed quis dapibus libero. Curabitur id finibus nulla, sed semper felis. Proin dapibus nulla interdum, bibendum tortor et, blandit sapien. Etiam pretium tristique tortor non lacinia. Aliquam dapibus turpis lorem, sit amet porta ex dignissim vitae. In neque felis, sagittis sed ullamcorper lacinia, lobortis ut turpis. Nam quis aliquet justo. Nam eros mi, aliquam vel massa ac, ornare dignissim erat. This is done by using some combination of

$$\begin{aligned}
 a_i &= a_j + a_k \\
 a_i &= 2a_j + a_k \\
 a_i &= 4a_j + a_k \\
 a_i &= 8a_j + a_k \\
 a_i &= a_j - a_k \\
 a_i &= a_j \ll m\text{shift}
 \end{aligned}$$

instead of the multiplication. For example, you could use:

$$r = 4s + s$$

$$r = r + r$$

Or by xx:

$$t = 2s + s$$

$$r = 2t + s$$

$$r = 8r + t$$

Cras pharetra ligula nec lectus bibendum, euismod mattis purus cursus. Nullam ut mi molestie purus ultricies lacinia. Phasellus sed orci ac lacus convallis vestibulum. Quisque id nulla ut ipsum finibus vehicula. Curabitur scelerisque erat lobortis, dapibus purus eget, faucibus sapien. Nam enim leo, faucibus id ante sed, fringilla luctus eros. Morbi vulputate, purus at commodo aliquet, turpis dolor sollicitudin libero, id vehicula risus dui sit amet nulla. Sed auctor efficitur urna. Praesent sagittis tellus ac velit vestibulum dignissim. Vivamus justo enim, pellentesque eu posuere id, mattis vitae felis. Aliquam id tincidunt diam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas.

Appendix A

Tables

Table A.1: Armadillos

Armadillos	are
our	friends

Appendix B

Figures

Figure B-1: Armadillo slaying lawyer.

Figure B-2: Armadillo eradicating national debt.

Bibliography

- [1] L[eslie] A. Aamport. The gnats and gnus document preparation system. *G-Animal's Journal*, 41(7):73+, July 1986. This is a full ARTICLE entry.
- [2] Donald E. Knuth. *Seminumerical Algorithms*, volume 2 of *The Art of Computer Programming*. Addison-Wesley, second edition, 1981. This is a cross-referencing BOOK entry.
- [3] *Proc. Fifteenth Annual Symposium on the Theory of Computing*, 1983.
- [4] F. Phidias Phony-Baloney. *Fighting Fire with Fire: Festooning French Phrases*. PhD dissertation, Fanstord University, Department of French, June-August 1988. This is a full PHDTHESIS entry.