
저자 (Authors)	김경임, 이영범
출처 (Source)	한국천문학회보 9 , 1984.12, 7-7 (1 pages) The Bulletin of The Korean Astronomical Society 9 , 1984.12, 7-7 (1 pages)
발행처 (Publisher)	한국천문학회 The Korean Astronomical Society
URL	http://www.dbpia.co.kr/Article/NODE01860390
APA Style	김경임, 이영범 (1984). 소형천체망원경의 활용방법. 한국천문학회보, 9, 7-7.
이용정보 (Accessed)	경기과학고등학교 211.114.***.173 2019/04/17 12:28 (KST)

저작권 안내

DBpia에서 제공되는 모든 저작물의 저작권은 원저작자에게 있으며, 누리미디어는 각 저작물의 내용을 보증하거나 책임을 지지 않습니다. 그리고 DBpia에서 제공되는 저작물은 DBpia와 구독 계약을 체결한 기관소속 이용자 혹은 해당 저작물의 개별 구매자가 비영리적으로만 이용할 수 있습니다. 그러므로 이에 위반하여 DBpia에서 제공되는 저작물을 복제, 전송 등의 방법으로 무단 이용하는 경우 관련 법령에 따라 민, 형사상의 책임을 질 수 있습니다.

Copyright Information

Copyright of all literary works provided by DBpia belongs to the copyright holder(s) and Nurimedia does not guarantee contents of the literary work or assume responsibility for the same. In addition, the literary works provided by DBpia may only be used by the users affiliated to the institutions which executed a subscription agreement with DBpia or the individual purchasers of the literary work(s) for non-commercial purposes. Therefore, any person who illegally uses the literary works provided by DBpia by means of reproduction or transmission shall assume civil and criminal responsibility according to applicable laws and regulations.

We derived the metallicity effects on the $b-y$ colors as the first step of the calibration of $uvby$, H_β photometry for the intermediate population II F-stars in Olsen's catalogue (1983). On the $(\delta, b-y, \delta \text{ ml})$ -plane, we found that there is non-negligible interstellar reddening with 100 μ of the sun.

Cross-polar Cap Potential Drop and Energy Coupling Function

B.H. Ahn

Department of Earth Science, Kyungpook National University

The cross-polar cap potential Φ_{pc} on March 18 and 19, 1978 is determined by the numerical scheme developed by Kamide et al. (1981) on the basis of magnetic records from the six IMS meridian chain stations and others. The potential drop Φ_{pc} thus determined is correlated with the energy coupling function and the AE index. It is found that $\Phi_{pc} (kV) = 4.2 \times 10^{-17} \epsilon$ (erg/sec) for $10^{18} \text{ erg/sec} < \epsilon < 3.5 \times 10^{18} \text{ erg/sec}$ and $\Phi_{pc} (kV) = 36 + 0.089 AE(nT)$. These results are in fair agreement with the satellite results obtained by Reiff et al. (1981).

소형천체망원경의 활용방법

김 경 임 · 이 영 범

전북대학교 지구과학과

고등학교의 천체망원경 보유 및 운영 현황을 설문지를 통하여 조사하고, 교육과정 및 지구과학 교과서를 분석하여, 천문분야의 실험실습중 망원경과 관련된 종목의 문제점을 추출하고 개선점을 제안하였다.

개선 방향으로서

- 1) 실습항목의 정선
- 2) 실습의 정량화
- 3) 실습방법의 상세화

등을 시도하였다.

고등학교 지구과학(I) 교과서에 수록된 천문학 용어 분석

구 본 우 · 강 용 희

경북대학교 지구과학과

1981년 12월 31일 새로운 과학교육 과정의 제정과 더불어 금년부터는 지구과학을 I, II로 구분하여 시행하도록 하고 있다. 이중 지구과학 I은 모든 일반계 고등학교 학생이 필수로 4~6단위씩 이수하도록 되어있다.

본 연구는 현행 4종의 지구과학 I 문교부 검정교과서에 수록된 천문학용어의 상이한 표현과 용어의 공통적 출현을 비교 조사하고, 서술된 천문학 개념과 내용을 상호 비교하여 현행 지구과학 I 교과서가 안고 있는 문제점을 제시함으로써, 일선의 교사에게 교수에 필요한 자료를 제공하며, 앞으로 새로운 교과서의 편찬시 내용의 보완을 위한 기초자료를 제공하고, 통일된 천문학 용어의 제정, 사용을 제창코자 한다.