

# Triage Against the Machine: Can AI Reason Deliberatively?

Francesco Veri, Gustavo Umbelino

2025-03-21

## Define functions

Maybe move this to it's own package...

```
create_file_path <- function(provider, model, survey, file_type) {  
  file.path("llm_data", provider, model, survey, paste0(file_type, ".csv"))  
}
```

## Get available LLMs

```
# Read the CSV file into a data frame and remove duplicates  
models <- read_csv("private/llms_v2.csv", show_col_types = FALSE) %>%  
  distinct(provider, model)  
  
# Initialize a vector to store the 'has_data' values  
has_data_flags <- logical(nrow(models))  
  
# Iterate over each row in the models data frame  
for (i in 1:nrow(models)) {  
  provider <- models$provider[i]  
  model <- models$model[i]  
  
  # Create the path  
  path <- paste0("llm_data/", provider, "/", model)  
  
  # Check if the path exists and set the 'has_data' flag accordingly  
  has_data_flags[i] <- file.exists(path)  
}  
  
# Add the 'has_data' column to the models data frame  
models <- models %>%  
  mutate(has_data = has_data_flags)  
  
# Print rows where has_data is TRUE  
if (any(models$has_data)) {  
  print(models %>% filter(has_data == TRUE))  
} else {  
  warn("No data available!")  
}
```

```
## # A tibble: 15 x 3  
##   provider model      has_data  
##   <chr>    <chr>    <lgl>
```

```
## 1 google      gemini-1.5-pro      TRUE
## 2 google      gemini-2.0-flash    TRUE
## 3 google      gemini-1.5-flash    TRUE
## 4 google      gemini-1.5-flash-8b TRUE
## 5 google      gemma2              TRUE
## 6 meta        llama3.2           TRUE
## 7 microsoft   phi4               TRUE
## 8 mistralai    mistral-large-latest TRUE
## 9 mistralai    ministral-8b-latest TRUE
## 10 mistralai   mistral-small-latest TRUE
## 11 mistralai   open-mistral-nemo    TRUE
## 12 mistralai   open-mixtral-8x22b  TRUE
## 13 openai      gpt-4o             TRUE
## 14 openai      o1-mini            TRUE
## 15 openai      gpt-3.5-turbo      TRUE
```

## Get available surveys

```
# Read the sheet names of the Excel file
survey_names <- excel_sheets(SURVEY_FILE)

# remove invalid and "template"
survey_names <- survey_names[!grepl("^~", survey_names) & survey_names != "template"]

print(survey_names)
```

```
## [1] "uppsala_speaks"      "fnqcj"                "acp"
## [4] "ccps"               "forestera"            "biobanking_mayo_ubc"
## [7] "zh_uster"           "zh_thalwil"           "zh_winterthur"
## [10] "ds_bellinzona"      "ds_aargau"            "fremantle"
## [13] "zukunft"            "bep"                  "energy_futures"
## [16] "valsamoggia"        "gbr"                  "auscj"
## [19] "swiss_health"       "biobanking_wa"
```

```
# Define the file types
file_types <- c("considerations", "policies", "reasons")
```

## Read and format LLM data

```
# initialize an empty list to store the data frames
data_list <- list()
index <- 0

# iterate over each survey
for (survey_name in survey_names) {

  # iterate over each row in the models data frame where has_data is TRUE
  for (i in 1:nrow(models)) {
    if (models$has_data[i]) {
      provider <- models$provider[i]
      model <- models$model[i]

      # check if any file for the survey exists
      survey_path <- paste0("llm_data/", provider, "/", model, "/", survey_name, "/")
    }
  }
}
```

```

if (!any(file.exists(paste0(survey_path, file_types, ".csv")))) {
  next
}

# Iterate over each file type
for (file_type in file_types) {
  # Create the file path
  file_path <- create_file_path(provider, model, survey_name, file_type)
  index <- index + 1

  # Check if the file exists
  if (file.exists(file_path)) {
    # Read the CSV file
    temp_data <- read_csv(file_path, show_col_types = FALSE)

    # Skip file if file exists but has no data
    if (nrow(temp_data) == 0) {
      warn(paste0(file_path, " exists but has no data!"))
      break
    }

    meta <- c(
      "cuid",
      "created_at",
      "provider",
      "model",
      "temperature",
      "input_tokens",
      "output_tokens"
    )

    # Select the relevant columns based on file type
    if (file_type == "considerations") {
      survey_data <- temp_data %>%
        rename_with( ~ paste0("C", seq_along(.)),
                     starts_with("C", ignore.case = FALSE))

      # add column "survey" to meta data
      survey_data <- survey_data %>%
        mutate(survey = survey_name) %>%
        relocate(survey, .after = model)
      meta <- c(meta, "survey")

      # Ensure survey_data has columns up to C50
      for (j in (ncol(survey_data) - length(meta) + 1):50) {
        survey_data[[paste0("C", j)]] <- as.numeric(NA)
      }

      # go to next file type
      next
    } else if (file_type == "policies") {
      temp_data <- temp_data %>%

```

```

      select(cuid, starts_with("P", ignore.case = FALSE)) %>%
      rename_with( ~ paste0("P", seq_along(.)),
                   starts_with("P", ignore.case = FALSE))

      # Ensure temp_data has columns up to C50
      for (j in (ncol(temp_data)):10) {
        temp_data[[paste0("P", j)]] <- as.numeric(NA)
      }

    } else if (file_type == "reasons") {
      temp_data <- temp_data %>%
        select(cuid, reason) %>%
        rename(R = reason)
    }

    # merge the data frames by 'cuid' and keep all rows
    survey_data <- full_join(survey_data, temp_data, by = c("cuid"))

  }
}

# Add the survey_data data frame to the list
if (exists("survey_data")) {
  data_list[[length(data_list) + 1]] <- survey_data

  # Remove the survey_data data frame to free up memory
  rm(survey_data)
}

}
}
}

```

```

## Warning: llm_data/openai/o1-mini/uppsala_speaks/considerations.csv exists but
## has no data!

## Warning: llm_data/openai/o1-mini/fnqcj/considerations.csv exists but has no
## data!

## Warning: llm_data/openai/o1-mini/acp/considerations.csv exists but has no data!

## Warning: llm_data/openai/o1-mini/ccps/considerations.csv exists but has no
## data!

## Warning: llm_data/openai/o1-mini/forestera/considerations.csv exists but has no
## data!

## Warning:
## llm_data/mistralai/mistral-large-latest/biobanking_mayo_ubic/considerations.csv
## exists but has no data!

## Warning: llm_data/openai/o1-mini/biobanking_mayo_ubic/considerations.csv exists
## but has no data!

## Warning: llm_data/openai/o1-mini/zh_uster/considerations.csv exists but has no
## data!

## Warning: llm_data/openai/o1-mini/zh_thalwil/considerations.csv exists but has

```

```

## no data!

## Warning:
## llm_data/mistralai/mistral-small-latest/zh_winterthur/considerations.csv exists
## but has no data!

## Warning: llm_data/openai/o1-mini/zh_winterthur/considerations.csv exists but
## has no data!

## Warning: llm_data/openai/o1-mini/ds_bellinzona/considerations.csv exists but
## has no data!

## Warning: llm_data/openai/o1-mini/ds_aargau/considerations.csv exists but has no
## data!

## Warning: llm_data/mistralai/mistral-small-latest/fremantle/considerations.csv
## exists but has no data!

## Warning: llm_data/openai/o1-mini/fremantle/considerations.csv exists but has no
## data!

## Warning: llm_data/openai/o1-mini/zukunft/considerations.csv exists but has no
## data!

## Warning: llm_data/mistralai/mistral-large-latest/bep/considerations.csv exists
## but has no data!

## Warning: llm_data/openai/o1-mini/bep/considerations.csv exists but has no data!

## Warning: llm_data/openai/o1-mini/energy_futures/considerations.csv exists but
## has no data!

## Warning: llm_data/mistralai/mistral-large-latest/valsamoggia/considerations.csv
## exists but has no data!

## Warning: llm_data/openai/o1-mini/valsamoggia/considerations.csv exists but has
## no data!

## Warning: llm_data/mistralai/mistral-large-latest/gbr/considerations.csv exists
## but has no data!

## Warning: llm_data/openai/o1-mini/gbr/considerations.csv exists but has no data!

## Warning: llm_data/meta/llama3.2/auscj/considerations.csv exists but has no
## data!

## Warning: llm_data/openai/o1-mini/auscj/considerations.csv exists but has no
## data!

## Warning: llm_data/openai/o1-mini/swiss_health/considerations.csv exists but has
## no data!

## Warning: llm_data/openai/o1-mini/biobanking_wa/considerations.csv exists but
## has no data!

```

```

# Combine all data frames in the list into a single data frame
llm_data <- bind_rows(data_list)

write_csv(llm_data, paste(OUTPUT_DIR, "llm_data.csv", sep = "/"))

inp <- mean(llm_data$input_tokens)
outp <- mean(llm_data$output_tokens)
tot <- inp + outp

```

```

# delete data_list from memory
rm(data_list)
rm(temp_data)

# Aggregate llm_data by provider, model, and survey and N the number of rows
llm_surveys <- llm_data %>%
  group_by(provider, model, survey) %>%
  summarise(
    N = n(),
    mean_input_tokens = as.integer(mean(input_tokens)),
    mean_output_tokens = as.integer(mean(output_tokens)),
    .groups = 'drop'
  )

cost_tokens <- llm_data %>%
  group_by(provider, model) %>%
  summarise(
    N = n(),
    input_tokens = as.integer(sum(input_tokens)),
    output_tokens = as.integer(sum(output_tokens)),
    .groups = 'drop'
  )

# Print the summary
print(head(llm_surveys))

```

```

## # A tibble: 6 x 6
##   provider model          survey      N mean_input_tokens mean_output_tokens
##   <chr>    <chr>          <chr>   <int>          <int>          <int>
## 1 google  gemini-1.5-flash acp         10           5244           329
## 2 google  gemini-1.5-flash auscj        10           4601           319
## 3 google  gemini-1.5-flash bep          9           4469           301
## 4 google  gemini-1.5-flash biobanki~    10           3912           276
## 5 google  gemini-1.5-flash biobanki~    10           5167           346
## 6 google  gemini-1.5-flash ccps         7           3546           245

```

```

# write summary to file
write_csv(llm_surveys, paste(OUTPUT_DIR, "llm_surveys.csv", sep = "/"))
write_csv(cost_tokens, paste(OUTPUT_DIR, "cost_tokens.csv", sep = "/"))

```

## Calculate Cronbach's Alpha

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```







```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C8 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C21 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C28 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in log(det(r)): NaNs produced

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C6 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C11 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C16 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C17 had no variance and was deleted but still is counted in the score

```



[illegible]



[illegible]

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

```





[illegible]

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

```



```

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C8 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C9 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C17 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C18 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C19 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C27 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C28 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C29 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

```

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

```

[illegible]

```

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C8 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C9 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C17 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C18 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C21 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C22 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C24 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C25 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C27 had no variance and was deleted but still is counted in the score

```

[illegible]

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C8 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C9 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C16 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C25 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

```





```

## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score
## Number of categories should be increased in order to count frequencies.
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.
## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C37 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C38 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C39 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C40 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C41 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C42 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C43 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C44 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
```



```

## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P5
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in log(det(r)): NaNs produced

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C22 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C27 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C7 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C11 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C25 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C27 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```









[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```





[illegible]



```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

```



```

## P10 had no variance and was deleted but still is counted in the score
## Warning in log(det(r)): NaNs produced
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score
## Number of categories should be increased in order to count frequencies.
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in log(det(m.inv.r)): NaNs produced
## Warning in log(det(r)): NaNs produced
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C16 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C28 had no variance and was deleted but still is counted in the score
```



```
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C50 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C1 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C6 had no variance and was deleted but still is counted in the score
```



```
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C38 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C39 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C40 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C41 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C42 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C43 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C44 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C45 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C46 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C47 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C48 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C49 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C50 had no variance and was deleted but still is counted in the score  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score
```



```

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C6 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C7 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C11 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C24 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C16 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C17 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C18 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C29 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

```

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C9 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C17 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C18 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C19 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C28 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):

```





```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C9 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C11 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C16 had no variance and was deleted but still is counted in the score

```



```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C8 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C16 had no variance and was deleted but still is counted in the score

```

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C20 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C25 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```





```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P5
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C16 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C22 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C27 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

```



```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C11 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C21 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.

```





```
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C44 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C45 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C46 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C47 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C48 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C49 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C50 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score
```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C19 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

```





[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in log(det(r)): NaNs produced

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

```



```

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in log(det(r)): NaNs produced

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C19 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

```



[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C18 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):

```





```

## P10 had no variance and was deleted but still is counted in the score
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C29 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

```



[illegible]







[illegible]





[illegible]



```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C9 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
```

[illegible]

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

```

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C16 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C25 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```





[illegible]

```

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Matrix
## was not positive definite, smoothing was done

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P5
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in log(det(r)): NaNs produced
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C9 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C22 had no variance and was deleted but still is counted in the score
```

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C29 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



[illegible]

[illegible]





[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

```





```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0

```



```

## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

```





[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

```

[illegible]

```

## Warning in log(det(m.inv.r)): NaNs produced
## Warning in log(det(r)): NaNs produced
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C16 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

```



```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C17 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

```

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in log(det(r)): NaNs produced

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C18 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C19 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C27 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

```

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):

```



```

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C9 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C21 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C22 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C24 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C25 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C27 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C28 had no variance and was deleted but still is counted in the score

```

[illegible]



```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

```

[illegible]

[illegible]



[illegible]

```

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in log(det(r)): NaNs produced

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C21 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C22 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C27 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

```

[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C16 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C20 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```





[illegible]

```
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C47 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C48 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C49 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C50 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C14 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C21 had no variance and was deleted but still is counted in the score
```

[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
```

[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



```
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score
```

```

## Warning in log(det(r)): NaNs produced

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

```

```
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C46 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C47 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C48 had no variance and was deleted but still is counted in the score
```

[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

```



[illegible]





```

## Item = C34 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in log(det(r)): NaNs produced

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C6 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C7 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

```

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C7 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C8 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

```

[illegible]

```

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score
## Number of categories should be increased in order to count frequencies.
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



```
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in log(det(m.inv.r)): NaNs produced
## Warning in log(det(r)): NaNs produced
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C21 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C22 had no variance and was deleted but still is counted in the score
```







```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P5
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

```





```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C23 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C25 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C26 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C27 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
```



```
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C50 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C14 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C50 had no variance and was deleted but still is counted in the score  
  
## Number of categories should be increased in order to count frequencies.  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## The determinant of the smoothed correlation was zero.
```

[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```





[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in log(det(m.inv.r)): NaNs produced  
  
## Warning in log(det(r)):NaNs produced  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0
```

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C32 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C33 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C34 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C35 had no variance and was deleted but still is counted in the score
```



```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in log(det(r)): NaNs produced

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C24 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

```



```

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

```



```
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in log(det(m.inv.r)): NaNs produced  
  
## Warning in log(det(r)): NaNs produced  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C37 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C38 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
```

[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in log(det(r)): NaNs produced

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C21 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C22 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C24 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C25 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C27 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C28 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C29 had no variance and was deleted but still is counted in the score

```

[illegible]

```
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
```

[illegible]

[illegible]

```
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
```





```

## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P5
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in log(det(r)): NaNs produced

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

```



[illegible]

[illegible]

[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```







```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in log(det(r)): NaNs produced

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



```

## P10 had no variance and was deleted but still is counted in the score
## Warning in log(det(m.inv.r)): NaNs produced
## Warning in log(det(r)): NaNs produced
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score
## Number of categories should be increased in order to count frequencies.
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

```





```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

```





```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C28 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C29 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

```

[illegible]

```

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```







```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in log(det(r)): NaNs produced

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C21 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C22 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C24 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C25 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C27 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C28 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C29 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

```

[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

```



[illegible]







```

## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in log(det(m.inv.r)): NaNs produced
## Warning in log(det(r)): NaNs produced
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

```





```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C25 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C27 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C28 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C29 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):

```

```

## Item = C37 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```







```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



```
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
```

```
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score
```

```

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in log(det(r)): NaNs produced

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

```



[illegible]

[illegible]



[illegible]

[illegible]

```

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C11 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C16 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

```



```

## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C20 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C22 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C29 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

```

[illegible]



```

## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

```



[illegible]



```

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```









[illegible]



[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C20 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C27 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

```



[illegible]



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



```

## Item = C5 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C29 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score
## Number of categories should be increased in order to count frequencies.
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

```

```
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C25 had no variance and was deleted but still is counted in the score  
  
## Warning inalpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C28 had no variance and was deleted but still is counted in the score
```



```
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C1 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C2 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C11 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C16 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
```





```
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C6 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C7 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C11 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C16 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C24 had no variance and was deleted but still is counted in the score
```



```
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
```

[illegible]



[illegible]





[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C9 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

```

[illegible]

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Matrix
## was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C11 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):

```

[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P3
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P5
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C8 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C21 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C22 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

```



```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.

```

```
## This means the objective function is not defined for the null model either.  
## The Chi square is thus based upon observed correlations.
```

```
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0
```

```
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score
```

```
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
```

[illegible]

```
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C43 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C44 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C45 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C46 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C47 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C48 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C49 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C50 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score
```

```

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in log(det(r)): NaNs produced

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C22 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C16 had no variance and was deleted but still is counted in the score
```





```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

```



```

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(r)): NaNs produced

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C8 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C17 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C24 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C20 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C22 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score
```

[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

```





[illegible]

```
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C42 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C43 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C44 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C45 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C46 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C47 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C48 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C49 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C50 had no variance and was deleted but still is counted in the score  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
```

[illegible]



```

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C16 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C17 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C18 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C28 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

```



```

## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C11 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C18 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C19 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C22 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C25 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C27 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C28 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

```



[illegible]

```

## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C18 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C21 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C22 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C24 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C25 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C27 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C28 had no variance and was deleted but still is counted in the score

```

[illegible]

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C11 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C17 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C20 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C21 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):

```

[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



```
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P5
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in log(det(m.inv.r)): NaNs produced
## Warning in log(det(r)): NaNs produced
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C6 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
```

[illegible]

```
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
```

```
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0
```

```
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score
```

```
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score
```

```
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score
```

```
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
```

```
## Pearson correlations of the raw data were found
```

```
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
```

```
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0
```

```
## Warning inalpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C2 had no variance and was deleted but still is counted in the score
```

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C6 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C7 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C20 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C24 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C25 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C7 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
```

[illegible]

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8

```

```

## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C7 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C25 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C29 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```





[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):

```

[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in log(det(m.inv.r)): NaNs produced
## Warning in log(det(r)): NaNs produced
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
```

```

## Item = C34 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score
## Number of categories should be increased in order to count frequencies.
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```





[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.

```

```
## The Chi square isthus based upon observed correlations.
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
```

```
## had no variance and was deleted but still is counted in the score
```

```
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
```

```
## had no variance and was deleted but still is counted in the score
```

```
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
```

```
## P10 had no variance and was deleted but still is counted in the score
```

```
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```

```
## In smc, smcs < 0 were set to .0
```



```
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C47 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C48 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C49 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C50 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0
```



```
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C48 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C49 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C50 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C1 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C2 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
```

[illegible]



```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(model): Matrix was not positive definite, smoothing was
## done

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P5
## had no variance and was deleted but still is counted in the score

```

```

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(model): Matrix was not positive definite, smoothing was
## done

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C29 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

```

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

```

[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

[illegible]

[illegible]





```

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C9 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C17 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C20 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C22 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C25 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C28 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(model): Matrix was not positive definite, smoothing was
## done

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```





```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P5
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C25 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C27 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C28 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C29 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

```

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P2
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

```

[illegible]

[illegible]

```
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C1 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C4 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C8 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations data, check.keys = TRUE, warnings = FALSE):
```





[illegible]

[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):

```



[illegible]

[illegible]

[illegible]

```
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C41 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C42 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C43 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C44 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C45 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C46 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C47 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C48 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C49 had no variance and was deleted but still is counted in the score  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C50 had no variance and was deleted but still is counted in the score  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score
```



```

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C6 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C7 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C11 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C16 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C24 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

```



```

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C17 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C18 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C18 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C31 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

```

```
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C43 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C44 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C45 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C46 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C47 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C48 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C49 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C50 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score
```

```

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```





[illegible]



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P1
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C16 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C17 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

```



```

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C28 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P5
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C21 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C22 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C25 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C26 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

```



```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```







[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.
## In smc, smcs < 0 were set to .0

```





```
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C43 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C44 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C45 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C46 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C47 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C48 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C49 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C50 had no variance and was deleted but still is counted in the score  
  
## Number of categories should be increased in order to count frequencies.  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## The determinant of the smoothed correlation was zero.  
## This means the objective function is not defined for the null model either.  
## The Chi square is thus based upon observed correlations.
```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
```

```

## P10 had no variance and was deleted but still is counted in the score

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C19 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

```



[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

```





[illegible]

```
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C49 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C50 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C2 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C11 had no variance and was deleted but still is counted in the score  
  
## Warning inalpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C14 had no variance and was deleted but still is counted in the score
```

[illegible]



[illegible]



[illegible]

[illegible]



[illegible]



```

## Item = C37 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score
## Number of categories should be increased in order to count frequencies.
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C5 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C9 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C10 had no variance and was deleted but still is counted in the score

```

[illegible]

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in log(det(r)): NaNs produced

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in log(det(r)): NaNs produced

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C3 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

```

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C16 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C19 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C25 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```







```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P5
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in log(det(r)): NaNs produced

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C21 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C22 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C23 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C27 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

```

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C14 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C15 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C18 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C21 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

```



[illegible]

```
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C45 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C46 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C47 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C48 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C49 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C50 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in log(det(m.inv.r)): NaNs produced  
  
## Warning in log(det(r)): NaNs produced
```



[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(r)): NaNs produced

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



```

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in log(det(m.inv.r)): NaNs produced

## Warning in log(det(r)): NaNs produced

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

```

```
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in log(det(m.inv.r)): NaNs produced  
  
## Warning in log(det(r)): NaNs produced  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C46 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C47 had no variance and was deleted but still is counted in the score
```



[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

```





```
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C49 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C50 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C11 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C28 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
```

```

## Item = C32 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C2 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C31 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C32 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C33 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C34 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C35 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C36 had no variance and was deleted but still is counted in the score
```

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C1 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C12 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C29 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C32 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C2 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C4 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C8 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C13 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C30 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C33 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C34 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C35 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```



[illegible]

```

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

```



[illegible]

```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

```



```

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C38 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C39 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C40 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C41 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C42 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C43 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C44 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C45 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Number of categories should be increased in order to count frequencies.

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```

```
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P5
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P6
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score
## Warning in log(det(m.inv.r)): NaNs produced
## Warning in log(det(r)): NaNs produced
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C21 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C36 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C37 had no variance and was deleted but still is counted in the score
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
```



```

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C46 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C47 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C48 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C49 had no variance and was deleted but still is counted in the score

## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):
## Item = C50 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined.
## Chi square is based upon observed residuals.

## The determinant of the smoothed correlation was zero.
## This means the objective function is not defined for the null model either.
## The Chi square is thus based upon observed correlations.

## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

```





[illegible]

```
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C48 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C49 had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C50 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P7  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9  
## had no variance and was deleted but still is counted in the score  
  
## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =  
## P10 had no variance and was deleted but still is counted in the score  
  
## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done  
  
## In factor.stats, I could not find the RMSEA upper bound . Sorry about that  
## In smc, smcs < 0 were set to .0  
## In smc, smcs < 0 were set to .0  
  
## Warning in alpha(considerations_data, check.keys = TRUE, warnings = FALSE):  
## Item = C50 had no variance and was deleted but still is counted in the score  
  
## Number of categories should be increased in order to count frequencies.
```

[illegible]

```
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0
## In smc, smcs < 0 were set to .0

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P8
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item = P9
## had no variance and was deleted but still is counted in the score

## Warning in alpha(policies_data, check.keys = TRUE, warnings = FALSE): Item =
## P10 had no variance and was deleted but still is counted in the score

## Warning in cor.smooth(r): Matrix was not positive definite, smoothing was done

## In factor.stats, I could not find the RMSEA upper bound . Sorry about that

## # A tibble: 6 x 5
##   provider_model      survey      N alpha_considerations alpha_policies
##   <chr>             <chr>    <int>             <dbl>         <dbl>
## 1 google/gemini-1.5-pro uppsala_speaks    10          0.935          0.649
## 2 google/gemini-1.5-pro fnqcj             10          0.909          0.761
## 3 google/gemini-1.5-pro acp                10          0.893          0.694
## 4 google/gemini-1.5-pro ccps               10          0.745          0.760
## 5 google/gemini-1.5-pro forestera          10          0.910          0.722
## 6 google/gemini-1.5-pro biobanking_ma~    10          0.830          0.637
```

## Check alpha results per model

```
# Aggregate alpha_results by model and calculate summary statistics
```

```
alpha_summary <- alpha_results %>%
  group_by(provider_model) %>%
  summarise(
    min_alpha_considerations = min(alpha_considerations, na.rm = TRUE),
    max_alpha_considerations = max(alpha_considerations, na.rm = TRUE),
    mean_alpha_considerations = mean(alpha_considerations, na.rm = TRUE),
    std_alpha_considerations = sd(alpha_considerations, na.rm = TRUE),
    min_alpha_policies = min(alpha_policies, na.rm = TRUE),
    max_alpha_policies = max(alpha_policies, na.rm = TRUE),
    mean_alpha_policies = mean(alpha_policies, na.rm = TRUE),
    std_alpha_policies = sd(alpha_policies, na.rm = TRUE)
  )
```

```
# Print the summary
```

```
print(head(alpha_summary))
```

```
## # A tibble: 6 x 9
##   provider_model      min_alpha_considerations max_alpha_considerations
##   <chr>             <dbl>             <dbl>
## 1 google/gemini-1.5-flash    0.728             0.967
## 2 google/gemini-1.5-flash-8b 0.772             0.959
## 3 google/gemini-1.5-pro      0.588             0.958
## 4 google/gemini-2.0-flash    0.590             0.926
## 5 google/gemma2              0.749             0.926
```

```
## 6 meta/llama3.2                                0.669                                0.941
## # i 6 more variables: mean_alpha_considerations <dbl>,
## #   std_alpha_considerations <dbl>, min_alpha_policies <dbl>,
## #   max_alpha_policies <dbl>, mean_alpha_policies <dbl>,
## #   std_alpha_policies <dbl>
```

## Define aggregation functions

```
# Function to calculate mode of data, same as stat_function
calc_mode <- function(data) {
  as.numeric(names(sort(table(data), decreasing = TRUE)[1]))
}

bootstrap_mode <- function(data, n_bootstrap = 1000) {

  # Return NA if data contains any NA
  if (any(is.na(data))) {
    return(NA)
  }

  # Define the statistic function for bootstrapping to find mode
  stat_function <- function(data, indices) {
    as.numeric(names(sort(table(data[indices]), decreasing = TRUE)[1]))
  }

  # Perform bootstrap
  results <- boot(data = data, statistic = stat_function, R = n_bootstrap)

  # Calculate bootstrapped mode
  b_mode <- calc_mode(results$t)

  # Return the bootstrapped modes
  return(b_mode)
}

calculate_mode <- function(x) {
  if (length(x) == 0) {
    return(NA)
  }
  ux <- unique(x)
  ux[which.max(tabulate(match(x, ux)))]
}

aggregate_llm_considerations <- function(considerations) {
  # Ensure there are columns to aggregate
  if (ncol(considerations) == 0) {
    return(tibble())
  }

  # Calculate the mode for each column
  mode_considerations <- considerations %>%
    summarise(across(everything(), bootstrap_mode))

  return(mode_considerations)
}
```

```

}

aggregate_llm_policies <- function(policies) {
  # Ensure there are at least 2 columns to aggregate
  if (nrow(policies) < 2) {
    return(policies)
  }

  # Remove columns with NAs
  valid_policies <- policies[, colSums(is.na(policies)) != nrow(policies)]

  # Convert the policies to a ranked matrix
  ranked_matrix <- as.matrix(valid_policies)

  # Define the number of winners to all - 1 policies
  # stv complains if winners == all policies
  num_winners <- ncol(valid_policies) - 1

  # Run the Single Transferable Vote algorithm
  results <- stv(ranked_matrix, num_winners, quiet = TRUE)

  # add last policy to ranked result
  last_policy <- setdiff(colnames(valid_policies), results$selected)
  ranked_policies <- c(results$selected, last_policy)

  policy_order <- colnames(valid_policies)

  order <- match(policy_order, ranked_policies)

  # Calculate the number of missing values needed to reach length 10
  missing_columns <- ncol(policies) - length(order)

  # Fill in the missing values with NA
  order <- c(order, rep(NA, missing_columns))

  # Create a new data.frame with aggregated results
  policy_ranks <- data.frame(t(order))
  colnames(policy_ranks) <- colnames(policies)

  return(policy_ranks)
}

```

## Aggregate considerations and preferences

```

aggregate_llm_data <- function(data) {

  # Initialize an empty list to store the alpha results
  aggregation_results <- list()

  # Iterate over each unique provider/model/survey combination
  for (row in 1:nrow(llm_surveys)) {
    provider <- llm_surveys[row, ]$provider

```

```

model <- llm_surveys[row, ]$model
survey <- llm_surveys[row, ]$survey
N <- llm_surveys[row, ]$N

# Filter the data for the current survey
survey_data <- data %>%
  filter(provider == !!provider, model == !!model, survey == !!survey)

# Calculate Cronbach's Alpha for considerations (C1..C50)
considerations_data <- survey_data %>% select(starts_with("C", ignore.case = FALSE))

aggregated_considerations <- aggregate_llm_considerations(considerations_data)

# Calculate Cronbach's Alpha for policies (P1..P10)
policies_data <- survey_data %>% select(starts_with("P", ignore.case = FALSE))

aggregated_policies <- aggregate_llm_policies(policies_data)

# store the results in the list
aggregation_result <- tibble(
  provider = provider,
  model = model,
  survey = survey,
  N = N
)

aggregation_result <- aggregation_result %>%
  bind_cols(aggregated_considerations) %>%
  bind_cols(aggregated_policies)

aggregation_results[[length(aggregation_results) + 1]] <- aggregation_result
}

# Combine all results into a single data frame
aggregation_results <- bind_rows(aggregation_results)

return(aggregation_results)
}

time_start <- Sys.time()
llm_data_aggregated <- aggregate_llm_data(llm_data)
time_end <- Sys.time()
elapsed_time <- difftime(time_end, time_start, units = "auto")

print(paste("Aggregation of", nrow(llm_data), "LLM responses across", length(unique(llm_data$survey)) ,

## [1] "Aggregation of 2438 LLM responses across 20 surveys completed in 10.17 mins"
print(head(llm_data_aggregated))

## # A tibble: 6 x 64

```

```
## provider model survey N C1 C2 C3 C4 C5 C6 C7 C8
## <chr> <chr> <chr> <int> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl> <dbl>
## 1 google gemini-- acp 10 6 8 7 6 7 7 9 8
## 2 google gemini-- auscj 10 3 6 3 5 5 3 7 2
## 3 google gemini-- bep 9 2 2 7 6 2 3 4 2
## 4 google gemini-- bioba~ 10 8 7 6 5 10 7 3 7
## 5 google gemini-- bioba~ 10 8 8 7 9 11 7 2 9
## 6 google gemini-- ccps 7 2 7 2 8 4 3 6 9
## # i 52 more variables: C9 <dbl>, C10 <dbl>, C11 <dbl>, C12 <dbl>, C13 <dbl>,
## # C14 <dbl>, C15 <dbl>, C16 <dbl>, C17 <dbl>, C18 <dbl>, C19 <dbl>,
## # C20 <dbl>, C21 <dbl>, C22 <dbl>, C23 <dbl>, C24 <dbl>, C25 <dbl>,
## # C26 <dbl>, C27 <dbl>, C28 <dbl>, C29 <dbl>, C30 <dbl>, C31 <dbl>,
## # C32 <dbl>, C33 <dbl>, C34 <dbl>, C35 <dbl>, C36 <dbl>, C37 <dbl>,
## # C38 <dbl>, C39 <dbl>, C40 <dbl>, C41 <dbl>, C42 <dbl>, C43 <dbl>,
## # C44 <dbl>, C45 <dbl>, C46 <dbl>, C47 <dbl>, C48 <dbl>, C49 <dbl>, ...
# write summary to file
write_csv(llm_data_aggregated, paste(OUTPUT_DIR, "llm_data_aggregated.csv", sep = "/"))
```

It takes 10.17 mins to run the aggregation script.

## Read and format human data

```
# Import the CSV file into a data frame
human_data <- read_csv("data/total_dataset_clean.csv", show_col_types = FALSE)

# Rename columns to be consistent with LLM data
human_data <- human_data %>%
  rename_with( ~ sub("^U0|^U", "C", .), starts_with("U", ignore.case = FALSE)) %>%
  rename_with( ~ sub("^Pref", "P", .), starts_with("Pref", ignore.case = FALSE)) %>%
  filter(Study != "Sydney CC Adaptation")

# Read the mapping file
study_survey_map <- read_csv("data/study_survey_map.csv", show_col_types = FALSE)

# Add a new column 'Survey' to human_data by matching 'Study' with 'survey'
human_data <- human_data %>%
  left_join(study_survey_map, by = c("Study" = "study")) %>%
  relocate(survey, .after = "Study")

# rename column names for consistency
# colnames(human_data) <- lapply(colnames(human_data), tolower)

human_data
```

```
## # A tibble: 1,032 x 70
## Datascheck StudyID Study survey CaseID Case data_type StageID Stage_Analysis
## <dbl> <dbl> <chr> <chr> <dbl> <chr> <chr> <dbl> <chr>
## 1 1 1 Uppsa~ uppsa~ 1 Acti~ Likert 1 Pre-Delib
## 2 1 1 Uppsa~ uppsa~ 1 Acti~ Likert 1 Pre-Delib
## 3 1 1 Uppsa~ uppsa~ 1 Acti~ Likert 1 Pre-Delib
## 4 1 1 Uppsa~ uppsa~ 1 Acti~ Likert 1 Pre-Delib
## 5 1 1 Uppsa~ uppsa~ 1 Acti~ Likert 1 Pre-Delib
## 6 1 1 Uppsa~ uppsa~ 1 Acti~ Likert 1 Pre-Delib
## 7 1 1 Uppsa~ uppsa~ 1 Acti~ Likert 1 Pre-Delib
```



```
## 8      1      1 Uppsa~ uppsa~      1 Acti~ Likert      1 Pre-Delib
## 9      1      1 Uppsa~ uppsa~      1 Acti~ Likert      1 Pre-Delib
## 10     1      1 Uppsa~ uppsa~      1 Acti~ Likert      1 Pre-Delib
## # i 1,022 more rows
## # i 61 more variables: PNum <dbl>, C1 <dbl>, C2 <dbl>, C3 <dbl>, C4 <dbl>,
## #   C5 <dbl>, C6 <dbl>, C7 <dbl>, C8 <dbl>, C9 <dbl>, C10 <dbl>, C11 <dbl>,
## #   C12 <dbl>, C13 <dbl>, C14 <dbl>, C15 <dbl>, C16 <dbl>, C17 <dbl>,
## #   C18 <dbl>, C19 <dbl>, C20 <dbl>, C21 <dbl>, C22 <dbl>, C23 <dbl>,
## #   C24 <dbl>, C25 <dbl>, C26 <dbl>, C27 <dbl>, C28 <dbl>, C29 <dbl>,
## #   C30 <dbl>, C31 <dbl>, C32 <dbl>, C33 <dbl>, C34 <dbl>, C35 <dbl>, ...
```

## Original DRI analysis

```
dri_calc <- function(data, v1, v2) {
  lambda <- 1 - (sqrt(2) / 2)
  dri <- 2 * (((1 - mean(abs((data[[v1]] - data[[v2]])) / sqrt(2)
  ))) - (lambda)) / (1 - (lambda))) - 1

  return(dri)
}

get_IC <- function(data, survey, case) {

  # loop through analysis stages (pre/post)
  for (stage in 1:max(data$StageID)) {

    # select specific data to analyse
    data_stage <- data %>% filter(StageID == stage)

    # make sure there's data to analyze
    if (nrow(data_stage) > 0) {
      # get participant numbers/ids
      PNums <- data_stage$PNum

      # variables for reading COLUMN data
      # Q is a list considerations (Likert scale)
      # - there are up to 50 questions
      # R is a list ratings (rankings)
      Q <- data_stage %>% select(C1:C50)
      R <- data_stage %>% select(P1:P10)

      # remove all NA columns (in case there are less than 50
      # consideration questions
      Q <- Q[, colSums(is.na(Q)) != nrow(Q)]
      R <- R[, colSums(is.na(R)) != nrow(R)]

      # transpose data
      Q <- t(Q)
      R <- t(R)

      # format data as data frame
      Q <- as.data.frame(Q)
      R <- as.data.frame(R)
```

```

# name columns with participant numbers
colnames(Q) <- PNums
colnames(R) <- PNums

# obtain a list of correlations without duplicates
# cor() returns a correlation matrix between Var1 and Var2
# Var1 and Var2 are the variables being correlated
# Freq is the correlation
QWrite <- subset(as.data.frame(as.table(cor(Q, method = "spearman"))),
                 match(Var1, names(Q)) > match(Var2, names(Q)))

RWrite <- subset(as.data.frame(as.table(cor(R, method = "spearman"))),
                 match(Var1, names(R)) > match(Var2, names(R)))

# initialize the output in the first iteration
if (stage == 1) {
  IC <- data.frame("P_P" = paste0(QWrite$Var1, '-', QWrite$Var2))
  IC$P1 <- as.numeric(as.character(QWrite$Var1))
  IC$P2 <- as.numeric(as.character(QWrite$Var2))
}

# prepare QWrite
QWrite <- as.data.frame(QWrite$Freq)
names(QWrite) <- paste0("Q", stage)

# prepare RWrite for merge
RWrite <- as.data.frame(RWrite$Freq)
names(RWrite) <- paste0('R', stage)

# merge
IC <- cbind(IC, QWrite, RWrite)
}

}

# append case & study info
IC$survey <- survey
IC$case <- case

## IC Points calculations ##
IC$IC_PRE <- 1 - abs((IC$R1 - IC$Q1) / sqrt(2))
IC$IC_POST <- 1 - abs((IC$R2 - IC$Q2) / sqrt(2))

return(IC)
}

get_ind_DRI <- function(IC) {

  Plist <- unique(c(IC$P1, IC$P2))

  Plist <- Plist[order(Plist)]

  DRIInd <- data.frame('participant' = Plist)

```

```

DRIInd$survey <- survey
DRIInd$case <- data_case_study$Case[1]

DRIInd <- DRIInd[c("survey", "case", "participant")]

#Add individual-level metrics
for (i in 1:length(Plist)) {
  DRIInd$DRIPre[i] <- dri_calc(
    data = IC %>% filter(P1 == Plist[i] | P2 == Plist[i]),
    v1 = 'R1',
    v2 = 'Q1'
  )
  DRIInd$DRIPost[i] <- dri_calc(
    data = IC %>% filter(P1 == Plist[i] | P2 == Plist[i]),
    v1 = 'R2',
    v2 = 'Q2'
  )
}

return(DRIInd)
}

get_case_DRI <- function(IC, type="human_only") {

  ## Group DRI level ##
  DRI_PRE <- dri_calc(data = IC, v1 = 'R1', v2 = 'Q1')
  DRI_POST <- dri_calc(data = IC, v1 = 'R2', v2 = 'Q2')

  #CaseDRI Dataframe
  DRI.Case <- data.frame(
    survey = survey,
    case = case,
    type = type,
    DRI_PRE,
    DRI_POST
  )

  #Tests for groups
  DRIOverallSig <- wilcox.test(IC$IC_POST,
                               IC$IC_PRE,
                               paired = TRUE,
                               alternative = "greater")
  DRIOverallSig_twoside <- wilcox.test(IC$IC_POST,
                                       IC$IC_PRE,
                                       paired = TRUE,
                                       alternative = "two.side")

  #cumdistrib_pre_post <- cum_test(IC$IC_PRE, IC$IC_POST, nboots = 1000)not necessary

  #Adding the results to case data
  DRI.Case$DRI_one_tailed_p <- DRIOverallSig$p.value
  DRI.Case$DRI_twoside_p <- DRIOverallSig_twoside$p.value

```

```

    return(DRI.Case)
}

mini_publics <- human_data %>%
  group_by(survey, Case) %>%
  summarise(.groups = "drop")

get_llm_data <- function(provider, model, survey) {
  llm_participant <- llm_data_aggregated %>%
    filter(provider == !!provider, model == !!model, survey == !!survey)
  return(llm_participant)
}

get_ind_LLM_DRI <- function(data, provider, model) {

  llm_DRI <- data %>%
    filter(participant == 0) %>%
    select(-participant) %>%
    mutate(provider = !!provider, model = !!model) %>%
    relocate(provider, model, .before = 1)

  return(llm_DRI)
}

add_llm_participant <- function(data, provider, model, survey) {

  # print(paste("adding", paste(provider, model, survey, sep = "/"), "to human data."))

  # get llm data
  llm_participant <- llm_data_aggregated %>%
    filter(provider == !!provider, model == !!model, survey == !!survey)

  # check if it exists
  if (nrow(llm_participant) == 0) {
    warn(paste("No human participant found for", paste(provider, model, survey, sep = "/")))
  }

  # create 2 participants, PRE and POST
  llm_participants <- bind_rows(llm_participant, llm_participant)
  llm_participants$PNum <- 0 # PNum = 0 is LLM
  llm_participants$StageID <- c(1,2)

  data_with_llm <- bind_rows(data, llm_participants)

  return(data_with_llm)
}

DRIInd.LLMs <- list()

# for each study [1:N], N = 26

```

```

for (case_study in 1:nrow(mini_publics)) {

  # select study data
  survey <- mini_publics[case_study, ]$survey
  case <- mini_publics[case_study, ]$Case

  # get human data for this case study
  data_case_study <- human_data %>% filter(survey == !!survey &
                                           Case == !!case)

  # intersubject correlations (IC)
  IC <- get_IC(data_case_study, survey, case)

  ## GROUP DRI ##
  DRI.Case <- get_case_DRI(IC)

  ## INDIVIDUAL DRI ##
  DRIInd <- get_ind_DRI(IC)

  # get human average
  # NOTE: this should be the same as human_only group DRI
  human_ind_DRI_mean <- tibble(
    DRIPre = mean(DRIInd$DRIPre),
    DRIPost = mean(DRIInd$DRIPost)
  )

  # Global dataframes for depositing results
  # initialize *.Global
  if (case_study == 1) {
    IC.Global <- IC
    DRIInd.Global <- DRIInd
    DRI.Global <- DRI.Case
  }

  # append to *.Global
  else {
    IC.Global <- rbind(IC.Global, IC)
    DRIInd.Global <- rbind(DRIInd.Global, DRIInd)
    DRI.Global <- rbind(DRI.Global, DRI.Case)
  }

  # check if there are LLM data for this survey
  llms <- llm_surveys %>% filter(survey == !!survey)
  if (nrow(llms) == 0) {
    next
  }

  for (llm in 1:nrow(llms)) {

    provider <- llms[llm,]$provider
    model <- llms[llm,]$model
    type <- paste0("human+", paste(provider, model, sep = "/"))
  }
}

```

```

data_with_llm <- add_llm_participant(data_case_study, provider, model, survey)

IC.LLM <- get_IC(data_with_llm, survey, case)
DRI.Case.LLM <- get_case_DRI(IC.LLM, type)
DRIInd.LLM <- get_ind_DRI(IC.LLM)
DRIInd.LLM.Model <- get_ind_LLM_DRI(DRIInd.LLM, provider, model)

DRIInd.LLM.Model$human_only_DRIPre_mean <- human_ind_DRI_mean$DRIPre
DRIInd.LLM.Model$human_only_DRIPost_mean <- human_ind_DRI_mean$DRIPost

get_bm_index <- function(diff) {
  bm_index <- (diff + 2) / 4
  return(bm_index)
}

DRIInd.LLM.Model <- DRIInd.LLM.Model %>%
  mutate(DRIPre_diff = DRIPre - human_only_DRIPre_mean,
         DRIPost_diff = DRIPost - human_only_DRIPost_mean) %>%

  # benchmark index = use DRIPost & normalize it to be >= 0
  mutate(bm_index = get_bm_index(DRIPost_diff))

DRIInd.LLMs[[length(DRIInd.LLMs) + 1]] <- DRIInd.LLM.Model

DRI.Global <- rbind(DRI.Global, DRI.Case.LLM)
}

} # end for each case study

DRIInd.LLMs <- bind_rows(DRIInd.LLMs)

missing <- setdiff(unique(llm_data$survey), unique(DRIInd.LLMs$survey))

if (length(missing) > 0) {
  warn(paste("Missing", missing, "from DRIInd.LLMs!"))
}

# add delta column
DRI.Global <- DRI.Global %>%
  mutate(DRI_DELTA = DRI_POST - DRI_PRE)

# write summary to file
write_csv(DRIInd.LLMs, paste(OUTPUT_DIR, "DRIInd_LLMs.csv", sep = "/"))
write_csv(DRI.Global, paste(OUTPUT_DIR, "DRI_global.csv", sep = "/"))

DRI_benchmark <- DRIInd.LLMs %>%
  group_by(provider, model) %>%
  summarise(N = n(), .groups = "drop",
            agg_bm_index = mean(bm_index)) %>%
  arrange(desc(agg_bm_index))

```

```

llm_sd <- DRIInd.LLMs %>%
  group_by(survey, case) %>%
  summarise(N = n(), .groups = "drop",
            llm_sd = sd(bm_index)) %>%
  arrange(desc(llm_sd))

write_csv(llm_sd, paste(OUTPUT_DIR, "llm_sd.csv", sep = "/"))

DRI_benchmark %>%
  mutate(label = paste(provider, model, sep="/")) %>%
  ggplot(aes(x = reorder(label, desc(agg_bm_index)), y = agg_bm_index)) +
  geom_bar(stat = "identity") +
  geom_text(aes(label = round(agg_bm_index, 3)), vjust = -0.3) +
  theme_minimal() +
  theme(axis.text.x = element_text(angle = 45, hjust = 1),
        plot.background = element_rect(fill = "white")) + scale_y_continuous(limits = c(0, 1)) +
  labs(x = "", y = "DRI benchmark") -> plot

DRIInd.LLMs %>%
  mutate(label = paste(provider, model, sep="/")) %>%
  ggplot(aes(x = reorder(label, bm_index, FUN = median), y = bm_index)) +
  geom_boxplot() +
  coord_flip() +
  theme_minimal() +
  theme(
    plot.background = element_rect(fill = "white")) + scale_y_continuous(limits = c(-0.1, 1)) +
  labs(x = "", y = "DRI benchmark") -> plot

ggsave(paste(OUTPUT_DIR, "benchmark.png", sep = "/"), plot, width = 10, height = 6)

```