Email: guoshi1984@hotmail.com

The goal of this article is to present a review of change of measure. By changing of measure, we can construct risk-free measure which is widely used in finance. The Girsanov theorem formulates clearly how the stochastic process changes when probability measure changes. However the theorem itself is not easy to understand and one needs some background before diving into it. In order to understand change of measure in a stochastic process, we first discuss the change of measure for random variables by showing change of probability measure for both discrete random variables and continuous random variables. Then we move to stochastic process, and we show how to construct risk-free measure for discrete binomial model. Finally we present Girsanov theorem and illustrate the theorem using geometric Brownian motion as an example.

1 Change of Measure for Random Variable

The probability measure defined on the sigma algebra does not have to be unique. Given a sigma algebra, one can define as many as different probability measure as long as they satisfy the probability measure definition. See examples below:

1.1 Change of measure for a discrete random variable

1) Give a binomial random variable S associated with a coin toss, define

$$S = 1$$
 if $\omega = \text{Head}$
 $S = -1$ if $\omega = \text{Tail}$

2) We define the probability measure of getting head and tail (P(Head) and P(tail)) in two ways.

Probability measure 1:

$$P(head) = \frac{1}{2}$$

$$P(tail) = \frac{1}{2}$$

We can also define the probability measure $P^{'}$, under $P^{'}$

$$P^{'}(head) = \frac{2}{3}$$
$$P^{'}(tail) = \frac{1}{3}$$

3) We can define change of measure to connect P and $P^{'}.$ Consider the transformation

$$Z(\omega) = \frac{P^{'}(\omega)}{P(\omega)}$$

so

$$Z(H) = \frac{P'(H)}{P(H)} = \frac{4}{3}$$

$$Z(T) = \frac{P^{'}(T)}{P(T)} = \frac{2}{3}$$

This is the change of measure for a discrete random variable.

1.2 Change of Measure for a Continuously Random Variable (Uniformly Distributed)

Give a random variable $X(\omega)=x$ where x in [0,1]

1)

Define probability measure P

P(a < x < b) = b - a, the pdf is

$$p(x) = 1$$

This is a uniform measure.

2

Define another probability measure P' $P'(a < x < b) = b^2 - a^2$, the pdf is

$$p(x) = 2x$$

So this is non-uniform measure

3) To justify they both are probability measure Check P[0,1] = 1; P(0) = 0;

$$P'[0,1] = 1; P'(0) = 0;$$

4) we can define change of measure to connect P and $P^{'}$ Consider the transformation

$$P^{'}(a < X(\omega) = x < b) = \int_{a}^{b} 2x dx = \int_{a}^{b} 2x dx = \int_{a}^{b} 2x dP(X(\omega))$$
$$dP'(X(\omega)) = Z(X(\omega))dP(X(\omega))$$

So

$$Z(X(\omega)) = 2x$$

This is the change of measure for a continuously random variable.

1.3 Change of Measure for a Normal Distributed Random Variable

We show an example of change of measure in normal distribution. If X is N(0,1), let Y = X + u, so Y is N(u,1), so the random variable Y does not have mean 0. However, based on the definition of expectation

$$E(Y(\omega)) = \int Y(\omega)dP(\omega)$$

we can change the probability measure $P(\omega)$, such that E(Y) becomes zero. Define $Z(w) = \exp(-uX(\omega) - \frac{1}{2}u^2)$ We are able to show two things 1 Z > 0

2 E(Z) =1 i.e. $\int Z(w)dP(X(w)) = 1$ Because

$$E(Z) = \int exp(-ux - 1/2u^2) \frac{1}{\sqrt{2\pi}} exp(-1/2x^2) dx$$

$$= \frac{1}{\sqrt{2\pi}} \int exp(-1/2(x+u)^2) dx$$

$$= \frac{1}{\sqrt{2\pi}} \int exp(-1/2(y)^2) dy$$

$$= 1$$

So $P'(w) = \int Z(w)dP(w)$ is a new probability measure The pdf of Y under the new measure is

$$\begin{split} P^{'}(Y(\omega) \leq b) &= \int_{Y(\omega) \leq b} dP^{'}(\omega) \\ &= \int_{Y(\omega) < = b} Z(\omega) dP(\omega) \\ &= \int 1_{X(\omega) < = b - u} exp(-uX - \frac{1}{2}u^2) dP(\omega) \\ &= \int 1_{X(\omega) < = b - u} exp(-uX - \frac{1}{2}u^2) p df(N(0, 1)) dx \\ &= \sqrt{2\pi}^{-1} \int_{-\infty}^{b - u} exp(-ux - \frac{1}{2}u^2 - 1/2x^2) dx \\ &= \sqrt{2\pi}^{-1} \int_{-\infty}^{b - u} exp(-\frac{1}{2}(x + u)^2) dx \\ &\text{(changing x back to y)} \\ &= \sqrt{2\pi}^{-1} \int_{-\infty}^{b} exp(-\frac{1}{2}(y)^2) dy \\ &= \text{cdf of N}(0, 1) \end{split}$$

This shows it is a standard normal distribution with mean 0.

2 Change of Measure for a Filtration(Series of Events in Time)

2.1 Change of measure for Stock under binomial model - Risk neutral measure

Suppose we have the following stock S_0 at t=0. At t=1, we can associate the value of S_1 to outcome of tossing a coin. When we toss a coin and if the coin is fair, we can get Head and Tail and each has 50% probability. If we get a head, the stock moves to $S_1(H)$, and if we get a tail, the stock moves to $S_1(T)$. Clearly, the stock has 50% to move up, and 50% to move down.

$$S_1(H) = (1 + \alpha + \sigma)S_0$$

$$S_1(T) = (1 + \alpha - \sigma)S_0$$

In the sense of risk neutral pricing, we would like to have the stock values grows as the same as a saving account with interest rate r. Namely, we need

$$S_0(1+r) = \frac{1}{2}S_1(H) + \frac{1}{2}S_1(T)$$

Simply plug in the definition of S_1 , we easily see the equation does not hold except the special case when $\alpha = r$. When α does not equal to r, we artificially create two probabilities p and q with p + q = 1, define

$$S_0(1+r) = pS_1(H) + qS_1(T)$$

Then solve for p and q, we have

$$p = \frac{r - \alpha + \sigma}{2\sigma}$$
$$q = \frac{\alpha - r + \sigma}{2\sigma}$$

We call p and q the probabilities under **risk-neutral measure**. Under this measure, the expectation of the stock return is the same as the return of saving account. To understand this measure, we can see when $\alpha > r$ then q(H) < q(T), so we lower the prob of stock moving up and raise the prob of the stock moving down such that the return is exactly 1+r. The same argument holds for $r < \alpha$.

A very important property of risk-neutral measure is the discounted price of the portfolio with respect to time is a **martingale**. From the above equation, if we define the discounted price of S is DS, where

$$DS_0 = S_0$$
$$DS_1 = \frac{1}{1+r}S_1$$

we can see

$$S_0 = \frac{1}{1+r}(pS_1(H) + qS_1(T)) = pDS_1(H) + qDS_1(T) = \tilde{E}[DS_1]$$

Where $\tilde{E}[DS_1]$ stands for expectation of the discounted price of asset S at time 1 under risk-neutral measure.

2.2 Girsanov's Theorem

Define change of measure for continous variable

For (Ω, F, P) , given random variable Z with E(Z) = 1, define new probability measure

$$P' = \int_{A} Z(\omega) dP(\omega) \tag{1}$$

(2)

We have two expectation defined, one is under P, the other under P'

$$E'[X] = E[XZ]$$

$$dP'(\omega) = Z(\omega)dP(\omega)$$

$$Z(\omega) = \frac{dP'(\omega)}{dP(\omega)}$$

Define change of measure for filtration

$$E[Z] = 1$$
 and $Z(t) = E[Z|F(t)]$

Properties of Z(t)

1) Martingale

Given 0 <= s <= t <= T

E[Z(t)|F(s)] = E[E[Z|F(t)]|F(s)] = E[Z|F(s)] = Z(s)

2) E'[Y] = E[YZ(t)]

E'[Y] = E[YZ] = E[E[YZ|F(t)]] = E[YE[Z|F(t)]] = E[YZ(t)]

3) Given $0 \le s \le t \le T$, Y is F(t)- measurable, then

 $E'[Y|F(s)] = \frac{1}{Z(s)}E[YZ(t)|F(s)]$

Girsanov's Theorem

Suppose w(t) is Brownian Motion given Ω, F, P and F(t) is the filtration. Let $\Theta(t), \ 0 <= t <= T$ is adapted process, define $Z(t) = exp(-\int_0^t \Theta(u)dW(u))$, and $W'(t) = W(t) + \int_0^t \Theta(u)du$, s.t. $E[\int_0^T \Theta^2(u)Z^2(u)du < \infty]$. Then E[Z] = 1, and under P', W'(t) is Brownian motion.

2.3 Risk Neutral Measure with a Filtration

We assume the stock price using geometric Brownian motion

$$dS(t) = \alpha(t)S(t)dt + \sigma(t)S(t)dW(t)$$

Its integrated form is

$$S(t) = S(0)exp(\int_{0}^{t} \sigma(s)dW(s) + \int_{0}^{t} (\alpha(s) - \frac{1}{2}\sigma^{2}(s))ds)$$

define $D(t) = exp(-\int_0^t R(s)ds)$, then dD(t) = R(t)D(t)dtDiscounted stock price

$$D(t)S(t) = S(0)exp(\int_0^t \sigma(s)dW(s) + \int_0^t (\alpha(s) - R(s) - \frac{1}{2}\sigma^2(s))ds)$$
$$d(D(t)S(t)) = \sigma(t)D(t)S(t)[\Theta(t)dt + dW(t)]$$

where
$$\Theta(t) = \frac{\alpha(t) - R(t)}{\sigma(t)}$$

We define a new Brownian motion with drift $dW'(t) = dW(t) + \theta(t)dt$, this brownian motion consists of a standard brownian motion and a drift term $\theta(t)$. So if W'(0) = 0, due to the drift term, E[W'(t)! = 0. However, using the change of measure theorem, we can define another probability measure P', such that under \tilde{P} , W'(t) becomes a standard brownian motion.

Then we have $d(D(t)S(t)) = \sigma(t)D(t)S(t)dW'(t)$ under P', which implies the discount price is a martingale under the risk-neutral measure P', then $dS(t) = R(t)S(t)dt + \sigma(t)S(t)dW'(t)$. The drift term now change from α to risk-free interest Rate R. Knowing d(D(t)S(t)) is a martingale, we can work out a little of math to show

$$d(D(t)X(t)) = \Delta(t)d(D(t)S(t))$$

This means D(t)X(t) is a martingale under P'. Suppose T is the option payoff time, then

$$D(t)X(t) = E^{'}[D(T)X(T)|F(t)]$$

This is our risk-neutral pricing formula.

2.4 Risk Neutral Measure with Foreign Currency

There is an exchange rate Q(t), which gives units of domestic currency per unit of foreign currency. We assume the exchange rate satisfies

$$dQ(t) = \gamma(t)Q(t)dt + \sigma_2(t)Q(t)dW_3(t)$$

There is also a foreign interest rate $R^f(t)$, which leads to foreign money market account price

$$M^f(t) = e^{\int_0^t R^f(u)du}$$

The value of the foreign money market account in domestic currency is $M^f(t)Q(t)$, and its discounted value is $D(t)M^f(t)Q(t)$

$$d(D(t)M^f(t)Q(t)) = D(t)M^f(t)Q(t)[(R^f - R(t) + \gamma(t))dt + \sigma_2(t)dW_3(t)]$$

Now we create a risk-neutral measure $\tilde{P},$ under which $D(t)M^f(t)Q(t)$ is a martingale. This means

$$D(t)M^f(t)Q(t) = \tilde{E}[D(T)M^f(T)Q(T)|F(t)]$$

$$d(D(t)M^f(t)Q(t)) = \sigma_2(t)D(t)M^f(t)Q(t)d\tilde{W}_3(t)$$

And

$$d(M^f(t)Q(t)) = M^f(t)Q(t)(R(t)dt + \sigma_2(t)d\tilde{W}_3(t))$$

Finally, we obtain the exchange rate $\mathbf{Q}(\mathbf{t})$ and risk neutral measure

$$dQ(t) = Q(t)((R(t) - R^f(t))dt + \sigma_2(t)d\tilde{W}_3(t))$$

Example Suppose R(t) and $R^f(t)$ are fixed, then based on martingale property,

$$Q(0) = e^{-rT}e^{r^fT}Q(T)$$

In the above Q(0) is the spot price S. Q(T) is the forward price F, we then get the price of the forward

$$S = e^{-rT}e^{r^fT}F$$

$$F = e^{(r - r^f)T} S$$