Gura モジュールリファレンス - cairo

Updated: February 21, 2013

copyright © 2011- Yutaka Saito (ypsitau@nifty.com)

Official site: http://www.gura-lang.org/

目次

1.	このリファ	アレンスについて	3
2.	リファレン	/ス	4
2	2.1. 命名	名規則エラー! ブックマークが定義されていません	ν _°
2	2.2. ima	age クラスの拡張	4
	2.2.1.	インスタンスメソッド	4
2	2.3. 定数	文値	4
	2.3.1.	cairo_path_data_type_t	4
	2.3.2.	cairo_antialias_t	4
	2.3.3.	cairo_fill_rule_t	4
	2.3.4.	cairo_line_cap_t.	4
	2.3.5.	cairo_line_join_t	4
	2.3.6.	cairo_font_slant_t	4
	2.3.7.	cairo_font_weight_t	5
	2.3.8.	cairo_font_type_t	5
	2.3.9.	cairo_operator_t	5
	2.3.10.	cairo_region_overlap_t	6
	2.3.11.	cairo_extend_t	6
	2.3.12.	cairo_filter_t	6
	2.3.13.	cairo_content_t	6
	2.3.14.	cairo_subpixel_order_t	6
	2.3.15.	cairo_hint_style_t	7
	2.3.16.	cairo_hint_metrics_t	
	2.3.17.	cairo_surface_type_t	
2		iro.surfaceクラス	
	2.4.1.	インスタンスメソッド	
2		iro.pattern クラス	
	2.5.1.	インスタンスの生成	
	2.5.2.	インスタンスメソッド	
2		iro.region クラス	
	2.6.1.	インスタンスメソッド	
2		iro.context クラス	
		インスタンスの生成	
	777	<i>かつないてもい</i> だ	10

1. このリファレンスについて

本リファレンスは Gura の cairo モジュールで定義されている関数やクラスの仕様について説明します。 Cairo のオフィシャルサイトは http://cairographics.org/ です。

2. リファレンス						
2.1 . image クラスの拡張						
2.1.1. インスタンスメソッド						
<pre>image#cairo() {block?}</pre>						
2.2. 定数值						
2.2.1. cairo_path_data_type_t						
cairo.PATH_MOVE_TO						
cairo.PATH_LINE_TO						
cairo.PATH_CURVE_TO						
cairo.PATH_CLOSE_PATH						
2.2.2. cairo_antialias_t						
cairo.ANTIALIAS_DEFAULT						
cairo.ANTIALIAS_NONE						
cairo.ANTIALIAS_GRAY						
cairo.ANTIALIAS_SUBPIXEL						
2.2.3. cairo_fill_rule_t						
cairo.FILL_RULE_WINDING						
cairo.FILL_RULE_EVEN_ODD						
2.2.4. cairo_line_cap_t						
cairo.LINE_CAP_BUTT						
cairo.LINE_CAP_ROUND						
cairo.LINE_CAP_SQUARE						
2.2.5. cairo_line_join_t						
cairo.LINE_JOIN_MITER						
cairo.LINE_JOIN_ROUND						
cairo.LINE_JOIN_BEVEL						

4

2.2.6. cairo_font_slant_t

cairo.FONT_SLANT_NORMAL
cairo.FONT_SLANT_ITALIC

cairo.FONT_SLANT_OBLIQUE	
2.2.7. cairo_font_weight_t	
cairo.FONT_WEIGHT_NORMAL	
cairo.FONT_WEIGHT_BOLD	
2.2.8. cairo_font_type_t	
cairo.FONT_TYPE_TOY	
cairo.FONT_TYPE_FT	
cairo.FONT_TYPE_WIN32	
cairo.FONT_TYPE_QUARTZ	
cairo.FONT_TYPE_USER	
2.2.9. cairo_operator_t	
cairo.OPERATOR_CLEAR	
cairo.OPERATOR_SOURCE	
cairo.OPERATOR_OVER	
cairo.OPERATOR_IN	
cairo.OPERATOR_OUT	
cairo.OPERATOR_ATOP	
cairo.OPERATOR_DEST	
cairo.OPERATOR_DEST_OVER	
cairo.OPERATOR_DEST_IN	
cairo.OPERATOR_DEST_OUT	
cairo.OPERATOR_DEST_ATOP	
cairo.OPERATOR_XOR	
cairo.OPERATOR_ADD	
cairo.OPERATOR_SATURATE	
cairo.OPERATOR_MULTIPLY	
cairo.OPERATOR_SCREEN	
cairo.OPERATOR_OVERLAY	
cairo.OPERATOR_DARKEN	
cairo.OPERATOR_LIGHTEN	
cairo.OPERATOR_COLOR_DODGE	
cairo.OPERATOR_COLOR_BURN	
cairo.OPERATOR_HARD_LIGHT	
cairo.OPERATOR_SOFT_LIGHT	
cairo.OPERATOR_DIFFERENCE	

cairo.OPERATOR_EXCLUSION			
cairo.OPERATOR_HSL_HUE			
cairo.OPERATOR_HSL_SATURATION			
cairo.OPERATOR_HSL_COLOR			
cairo.OPERATOR_HSL_LUMINOSITY			
2.2.10. cairo_region_overlap_t			
cairo.REGION_OVERLAP_IN			
cairo.REGION_OVERLAP_OUT			
cairo.REGION_OVERLAP_PART			
2.2.11. cairo_extend_t			
cairo.EXTEND_NONE			
cairo.EXTEND_REPEAT			
cairo.EXTEND_REFLECT			
cairo.EXTEND_PAD			
2.2.12. cairo_filter_t			
cairo.FILTER_FAST			
cairo.FILTER_GOOD			
cairo.FILTER_BEST			
cairo.FILTER_NEAREST			
cairo.FILTER_BILINEAR			
cairo.FILTER_GAUSSIAN			
2.2.13. cairo_content_t			
cairo.CONTENT_COLOR			
cairo.CONTENT_ALPHA			
cairo.CONTENT_COLOR_ALPHA			
2.2.14. cairo_subpixel_order_t			
cairo.SUBPIXEL_ORDER_DEFAULT			
cairo.SUBPIXEL_ORDER_RGB			
cairo.SUBPIXEL_ORDER_BGR			
cairo.SUBPIXEL_ORDER_VRGB			
cairo.SUBPIXEL_ORDER_VBGR			
			

2.2.15. cairo_hint_style_t

cairo.HINT_STYLE_DEFAULT	
cairo.HINT_STYLE_NONE	
cairo.HINT_STYLE_SLIGHT	
cairo.HINT_STYLE_MEDIUM	
cairo.HINT_STYLE_FULL	

2.2.16. cairo_hint_metrics_t

cairo.HINT_METRICS_DEFAULT	
cairo.HINT_METRICS_OFF	
cairo.HINT_METRICS_ON	

2.2.17. cairo_surface_type_t

cairo.SURFACE_TYPE_IMAGE	
cairo.SURFACE_TYPE_PDF	
cairo.SURFACE_TYPE_PS	
cairo.SURFACE_TYPE_XLIB	
cairo.SURFACE_TYPE_XCB	
cairo.SURFACE_TYPE_GLITZ	
cairo.SURFACE_TYPE_QUARTZ	
cairo.SURFACE_TYPE_WIN32	
cairo.SURFACE_TYPE_BEOS	
cairo.SURFACE_TYPE_DIRECTFB	
cairo.SURFACE_TYPE_SVG	
cairo.SURFACE_TYPE_OS2	
cairo.SURFACE_TYPE_WIN32_PRINTING	
cairo.SURFACE_TYPE_QUARTZ_IMAGE	
cairo.SURFACE_TYPE_SCRIPT	
cairo.SURFACE_TYPE_QT	
cairo.SURFACE_TYPE_RECORDING	
cairo.SURFACE_TYPE_VG	
cairo.SURFACE_TYPE_GL	
cairo.SURFACE_TYPE_DRM	
cairo.SURFACE_TYPE_TEE	
cairo.SURFACE_TYPE_XML	
cairo.SURFACE_TYPE_SKIA	
cairo.SURFACE_TYPE_SUBSURFACE	

2.3. cairo.surface クラス

```
2.3.1. インスタンスメソッド
cairo.surface#copy page():reduce
cairo.surface#finish():reduce
cairo.surface#flush():reduce
cairo.surface#get content()
cairo.surface#get device()
cairo.surface#get device offset()
cairo.surface#get fallback resolution()
cairo.surface#get font options()
cairo.surface#get mime data()
cairo.surface#has show text glyphs()
cairo.surface#mark dirty():reduce
cairo.surface#mark dirty rectangle(x:number, y:number,
                                                                width:number,
   height:number):reduce
cairo.surface#set device offset(x offset:number, y offset:number):reduce
cairo.surface#set fallback resolution(x pixels per inch:number, y pixels per inch:number):reduce
cairo.surface#set mime data():reduce
cairo.surface#show page():reduce
2.4. cairo.pattern 0.7
2.4.1. インスタンスの生成
cairo.pattern create color(color:color, alpha?:number) {block?}
cairo.pattern create for surface(surface:surface) {block?}
cairo.pattern create linear(x0:number, y0:number, x1:number, y1:number)
   {block?}
cairo.pattern create radial(cx0:number, cy0:number, radius0:number,
                          cx1:number, cy1:number, radius1:number) {block?}
```

```
cairo.pattern create rgb(red:number, green:number, blue:number) {block?}
cairo.pattern create rgba(red:number, green:number, blue:number, alpha:number)
   {block?}
2.4.2. インスタンスメソッド
cairo.pattern#add color stop rgb(offset:number, red:number, green:number, blue:number):reduce
cairo.pattern#add color stop rgba(offset:number, red:number,
                                                        green:number,
                                                                     blue:number.
   alpha:number):reduce
cairo.pattern#get color stop count()
cairo.pattern#get color stop rgba(index:number)
cairo.pattern#get extend()
cairo.pattern#get filter()
cairo.pattern#get linear points()
cairo.pattern#get matrix()
cairo.pattern#get radial circles():reduce
cairo.pattern#get rgba()
cairo.pattern#get surface()
cairo.pattern#set extend(extend:symbol):reduce
cairo.pattern#set filter(filter:symbol):reduce
cairo.pattern#set matrix(matrix:matrix):reduce
2.5. cairo.region 0.7
2.5.1. インスタンスメソッド
cairo.region#contains point(x:number, y:number)
cairo.region#contains rectangle(rectangle:rectangle int)
cairo.region#equal(region:region)
cairo.region#intersect(other:region)
cairo.region#intersect rectangle(rectangle:rectangle int)
cairo.region#is empty()
```

```
cairo.region#subtract(other:region)
cairo.region#subtract rectangle(rectangle:rectangle int)
cairo.region#translate(dx:number, dy:number)
cairo.region#union(other:region)
cairo.region#union rectangle(rectangle:rectangle int)
cairo.region#xor(other:region)
cairo.region#xor rectangle(rectangle:rectangle int)
2.6. cairo.context 0.5
2.6.1. インスタンスの生成
cairo.emf create(filename:string, width in points:number, height in points:number)
   {block?}
cairo.image create(width:number, height:number, color?:color) {block?}
cairo.pdf create(stream:stream, width in points:number, height in points:number)
   {block?}
cairo.ps create(stream:stream, width in points:number, height in points:number)
   {block?}
cairo.svg create(stream:stream, width in points:number, height in points:number)
   {block?}
       インスタンスメソッド
2.6.2.
cairo.context#arc(xc:number, yc:number, radius:number, angle1?:number, angle2?:number):map:reduce
cairo.context#arc negative(xc:number, yc:number,
                                                  radius:number,
                                                                   angle1?:number,
  angle2?:number):map:reduce
cairo.context#clip():reduce
cairo.context#clip extents()
cairo.context#clip preserve():reduce
```

```
cairo.context#close path():reduce
cairo.context#copy clip rectangle list()
cairo.context#copy page():reduce
cairo.context#copy path()
cairo.context#copy path flat()
cairo.context#curve to(x1:number, y1:number,
                                           x2:number,
                                                        y2:number,
                                                                      x3:number,
  y3:number):map:reduce
cairo.context#device to user(x:number, y:number)
cairo.context#device to user distance(dx:number, dy:number)
cairo.context#fill():reduce
cairo.context#fill extents():reduce
cairo.context#fill preserve():reduce
cairo.context#font extents()
cairo.context#get antialias()
cairo.context#get current point()
cairo.context#get dash()
cairo.context#get fill rule()
cairo.context#get font face()
cairo.context#get font matrix()
cairo.context#get font options()
cairo.context#get group target()
cairo.context#get line cap()
cairo.context#get line join()
cairo.context#get line width()
cairo.context#get matrix()
cairo.context#get miter limit()
cairo.context#get operator()
```

```
cairo.context#get scaled font()
cairo.context#get source()
cairo.context#get target()
cairo.context#get tolerance()
cairo.context#glyph extents()
cairo.context#has current point()
cairo.context#identity matrix():reduce
cairo.context#in clip(x:number, y:number)
cairo.context#in fill(x:number, y:number)
cairo.context#in stroke(x:number, y:number)
cairo.context#line to(x:number, y:number):map:reduce
cairo.context#mask(pattern:pattern):reduce
cairo.context#mask surface(surface:surface, surface x:number, surface y:number):reduce
cairo.context#move to(x:number, y:number):map:reduce
cairo.context#new path():reduce
cairo.context#new sub path():reduce
cairo.context#paint():reduce
cairo.context#paint with alpha(alpha:number):reduce
cairo.context#path extents()
cairo.context#pop group()
cairo.context#pop group to source():reduce
cairo.context#push group():reduce
cairo.context#push group with content(content:symbol):reduce
cairo.context#rectangle(x:number,
                                             y:number, width:number,
   height:number):map:reduce
cairo.context#rel curve to(dx1:number, dy1:number,
                                             dx2:number,
                                                          dy2:number,
                                                                      dx3:number,
  dy3:number):map:reduce
```

```
cairo.context#rel line to(dx:number, dy:number):map:reduce
cairo.context#rel move to(dx:number, dy:number):map:reduce
cairo.context#reset clip():reduce
cairo.context#restore():reduce
cairo.context#rotate(angle:number):reduce
cairo.context#save():reduce {block?}
cairo.context#scale(sx:number, sy:number):reduce
cairo.context#select font face(family:string,
                                                                slant:symbol,
   weight:symbol):reduce
cairo.context#set antialias(antialias:symbol):reduce
cairo.context#set dash(dashes[]:number, offset:number):reduce
cairo.context#set fill rule(fill rule:symbol):reduce
cairo.context#set font face():reduce
cairo.context#set font matrix(matrix:matrix):reduce
cairo.context#set font options(options:font options):reduce
cairo.context#set font size(size:number):reduce
cairo.context#set line cap(line cap:symbol):reduce
cairo.context#set line join(line join:symbol):reduce
cairo.context#set line width(width:number):reduce
cairo.context#set matrix(matrix:matrix):reduce
cairo.context#set miter limit(limit:number):reduce
cairo.context#set operator(op:symbol):reduce
cairo.context#set scaled font():reduce
cairo.context#set source(source:pattern):reduce
cairo.context#set source color(color:color, alpha?:number):reduce
cairo.context#set source rgb(red:number, green:number, blue:number):reduce
cairo.context#set source rgba(red:number,
                                            green:number,
                                                                  blue:number,
```

alpha:number):reduce

cairo.context#set_source_surface(surface:surface, x:number, y:number):reduce
cairo.context#set_tolerance(tolerance:number):reduce
cairo.context#show_glyphs(glyphs[]:glyph):reduce
cairo.context#show_page():reduce
cairo.context#show_text(text:string):reduce
cairo.context#show_text_glyphs():reduce
cairo.context#stroke():reduce
cairo.context#stroke_extents()
cairo.context#stroke_preserve():reduce
cairo.context#text_extents(text:string)
cairo.context#text_path(text:string):map:reduce
cairo.context#transform(matrix:matrix):reduce
cairo.context#translate(tx:number, ty:number):reduce
cairo.context#translate(tx:number, ty:number)
cairo.context#user_to_device(x:number, y:number)
cairo.context#user to device distance(dx:number, dy:number)