## **EX.NO:11C**

#### DATE:

## REMOTE PROCEDURE CALL FOR LIST OPERATIONS-XMLRPC

#### AIM:

To Implement an XML RPC code for the following functions,

- a. No items in a list
- b. Smallest element in a list
- c. Largest element in the list
- d. Converting a list to a set.

## **PROGRAM**

```
Server Side:
```

```
from xmlrpc.server import SimpleXMLRPCServer
def list_length(a):
return len(a)
def list maximum(a):
return max(a)
def list minimum(a):
return min(a)
def list_to_set(a):
f=list(set(a))
return f
def list_concate(a,b):
return a+b
server = SimpleXMLRPCServer(("localhost", 8000))
print("Listening on port 8000...")
server.register_function(list_length,"list_length")
server.register_function(list_maximum, "list_maximum")
server.register_function(list_minimum, "list_minimum")
server.register_function(list_to_set, "list_to_set")
server.register_function(list_concate, "list_concate")
server.serve_forever()
```

## **Client Side:**

```
import xmlrpc.client
proxy= xmlrpc.client.ServerProxy('http://localhost:8000/') while
True:
print("PRESS 1-->STRAT || 2--> STOP ")
c=int(input("ENTER YOUR CHOICE"))
a=[]
```

```
b=[]
if c==1:
print("ENTER THE ELEMENTS TO ADD FIRST LIST") print("PRESS -1
TO EXIT THIS LIST")
while True:
d=int(input("--->"))
if d==-1:
break
a.append(d)
print("ENTER THE ELEMENTS TO ADD SECOND LIST") print("PRESS -2
TO EXIT THIS LIST")
while True:
e=int(input("--->"))
if e==-2:
break
b.append(e)
if c==2:
break
print(a)
print(b)
print("list_length",proxy.list_length(a))
print("list_maximum",proxy.list_maximum(a))
print("list_minimum",proxy.list_minimum(a))
print("list_to_set",proxy.list_to_set(a))
print("list_concate",proxy.list_concate(a,b))
```

# **OUTPUT**

```
D:\>python server.py
Listening on port 8000...
127.0.0.1 - - [06/Nov/2024 13:05:13] "POST / HTTP/1.1" 200 -
127.0.0.1 - - [06/Nov/2024 13:05:15] "POST / HTTP/1.1" 200 -
127.0.0.1 - - [06/Nov/2024 13:05:17] "POST / HTTP/1.1" 200 -
127.0.0.1 - - [06/Nov/2024 13:05:19] "POST / HTTP/1.1" 200 -
127.0.0.1 - - [06/Nov/2024 13:05:21] "POST / HTTP/1.1" 200 -
```

```
D:\>python client.py
PRESS 1-->START || 2-->STOP
ENTER YOUR CHOICE:
ENTER THE ELEMENTS TO ADD TO FIRST LIST
PRESS -1 TO EXIT THIS LIST
--->1
--->3
-->5
-->-1
ENTER THE ELEMENTS TO ADD TO SECOND LIST
PRESS -2 TO EXIT THIS LIST
--->2
--->4
 -->6
--->-2
First List: [1, 3, 5]
Second List: [2, 4, 6]
list_length 3
list_maximum 5
list_minimum 1
list_to_set [1, 3, 5]
list_concate [1, 3, 5, 2, 4, 6]
PRESS 1-->START || 2-->STOP
ENTER YOUR CHOICE:
```

# **RESULT**

Hence the following list of operations have been Implemented by an XML RPC code for the following functions

- a. No of items in a list
- b. Smallest element in a list
- c. Largest element in the list
- d. Converting a list to a set.