


# Chapter 5

## Planning Fundamentals

Project Management for Engineering,  
Business, and Technology

Prepared by  
*John Nicholas, Ph.D.*  
*Loyola University Chicago*



---

# Common Elements of Project Plan

1. Scope Statement, Charter, SOW
  2. Detailed requirements
  3. Project organization and responsibility for tasks
  4. Detailed work definition (WBS or PBS and work package/work task details)
  5. Detailed schedules with milestones
  6. Project budget and cost accounts
  7. Quality plan
-

# Elements of Project Plan

- 8. Risk plan
- 9. Work review plan
- 10. Testing plan
- 11. Change control plan
- 12. Documentation plan
- 13. Procurement plan
- 14. Implementation plan

Element 2 has already been discussed.

This chapter focuses on elements 1,3,4, and aspects of 5 and 13.

The remaining elements are addressed in later chapters.

# Scope, Charter, and SOW

- Scope, charter, or SOW: Is the first item on project master plan. Variations on same theme
- Purpose
  - provide broad description of master plan/project to stakeholders
  - directed at core project team, project organization, primary stakeholders

# Scope

- Describes “breadth of project,” areas to be covered by project and deliverables & areas not covered.

Includes:

- ❑ Objectives of project from perspective of contractor
- ❑ Requirements
- ❑ Deliverables
- ❑ Milestones
- ❑ Limits and exclusions: what project does *not* include

---

# SOW

- SOW, Statement of Work, is the scope document for *contracted* projects
    - Appears in RFP, proposal, contract, as well as master plan
-

---

# Defining the SOW

## 1. For contracted project work

- ❑ Contractor and customer agree on definition of work required, work proposed, and basis for costs, schedules, and related matters.
  - ❑ There are two SOWs,
    - SOW in master plan
    - SOW in *contract* (CSOW)
  - ❑ SOW in contractor's project plan must contain same information and requirements as stated in CSOW.
  - ❑ Contractor's SOW and CSOW might be worded differently, but both should have exact same interpretation in terms of work and end results
-

# Defining the SOW

## 2. Suggestions

- Ensure that SOW and WBS correspond to each other. Both must be clear; neither contractor nor customer question what has to be done.
- Requirements for every end-item, task, and report must be clear enough so parties *responsible* will be able to sign-off acceptance of results.
- Never specify tasks using “as necessary” or “as required”.
  - Where judgments must be made, specify **who** will make them, *procedures* for making them, and potential impact of judgments on cost and schedule escalation.



---

# Issues in Defining SOW

## 2. Suggestions:

- ❑ Specify requirements using active terminology (“shall” or “will”)
  - ❑ Never use passive terminology (“should” or “try to”).
  - ❑ “shall” = must do
  - ❑ “will” = desirable to do
-

---

# Issues in Defining SOW

## 2. Suggestions

- ❑ Categorize specifications applicable to entire project separately from those applicable to only parts of project.
  - ❑ Hold meetings with customers and technical specialists to review clarity and completeness SOW and WBS.
-

# Charter

- Charter is the scope document *internal* projects
  - May include everything in Scope Statement plus
    - risk limits
    - customer needs
    - spending limits
    - key players on project team.
  - Issued by senior management to legitimize project
  - Gives project manager authority to initiate work and apply resources to project.

# Charter Contents

- Background
- Project Objectives
- Scope or SOW
- Deliverables
- Assumptions
- Constraints
- Approach
- Schedule
- Project Team
- Risk
- Management Plan

---

# Work Definition


- Start with the SOW and requirements (the “what” of the project)
  - Ask “how” will the SOW and requirements be met: what is the actual work to be performed to meet the requirements?
  - Subdivide the project into small, well defined work packages
  - Use the Work Breakdown Structure, WBS (a.k.a. Project Breakdown Structure, PBS)
-

---

# WBS

- Divide project into “well-defined” tasks
  - Well-defined tasks: the basis for project schedule, budget, resource requirements, responsibility assignments, and risk management
-

## WBS Example for House



---

# WBS Procedure

- Start with SOW and requirements
  - Ask “what 5-10 high level activities would yield intended results?”
  - For each high-level activity ask “What is involved here, what is required?”
  - Questions that are difficult to answer require the activity to be further broken down
  - Continue breaking down activities until all activities at bottom of WBS are well-defined
-



---

# WBS Procedure

- What is well-defined?
  - Well-defined activity is called a “work package” and has following features

---

# WBS Procedure

- Work Package contains:
    - ❑ SOW and requirements
    - ❑ Clear definition of work and all subtasks
    - ❑ Time estimates or deadlines
    - ❑ Cost estimates
    - ❑ Responsibility
    - ❑ Immediate predecessors, preconditions, inputs
    - ❑ Deliverables
    - ❑ Resources
    - ❑ Risk assessment
-

# Work Package Definition

While going through WBS, ask following questions about each work package:

1. *Do you need better estimates of duration and cost of the work package?*
2. *Can you identify who will be responsible for work the package?*
3. *Is the size of work package too large to track and control?*
4. *Are activities within work package independent of each other?*
5. *Do some activities within work package have different immediate predecessors?*
6. *Are risky and non-risky activities combined in the same work package?*
7. *Does the work package contain many different kinds of resources?*

If answer is yes to any of questions, decompose the work package into smaller work packages.

If answer is no to all of them, the work package probably does not need to be subdivided.

---


# Creating WBS

- Project team
    - Brainstorm
    - Past experience
    - Templates
  - Multiple teams
  - Experts
-

# Approaches


## End-item Sub-systems Approach

Start with THE end-item system,  
subdivide it first into subsystems,  
then into components, then parts



# Approaches


## End-item Sub-systems Approach



# Approaches


## Process-Steps Approach

Start by defining phases or stages in project,  
then subdivide each into detailed tasks;  
end with defined deliverables for each




# WBS Formats

## ■ Tree Structure




## ■ Indented Structure





# Boston's Big Dig



<http://www.cincinnati.com>



# End-item Sub-systems Approach

- Big-Dig work packages based on contracts
- Contracts based on a breakdown of project into physical sections and components


Cambridge

Charles River


Downtown Boston

Boston Harbor

Logan Airport



# Every task or work package has a unique identifier



Use same identifiers on all project documents

- Schedules
- Budgets
- Responsibility matrix
- Change requests, etc.

# WBS and Integrated Planning and Control

The WBS process and work packages provide integrated plan and control:

1. Functional managers, subcontractors, and others responsible for the work are identified and become involved during the WBS process.
2. Work packages in each phase are logically and physically related to those in earlier and later phases; predecessor requirements are met and no steps overlooked.
3. Work packages are the basis for budgets and schedules. The project budget is the sum of the budgets for all the work packages plus project overhead and indirect expenses. The project schedule is the composite of the schedules of all the work packages.
4. The project organization is formed around work packages. Resources are assembled for and management responsibility delegated to individuals in each work package.
5. The project is directed by directing people working in individual work packages.
6. Project control is exercised through control of work packages.

An integrated project plan is a systems approach to management

---

# Project Responsibility

- While creating WBS, the questions “who is needed to do this” and “who will be responsible” are addressed for each package
  - Answers result in responsibility assignments for all areas of project
  - People responsible for areas of project, and details of that responsibility, are documented and communicated in Responsibility Matrix
-

---

# Responsibility Matrix

- For each task, show who is responsible
  - For each person, show kind of responsibility; e.g.
    - P: primary or lead
      - One, and only one, P per task
    - S: secondary
    - N: notification required
    - A: approval required
-

*Elegant design. Built to last.*

### Persons Responsible

Project Manager

Project Engineer

**Fabrication Manager**

## Design

### Drawing

Software

Site  
Questions

## Assembly

Assembly

ing

[illegible]



# Responsibility Matrix

DesignBuild Responsibility Matrix

L - Lead P - Production I - Input A - Agree	Project Manager	Construction Manager	EFD Technical Staff	CAM	PCO	PCO Contract Spec.	ROICC/ REICC	ACO	ACO Contract Spec.	Client			DB Contractor
										Claimant/ Command	Public Works / BCE	Facility User	
Step 1- Project Initiation													
a) Team assignments	L		I		I								
b) Team kickoff meeting	L	I	I		I		I						
c) Acquisition Strategy	L	I			I	I					I	I	
d) CPM Schedule	L	I		I	I		I				I	I	
d) Client Orientation	L	I								A	A	A	
Step 2- Site Studies & Engr Services													
a) Obtain Engr Services	L	I	P (St&C)			P					I	I	
b) Obtain Environmental Services	L	I	I (EnvE)			P					I	I	
c) Finalize NEPA actions	L	I	P (EnvP)							A	I	I	
d) Finalize Real Estate actions	L	I	P (RE)			P					I	I	
Step 3 - Develop the Project Remote													
Step 9 - Outfit the Facility													
a) Collateral Equip Procurement & Install		P	I	I			I	I	L	I	I	I	P
b) Utilities coord. procurement & activation													
c) Communications coord. proc & activation													
Step 10 - Contract Closeout													
a) Final contractor evaluation	I	L	I	I			A		I		I	I	I
b) As-built drawings	L	P											P
c) OMSI & other maintenance info	I	L	I (FM)								I	I	P
e) Permits closeout	I	L	I (EnvE)										P
f) 2nd season TABS													
g) Contractor final release		P							L				P
h) Final Payment													
i) Ribbon cutting		P							L				P

## Position responsibility:

- L - Lead: CIBL position responsible for coordination & product delivery
- P - Production: Position responsible to provide a deliverable
- I - Input: Position where input may be required to produce deliverable
- A - Agree: Position where agreement is desired

## Notes:

- (1) In absence of a P on a specific line the L is solely responsible for production
- (2) In absence of a A on a specific line the L agrees with the deliverable

## EFD Technical Staff Legend:

- A - Architect
- St - Structural Engineer
- C - Civil Engineer
- EE - Electrical Engineer
- M - Mechanical Engineer
- FP - Fire Protection Engineer
- Sp - Specification Engineer
- Ct - Cost Engineer
- ID - Interior Designer
- EnvE - Environmental Engineer
- EnvP - Environmental Planner
- FM - Facility Maintenance Engineer
- RE - Real Estate Specialist



---

# Responsibility Matrix

- Every task accounted for; nothing falls through cracks
  - Each responsibility represents mutual agreement
-


---

# Scheduling Basics

- WBS provides information necessary to create a schedule
  - Includes
    - List of tasks (work packages)
    - For each task
      - Duration (or target completion date)
      - Resources required
      - Inputs, preconditions, prior completed tasks (Logical sequencing)
-

# Logical Sequencing of Tasks


- Predecessor: A task that must be completed before another can be started
- If task C depends upon Tasks A and B, then Tasks A and B are “predecessors” for Task C.



- Task C is the “successor” of Tasks A and B

# Gantt Chart

- Simple, common scheduling tool
- Easy to create and understand
- Developed by Henry Gantt, a consultant of Frederick Taylor.



H. Gantt <http://www.ganttchart.com/histor50.png>

- **From Wikipedia**


**Henry Laurence Gantt, A.B., M.E.** (1861-1919) was a mechanical engineer and management consultant who is most famous for developing the Gantt chart in the 1910s. These Gantt charts were employed on major infrastructure projects including the [Hoover Dam](#) and [Interstate highway](#) system and still are an important tool in project management.

# Gantt Chart

## ■ Example

Activity	Immediate Predecessors	Time
A	--	1
B	A	2
C	B	3
D	B	1
E	C, D	2
F	E	3

# Gantt Chart



Activity	Immediate Predecessors	Time
A	--	1
B	A	2
C	B	3
D	B	1
E	C, D	2
F	E	3

- Note:  
E starts at time 6 because then both C and D are completed. D is completed at time 4, but C is not until time 6. Hence, C must wait until time 6.


# Gantt Chart

## ■ Another Example

Activity	Immediate Predecessors	Time
A	--	1
B	--	3
C	A	2
D	A	7
E	B, C, D	2
F	B, C, D	3
G	E	6
H	F	1

# Gantt Chart

Activity	Immediate Predecessors	Time
A	--	1
B	--	3
C	A	2
D	A	7
E	B, C, D	2
F	B, C, D	3
G	E	6
H	F	1






# Gantt Chart

## Notes:


- Dotted lines show predecessor relationships
- Typically, x-axis of Gantt chart shows calendar dates and includes time off for weekends and holidays. Example shows only elapsed times.



# Gantt Chart


Notes (cont'd):

- ❑ This project is completed after 16 weeks
- ❑ This example shows only “events” or points in time. No allowance made for weekends or other time off




# Level of Detail

- Level of detail should reflect audience
- Example




# Level of Detail



# Gantt Chart: Pro and Con


- Pro: Easy to construct and understand
- Con: does not necessarily indicate relationships among tasks, so is limited as tool for planning and control.
- Example:



# Gantt Chart: Pro and Con

What is effect of

- ❑ C starting 2 weeks late?
- ❑ C starting 6 weeks late?
- ❑ E taking 3 weeks instead of 2 weeks?
- ❑ E finishing a week early?



---

# Gantt Chart: Pro and Con

- With simple Gantt charts, such questions are not always easy to answer.
  - Yet you need the answers to plan the project and create realistic schedules
  - Gantt charts are good for displaying schedules,
    - Networks, described in the next chapter, are better for creating them
-

# Procurement Activities

Gantt chart: procurement activities and events

