(https://profile.intra.42.fr)

SCALE FOR PROJECT GUIMP (/PROJECTS/GUIMP)

You should evaluate 2 students in this team

[?]

Git repository

?

Introduction

In order to maintain high evaluation standards, you are expected to:

- Remain polite, courteous, respectful and constructive at every moment of the discussion. Trust between you and our community depends on your behaviour.
- Highlight the flaws and issues you uncover in the turned-in work to the evaluated student or team, and take the time to discuss every aspect extensively.
- Please take into account that discrepancies regarding the expected work or functionalities definitions might occur. Keep an open mind towards the opposite party (is he or she right or wrong?), and grade as honestly as possible. 42's pedagogy only makes sense if peer-evaluations are carried out seriously.

Guidelines

- You must grade only what exists in the GiT repository of the student or team.
- Remember to check the GiT repository's ownership: is it the student's or team's repository, and for the right project?
- Check thoroughly that no wicked aliases have been used to trick you into grading something other than the genuine repository.
- Any script supposed to ease the evaluation provided by one party must be thoroughly checked be the other party in order to avoid unpleasant situations.
- If the student in charge of the grading hasn't done the projectyet, it is mandatory that he or she reads it before starting the evaluation.

- Use the available flags on this scale to tag an empty work, a non functional work, a coding style ("norm") error if applicable, cheating, and so on. If a flag is set, the grade is 0 (or -42 in case of cheating). However, cheating case excluded, you are encouraged to carry on discussing what went wrong, why, and how to address it, even if the grading itself is over.
- The whole group has to be present.

Attachments

☑ Subject (https://cdn.intra.42.fr/pdf/pdf/6093/GUImp.en.pdf)

Préliminaries

Preliminaries

Check the following points:

- There is a valid `author` file
- There is a 'libui' folder with his own Makefile
- There is a `libui.a` created after compilation
- There is a Makefile at the root of the repository which compiles the 'guimp' executable If the preliminaries

are OK, we can continue the evaluation.

Remember that for the duration of the defence, no segfault, no other unexpected, premature, uncontrolled or unexpected termination of the program, else the final grade is 0.

2 Yes 2 No

Libui part

This section of the scale will be used to evaluate the successful completion of the graphical library part of the project named `libui`, for that we will also use the 'guimp' part in order to prove the good implementation of the features. For this section please take the time to evaluate the quality of the implementation of all the features requested in the subject. Feel free to look at the code and ask the evaluateds to explain their implementation if it's necessary. If one of the feature is not used in the 'guimp' part the evaluateds are authorized to prove by other means, and this at the discretion of the corrector, that their library has this feature.

You said "Library"?

Launch the Makefile of the `libui` part, and check that the 'libui.a' is successfully created.

2 Yes 2 No

Windows

Check the following points (1 point per item):

- There are several windows of different sizes
- At least one window is resizable
- At least one window has an image or a background color
- Several windows have a given theme or style
- Different types of windows are present: generic, modal...

Rate it from 0 (failed) through 5 (excellent)

Simple elements

Check that the following elements are present (1 point per element):

- Buttons
- Menus
- Text
- Images
- Editable text fields

Rate it from 0 (failed) through 5 (excellent)

elements ++

Check that the following elements are present (1 point per element):

- Checkbox
- Slider- Radio
- Drop-down list
- Progress bar

Rate it from 0 (failed) through 5 (excellent)

Style

A shape A background image A defined theme or style Rate it from 0 (failed) through 5 (excellent) The Niagara Falls Check that several of the above elements can be put in "cascades". examples: A button in a menu (verifiable by changing the position of the menu) A menu in a menu A menu in a menu, in a menu! An image and/or a text inside a button //alidate the point if at least 3 different cascades are present	- One size		
A background image A defined theme or style Rate it from 0 (failed) through 5 (excellent) The Niagara Falls Check that several of the above elements can be put in "cascades". Examples: A button in a menu (verifiable by changing the position of the menu) A menu in a menu, in a menu. A menu in a menu, in a menu! An image and/or a text inside a button Adlidate the point if at least 3 different cascades are present EYES ENO EVENTS LITER SHOW IN THE BOOK	- A color		
Rate it from 0 (failed) through 5 (excellent) The Niagara Falls Check that several of the above elements can be put in "cascades". Examples: A button in a menu (verifiable by changing the position of the menu) A menu in a menu A menu in a menu, in a menu! An image and/or a text inside a button (alidate the point if at least 3 different cascades are present (by Yes) (county) (in must handle at least all standard mouse and keyboard events clicks, focus, one key, several simultaneous keys etc.) It must be possible to specify at least one type of event for an element Several types of event can be specified for a single element The action of the event can be standardized by the library (incremental, on/off etc.) - The action of the event can be defined by the user (pointer to function e.g.)	- A shape		
Rate it from 0 (failed) through 5 (excellent) The Niagara Falls Check that several of the above elements can be put in "cascades". examples: A button in a menu (verifiable by changing the position of the menu) A menu in a menu, in a menu! A menu in a menu, in a menu! An image and/or a text inside a button Alididate the point if at least 3 different cascades are present Yes Yes No Events Under the quality of implementation of the events (1 point per element): The libui must handle at least all standard mouse and keyboard events clicks, focus, one key, several simultaneous keys etc.) It must be possible to specify at least one type of event for an element Several types of event can be standardized by the library (incremental, on/off etc.) - The action of the event can be defined by the user (pointer to function e.g.)	- A background image		
The Niagara Falls Check that several of the above elements can be put in "cascades". Examples: A button in a menu (verifiable by changing the position of the menu) A menu in a menu, A menu in a menu, An image and/or a text inside a button Alidate the point if at least 3 different cascades are present Yes No Events Unge the quality of implementation of the events (1 point per element): The libui must handle at least all standard mouse and keyboard events clicks, focus, one key, several simultaneous keys etc.) It must be possible to specify at least one type of event for an element Several types of event can be specified for a single element The action of the event can be standardized by the library (incremental, on/off etc.) - The action of the event can be defined by the user (pointer to function e.g.)	- A defined theme or style		
Check that several of the above elements can be put in "cascades". Examples: A button in a menu (verifiable by changing the position of the menu) A menu in a menu, in a menu! An image and/or a text inside a button Alidate the point if at least 3 different cascades are present Yes No Events Unge the quality of implementation of the events (1 point per element): The libui must handle at least all standard mouse and keyboard events clicks, focus, one key, several simultaneous keys etc.) It must be possible to specify at least one type of event for an element Several types of event can be standardized by the library (incremental, on/off etc.) - The action of the even can be defined by the user (pointer to function e.g.)		Rate it from 0 (failed) throug	gh 5 (excellent)
Check that several of the above elements can be put in "cascades". Examples: A button in a menu (verifiable by changing the position of the menu) A menu in a menu, in a menu! An image and/or a text inside a button Alidate the point if at least 3 different cascades are present Yes No Events Unge the quality of implementation of the events (1 point per element): The libui must handle at least all standard mouse and keyboard events clicks, focus, one key, several simultaneous keys etc.) It must be possible to specify at least one type of event for an element Several types of event can be standardized by the library (incremental, on/off etc.) - The action of the even can be defined by the user (pointer to function e.g.)			
examples: A button in a menu (verifiable by changing the position of the menu) A menu in a menu A menu in a menu, in a menu! An image and/or a text inside a button //alidate the point if at least 3 different cascades are present ② Yes ③ No Events Livents	The Niagara Falls		
A button in a menu (verifiable by changing the position of the menu) A menu in a menu A menu in a menu, in a menu! An image and/or a text inside a button /alidate the point if at least 3 different cascades are present Yes No Events If yes If No It must handle at least all standard mouse and keyboard events clicks, focus, one key, several simultaneous keys etc.) It must be possible to specify at least one type of event for an element Several types of event can be specified for a single element The action of the event can be standardized by the library (incremental, on/off etc.) - The action of the even can be defined by the user (pointer to function e.g.)	Check that several of the above	e elements can be put in "c	ascades".
A menu in a menu A menu in a menu, in a menu! An image and/or a text inside a button //alidate the point if at least 3 different cascades are present // Yes No Events udge the quality of implementation of the events (1 point per element): The libui must handle at least all standard mouse and keyboard events clicks, focus, one key, several simultaneous keys etc.) It must be possible to specify at least one type of event for an element Several types of event can be specified for a single element The action of the event can be standardized by the library (incremental, on/off etc.) - The action of the even can be defined by the user (pointer to function e.g.)	examples :		
A menu in a menu, in a menu! An image and/or a text inside a button /alidate the point if at least 3 different cascades are present Pyes No vents udge the quality of implementation of the events (1 point per element): The libui must handle at least all standard mouse and keyboard events clicks, focus, one key, several simultaneous keys etc.) It must be possible to specify at least one type of event for an element Several types of event can be specified for a single element The action of the event can be standardized by the library (incremental, on/off etc.) - The action of the even can be defined by the user (pointer to function e.g.)		e by changing the position	of the menu)
An image and/or a text inside a button /alidate the point if at least 3 different cascades are present / Yes No Events udge the quality of implementation of the events (1 point per element): The libui must handle at least all standard mouse and keyboard events clicks, focus, one key, several simultaneous keys etc.) It must be possible to specify at least one type of event for an element Several types of event can be specified for a single element The action of the event can be standardized by the library (incremental, on/off etc.) - The action of the even can be defined by the user (pointer to function e.g.)	- A menu in a menu		
Alidate the point if at least 3 different cascades are present Yes No Vents Udge the quality of implementation of the events (1 point per element): The libui must handle at least all standard mouse and keyboard events clicks, focus, one key, several simultaneous keys etc.) It must be possible to specify at least one type of event for an element Several types of event can be specified for a single element The action of the event can be standardized by the library (incremental, on/off etc.) - The action of the even can be defined by the user (pointer to function e.g.)			
Events udge the quality of implementation of the events (1 point per element): The libui must handle at least all standard mouse and keyboard events clicks, focus, one key, several simultaneous keys etc.) It must be possible to specify at least one type of event for an element Several types of event can be specified for a single element The action of the event can be standardized by the library (incremental, on/off etc.) - The action of the even can be defined by the user (pointer to function e.g.)	 An image and/or a text inside 	a button	
udge the quality of implementation of the events (1 point per element): The libui must handle at least all standard mouse and keyboard events clicks, focus, one key, several simultaneous keys etc.) It must be possible to specify at least one type of event for an element Several types of event can be specified for a single element The action of the event can be standardized by the library (incremental, on/off etc.) - The action of the even can be defined by the user (pointer to function e.g.)	Validate the point if at least 3 c		
The libui must handle at least all standard mouse and keyboard events clicks, focus, one key, several simultaneous keys etc.) It must be possible to specify at least one type of event for an element Several types of event can be specified for a single element The action of the event can be standardized by the library (incremental, on/off etc.) - The action of the even can be defined by the user (pointer to function e.g.)	2 Yes		
clicks, focus, one key, several simultaneous keys etc.) It must be possible to specify at least one type of event for an element Several types of event can be specified for a single element The action of the event can be standardized by the library (incremental, on/off etc.) - The action of the even can be defined by the user (pointer to function e.g.)			
It must be possible to specify at least one type of event for an element Several types of event can be specified for a single element The action of the event can be standardized by the library (incremental, on/off etc.) - The action of the even can be defined by the user (pointer to function e.g.)	Events	ation of the events (1 poin	t per element):
Several types of event can be specified for a single element. The action of the event can be standardized by the library (incremental, on/off etc.) - The action of the even can be defined by the user (pointer to function e.g.)	Events Judge the quality of implement	• •	•
The action of the event can be standardized by the library (incremental, on/off etc.) - The action of the even can be defined by the user (pointer to function e.g.)	Events Judge the quality of implement - The libui must handle at least	all standard mouse and ke	·
can be defined by the user (pointer to function e.g.)	Events Judge the quality of implement - The libui must handle at least (clicks, focus, one key, several s - It must be possible to specify	all standard mouse and ke simultaneous keys etc.) at least one type of event	eyboard events
Rate it from 0 (failed) through 5 (excellent)	Events Judge the quality of implement - The libui must handle at least (clicks, focus, one key, several s - It must be possible to specify - Several types of event can be	all standard mouse and ke simultaneous keys etc.) at least one type of event specified for a single elem	eyboard events for an element ent
	Events Judge the quality of implement - The libui must handle at least (clicks, focus, one key, several s - It must be possible to specify - Several types of event can be - The action of the event can be	all standard mouse and ke simultaneous keys etc.) at least one type of event specified for a single elem e standardized by the libra	eyboard events for an element ent
	Events Judge the quality of implement - The libui must handle at least (clicks, focus, one key, several s - It must be possible to specify - Several types of event can be - The action of the event can be	all standard mouse and kesimultaneous keys etc.) at least one type of event specified for a single elem e standardized by the libra ointer to function e.g.)	eyboard events for an element ent ry (incremental, on/off etc.) - The action of the even
	Events Judge the quality of implement - The libui must handle at least (clicks, focus, one key, several s - It must be possible to specify - Several types of event can be - The action of the event can be	all standard mouse and kesimultaneous keys etc.) at least one type of event specified for a single elem e standardized by the libra ointer to function e.g.)	eyboard events for an element ent ry (incremental, on/off etc.) - The action of the even
	Events Judge the quality of implement - The libui must handle at least (clicks, focus, one key, several s - It must be possible to specify - Several types of event can be - The action of the event can be	all standard mouse and kesimultaneous keys etc.) at least one type of event specified for a single elem e standardized by the libra ointer to function e.g.)	eyboard events for an element ent ry (incremental, on/off etc.) - The action of the even
	Events Tudge the quality of implement The libui must handle at least clicks, focus, one key, several s It must be possible to specify Several types of event can be The action of the event can be	all standard mouse and kesimultaneous keys etc.) at least one type of event specified for a single elem e standardized by the libra ointer to function e.g.)	eyboard events for an element ent ry (incremental, on/off etc.) - The action of the even

Events ++

Judge the quality of implementation of these elements (1 point per element):

- Good cohabitation between event management and the elements in cascade or not.


- It is possible to have an interaction on an element that leads to the appearance and/or modification of another element
- A `HotKeys` system specific to each type of elements is available by default.
- A window can be scrollable if necessary according to the selected parameters.
- An element can be scrollable if applicable and necessary, depending on the chosen parameters.

	Rate it from 0 (failed	d) through 5 (excellent)	
•			

Prefabs

Judge the quality of implementation of these features (1 point per feature):

- There is a file selection prefab
- There is a prefab of font selection
- There are other types of preabs like a status bar with info and images, a default menu for open/save/quit etc...
- Some elements (2pt) and by default the window (1pt) are able to manage drag-n-drop



GUImp part

This part of the scale will focus on the program named `guimp`, a 2D drawing software inspired by the famous `The Guimp`. First, please check that in ALL the source code of the part `guimp` there is no any direct function call to the SDL, system graphics framework or any other graphic management system, if this is the case, the defense is finished and put the `Forbidden functions` flag.

Basical tools

Check the correct implementation of these tools (1 point per tool):

- The brush
- The eraser
- Drawing lines, rectangles, squares and circles (empty and full!) A magnifying glass that zooms AND unzooms!
- A moving hand

Attention if the tool requires it, it must have an associated menu for manage its variables like line thickness, radius for a

circle or its opacity. If the tool is not variable do not count the point!
(A fixed size eraser is not very useful)
Rate it from 0 (failed) through 5 (excellent)
Tools ++
10013 11
Check the correct implementation of these tools (1 point per tool):
- The famous Painting pot tool (2pt)
- A brush menu that allows you to set "stickers"
- A functional pipette
- A button that erases the entire working area or the selected arealf the tool does not work smoothly, do n
count the point.
Rate it from 0 (failed) through 5 (excellent)
Menus
Check the correct implementation of these menus (1 point per menu):
- A stylish menu for color selection : HSV circle, RGB sliders
- A menu to import several images to the work area
 A line thickness management menu A menu to put text at a given location, with the choice of thecolor, font and size (2pt)
- A menu to put text at a given location, with the choice of thecolor, font and size (2pt)
Rate it from 0 (failed) through 5 (excellent)
Details

Check the correct implementation of these features (1 point per feature):

- The mouse cursor changes according to the selected tool
- It is possible to import several types of image format including at least PNG and JPEG- Click on the red cross on the window border to close the corresponding window, and exit the program properly if this is the rendering window.

- You can save the created	l image in at least two dif	fferent image formats (2pt)
----------------------------	-----------------------------	-----------------------------

Rate it from 0 (failed) through 5 (excellent)

Bonus part

This part of the scale will focus on the BONUS part of the subject. Attention if the mandatory part is not 100% validated the evaluation ends here!

Simple bonuses

Are the following bonuses present and functional? (1 point per bonus):

- Menus can have tabs
- An interface style configuration file like a CSS
- The interface is resizable
- Other stylish stuff we never even imagined.

Rate it from 0 (failed) through 5 (excellent)

Stylish bonuses

Are the following bonuses present and functional? (1 point per bonus):

- the possibility of Undo/Redo aka ctrl+z/y
- You can copy and paste a given selection
- We can manage different layers and this in a coherent way
- Interace is responsive
- Some other REALLY stylish stuff we never even imagined!

Rate it from 0 (failed) through 5 (excellent)

Ratings

Don't forget to check the flag corresponding to the defense

[?]Ok

Outstanding project

2 Empty work	Incomplete work	2 No author file	W Invalid compilation	n 🛽 Norme	
? Cheat	d Crash	Incomplete group	2 Leaks I	Forbidden function	
Conclusion	on				
Leave a comment o	n this evaluation				
	Finish evaluation				

General term of use of the site (https://signin.intra.42.fr/legal/terms/6)
Privacy policy (https://signin.intra.42.fr/legal/terms/5)
Legal notices (https://signin.intra.42.fr/legal/terms/3)
Declaration on the use of cookies (https://signin.intra.42.fr/legal/terms/2)
Terms of use for video surveillance (https://signin.intra.42.fr/legal/terms/1)
Rules of procedure (https://signin.intra.42.fr/legal/terms/4)