

(<https://profile.intra.42.fr>)

Remember that the quality of the defenses, hence the quality of the of the school on the labor market depends on you. The remote defences during the Covid crisis allows more flexibility so you can progress into your curriculum, but also brings more risks of cheat, injustice, laziness, that will harm everyone's skills development. We do count on your maturity and wisdom during these remote defenses for the bene fits of the entire community.

SCALE FOR PROJECT FT_TURING (/PROJECTS/42CURSUS-FT_TURING)

You should evaluate 2 students in this team

Git repository



Introduction

For the good of this evaluation, we ask you to:

- Stay mannerly, polite, respectful and constructive durning this evaluation. The trust between you and the 42 community depends on it.
- Bring out to the graded student (or team) any mistake she or he might did.
- Accept that there might be differences of interpretation of the subject or the rules between you and the graded student (or team). Stay open minded and grade as honnestly as possible.

Guidelines

- You must grade only what is present and the graded student's (or team) repository.

Attachments

📄 subject.pdf (<https://cdn.intra.42.fr/pdf/pdf/15543/en.subject.pdf>)

Preliminaries

This section is dedicated to setup the evaluation and to test the prerequisites. It doesn't rewards points, but if something is wrong at this step or at any point of the evaluation, the grade is 0, and an appropriate flag might be checked if needed.

Respect of the rules

- The graded student (or team) work is present on her or his repository.
- The graded student (or team) is able to explain her or his work at any time of the evaluation.
- The generic rules of the subject are respected at any time of the evaluation.
- According to the subject, the program can be built with `ocamlc` or `ocamlopt` by using a Makefile. This makefile also installs anything necessary by using OPAM.

☐ Yes

☐ No

Mandatory part - The program

The first section of the mandatory part is to write a program with a fonctionnal language able to simulate a turing machine according to a machine description.

Code review

The program is written in pure fonctionnal. Take the time to check that the code logic respects the fonctionnal paradigm.
If this is not the case, the evaluation ends and the project is failed.

☐ Yes

☐ No

Usage

Launch the program without parameters to display its usage. Is the usage what is expected according to the subject ?

☐ Yes

☐ No

Json description

Machine descriptions are fed to the program as Json descriptions. Is the program able to :

- Read this description ?
- Assert that this description is valid syntactically and semantically according to the subject ?
- Robust enough to reject empty and ill formatted descriptions, inexistant file description, etc ?

☐ Yes

☐ No

Execution

Test if the program is able to execute the machine given in the Json description on the input given as a parameter to the program. You must ensure that:

- The machine computes the expected result, including if that result is the machine being blocked. In that case a correct error handling is expected.
- The program displays at least the state of the tape for each transition. Thus it is easier to observe the behaviour of the machine. If the states of the tape are logged into a file to free display room on the standard output to displays a dynamic observation of the tape by using the char '\r', give the points.

☐ Yes

☐ No

Mandatory part - The 5 machine descriptions

The second section of the mandatory part is to write 5 machine descriptions that the program can simulate.

Unary addition

A machine able to compute an unary addition.

Test the machine with different valid and invalid inputs. Does the machine compute the good result or report an error consitently ?

☐ Yes☐ No

Palindrome

A machine able to detect a palindrome.

Does the machine write a 'n' or a 'y' on the tape before halting, and is this result always consistent with the input ?

☐ Yes☐ No

0^n1^n

A machine able to decide if the input is a word of the language 0^n1^n . For instance the words 000111 or 0000011111.

Does the machine write a 'n' or a 'y' on the tape before halting, and is this result always consistent with the input ?

☐ Yes☐ No

0^{2n}

A machine able to decide if the input is a word of the language 0^{2n} . For instance the words 00 or 0000, but not the words 000 or 00000.

Does the machine write a 'n' or a 'y' on the tape before halting, and is this result always consistent with the input ?

☐ Yes☐ No

Simulation of simulation

A machine able to simulate the first machine 'unary_addition'.

The simulated machine's alphabet, states, transitions and input ARE the input of the simulating machine, encoded as the group has seen fit.

Is the simulated machine's result always consistent with its input ?

☒ Yes☐ No

Bonus part

The bonus part is accessible if and only if the mandatory part is completed and perfect. I know you like free bonuses, but for this project, going beyond the mandatory part means dealing with time complexity.

Complexity

Is the program able to compute the time complexity of the algorithm of a machine ? Is this complexity consistent with the expected value ?

☒ Yes☐ No

Ratings

Don't forget to check the flag corresponding to the defense

☒ Ok☐ ★ Outstanding project☐ Empty work☐ Incomplete work☐ No author file☐ Invalid compilation☐ Norme☐ Cheat☐ Crash☐ Incomplete group☐ Forbidden function

Conclusion

Leave a comment on this evaluation

Finish evaluation

Privacy policy (<https://signin.intra.42.fr/legal/terms/5>)

Legal notices (<https://signin.intra.42.fr/legal/terms/3>)

Declaration on the use of cookies (<https://signin.intra.42.fr/legal/terms/2>)

Rules of procedure (<https://signin.intra.42.fr/legal/terms/4>)

Terms of use for video surveillance (<https://signin.intra.42.fr/legal/terms/1>)

General term of use of the site (<https://signin.intra.42.fr/legal/terms/6>)