

Week 15 Homework

Exercise

In this problem, boxes can be empty. How many ways are there to distribute 6 balls in to 3 boxes if

- both the balls and boxes are labeled?
- balls are labeled, but the boxes are unlabeled?
- the balls are unlabeled, but the boxes are labeled?
- both the boxes and balls are unlabeled?

Exercise

In this problem, boxes must be non-empty. How many ways are there to distribute 8 balls in to 4 boxes if

- both the balls and boxes are labeled?
- balls are labeled, but the boxes are unlabeled?
- the balls are unlabeled, but the boxes are labeled?
- both the boxes and balls are unlabeled?

Exercise

How many 8-bit strings begin with a 010 or begin with 11? How many 8-bit strings begin with a 010 or end with 11?

Exercise

Find the number of solutions to $x + y + z = 100$ in non-negative integer x , y , and z , where $x \leq 50$, $y \leq 40$, and $z \leq 30$.

i Exercise

How many permutations of the numbers 1 through 8 are there in which none of the terms 12, 34, 56, 78 appear?

i Exercise

How many permutations of the numbers 1 through 8 are there in which none of the even integers remain in its natural position?

i Exercise

Do the enigma machine example from class where the number of rotors is 8, rather than 5.

i Exercise

How many permutations of 1,1,2,2,3,3,4,4,5,5 are there in which no two adjacent numbers are equal?

i Exercise

Suppose you roll a 6 sided die 12 times. In how many ways can all 6 six numbers appear?

i Exercise

How many integers in the set of integers from 1 to 1000 are divisible by a prime number less than 10?

i Exercise

A bridge hand consists of 13 cards from a standard 52 card deck. How many different hands contain at least one card from each of the four suits?

i Exercise

Let $A = \{1, 2, 3, 4, 5\}$. How many injective functions $f : A \rightarrow A$ have the property that for each x in A , $f(x) \neq x$?

i Exercise

Suppose you planned on giving 7 gold stars to some of the 13 star students in your class. Each student can receive at most one star. How many ways can you do this?

i Exercise

What is the formula for the number of ways to place n unlabeled balls into k unlabeled boxes **without** the restriction that no box may be empty?

i Exercise

What is the formula for the number of ways to place n labeled balls into k unlabeled boxes **without** the restriction that no box may be empty?

i Proof

Prove by induction $S(n, 3) > 3^{n-2}$ for all $n \geq 6$.

i Proof

Prove

$$(1-a_1)(1-a_2)\cdots(1-a_k) = 1 - (a_1 + a_2 + \cdots + a_k) + (a_1a_2 + \cdots + a_{k-1}a_k) + \cdots + (-1)^k(a_1 \cdots a_k)$$

i Proof

For fixed m , find and prove the number of Hamiltonian Paths on $K_{m,n}$ as a function of n .

i Proof

From the text, Exercise 4.6

i Proof

From the text, Exercise 4.7

i Proof

Let $S(n, k)$ be the Stirling numbers of the second kind. Prove

- a. $S(n, n-1) = \binom{n}{2}$
- b. $S(n, n-2) = \binom{n}{3} + 3\binom{n}{4}$

i Proof

Let $S(n, k)$ be the Stirling numbers of the second kind. Prove $S(n, k) = \sum_{m=k-1}^{n-1} \binom{n-1}{m} S(m, k-1)$

i Proof

Show that if n is a positive integer, then

$$n! = \binom{n}{0} d_n + \binom{n}{1} d_{n-1} + \binom{n}{2} d_{n-2} + \cdots + \binom{n}{n-1} d_1 + \binom{n}{n} d_0$$

where $d_n = (n-1)(d_{n-1} + d_{n-2})$ with $d_1 = 0$ and $d_2 = 1$ is the number of derangements of n objects.

i Proof

Let A be a subset of B with $|A| = m$ and $|B| = n$, and let r be an integer $m \leq r \leq n$. Show the number of r element subsets of B which contain A as a subset is $\binom{n-m}{r-m}$.

i Proof

Use the Inclusion-Exclusion Principle to show that for any non-negative integers m, r, n such that $m \leq r \leq n$,

$$\binom{n-m}{r-m} = \sum_{i=0}^m (-1)^i \binom{m}{i} \binom{n-i}{r}.$$