

# Scalable Automatic Machine Learning in H2O




Data Science Conference 5.0  
Belgrade, Serbia  
Nov 2019



Erin LeDell Ph.D.  
@ledell

# What is H2O?



H2O.ai, the company

- Founded in 2012
- Advised by Stanford Professors Hastie, Tibshirani & Boyd
- Headquarters: Mountain View, California, USA


H2O, the platform

- Open Source Software (Apache 2.0 Licensed)
- R, Python, Scala, Java and Web Interfaces
- Distributed Machine Learning Algorithms for Big Data


# Agenda

- H2O Platform
- Automatic Machine Learning (AutoML)
- H2O AutoML Overview
- Resources

Slides  <https://tinyurl.com/automl-dsc5>




# H2O Platform



# H2O Machine Learning Platform

- Distributed (multi-core + multi-node) implementations of cutting edge ML algorithms.
- Core algorithms written in high performance Java.
- APIs available in R, Python, Scala; web GUI.
- Easily deploy models to production as pure Java code.
- Works on Hadoop, Spark, EC2, your laptop, etc.




{JSON}



# H2O Distributed Computing


## H2O Cluster



- Multi-node cluster with shared memory model.
- All computations in memory.
- Each node sees only some rows of the data.
- No limit on cluster size.

## H2O Frame

- Distributed data frames (collection of vectors).
- Columns are distributed (across nodes) arrays.
- Works just like R's `data.frame` or Python Pandas `DataFrame`




# H2O Machine Learning Features



- Supervised & unsupervised machine learning algos (GBM, RF, DNN, GLM, Stacked Ensembles, etc.)
- Imputation, normalization & auto one-hot-encoding
- Automatic early stopping
- Cross-validation, grid search & random search
- Variable importance, model evaluation metrics, plots


# Intro to Automatic Machine Learning



# Goals & Features of AutoML




-  Train the best model in the least amount of time.
-  Reduce the human effort & expertise required in machine learning.
-  Improve the performance of machine learning models.
-  Increase reproducibility & establish a baseline for scientific research or applications.

# Aspects of Automatic Machine Learning



Data Prep

Model  
Generation



Ensembles

# Aspects of Automatic Machine Learning

## Data Preprocessing

- Imputation, one-hot encoding, standardization
  - Feature selection and/or feature extraction (e.g. PCA)
  - Count/Label/Target encoding of categorical features
- 

## Model Generation

- Cartesian grid search or random grid search
  - Bayesian Hyperparameter Optimization
  - Individual models can be tuned using a validation set
- 

## Ensembles

- Ensembles often out-perform individual models
- Stacking / Super Learning (Wolpert, Breiman)
- Ensemble Selection (Caruana)

# Different Flavors of AutoML

The screenshot shows a web browser displaying a blog post from the H2O.ai website. The URL in the address bar is <https://www.h2o.ai/blog/t>. The page title is "The different flavors of AutoML". The post is dated August 15th, 2018. The main image is a black and white photograph of four ice cream cones, each containing a different type of ice cream (vanilla, chocolate, strawberry, and mint chocolate chip). The background of the image features a network of lines and dots, suggesting a data science or machine learning theme.


By: Erin LeDell

In recent years, the demand for machine learning experts has outpaced the supply, despite the surge of people entering the field. To address this gap, there have been big strides in the development of user-friendly machine learning software (e.g. [H2O](#), [scikit-learn](#), [keras](#)). Although these tools have made it easy to train and evaluate machine learning models, there is still a good amount of data science knowledge that's required in order to create the *highest-quality* model, given your dataset. Writing the code to perform a hyperparameter search over many different types of algorithms can also be time consuming and repetitive work.

**What is AutoML?**

<https://tinyurl.com/flavors-of-automl>

# H2O's AutoML



## Data Preprocessing

## Model Generation

## Ensembles

- Imputation, one-hot encoding, standardization
  - Feature selection and/or feature extraction (e.g. PCA)
  - Count/Label/Target encoding of categorical features
- 
- Cartesian grid search or random grid search
  - Bayesian Hyperparameter Optimization
  - Individual models can be tuned using a validation set
- 
- Ensembles often out-perform individual models:
  - Stacking / Super Learning (Wolpert, Breiman)
  - Ensemble Selection (Caruana)

# Random Grid Search & Stacking

- Random Grid Search combined with Stacked Ensembles is a powerful combination.
- Ensembles perform particularly well if the models they are based on (1) are individually strong, and (2) make uncorrelated errors.
- Stacking uses a second-level metalearning algorithm to find the optimal combination of base learners.

# H2O AutoML

- Basic data pre-processing (as in all H2O algos).
- Trains a random grid of GBMs, DNNs, GLMs, etc. using a carefully chosen hyper-parameter space.
- Individual models are tuned using cross-validation.
- Two Stacked Ensembles are trained (“All Models” ensemble & a lightweight “Best of Family” ensemble).
- Returns a sorted “Leaderboard” of all models.
- All models can be easily exported to production.



# H2O AutoML in Python

## Example

```
import h2o  
  
from h2o.automl import H2OAutoML  
  
h2o.init()  
  
train = h2o.import_file("train.csv")  
  
aml = H2OAutoML(max_runtime_secs = 600)  
aml.train(y = "response_colname",  
          training_frame = train)  
  
lb = aml.leaderboard
```

# H2O AutoML in R

## Example

```
library(h2o)  
h2o.init()  
  
train <- h2o.importFile("train.csv")  
  
aml <- h2o.automl(y = "response_colname",  
                    training_frame = train,  
                    max_runtime_secs = 600)  
  
lb <- aml@leaderboard
```

# H2O AutoML in Flow GUI

**H2O FLOW** ≡ Flow ▼ Cell ▼ Data ▼ Model ▼ Score ▼ Admin ▼ Help ▼

Untitled Flow

CS | runAutoML 68ms

**Run AutoML**

Project Name:

Training Frame: (Select)

Balance classes:

Exclude these algorithms:

- GLM
- DRF
- GBM
- DeepLearning
- StackedEnsemble

Max models to build:

Max Run Time (sec): 3600

Early stopping metric: AUTO

Leaderboard sort metric: AUTO

Early stopping rounds: 3

Early stopping tolerance:

nfolds: 5

Keep cross-validation predictions

Keep cross-validation models

Seed: -1

Build Model

OUTLINE FLOWS CLIPS HELP

Help

Using Flow for the first time?

Quickstart Videos

Or, [view example Flows](#) to explore and learn H2O.

STAR H2O ON GITHUB!

Star 3,258

GENERAL

- [Flow Web UI ...](#)
- [... Importing Data](#)
- [... Building Models](#)
- [... Making Predictions](#)
- [... Using Flows](#)
- [... Troubleshooting Flow](#)

EXAMPLES

Flow packs are a great way to explore and learn H2O. Try out these Flows and run them in your browser.

[Browse installed packs...](#)

H2O REST API

- [Routes](#)
- [Schemas](#)

# H2O AutoML Leaderboard

model_id	auc	logloss	mean_per_class_error	rmse	mse
StackedEnsemble_AllModels_AutoML_20181212_105540	0.7898014	0.5511086	0.3331737	0.4321104	0.1867194
StackedEnsemble_BestOfFamily_AutoML_20181212_105540	0.7884246	0.5521454	0.3231919	0.4326254	0.1871647
XGBoost_1_AutoML_20181212_105540	0.7846510	0.5575305	0.3254707	0.4349489	0.1891806
XGBoost_grid_1_AutoML_20181212_105540_model_4	0.7835232	0.5578542	0.3188188	0.4352486	0.1894413
XGBoost_grid_1_AutoML_20181212_105540_model_3	0.7830043	0.5596125	0.3250808	0.4357077	0.1898412
XGBoost_2_AutoML_20181212_105540	0.7813603	0.5588797	0.3470738	0.4359074	0.1900153
XGBoost_3_AutoML_20181212_105540	0.7808475	0.5595886	0.3307386	0.4361295	0.1902090
GBM_5_AutoML_20181212_105540	0.7808366	0.5599029	0.3408479	0.4361915	0.1902630
GBM_2_AutoML_20181212_105540	0.7800361	0.5598060	0.3399258	0.4364149	0.1904580
GBM_1_AutoML_20181212_105540	0.7798274	0.5608570	0.3350957	0.4366159	0.1906335
GBM_3_AutoML_20181212_105540	0.7786685	0.5617903	0.3255378	0.4371886	0.1911339
XGBoost_grid_1_AutoML_20181212_105540_model_2	0.7744105	0.5750165	0.3228112	0.4427003	0.1959836
GBM_4_AutoML_20181212_105540	0.7714260	0.5697120	0.3374203	0.4410703	0.1945430
GBM_grid_1_AutoML_20181212_105540_model_1	0.7697524	0.5725826	0.3443314	0.4424524	0.1957641
GBM_grid_1_AutoML_20181212_105540_model_2	0.7543664	0.9185673	0.3558550	0.4966377	0.2466490
DRF_1_AutoML_20181212_105540	0.7428924	0.5958832	0.3554027	0.4527742	0.2050045
XRT_1_AutoML_20181212_105540	0.7420910	0.5993457	0.3565826	0.4531168	0.2053148
DeepLearning_grid_1_AutoML_20181212_105540_model_2	0.7417952	0.6014974	0.3682910	0.4549035	0.2069372
XGBoost_grid_1_AutoML_20181212_105540_model_1	0.6935538	0.6207021	0.4058805	0.4657911	0.2169614
DeepLearning_1_AutoML_20181212_105540	0.6913704	0.6379538	0.4093513	0.4717801	0.2225765
DeepLearning_grid_1_AutoML_20181212_105540_model_1	0.6900835	0.6617941	0.4184695	0.4766352	0.2271811
GLM_grid_1_AutoML_20181212_105540_model_1	0.6826481	0.6385205	0.3972341	0.4726827	0.2234290



Example Leaderboard  
for binary classification  
(Higgs 10k)

# H2O AutoML Roadmap

- Automatic target encoding of high cardinality categorical cols
- Better support for wide datasets via feature selection/extraction
- Support text input directly via Word2Vec
- Variable importance for Stacked Ensembles
- Improvements to the models we train based on benchmarking
- Fully customizable model list (grid space, etc)
- New algorithms: SVM, GAM



# AutoML Benchmarks

Computer Science > Machine Learning

## An Open Source AutoML Benchmark

Pieter Gijsbers, Erin LeDell, Janek Thomas, Sébastien Poirier, Bernd Bischl, Joaquin Vanschoren

(Submitted on 1 Jul 2019)

In recent years, an active field of research has developed around automated machine learning (AutoML). Unfortunately, comparing different AutoML systems is hard and often done incorrectly. We introduce an open, ongoing, and extensible benchmark framework which follows best practices and avoids common mistakes. The framework is open-source, uses public datasets and has a website with up-to-date results. We use the framework to conduct a thorough comparison of 4 AutoML systems across 39 datasets and analyze the results.

Comments: Accepted paper at the AutoML Workshop at ICML 2019. Code: [this https URL](#) Accompanying website: [this https URL](#)

Subjects: **Machine Learning (cs.LG)**; Machine Learning (stat.ML)


Cite as: [arXiv:1907.00909 \[cs.LG\]](#)

(or [arXiv:1907.00909v1 \[cs.LG\]](#) for this version)

ICML/arXiv paper  <https://tinyurl.com/autombenchmark>

# AutoML Benchmarks

## Normalized scores on 4h binary classification problems



<https://openml.github.io/automlbenchmark/results.html>

# AutoML Benchmarks

The screenshot shows a video player interface. At the top, the browser title bar reads "AutoML Systems · AutoML Bench" and "Kaggle: Your Home for Data Sci...". The URL in the address bar is "https://openml.github.io/automlbenchmark/automl\_overview.html". The video content itself is a webpage titled "AutoML Benchmark" with a dark background. On the left, there's a sidebar with links: "Results", "AutoML Systems" (which is highlighted in red), "Benchmark Datasets", "Documentation", "Paper", "About", and "Currently v0.9". Below these are icons for a refresh button, download, and RSS feed. At the bottom of this sidebar is the text "© 2019. MIT License." and a timestamp "0:03 / 1:08:28". The main content area on the right is titled "AutoML Systems" and contains text about the complexity of AutoML systems beyond just performance. It mentions various factors like API availability, programming language, stand-alone capability, model output dependency, and domain-specific development. A woman with glasses and a purple shirt is smiling and looking towards the camera, appearing to be part of the video presentation. Below her is a list of "AutoML systems in the benchmark, in alphabetical order": "auto-sklearn", "Auto-WEKA", and "H2O AutoML". The video player has standard controls at the bottom: play/pause, volume, and a progress bar showing 0:03 of 1:08:28. Below the video player, the caption reads "Kaggle Reading Group : An Open Source AutoML Benchmark | Kaggle" and "1,579 views · Streamed live on Aug 14, 2019". There are also interaction buttons for likes (76), dislikes (2), share, save, and more.

<https://youtu.be/WIXhpXv9kDU>

# H2O AutoML on Kaggle



Erin LeDell  
@ledell

I had fun playing with @h2oai #AutoML on the #KaggleDaysSF hackathon today. One line of code, 8th place!

Ran H2O AutoML for 100 mins: it trained & 5-fold CV 43 models & 2 stacked ensembles. Wish I had joined the comp earlier & run longer! 🕒

Code here: [gist.github.com/ledell/4d4cd24...](https://gist.github.com/ledell/4d4cd24...)

#	△pub	Team Name	Score	Entries	Last
1	▲ 30	Erkut & Mark	0.61691	12	2h
2	▲ 1	Google AutoML	0.61598	8	3h
3	▼ 2	Sweet Deal	0.61576	20	2h
4	▲ 11	Arno Candel @ H2O.ai	0.61549	17	2h
5	▼ 1	ALDAPOP	0.61504	11	2h
6	▲ 12	9hr Overfitness	0.61437	17	2h
7	▼ 5	Shlandryns	0.61413	38	2h
8	▲ 2	Erin (H2O AutoML 100 mins)	0.61312	5	2h
9	▼ 2	[ods.ai] bestfitting	0.61298	27	2h
10	▲ 18	We are not Pavel Pleskov	0.61237	30	2h
11	▲ 12	Super Organic	0.61222	16	3h
12	▲ 7	ryches	0.61210	7	3h
13	▼ 5	City.AI	0.61209	26	2h
14	▼ 5	ALGCAMCHI	0.61200	25	2h
15	▲ 6	underfit	0.61047	28	2h
16	▲ 17	International Triangle	0.60984	17	2h
17	▲ 25	PaulHassamRainier	0.60980	17	2h
18	▼ 2	Dmitry Larko	0.60968	10	2h
19	▼ 8	Keep Getting Worse	0.60959	25	2h
20	▲ 20	Brendan Borin	0.60959	9	2h
21	▲ 3	Michael Maguire	0.60958	3	2h
22	▲ 12	RoseKnight401	0.60957	22	2h
23	▲ 14	Pavel Pleskov	0.60942	5	2h
24	▲ 2	it's not working anymore	0.60900	28	2h
25	▼ 20	JVS	0.60864	20	2h
26	▼ 9	mrinzu	0.60860	12	2h

7:48 PM · Apr 11, 2019 · Twitter Web Client


View Tweet activity

36 Retweets 198 Likes

- On a one-day Kaggle competition, AutoML tools ruled the leaderboard.
- In regular competitions, teams have much more time to do sophisticated, hand-crafted feature engineering, and so the humans are still winning (for now... 😈).

<https://twitter.com/ledell/status/1116533416155963392>

# Learn H2O AutoML!



- Docs: <https://tinyurl.com/h2o-automl-docs>
- R & Py tutorials: <https://tinyurl.com/h2o-automl-tutorials>

# H2O Resources

- Documentation: <http://docs.h2o.ai>
- Tutorials: <https://github.com/h2oai/h2o-tutorials>
- Slidedecks: <https://github.com/h2oai/h2o-meetups>
- Videos: <https://www.youtube.com/user/0xdata>
- Stack Overflow: <https://stackoverflow.com/tags/h2o>
- Google Group: <https://tinyurl.com/h2ostream>
- Gitter: <http://gitter.im/h2oai/h2o-3>
- Events & Meetups: <http://h2o.ai/events>



# Thank you!

@ledell on Github, Twitter  
erin@h2o.ai

