

TASK 2, LAB 2

[Help Center](#)

↪ **IMPORTANT:** In the multiple choice questions below more than one answer may be correct

Answer the following questions. Some of the questions will require you to run code in IDLE's Python shell. (You should do this anyway to get used to using IDLE.)

Question 1

Select the function call(s) that run without error. Determine the answer using the description given by `help(round)`, not by running the code.

Your Answer	Score	Explanation
☐ <code>round(45.345, 2, 5)</code>		
☒ <code>round(45.8)</code>		
☒ <code>round(45.345, 2)</code>		

☐ round()☒ round(45)

Question Explanation

The function `round` takes one argument, as well as a second optional argument.

Help on built-in function round in module builtins:

```
round(...)  
round(number[, ndigits]) -> number
```

Round a number to a given precision in decimal digits (default 0 digits).
This returns an int when called with one argument, otherwise the
same type as the number. ndigits may be negative.

Question 2

What type of value does built-in function `id` return? Determine the answer using the description given by `help(id)`.

Your Answer

Score

Explanation

☐ float☒ int

Question Explanation

Here is the output of `help(id)`. The return type is to the right of the arrow:

```
id(...)  
  id(object) -> integer
```

Return the identity of an object. This is guaranteed to be unique among simultaneously existing objects. (Hint: it's the object's memory address.)

Question 3

Consider this code:

```
x = 12 / 3
```

What value does `x` refer to?

Your answer:

Question Explanation

The division operation (`/`) produces a `float` . Note that the question just asks for a value, so don't include any other information other than the value.

Question 4

Consider this code:

```
x = 12 // 3
```

What value does `x` refer to?

Your answer:

`x=4`

Question Explanation

The integer division operation (`//`) produces an `int` . Note that the question just asks for a value, so don't include any other information other than the value.

Question 5

Consider this code:

```
x = 12 / 5
```

What value does `x` refer to?

Your answer:

```
x = 2.4
```

Question Explanation

The division operation (`/`) produces a `float`. Note that the question just asks for a value, so don't include any other information other than the value.

Question 6

Consider this code:

```
x = 13 / 7
```

What value does `x` refer to?

Your answer:

x=1.9 (guesstimate, real value x=1.8571428571428572)

Question Explanation

The division operation (`/`) evaluates to a `float` . Note that the question just asks for a value, so don't include any other information other than the value.

Question 7

Consider this code:

```
x = 3
y = 5
x = y
```

After the code above has executed, what value does `x` refer to?

Your answer:

x=3

Question Explanation

Note that the question just asks for a value, so don't include any other information other than the value.

Question 8

Consider this code:

```
x = 3  
y = 5  
x = y
```

After the code above has executed, what value does `y` refer?

Your answer:

y=5

Question 9

Consider this code:

```
apple = banana
```

When the code above is executed, what type of error occurs?

Your Answer

☒ `NameError`

☐ `SyntaxError`

Question Explanation

The name `banana` does not exist, so a `NameError` occurs.

Question 10

Select the legal Python name(s) below.

Your Answer

Score

Explanation



haPpyDAY



_happy



18happy_day



happy_day

**Question Explanation**

- Names must start with a letter or .
- Names must contain only letters, digits, and .

Question 11

Consider this code:

```
def greater(one, two):
    return one > two
```

Select the phrase that describes .

Your Answer

Score

Explanation



a parameter



☐ a function name

☐ an argument

Question Explanation

Review this terminology in the "Defining Functions" video and lecture summary.

Question 12

Consider this code:

```
def example(a, b, c):  
    d = a + b - c  
    return d
```

How many parameters does function `example` have?

Your Answer

Score

Explanation

☐ 2

☐ 1

☒ 3

☐ 0

Question Explanation

The parameters are `a`, `b` and `c`. Review this terminology in the "Defining Functions" video and lecture summary.

Question 13

Consider this code:

```
value = 8.564
result = round(value)
```

Select the phrase that describes `value` in the **second** line.

Your Answer	Score	Explanation
☐ a parameter		
☐ a function name		
☒ an argument		

Question Explanation

The value of `value` is passed as an argument to function `round`.

Question 14

Consider this code:

```
round(45.342, 2)
```

What value does the expression above produce?

Your answer:

45.34

Question Explanation

Note that the question just asks for a value, so don't include any other information other than the value.

Question 15

Consider this code:

```
def bigger(x):  
    return x ** x
```

```
bigger(12)
```

Which value does `bigger(12)` produce?

Your Answer

Score

Explanation

☐ 285311670611

☐ 302875106592253

☒ 8916100448256

☐ 11112006825558016