

Node.js

idea-case-backend demo

6.2.2023



Haaga-Helia

Node.js (or Node)

- <https://nodejs.org>
- Since year 2009
- JavaScript runtime environment. Running JS apps outside browser.
- Cross-platform (*Windows, Linux, Mac, ...*)
- Often used for running backend server code
- But used for other things too, like running the development-time frontend development environment of *create-react-app*

Node characteristics

- Fast and Scalable
 - if and when you code all services truly asynchronous (=non-blocking) and keep processing intensive logic outside.
- E.g. use database server for all it can do processing-wise. RDBMSs are really powerful tools for all processing. They have been developed since 1970s by best brains in the World.
- Need to write just little code to create backend
 - especially when using the Express library (simplifies routine stuff)
- Easy to build incrementally prototyping way
- Google Chrome's V8 JavaScript engine
 - single-thread running,
 - better and better modern ECMAScript support. <https://node.green/> and <https://nodejs.org/en/docs/es6/>

Node – Programming model

- Modules used
 - old times CommonJS modules with `module.exports` & `require`
 - nowadays Node supports newer ECMAScript (default or named) export & import
- Each code file is wrapped to be its own visibility block = a module.
 - And you will export the public parts you want to import and use in other modules = files.
- The starting point is e.g. the `index.js` in the root folder. Anyway the file you start with **npm start** or **nodemon** or **node some.js**
- There is no browser runtime's 'window' object. There would be a 'global' object instead, but don't use it.
- While the Node app is starting we use the Express 'app' object to configure the starting app. E.g. by attaching more and more middleware to the request handling processing pipe / loop
- There are
 - your modules = your local `.js` or `.ts` code files
 - ready-made modules, which you import from repositories. E.g. Node&Express modules or third-party modules.

Node – Programming model

- While looking at the code try to identify parts that:
 - Are run at the server startup – Configure, set up handlers and create things. Done with function calls.
 - Are run later when something further happens – Those are function definitions.

LET'S LOOK AT EXAMPLES

Node modules and npm/npx

- Other modules, look e.g. into <https://www.npmjs.com/>
- 475 000 modules available. Some made by our students last semester as seminar work.
- Be careful, especially these times there might be bad actors trying to sneak malicious code into public npm etc. repositories
 - Sometimes even known programmer was mentioned to have sold his project to outside actor

Node modules and npm/npx

- Other modules, look e.g. into <https://www.npmjs.com/>
- 475 000 modules available. Some made by our students last semester as seminar work.
- Be careful, especially these times there might be bad actors trying to sneak malicious code into public npm etc. repositories
 - Sometimes even known programmer was mentioned to have sold his project to outside actor
- `npm install -g nodemon` / `npm i -g nodemon` Tool installed globally to whole computer
- `npm i express` Module installed to this project
- `npx create-react-app myapp` Tool only temporarily downloaded and run immediately
- `npm install`, `npm audit`, `npm outdated`, `npm update`

Node app creation and modules

1. Install Node from nodejs.org (LTS version). Installs also npm, npx
2. Possibly in e.g. GitHub create a new empty repo with Node .gitignore template
3. Clone that repo to local folder, go to the repo folder and then inside that folder
4. npm init => creates the package.json file where the node modules = project dependencies are listed. Plus some other configuration of the Node app
5. npm install would install all dependencies already in the package.json
6. npm install -save express would install express module and also add it to package.json
7. npm install -g nodemon would install the node monitor tool globally
8. other tools we could install with npm i are e.g.
 - a. cors – for configuring the CORS security mechanism
"middleware that can be used to enable CORS with various options." <https://www.npmjs.com/package/cors>
 - b. express – for easier Node app object configuration e.g. for routing
"A minimal and flexible Node.js web application framework that provides a robust set of features for building web servers"
<https://www.npmjs.com/package/express>
 - i. **express.json** built-in middleware function in Express. It parses incoming requests with JSON payloads <https://expressjs.com/en/api.html>
 - c. express-validator, express middleware version of js validator called, well, 'validator'
<https://www.npmjs.com/package/express-validator> = how to use that 'validator' in express
 - d. knex – for writing JavaScript to create database actions. and get data back as JSON
<https://www.npmjs.com/package/knex>
 - e. mysql or mariadb – driver/connector/client for connecting to MariaDB/MySQL database
<https://www.npmjs.com/package/mysql> <https://www.npmjs.com/package/mariadb>
 - f. winston – for logging
<https://www.npmjs.com/package/winston>
 - g. dotenv – handling environment settings and properties
<https://www.npmjs.com/package/dotenv>