Rajalakshmi Engineering College

Name: Haaniya M

Email: 241501062@rajalakshmi.edu.in

Roll no: 241501062 Phone: 6385042979

Branch: REC

Department: I AI & ML FA

Batch: 2028

Degree: B.E - AI & ML



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 1_COD_Question 2

Attempt : 1 Total Mark : 10 Marks Obtained : 0

Section 1: Coding

1. Problem Statement

Arun is learning about data structures and algorithms. He needs your help in solving a specific problem related to a singly linked list.

Your task is to implement a program to delete a node at a given position. If the position is valid, the program should perform the deletion; otherwise, it should display an appropriate message.

Input Format

The first line of input consists of an integer N, representing the number of elements in the linked list.

The second line consists of N space-separated elements of the linked list.

The third line consists of an integer x, representing the position to delete.

Position starts from 1.

Output Format

The output prints space-separated integers, representing the updated linked list after deleting the element at the given position.

241501062

24/50/062

If the position is not valid, print "Invalid position. Deletion not possible."

Refer to the sample output for formatting specifications.

Sample Test Case

```
24/50/1062
    Input: 5
82317
    Output: 8 3 1 7
    Answer
    #include <stdio.h>
    #include <stdlib.h>
    void insert(int);
    void display_List();
    void deleteNode(int);
   struct node {
      int data:
      struct node* next;
    } *head = NULL, *tail = NULL;
    void insert(int x)
      if(head==NULL)
        head=(struct node*)malloc(sizeof(struct node));
        head->data=x;
        head->next=NULL:
```

```
247501062
                                                  24,50,1062
        struct node* temp=head;
         while(temp->next!=NULL)
           temp=temp->next;
         temp->next=(struct node*)malloc(sizeof(struct node));
         temp->next->data=x;
         temp->next->next=NULL;
      }
    }
    void display_list()
                                                                            247501062
      struct node* node=head;
       while(node!=NULL)
         printf("%d",node->data);
         node=node->next;
    }
    void deleteNode(int pos)
       int size=0;
       struct node* temp=head;
while(temp!=NULL)
         size=size+1;
         temp=temp->next;
       if(size<pos)
         printf("Invalid position. Deletion not possible.");
       }
       else
بریs-=1;
if(pos==0)
{
                                                                            241501062
           temp=head->next;
```

```
free(head);
head=ter
                                                                            24,50,1062
                                                  24,150,1062
           head=temp;
         else
           temp=head;
           while(--pos)
             temp=temp->next;
           struct node* temp1=temp->next;
           temp->next=temp->next->next;
           free(temp1);
                                                                            247507062
         display_List();
       return 0;
     int main() {
       int num_elements, element, pos_to_delete;
       scanf("%d", &num_elements);
                                                                            24,150,1062
                                                   247507062
       for (int i = 0; i < num_elements; i++) {
       scanf("%d", &element);
         insert(element);
       scanf("%d", &pos_to_delete);
       deleteNode(pos_to_delete);
       return 0;
    }
    Status: Wrong
                                                                      Marks: 0/10
247501062
                         247501062
                                                                            247501062
                                                   241501062
```