DRAFT General Mission Analysis Tool (GMAT) System Test Plan

Steven P. Hughes Goddard Space Flight Center Codes 583 and 595 Greenbelt, Maryland 20771 Darrel J. Conway Thinking Systems, Inc. 6441 N Camino Libby Tucson, Arizona 85718

March 14, 2010

2

Contents

Ι	Overview	9
1	Introduction 1.1 Overview 1.2 Purpose of this Document 1.3 Overview of the GMAT Development and Testing Process 1.4 System Test Objectives 1.5 Formal System Testing 1.6 Items Not Addressed in System Tests 1.7 Document Layout 1.8 System Testing 1.9 Document Layout 1.9 Document Layout 1.0 Document Layout 1.1 Document Layout 1.1 Document Layout 1.2 Document Layout 1.3 Document Layout 1.4 Document Layout 1.5 Document Layout 1.7 Document Layout 1.8 Document Layout 1.9 Document Layout	11 11 12 12 13 14 14
II	System Test Procedures	15
2	System Test Preparation 2.1 Test Process . 2.2 Test Preparation 2.3 Updating the Element Lists in the Test Matrices 2.4 Updating the Test Case Lists 2.5 Constructing the Test Cases . 2.5.1 Updating Script Based Test Cases 2.5.2 Updating the GUI Test Cases 2.5.2 Ensuring Complete System Coverage	17 17 18 19 20 22 22 26 27
3	Executing Script Driven Tests 3.1 Script Test Case Management	29 30 30 30 31 32
4	Executing Tests for the Graphical User Interface 4.1 GUI Test Case Management	33 34 35 38 39 39 41 42
5	Reporting and Reviewing Test Results 5.1 System Test Status	43 43 43 44

4	CONTEN	115
Π	I Tests	45
6	Stress Tests	47
7	Resources 7.1 Spacecraft	49 49 55 55 66 67
8	Test Data	69
9	Base States	77
I	V Checklists	7 9
	10.10Variable 10.11Solar System Objects 10.12Finite Burn 10.13Formation 10.14Fuel Tank 10.15GMAT Function 10.16Ground Station 10.17Impulsive Burn 10.18Libration Point 10.19MATLAB function 10.20OpenGL Plot 10.21Parameter Select (Create Only) 10.22Parameter Select 10.23Propagator 10.24Report File 10.25Spacecraft 10.26fmincon Optimizer 10.27String 10.28Thruster 10.29Variable 10.30XY Plot Commands	81 83 85 87 89 92 95 99 101 103 105 139 140 142 144 146 157 159 161 165 167 177 179 181 183
	11.3 Call Function 11.4 End Finite Burn 11.5 GMAT Command	187 189 191 193 195

ONTENTS	O	5
11.7 Maneuver		197
11.8 Minimize		
11.9 Nonlinear Constraint		200
11.10Propagate		202
11.11Report		205
11.12Save		207
11.13Script		
11.14Target		
11.15Toggle		211
11.16Vary		213

List of Figures

2.1	The System Test Summary Page
2.2	An Object Test Matrix
2.3	The New Element Dialog
2.4	A Test Case List
2.5	The New Test Case Dialog
2.6	A Test Tracking Spreadsheet
3.1	The Script Test Tracking Spreadsheet
4.1	The GUI Test Tracking Spreadsheet
4.2	The OpenGLPlot Setup Panel

List of Tables

4.1	Tests for Data Objects on All Panels	41
6.1 6.2	TC-4 Rapid Rerun Via Play Button	47 47
7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 7.10 7.11 7.12 7.13 7.14 7.15 7.16 7.17 7.20 7.21 7.22 7.23 7.24 7.25	STC-3 Conversion to Keplerian-type Elements Disallowed when Celestial Body Not at Origin. STC-4 Conversion to Disallowed Coordinate System from Keplerian-type Elements STC-5 GUI Epoch and State Independence for Time Dependent Coordinate System STC-6 Orbit State Conversion for Singular Conic Section STC-7 Orbit State Conversion for Circular, Equatorial Orbit STC-8 Orbit State Conversion for Circular, Inclined Orbit STC-9 Orbit State Conversion for Orbit with Zero Velocity STC-10 Orbit State Conversion for Orbit with Zero Position STC-11 Orbit State Conversion for Orbit with Zero State STC-12 Performing Modulo on Keplerian Angular Elements STC-13 Performing Modulo on Modified Keplerian Angular Elements STC-14 Performing Modulo on SphericalRADEC Angular Elements STC-15 Performing Modulo on SphericalRADEC Angular Elements STC-16 Performing Modulo on Keplerian Elements for Circular, Equatorial orbit STC-27 Performing Modulo on Keplerian Elements for Circular, Inclined orbit STC-28 Performing Modulo on Keplerian Elements for Circular, Inclined orbit STC-19 Orbit State Conversion when Orbit is Near Parabolic STC-19 Orbit State Conversion for Nearly Singular Cartesian State STC-20 Orbit State Conversion for Nearly Singular SphericalRADEC State STC-21 Orbit State Conversion in the Spacecraft Orbit Dialog Box STC-24 State Conversion in the Spacecraft Orbit Dialog Box STC-25 Coordinate System Conversion in the Spacecraft Orbit Dialog Box STC-26 Attitude Conversion in the Spacecraft Attitude Dialog Box STC-17 Attitude GUI Behavior When Entering Zero Quaternion TC-1 Differential Corrector Dialog Box Range Tests - Disallowed Values	499 500 501 511 522 523 534 544 555 566 567 577 578 600 611 622 633 644 655 666
7.27	TC-2 Differential Corrector Dialog Box Range Tests- Allowed Values	66
7.28 8.1 8.2 8.3 8.4 8.5 8.6 8.7	TC-3 TEST NAME TEXT TD-1 Equivalent State Representations	70 71 72 73 74 75 76
9.1 9.2 9.3 9.4 9.5 9.6	BS-1 The Default Mission	77 77 77 77 77 78

Draft: Work in Progress LIST OF TABLES

Part I

Overview

Chapter 1

Introduction

1.1 Overview

The General Mission Analysis Tool (GMAT) is a spacecraft mission analysis tool tailored to support missions involving groups of spacecraft interacting throughout a modeled time period. The potential complexity of this problem makes GMAT an intricate software system. This complexity necessitates a rigorous testing environment to ensure that the system meets its objectives.

GMAT is designed using an object-oriented architecture GDT and coded using extensive object-oriented structures written in C++. The object based approach employed in GMAT's design and implementation makes the system robust and relatively easy to use for experienced analysts. The extent of the object model implemented to make GMAT a complete and robust system dictates a comprehensive testing philosophy, described in the GMAT Master Test Plan. This document describes one component of the overall testing strategy, the system testing.

System testing is a black box form of testing, designed to exercise the GMAT system from the user's perspective. The system tests are designed to exercise all of the user accessible objects in GMAT.

1.2 Purpose of this Document

This document serves as the System Test Approach for the GMAT Project. Preparation for system testing consists of three major stages:

- The Test Approach sets the scope of system testing, the overall strategy to be adopted, the activities to be completed, the general resources required and the methods and processes to be used to test the release. It also details the activities, dependencies and effort required to conduct the System Test.
- Test Planning details the activities, dependencies and effort required to conduct the System Test.
- Test Cases documents the tests to be applied, the data to be processed, the automated testing coverage and the expected results.

This document covers the first two of these items, and established the framework used for the GMAT test case development. The test cases themselves exist as separate components, and are managed outside of and concurrently with this System Test Plan.

The GMAT development process identifies several review points for the system. GMAT development is conducted as a cooperative effort between an analysis team, typically composed of flight dynamics specialists, and a development team consisting of talented software developers. New requirements for the system are defined and written by the analysis team. Mathematical and design specifications are derived from these requirements and compiled into a format that can be used to code the new functionality. Requirements. Specifications, and

and compiled into a format that can be used to code the new functionality. Requirements, Specifications, and Designs are reviewed by the development team prior to implementation. This review is typically conducted in an informal, iterative manner until the specifications are understood by all involved parties. The specifications and design documentation are then used to write the software.

During the development process, new features of a component under development may be detected that need further specification. When that happens, the new features are discussed and collected together. This may result in an immediate update to the design documents, or it may result in collection of the new feature implementation for inclusion in a final update performed when the component is ready for integration. In either case, the design documentation is updated to reflect the implemented functionality prior to formal acceptance of the related components.

During development, the software undergoes internal testing in the development team at both a unit and an integration level. Unit testing is intended to exercise all of the executable paths through the code, validating that the internal working of the code behaves correctly. Integration testing takes unit tested components and builds those components, either one at a time or collectively, into the system. From time to time, the development team will interact with the analysis team during integration testing to confirm that the observed behavior of the new code conforms to the expectations of the users. Unit testing and integration testing are performed in the course of the development of the software; neither will necessarily provide test results in a formal manner, though informal communications of the component and integrated test results are strongly encouraged.

When the GMAT development team completes integration of new functionality into the system, that new functionality is ready for system test. GMAT system testing follows a more formal test procedure than unit or integration testing. New components are exercised both from the GMAT scripting language and from the GMAT Graphical User Interface (GUI). The test cases exercised are documented using the procedures described later in this document. Test cases are managed using a traceability matrix that lists all of the elements of GMAT visible at the user level, and matches those elements to test cases that are executed in system testing. This master traceability matrix is used to generate a spreadsheet of test cases each time GMAT enters a system test cycle. All tests are tracked using this spreadsheet; formal system test is complete when every test case has been exercised and the results of the tests have been tabulated and accepted after review.

1.4 System Test Objectives

12

At a high level, System Test intends to prove that

- The functionality, delivered by the development team, is as specified by the Mathematical and Design Specifications¹.
- The software is stable and of high quality.
- The software models spacecraft missions faithfully.
- The software interfaces correctly with other systems, specifically MATLAB.
- The software user interfaces are stable, complete, and understandable by novice and experienced users.

¹System test does not provide a formal mechanism for mapping the system requirements to the implemented functionality; that is the responsibility of Acceptance testing. The system test validates that the implemented functionality is correct.

1.5. FORMAL SYSTEM TESTING

These objectives are addressed through the development of a suite of test cases exercised on builds of the GMAT system. Each major release of GMAT is tested using this suite, and the results of the tests are collected and reviewd by all interested parties prior to release. This document describes the procedures followed for system testing.

1.5 Formal System Testing

While system tests can be performed as soon as new features are available, there is not a requirement that they must be performed at that time. However, system tests shall be performed prior to each major release of GMAT to the aerospace community. Part of the GMAT release process includes a review of the system test matrices and results to ensure that the system has maintained its integrity for the release. The review performed at each major release:

- Checks the System Test matrices to ensure full system coverage for User Elements, Parameters, Commands, and GUI Widgets.
- Ensures that the system tests have been run for all test cases.
- Ensures that the data produced from GMAT is consistent with known "truth" data.
- Ensures that system tests that failed have documented the cause or causes of the failure
- Ensures that any failures that must be addressed for the release have (1) been addressed and (2) that the resulting correction has been validated to meet the expected results.
- Ensures that all scripting elements of GMAT have been exercised, and function correctly.
- Ensures that all GUI elements of GMAT have been exercised, and function correctly.
- Ensures that the system is stable. Stability in this context means that GMAT
 - Does not crash
 - Produces identical results on rerun
 - Produces comparable results on all supported platforms
 - Allocates and releases memory consistently, without long term memory artifacts (aka "memory leaks")
 - Produces identical results when configured from the GUI, from a script file, and when saved to file
 and reloaded, both into the running instance and into a new image.
- Ensures that GMAT performs efficiently, both when executing mission sequences, and when saving and loading missions.

System test review is performed by members of the analysis and development teams. Detailed testing of the system numerics and scripting is performed by the domain experts on the analysis team. GUI testing is performed by the development team.

While the formal test responsibilities are as described in the previous paragraph, both teams are encouraged to exercise the features being tested by the other team to help identify any additional issues that exist. For example, the analysis team is encouraged to create all test cases using the GMAT GUI, and to report any difficulties encountered when following this approach. Similarly, the development team is encouraged to test the GUI in such a way as to produce functional models, to run those models, and to report any resulting anomalous behavior. This cross checking of functionality ensures that the system has been exercised as much as possible, given the resources available for development of GMAT.

1.6 Items Not Addressed in System Tests

The system tests described in this document are used to validate the stability and accessibility of GMAT components to users attempting to use the system to solve flight dynamics problems. These tests do not address several key system elements. Those elements are covered by other components of the GMAT test suite.

Specifically, the tests defined in this document do not address these items:

- Internal data representations and data flow in the GMAT code. These elements are tested in the GMAT unit and integration test processes.
- Numerical fidelity of the models. The detailed numerical testing of the components are part of the GMAT acceptance tests.
- Data range validation. The data range tests are performed as part of the integration tests.
- Requirements Validation. The mapping of GMAT capabilities to the system requirements is made and validated in the GMAT acceptance tests.

1.7 Document Layout

The remainder of this document describes the procedures followed to prepare for, conduct, and document the GMAT system tests. Chapter 2 describes the procedured followed when preparing for the system tests. Chapters 3 and 4 document the procedures followed when running the test cases. Chapter 5 describes the data collection and review procedures followed for the system. The Appendices at the end of the document provide additional information that may be useful during system test.

14

Part II

System Test Procedures

Chapter 2




Figure 2.1: The System Test Summary Page




Figure 2.2: An Object Test Matrix

To summarize, when a new piece of functionality is added to GMAT that users can access, the test team, working with the developers and users, updates the test matrices by performing three steps:

¹All of the GMAT test tracking components are configuration controlled. Interested parties can obtain the current versions of these testing artifacts by contacting one of the GMAT team leads.

2.3. UPDATING THE ELEMENT LISTS IN THE TEST MATRICES

- 1. Identify and add all new elements of the system to the test matrices.
- 2. Identify test cases that cover the new elements. This may involve modifying existing test cases or creating new test cases, depending on the functionality of the new element.
- 3. Create or update the test cases as needed to implement the planned coverage identified in item 2.

When these steps have been performed, the coverage matrices are up to date, and the test team is ready to run the system test by executing all of the test cases in the matrices. The following paragraphs describe the procedure for executing these steps.

2.3 Updating the Element Lists in the Test Matrices

Figure 2.2 shows an example of the matrices used to identify GMAT's implemented functionality. Separate tables exist for the user accessible Components (Spacecraft, Solvers, Propagators, and so forth), Parameters that GMAT can calculate, Commands used when defining the mission sequence, Graphical User Interface elements (GuiElements), and miscellaneous other configurable elements. These tables capture a static view of every item that a user can interact with when running GMAT.

Each table lists the configurable elements in column A, and constructs, when appropriate, configurations and subconfigurations of those objects in columns B (labeled "Cases") and C ("Subcases"). Column D, "Notes",

is used to indicate other consider New GMAT Element tables; when that happens, the e The first step in updating the Element Type: capturing any new elements and Panel Testers have two options for perf all related formatting and equation to add the new elements. The pr Element Name: MonteCarloPanel calculations performed by the ta Spreadsheet Lines Needed: OK Cancel

Figure 2.3: The New Element Dialog

The summary page, shown in Figure 2.2, for the spreadsheet contains four buttons used to add elements to the test matrices: "Add Resource", "Add Parameter", "Add Command", and "Add GUI Element". When a user presses one of these buttons, a dialog box opens that is used to set some basic information for the new element that is being tested. Figure 2.3 shows an example of this dialog.

When this dialog is opened, users can change the type of new element being configured using the Element Type combo box. This option is provided in case the user selected the wrong button from the summary page. The user enters the name of the new element in the ElementName field.

Many of the elements that are tested can be exercised more than one way; for example, the Impulsive Burn element can be set to run using Velocity-Normal-Binormal (VNB) delta-V vectors or a coordinate system based

	1	G	MAT System Test	
	2		st Case Definitions	
0	3			
.el he	4	ID	Test Case	Purpose
ne ft t	5	1	r 	Fest use of variable numbers and array conditions, vary, ac nonlinear constrain
ıl	6	2	CbParams GMAT GEO 2Body	
t	7	3	CbParams GMAT Hyperbolic 2Body.m	
t	8	4	CbParams GMAT ISS 2Body.m	
S	9	_ 5	CbParams GMAT Mars1 2Body.m	
t	10	6	CbParams GMAT Mercury1 2Body.m	
e	11	_ 7	CbParams GMAT Moon 2Body.m	
	12	8	CbParams GMAT Neptune1 2Bodγ.m	
	13	9	CbParams GMAT Pluto1 2Body.m	
	14	10	CbParams GMAT Saturn1 2Bodγ.m	
	15	$\overline{}$	CbParams GMAT Uranus1 2Bodγ.m	
	16	-	CbParams GMAT Venus1 2Bodγ.m	
Ш	17	-	CSParams_GMAT_GEO_2Body.m	
	18	-	CSParams_GMAT_Hyperbolic_2Body.m	
	19	_	CSParams_GMAT_ISS_2Body_EarthFixed.m	
	20	-	CSParams GMAT ISS 2Body EarthGSE.m	
	21	-	CSParams_GMAT_ISS_2Body_EarthGSM.m	
	22		CSParams GMAT ISS 2Body EarthMJ2000Ec.m	
	23		CSParams GMAT ISS 2Body EarthMJ2000Eq.m	
	24		CSParams GMAT ISS 2Body EarthMODEc.m	
	25	-	CSParams GMAT ISS 2Body EarthMODEq.m	
	26		CSParams GMAT ISS 2Body EarthMOEEc.m	. / "
				mands / Miscellaneou
Ш	Sheel	t 2 /	8 Default	100%

Figure 2.4: A Test Case List

2.4 Updating the Test Case Lists

There are two categories of test cases used in system testing GMAT, designed to exercise the system using scripting and the graphical user interface. When new components are added to GMAT, the test coverage matrix is updated to exercise those new elements using the procedure described above. This update produces holes in the system test suite, requiring either an update of the current test cases or the development of new test cases, depending on the nature of the new components.

The test case lists are broken into two groups: tests based on script files designed to exercise all components used in modeling a mission, and user interface exercises designed to test the functionality and completeness of

the graphical user interface. The test tracking spreadsheet has separate pages for the GUI and script based test

2.4. UPDATING THE TEST CASE LISTS

CIII toot cases. Figure 2.4 shows the New Testcase When a test case is added to is automatically picked up of been added to the system to Testcase Name: MonteCarloPanelCheck functionality. In summary,

2. Test case writing: Wr

3. Test Matrix Mapping: test case to reflect the




Figure 2.5: The New Test Case Dialog

The procedure for adding a test case to the test case list is similar to the procedure for adding a new element to the test matrices. Test cases are added to the system test matrices using the "Add Script Testcase" and "Add GUI Testcase" buttons on the summary page of the spreadsheet. Pressing either of these buttons opens the New Test Case dialog, shown in Figure 2.5.

When a new test case has been identified, a user will open the system test spreadsheet and press the button for the desired test case type, opening this dialog. The user then enters the name of the new test case. The user enters a summary description of the test case as well to help track the goal of the test case. Finally, the user selects the desired frequency for execution of the test case; cases that can be automated and run frequently, or that test critical features of the system, should be set to run more frequently than those that are labor intensive or that test rarely used GMAT features.

The user accepts the new test case by selecting the "OK" button on the spreadsheet. When this action is taken, several things happen in the tables in the spreadsheet. First new test case is added to the appropriate page of the spreadsheet, along with its descriptions and execution frequency. The status of the test case is set to "Not started", indicating that the test case itself is not yet in the system test suite of test cases. The new test case is added to the column labels of the test matrices on the subsequent pages, and the formulae in in the spreadsheet are updated to track the new tests.

This step completes the test case planning phase of the preparation process. The next step is to write the test cases themselves.

2.5 Constructing the Test Cases

The steps described so far ensure that there is a plan in place to test every element of GMAT for a black box perspective. At this point, the test cases requires for the system test have been identified. Next the test team needs to write the test cases, given the new functionality of the system. The goal for each test case is to test an integrated set of system elements when executing a specified set of goals.

For the script based tests, this usually involves assembling a set of elements together and performing some computations in a mission sequence. The results of the execution of the script are compared to known good data in order to validate that the execution behaved as expected. Additionally, the script based testing checks to see that scripting errors are handled gracefully, producing error messages that are clear for typical GMAT users.

GUI based scripts have similar goals. The goals of the GUI test cases are to ensure that the GMAT user interface lets users configure all of the elements of the system, that this configuration is reflected in the internal components of the system, and that the user interface handles anomalous conditions robustly.

The following paragraphs describe the approach taken to ensure that these goals are met.

2.5.1 Updating Script Based Test Cases

Script based test cases consist of a script file and validated output files generated from the script. All script based tests should be created from the GMAT GUI, so that any related user interface issues can be identified during the process. Once a scripted test has been constructed, it should be saved with the same file name as entered in the test case table.

Each script based test should generate output in the form of a text file, using GMAT's reporting capabilities. Unless explicitly stated otherwise, the output file name should be the same as the script file name with the file extension ".report". The header comments on the script based tests should indicate the following information:

- The first line of the script should be "%% \$Id\$". This ensures that the CVS version information is stored with the script. This CVS information is the tracking identifier for each system test case.
- The primary elements being tested.
- Any ancillary items that should also be examined in the execution of the test.
- Any dependencies that need to be met to run the test successfully. For example, the FminconOptimizer requires a GMAT build that includes the MATLAB interfaces, a valid licensed MATLAB executable on the test machine, and a valid licensed copy of MATLAB's Optimization Toolbox.
- The name of the output files generated, is their name differs from the standard output file name.
- Whether the output data is expected to match data from previous runs.
- Any special steps that should be taken, either prior to the run or after it completes.

A sample script test case is provided here:

```
Modified Keplerian Coordinates.
   % 2. Force models appropriate to LEO, HEO and GEO orbits.
   % 3. Basic orbit Propagation.
10
   % The only output file is BasicPropHEOReport.txt, which contains various output
11
   % parameters for the HEO spacecraft. The data in this report should be the same
   % from run to run.
   % There are no external dependencies.
   % This file has been edited to reduce size, so that it can be used as an example
   % in the System Test Plan.
   Create Spacecraft LEO;
20
   GMAT LEO.DateFormat = TAIModJulian;
   GMAT LEO.Epoch = 21545;
   GMAT LEO.CoordinateSystem = EarthMJ2000Eq;
   GMAT LEO.StateType = Cartesian;
   GMAT LEO.X = 7100;
   GMAT LEO.Y = 0;
   GMAT LEO.Z = 1300;
   GMAT LEO.VX = 0;
   GMAT LEO.VY = 7.35;
   GMAT LEO.VZ = 1;
31
   Create Spacecraft HEO;
   GMAT HEO.DateFormat = TAIGregorian;
33
   GMAT HEO.Epoch = 12 Sep 2006 21:28:00.000;
   GMAT HEO.CoordinateSystem = EarthMJ2000Eq;
   GMAT HEO.StateType = Keplerian;
   GMAT HEO.SMA = 43200;
   GMAT HEO.ECC = 0.8;
   GMAT HEO.INC = 78;
   GMAT HEO.RAAN = 15;
   GMAT HEO.AOP = 35;
   GMAT HEO.TA = 120;
   Create Spacecraft GEO;
44
   GMAT GEO.DateFormat = UTCGregorian;
   GMAT GEO.Epoch = 25 Dec 2010 00:00:00.000;
   GMAT GEO.CoordinateSystem = EarthMJ2000Eq;
   GMAT GEO.StateType = ModifiedKeplerian;
   GMAT GEO.RadPer = 42164.5;
   GMAT GEO.RadApo = 42165.5;
   GMAT GEO.INC = 0.5;
   GMAT GEO.RAAN = 90;
   GMAT GEO.AOP = 90;
   GMAT GEO.TA = 90;
54
   Create ForceModel LeoProp_ForceModel;
   GMAT LeoProp_ForceModel.CentralBody = Earth;
   GMAT LeoProp_ForceModel.PrimaryBodies = {Earth};
   GMAT LeoProp_ForceModel.Drag = Exponential;
   GMAT LeoProp_ForceModel.Gravity.Earth.Degree = 20;
   GMAT LeoProp_ForceModel.Gravity.Earth.Order = 20;
   GMAT LeoProp_ForceModel.Gravity.Earth.PotentialFile = c:/GmatDataFiles/gravity/earth/JGM2.grv;
   GMAT LeoProp_ForceModel.Drag.AtmosphereBody = Earth;
```

64

```
Create Propagator LeoProp;
    GMAT LeoProp.FM = LeoProp_ForceModel;
    GMAT LeoProp.Type = RungeKutta89;
67
    Create ForceModel HeoProp_ForceModel;
69
    GMAT HeoProp_ForceModel.CentralBody = Earth;
    GMAT HeoProp_ForceModel.PrimaryBodies = {Earth};
    GMAT HeoProp_ForceModel.Drag = MSISE90;
    GMAT HeoProp_ForceModel.SRP = On;
    GMAT HeoProp_ForceModel.Gravity.Earth.Degree = 4;
    GMAT HeoProp_ForceModel.Gravity.Earth.Order = 4;
    GMAT HeoProp_ForceModel.Gravity.Earth.PotentialFile = c:/GmatDataFiles/gravity/earth/JGM3.grv;
    GMAT HeoProp_ForceModel.Drag.InputSource = Constant;
    Create Propagator HeoProp;
79
    GMAT HeoProp.FM = HeoProp_ForceModel;
    GMAT HeoProp.Type = RungeKutta89;
81
    Create ForceModel GeoProp_ForceModel;
83
    GMAT GeoProp_ForceModel.CentralBody = Earth;
    GMAT GeoProp_ForceModel.PrimaryBodies = {Earth};
    GMAT GeoProp_ForceModel.PointMasses = {Sun, Luna, Jupiter, Venus};
    GMAT GeoProp_ForceModel.SRP = On;
    GMAT GeoProp_ForceModel.Gravity.Earth.Degree = 4;
    GMAT GeoProp_ForceModel.Gravity.Earth.Order = 4;
90
    Create Propagator GeoProp;
    GMAT GeoProp.FM = GeoProp_ForceModel;
    GMAT GeoProp.Type = PrinceDormand78;
    Create ReportFile HeoReport;
    GMAT HeoReport.Filename = BasicPropHEOReport.txt;
    GMAT HeoReport.Precision = 16;
    GMAT HeoReport.Add = {LEO.A1Gregorian, LEO.A1ModJulian, LEO.ElapsedSecs, ...
       LEO.ElapsedDays, LEO.Earth.SMA, LEO.Earth.ECC, LEO.EarthMJ2000Eq.INC, ...
98
       LEO.EarthMJ2000Eq.RAAN, LEO.EarthMJ2000Eq.AOP, LEO.Earth.TA);
99
100
    %%_____
101
    %%----- Mission Sequence
102
103
    Propagate LeoProp(LEO, {LEO.ElapsedSecs = 8640.0});
    Propagate HeoProp(HEO, {HEO.ElapsedSecs = 432000.0});
105
   Propagate GeoProp(GEO, {GEO.ElapsedDays = 30.0});
```

If a script test case fails any of the system test criteria specified in Chapter 3, the tester creates a test report summarizing the nature of the failure. A sample completed report is shown here:

```
$Id: MatlabApsidesCheck.txt,v 1.3 2006/11/23 00:27:43 dconway Exp $

Tester: ___D. Conway _____ Date: _11/21/06______

Platform: _X_ Windows, Version: XP, Service Pack 2____

Macintosh, OS X Version: ______
```

2.5. CONSTRUCTING THE TEST CASES

```
10
                ___ Linux, Distribution: _____
11
12
13
   Description:
14
15
   This test validates the MATLAB interface, including passing of arrays into
   MATLAB and receipt of data back from MATLAB.
17
19
   Script Test Results:
20
21
   Loads Correctly: [XX] Pass
                                  [ ] Fail Bug# _____
23
   Runs Correctly:
                      [XX] Pass
                                  [ ] Fail Bug# _____
                      [ ] Unable to evaluate
25
26
   3D Visualization: [ ] Pass
                                  [ ] Fail Bug# _____
27
                      [XX] Not Applicable
28
                      [ ] Unable to evaluate
29
30
                      [ ] Pass
                                  [ ] Fail Bug# _____
   Plots:
                      [XX] Not Applicable
32
                        ] Unable to evaluate
33
34
                                 [ ] Fail Bug# _____
   Output:
                      [XX] Pass
35
                        ] Not Applicable
36
                        ] Unable to evaluate
37
38
   Truth Data:
                        ] Pass
                                  [XX] Fail Bug# _511__
                      [ ] Not Applicable
40
                        ] Unable to evaluate
41
42
                                  [ ] Fail Bug# _____
   Rerun:
                      [XX] Pass
43
                      [ ] Not Applicable
44
                        ] Unable to evaluate
45
46
   Save and Load:
                      [ ] Pass
                                  [XX] Fail Bug# _512__
47
                      [ ] Unable to evaluate
48
49
   Summary:
51
      Number of passed test elements
                                           __4___
52
53
      Total number of test elements
                                           __6___
55
      Test case status
                                                  [ ] Pass [X] Fail
57
   Bugs Reported:
59
      511, 512
61
62
   Notes:
63
64
   1. Truth data file shows a defect in data handling when receiving data from
   MATLAB. The MATLAB return only has 6 digits of precision. A bug needs to be
```

26

```
entered into Bugzilla for this defect.
```

68

2. Save fails when there are multiple conditions on an If command.

2.5.2 Updating the GUI Test Cases

GUI based test cases consist of a text file describing the test. The GUI test cases may include additional files, depending on the nature of the test. For example, the script reading GUI test includes a script that needs to be read. The purpose of the GUI tests is to validate that the build is stable, and that the user interface panels provide complete coverage of the elements of the system visible to the user.

The GUI test cases forms are relatively simple. They provide, in outline form, guidelines for testing the GUI elements. Detailed instructions for the GUI tests are provided in Chapter 4.

A sample GUI test case is provided here:

1	\$Id: ImpulsiveBurnPanel.txt,v 1.4 2006/10/13 19:22:24 dconway Exp \$
3 4	Description: This test validates the functionality of the Impulsive Burn configuration panel.
5 6	Procedure:
7 8	1. Open GMAT. Create an ImpulsiveBurn resource.
9	[] Pass [] Fail Bug#
11 12	2. Open the panel for the new ImpulsiveBurn.
13 14	[] Pass [] Fail Bug#
15 16	3. Evaluate the aesthetic qualities of the panel.
17 18	[] Pass [] Fail Bug#
19 20	4. Evaluate the panel functionality by exercising these elements:
21 22	Axes ComboBox [] Pass [] Fail Bug#
23 24	Vector Format ComboBox [] Pass [] Fail Bug#
25 26	Vector Element 1 Text [] Pass [] Fail Bug#
27 28	Vector Element 2 Text [] Pass [] Fail Bug#
29 30	Vector Element 3 Text [] Pass [] Fail Bug#
31 32	Origin ComboBox [] Pass [] Fail Bug#
33 34	5. Evaluate panel save/cancel/restore functionality.
35 36	Cancel [] Pass [] Fail Bug#
37	
38 39	Apply [] Pass [] Fail Bug#

2.6. ENSURING COMPLETE SYSTEM COVERAGE

40	Save		Pass]	Fail	Bug#	
41 42	Restore	[]	Pass	[]	Fail	Bug#	
43 44	Window Icons		Pass	[]	Fail	Bug#	
45 46	6. Evaluate rename fu	nct	ionality	7.				
47 48	[] Pass [] F	ail	Bug# _					
49 50	7. Validate that the	coni	figured	obj	ect	is co	orrect	on run.
51 52	[] Pass [] F	ail	Bug# _					
53 54	8. Perform additional	exp	periment	s w	ith	the p	panel	controls
55 56	Summary:							
57 58	Test case status:							
59 60	[] Pass [] F	ail						
61 62	Bugs Reported:							
63 64	Notes:							
65 66								
67 68								
69	Tester:							
70 71	Date:							

Failed GUI tests provide information about the nature of the failure durectly on the test case form; there is no supplementary report for GUI test failures.

2.6 Ensuring Complete System Coverage

Once the test cases have been written, all that remains for test proparation is the confirmation that the test cases cover all of the new features of GMAT. This is accomplished by updating the test matrices based on the new and revised test cases. Each test case that has been added or changed since the last update is collected and used to update the matrices. For each page in the spreadsheet containing an element to test case table, the test team needs to update the matrix for these test cases. The test cases are listed across the top of the matrices. Each test case identifies the tested elements by placing an "X" marker in the row corresponding to that element. Updated test cases should be examined to ensure that elements previously tested are still tested; if an element is no longer tested for a specific test case, the X for that element should be removed from the matrix.

The spreadsheet contains formulas that use these markers to determine if a given element has a corresponding test case. The far right side of the test matrices tables accumulates this data; every element that has at least one associated test case receives a coverage value of 1; uncovered elements receive a coverage value of 0. The far right side of the table also includes a column labeled "Row Count." The row count column simply counts the number of elements on the page.

The summary page examines each table in the spreadsheet and provides information about the coverage com-

10

[40]	-	4 \$150.0000 ANDOMONIA		
•	11			
	12			
	13			
	14	Test Case Details		
ABC	15	Test Case	Tester	P
*1	16	1 ParametersinCommands.script		
×	17	2 CbParams_GMAT_GEO_2Body	DJC	Pi
4	18	3 CbParams_GMAT_Hyperbolic_2Body.m	DJC	P:
	19	4 CbParams_GMAT_ISS_2Body.m	DJC	Fa
1	20	5 CbParams_GMAT_Mars1_2Body.m	ED	Pa
64	21	6 CbParams_GMAT_Mercury1_2Body.m		
***	22	7 CbParams_GMAT_Moon_2Body.m	SH	Pa
a	23	8 CbParams_GMAT_Neptune1_2Body.m	SH	Fa
-	24	9 CbParams_GMAT_Pluto1_2Body.m	LR	P:
100	25	10 CbParams_GMAT_Saturn1_2Body.m		
	26	11 CbParams_GMAT_Uranus1_2Body.m		
	27	12 CbParams_GMAT_Venus1_2Body.m		
	28	13 CSParams_GMAT_GEO_2Body.m		
	29	14 CSParams_GMAT_Hyperbolic_2Body.m		
	30	15 CSParams_GMAT_ISS_2Body_EarthFixed.m		
	विदि	10 CODOVORO CMAT 100 1000 10 COTACOE IN		
Chook		Default	100%	
Sheet	1 / 1	Delault	100%	

45

Remaining Tests:

Figure 2.6: A Test Tracking Spreadsheet

pleteness of the system tests. Once the coverage statistics report that the elements of the system are covered 100%, the system tests are ready to be run. The test team then generates a new spreadsheet for each type of system test by pressing the "Create Script Test Tracker" and "Create GUI Test tracker" buttons on the summary page. These buttons generate single page spreadsheets used to track progress through the system test. An example is shown in Figure 2.6.

This spreadsheet is used to track and report system test progress. As each system test is performed, the entry in the tracking spreadsheet is updated by the test team. Examination of this spreadsheet provides a status check on the system test.

The next two chapters provide instructions about the steps performed when running the system tests.




Figure 3.1: The Script Test Tracking Spreadsheet

3.1 Script Test Case Management

The System test cases are managed from a spreadsheet generated at the conclusion of the system test preparation process. Figure 3.1 shows an example of this test tracking spreadsheet for the script based tests¹, as it looks partway through a test cycle.

The test procedure for script based tests is relatively straightforward. Testers follow these steps when executing the system tests:

- 1. Obtain the latest versions of the scripts and known good results from the system test repository.
- 2. Identify the tests each tester needs to run.
- 3. Open $GMAT^2$.
- 4. Run each test following the procedure in 3.2.
- 5. As each test is run, record the summary results in a local copy of the test tracking spreadsheet.
- 6. When anomalies are found in testing, record them local test case report files.
- 7. At the end of each day or when testing is finished, whichever occurs first, gather the test case reports generated from the tests and place them in the folder used to gather the test results.
- 8. Close GMAT at the end of the test period.
- 9. At the end of each day or when testing is finished, whichever occurs first, save the local test tracking spreadsheet with the name ispreadsheetName; in the folder used to gather the test results.
- 10. Upon completion of all assigned test cases, report that status to the system test lead.

3.2 Running the Scripted System Tests

By their very nature, the GUI based tests described in Chapter 4 follow a relatively unstructured execution sequence that mandates more structured test case documents to ensure complete system testing. In contrast, the script based tests follow a linear execution sequence once the scripts have been written and debugged. The rest of this chapter describes the procedure followed for the scripted tests.

3.2.1 Procedure

Each scripted test case has an associated, configuration managed script. Most script test cases also have output data files used to compare the obtained script outputs with validated GMAT output files. A tester follows this procedure to perform the associated system test:

- 1. Open a blank test case report file³.
- 2. Open the script in GMAT.

¹The test tracking spreadsheets, unlike the traceability matrix spreadsheet, can be saved in either OpenOffice or Excel format.

²GMAT should only be opened one time for any given testing period. All tests run during that test period – typically a morning or afternoon – should be run in the same instance of GMAT. This helps ensure that the system is stable over long periods of time. If the system is shut down, either by the user or through a system crash, that event should be noted.

³The test case report file is only needed for script based tests is an anomaly is found during testing. In practice, the test case report only needs to be opened when an anomaly is found.

3.2. RUNNING THE SCRIPTED SYSTEM TESTS

- 3. Compare the resources displayed in GMAT with the resources defined in the script. Enter any anomalies in the test case report.
- 4. Compare the mission sequence in the script with the mission sequence displayed in GMAT. Enter any anomalies in the test case report.
- 5. Run the script.
- 6. Examine each plot and 3D view that opens. Enter any anomalies on the in the test case report.
- 7. Compare the output results from the run with the known good data. Enter any anomalies in the test case report.
- 8. Press the run button.
- 9. Examine each plot and 3D view that opens. Enter any anomalies on the in the test case report.
- 10. Compare the output results from the run with the known good data. Enter any anomalies in the test case report.
- 11. Open the script in the editor window, and press the "Build and Run" button.
- 12. Examine each plot and 3D view that opens. Enter any anomalies on the in the test case report.
- 13. Compare the output results from the run with the known good data. Enter any anomalies in the test case report.
- 14. Save the script to a new file with the name Saved_; Test case name;.
- 15. Load the saved script into GMAT.
- 16. Repeat steps 3 through 11
- 17. If any anomalies have been found, fill in the header and summary data on the test case report, and save it with the file name "¡test case¿_YYYYMMDD.report", where YYYYMMDD indicate the year, month and day the test was run.

3.2.2 A Note on Run Frequency

The script based tests can be run much more frequently than is feasible for the GUI tests. Scripts that are identified as being run more frequently than at the system test frequency follow a somewhat abbreviated procedure from that defined at the system test level. The purpose of the more frequent testing is to help catch errors in the system prior to format system testing. Teh abbreviated test procedure performed for each weekly or monthly test is presented here:

- 1. Open the script in GMAT.
- 2. Run the script.
- 3. Examine each plot and 3D view that opens. Report any anomalies.
- 4. Compare the output results from the run with the known good data. Report any anomalies.
- 5. If any anomalies have been found, enter a new anomaly in the bug tracking system.

These tests follow the full system test procedure when run as part of the system test suite.

CHAPTER 3. EXECUTING SCRIPT DRIVEN TESTS

3.2.3 Reporting Results

At the start of the system test process, a central location was established for collection of the test results. The final step performed by the system testers is to copy their test case worksheets and local test tracking worksheet to this central location. This action is performed each day the system tests are run so that the progress of the system test execution can be evaluated. Upon completion of all system testing by a specific tester, a final update is made and the system test lead is notified that that tester has completed the assigned tests. Chapter 5 describes the consolidation of the collected test results into a system test report.

32

Chapter 4

Executing Tests for the Graphical User Interface

The tests described in this chapter are designed to exercise all of the controls and other elements visible from the GMAT graphical user interface (GUI). The GMAT GUI is designed to present a consistent, easy to use interface into the underlying engine so that users of the system can view, configure, and interact with the elements of the system during all phases of mission modeling. System testers work with these elements, using them both to perform the expected tasks and to attempt to perform undesired actions. The former set of actions exercises the engine to ensure that the system can be configured correctly. The latter tests are run to ensure that users cannot configure GMAT incorrectly.

4.1 GUI Test Case Management

The GUI test cases are managed using a test tracking spreadsheet generated at the end of test preparation, described in Chapter 2. Figure 4.1 shows an example of this spreadsheet partway through a testing cycle.

The test procedure for GUI based tests requires extensive exercising of the components in the GUI. Testers follow these steps when executing the system tests:

- 1. Obtain the latest versions of the GUI test cases and a local copy of the test case tracking spreadsheet.
- 2. Identify the tests that the tester needs to run.
- 3. Open $GMAT^2$.
- 4. Run each test following the procedure in Section 4.2.
- 5. As each test is run, record the results of the test on the test case worksheet retrieved in step 1.
- 6. When anomalies are found in testing, record them on the test case worksheet and enter them in the bug tracking database.
- 7. Close GMAT at the end of the test period.

¹The test tracking spreadsheet is generated from the Systen Test Matrix spreadsheet using an OpenOffice macro, as described in Section 2.6.

²GMAT should only be opened one time for any given testing period. All tests run during that test period – typically a morning or afternoon – should be run in the same instance of GMAT. This helps ensure that the system is stable over long periods of time. If the system is shut down, either by the user or through a system crash, that event should be noted.

9	4
ം	4

14	Tes	t Case Details				
15		Test Case			Tester	Pass
16	1	Main Frame			LJ	Pass
17	2	Resource Tree			ww	Pass
18	3	Mission Tree				
19	4	Output Tree			AG	Fail
20	5	Create Basic Missio	on		AG	Pass
21	6	Script Editor			AG	Pass
22	7	GMAT Save Panel				
23	8	Show Script Dialog			LR	Pass
24	9	Menu Bar			LR	Fail
25	10	About Dialog			AG	Pass
26	11	Read Script			LR	Pass
27	12	Save Script			LR	Pass
28	13	Run				
29	14	Pause				
30	15	Stop			LJ	Fail
31	16	Finite Burn Panel				
32	17	Impulsive Burn Pan	el			
33	18	Coord Panel				
34	19	Coord Sys Create D	Dialog			
H		GuiTestTracker/		1		
Shee	t 1 /	1	Default		100% INS	RT STD

Figure 4.1: The GUI Test Tracking Spreadsheet

- 8. At the end of each day or when testing is finished, whichever occurs first, gather the completed test case worksheets and place them in the folder used to gather the test results.
- 9. At the end of each day or when testing is finished, whichever occurs first, save the local gui test tracking spreadsheet with the name ispreadsheetName; intensity in the folder used to gather the test results.
- 10. Upon completion of all assigned test cases, report that status to the system test lead.

The procedure for running a single test case is described next.

4.2 Running the GUI System Tests

By their very nature, the script based tests described in Chapter 3 follow a linear execution sequence once the scripts have been written and debugged. In contrast, interactions performed using the GMAT GUI are less structured – users can use the controls on the GUI in a seemingly random fashion – so the test cases for the GUI include allowances for interacting with the GUI elements by the tester in a more free form manner than the script based tests allow.

4.2. RUNNING THE GUI SYSTEM TESTS

4.2.1 Sample GUI Test Case

A sample GUI test case is shown here:

\$Id \$			
Tester:	Date:		
Description:			
This test validates the functionality of (* indicates sub-panel whose functionality)			1
Procedure:			
1. Create and open the appropriate object	panel.		
Create OpenGL Resource	[] Pass	[] Fail	Bug#
Open OpenGL Resource	[] Pass	[] Fail	Bug#
2. Evaluate the aesthetic qualities of the	e panel.		
Panel Aesthetics	[] Pass	[] Fail	Bug#
3. Evaluate the individual panel elements	s.		
Show Plot Check Box	[] Pass	[] Fail	Bug#
Collect Data Text Field	[] Pass	[] Fail	Bug#
Update Plot Text Field	[] Pass	[] Fail	Bug#
Number of Points to Redraw Text Field	[] Pass	[] Fail	Bug#
Draw Wireframe Check Box	[] Pass	[] Fail	Bug#
Draw Targeting Check Box	[] Pass	[] Fail	Bug#
Draw Ecliptic Plane Check Box	[] Pass	[] Fail	Bug#
Draw XY Plane Check Box	[] Pass	[] Fail	Bug#
Draw Axes Check Box	[] Pass	[] Fail	Bug#
Draw Grid Check Box	[] Pass	[] Fail	Bug#
Draw Earth/Sun Lines Check Box	[] Pass	[] Fail	Bug#
Spacecraft List	[] Pass	[] Fail	Bug#

Draft: Work in Progress CHAPTER 4. EXECUTING TESTS FOR THE GRAPHICAL USER INTERFACE

53	Selected Spacecraft List	[] Pass	[] Fail	Bug#
54 55	Celestial Object List	[] Pass	[] Fail	Bug#
56 57	Selected Celestial Object List	[] Pass	[] Fail	Bug#
58 59	> (Add) Selection Button	[] Pass	[] Fail	Bug#
60 61	< (Remove) Selection Button	[] Pass	[] Fail	Bug#
62 63	<pre>< = (Remove All) Selection Button</pre>	[] Pass	[] Fail	Bug#
64 65	Show Object Check Box	[] Pass	[] Fail	Bug#
66 67	Orbit Color Select Box	[] Pass	[] Fail	Bug#
68 69	Target Color Select Box	[] Pass	[] Fail	Bug#
70 71	Use Initial View Definition Check Box	[] Pass	[] Fail	Bug#
72 73	Use Perspective Mode Check Box	[] Pass	[] Fail	Bug#
74 75	Use Fixed FOV Angle Check Box	[] Pass	[] Fail	Bug#
76 77	Field of View Text Field	[] Pass	[] Fail	Bug#
78 79	Coordinate System Combo Box	[] Pass	[] Fail	Bug#
80 81	View Point Reference Combo Box (see 4a)	[] Pass	[] Fail	Bug#
82 83	View Point Vector Combo Box (see 4b)	[] Pass	[] Fail	Bug#
84 85	View Scale Factor Text Field	[] Pass	[] Fail	Bug#
86 87	View Direction Combo Box (see 4c)			Bug#
88 89	Coordinate System Combo Box			Bug#
90 91	Axis Combo Box			Bug#
92 93				
	4. Evaluate panel-specific functionality.			
96	a. Select 'Vector' for View Point Refer	ence		
97 98	Vector 1 Text Field	[] Pass	[] Fail	Bug#
99	Vector 2 Text Field	[] Pass	[] Fail	Bug#
101 102	Vector 3 Text Field	[] Pass	[] Fail	Bug#
103 104	b. Select 'Vector' for View Point Vecto	r		
105 106	Vector 1 Text Field	[] Pass	[] Fail	Bug#
107	Vector 2 Text Field	[] Pagg	[] Fail	Rug#

RUNNING THE GUI SYSTEM TESTS Vector 3 Text Field [] Pass [] Fail Bug# _____ 110 111 c. Select 'Vector' for View Direction 112 113 Vector 1 Text Field [] Pass [] Fail Bug# _____ 114 115 Vector 2 Text Field [] Fail Bug# _____ [] Pass 117 Vector 3 Text Field [] Pass [] Fail Bug# _____ 119 Use Perspective Mode Check Box [] Pass [] Fail Bug# _____ --- select checkbox to check following 121 [] Pass [] Fail Bug# _____ Use Fixed FOV Angle Check Box 123 --- select checkbox to check following 125 Field of View Text Field [] Pass [] Fail Bug# _____ 127 128 5. Evaluate data. 129 130 Data elements appear complete [] Pass [] Fail Bug# _____ 131 132 [] Pass [] Fail Bug# _____ Show Script 133 134 135 6. Evaluate panel control. 136 [] Pass [] Fail Bug# _____ Tab Key Navigation 138 Cancel [] Pass [] Fail Bug# _____ 140 [] Pass [] Fail Bug# _____ Apply 142 143 OK (Save) [] Pass [] Fail Bug# _____ 144 145 Help [DEFERRED] 146 147 [] Pass [] Fail Bug# _____ Restore 148 149 Minimize [] Pass [] Fail Bug# _____ 151 [] Pass [] Fail Bug# _____ Maximize 152 153 [] Pass [] Fail Bug# _____ Close 155 7. Evaluate rename functionality. 157 [] Pass [] Fail Bug# _____ Rename (on resource tree) 159 161 Summary: 162 163 Number of passed test elements 164 165 Total number of test elements 166




Figure 4.2: The OpenGLPlot Setup Panel

The test case worksheet shown here is the test case for the OpenGL plot setup panel. The panel, shown in Figure 4.2, is a fairly complex GUI panel, containing text fields, combo boxes, check boxes, text lists, and action buttons which open color selection dialogs. Each element is included in the test plan worksheet, along with the standard control processes that need to be exercised. Each test criterion is evaluated using this worksheet, and given a pass or fail evaluation.

4.2.2 Procedure

Each GUI test case has a worksheet like the one shown above. A tester follows this procedure to perform the associated system test:

- 1. Open the test case worksheet.
- 2. Follow the procedure outlined in the test case.
 - Section 4.3 provides detailed instructions about the process that should be followed when testing each type of GUI element.
 - Each item identified in the worksheet is marked as either passing or failing the test. If the item fails, an associated bug is entered or identified in the bug tracking system and listed on the worksheet.

4.3. PROCEDURAL RULES

- After completing the tests on the worksheet, the tester experiments with the component for an additional period (typically ten to fifteen minutes), checking to be sure that the component is stable and behaves correctly when bad data is entered, and when random actions are taken using that component.
- Once every item on the worksheet has been evaluated and the final period of usability testing has been performed, the number of pass and fail evaluations are counted and recorded in the summary section of the test case worksheet. Any bugs identified on the worksheet are listed in this section, and any additional notes that need to be recorded are also listed here³.
- 3. Summarize the results of the tests.
 - Once every item on the worksheet has been evaluated, an overall pass or fail evaluation is made and recorded in the summary section. Any bugs identified on the worksheet are listed in this section, and any additional notes that need to be recorded are also listed here.
 - Add the tester's name and the data the test was run to the worksheet.
 - Save the completed test case worksheet.
- 4. Update the local test tracking worksheet to indicate that the test was run and the results of the run.
- 5. Save the test tracking worksheet.

4.2.3 Reporting Results

At the start of the system test process, a central location was established for collection of the test results. The final step performed by the system testers is to copy their test case worksheets and local test tracking worksheet to this central location. This action is performed each day the system tests are run so that the progress of the system test execution can be evaluated. Upon completion of all system testing by a specific tester, a final update is made and the system test lead is notified that that tester has completed the assigned tests. Chapter 5 describes the consolidation of the collected test results into a system test report.

4.3 Procedural Rules

The steps described in the preceding sections lay out the procedures followed when testing the GUI elements of GMAT. In this section, the criteria that must be evaluated are defined for these tests.

4.3.1 Test Procedures for All Elements

Aesthetics

Description: This set of tests verifies platform-specific look and feel of a panel, as extended by the GMAT GUI Philosophy document. Dove Each criterion must be met to pass the aesthetics tests.

- All of the data input fields and bounding boxes can be seen at the panel size displayed when the panel is first opened, for all tabs on the panel.
- The blank space surrounding the data area is not distracting, and does not dominate the appearance of the interface. As a guideline, for platforms that allow control of the surrounding white space, that region should not consume more than 20% of the total space dedicated to the panel when it is opened.
- The data area does not appear too crowded; the surrounding blank space is appropriately sized.
- The window cannot be resized so that the data cannot be seen.

³These data are collected using an automation tool to build a status report for the system tests.

General Panel Functionality

40

Description: This is the list of tests associated with basic panel functionality: open, close, rename, minimize, ok, cancel, help, show script, command summary. Additionally, the behavior of open panels needs to be consistent with deletion actions taken on the resource and mission trees – if an object in the tree is deleted, any open panel associated with that object should close. All of these functions must pass.

- New objects of the type being tested can be created from the appropriate tree on the Resource or Mission panels.
- Double clicking in a new object opens the panel for that object.
- Double clicking in a object that has an open panel brings the panel for that object to the front of the displayed panels.
- New objects can be renamed.
- Default objects, when they exist, can be renamed.
- Default objects, when they exist, can be deleted.
 - The object can be renamed.
 - References to the renamed object are updated in related elements of the system.
- Renaming works after making changes to the data on the object panel.
 - The object can be renamed while the panel is open.
 - A change can be made on the panel, and then the object can be renamed before the change is applied.
 - A change can be made on the panel, the change can be applied, and then the object can be renamed.
 - For each of the above cases, references to the object's name are updated throughout the system when the object's name is changed.
- Changes made on the panel and applied using the OK button appear on the panel when it is reopened.
- Changes made on the panel and applied using the Apply button are visible in the script when viewed using the Show Script dialog.
- When you open the panel, make a minor change in the panel, and click button to close the panel (on Windows, this is the small "x" button in the upper right hand corner; on the Mac, it is the red button on the left side of the frame controls, and on Linux, varies based on the configuration of the Linux window manager), you are prompted to save data before closing. Check that:
 - The prompt does appear.
 - Selecting "Yes" updates the underlying data.
 - Selecting "No" discards the changes.
- Cancelling closes the opened panel without changing the underlying data.
 - The object does not change when you open the panel and press the Cancel button without making any changes.
 - The object does not change when you open the panel, make a minor change in the data, and press the Cancel button.
 - The object does not change when you open the panel and click the close button in the panel's frame to close the panel, but the panel does close without prompting.
- The panel is minimized when the minimize button on the panel frame is pressed.
- The panel reopens to previous size when maximize icon on the minimized panel is pressed
- The tab key navigates the open panel in agreement with style and GUI design philosophy. Navigation is orderly and sensible using the tab key.

Draft: Work in Progress 4.3. PROCEDURAL RULES

Panel Data Element Completeness and Correctness

Description: This set of tests verifies that all data elements that should appear on the panel are present on the panel. It also tests that all elements that should appear in "Show Script" dialog appear there, and that items that should not appear in show script do not appear there.

- Verify that only data elements that occur in the Range Test Plan appear in show script and that the user does not see any other object fields.
- Verify that defaults agree with the values in the Range Test Plan.
- Press the "Show Script" button, and verify that all elements on the GUI panel also appear on the show script dialog. Verify that these elements match the description in the Range Test Plan.
- Verify that all data elements that appear in Show Script also appear on the GUI. (This step validates that all scriptable settings also appear in the GUI.)

4.3.2 Procedures for Specific Control Types

The following table provides additional guidelines that should be followed when testing each specific type of control.

Table 4.1: Tests for Data Objects on All Panels

Element Type	Tests
Check Boxes	• Set all check boxes to off (unchecked), hit show script, and verify that the functionality is indeed turned off for each radio button and check box.
	• Set all check buttons to on (checked), hit apply, and show script and verify that the functionality is indeed turned on for each radio button and check box.
Radio Buttons	• For each radio button on panel, select the button, and ensure that it activates and all others are deactivated. Hit Apply, and then check show script to ensure that the configuration was properly saved.
Combo Boxes	• For each combo box on the panel, ensure that all options that appear in Range Test Plan appear in the pull down menu.
	• For each Combo box on the panel, select each allowable option, hit apply and show script and check to see that the option was correctly saved.
	• Check to ensure that the combo box is not editable.

CHAPTER 4. EXECUTING TESTS FOR THE GRAPHICAL USER INTERFACE

Table 4.1: (Tests for Data Objects on All Panels...continued)

Element Type	Tests
Text Fields	• For each text field enter "DNE" and ensure that if GMAT should reject this string that the string is rejected. (Currently, this is not an acceptable value for any GMAT field unless the user has created an appropriate object type and named it DNE, and is using it correctly in the GUI.)
	• Perform all range tests as described in Range Test Plan.
	• For all numeric fields, enter an allowed numeric value, hit apply and show script and check that the value was saved.
	• If user-defined objects can appear in the combo box, create one object for all allowable object types for the particular combo box, and ensure that it appears in the combo box. Also, hit apply and ensure that each case appears in show script.
Action Buttons	• For each button ensure that clicking on the button brings up the appropriate panel.
	• For the panel opened up, perform all tests defined in Section 4.3.1 and Table 4.1
Selection Lists	• First Item
	• Second Item
Tabbed Panels	• First Item • Second Item
	Second from

4.3.3 Usability Testing

The tests described in the preceding paragraphs are meant to exercise all of the elements of the graphical user interface. One important aspect of the interface not covered by those tests is the usability of the system: the GUI may perform error free as designed, and still be difficult to use in practice. Usability testing is performed to capture information about this aspect of the GUI.

Chapter 5

Reporting and Reviewing Test Results

This chapter describes the process followed for tracking the state of the system test process and for reporting the results of the testing.

5.1 System Test Status

The status of the system tests is tracked using the Script and GUI test tracking spreadsheets described in Chapters 3 and 4. System testers update their copies of these spreadsheet daily during system testing. Once a week or upon request, the system test lead consolidates these spreadsheets, collecting the test results in master system test spreadsheets that can be reviewed by interested parties.

5.2 The System Test Report

At the conclusion of system test cycle, the reports generated during system test are consolidated into a single document. This document is prepared using the following outline:

- I. Overview
 - A. Executive Summary
 - B. Test Results
 - C. Recommendations
- II. Script Test Case Results
 - A. Test Result Statistics
 - B. Summary of Failed Tests (if any)
 - C. Test Results
 - i. ParametersinCommands Test Case Report
 - ii. CbParams_GMAT_GEO_2Body Test Case Report

III. GUI Test Case Results

A. Test Result Statistics

CHAPTER 5. REPORTING AND REVIEWING TEST RESULTS

- B. Summary of Failed Tests (if any)
- C. Test Results

44

- i. Mainframe Test Case Worksheet
- ii. Resource Tree Test Case Worksheet

• • •

5.3 System Test Review

The final step in the system test process is to perform a review of the test results. In preparation for this review, each team member and reviewer reviews the System Test Report, highlighting any issues that raise concerns. These parties then meet and discuss the findings of the system testing. The outcome of this review is a list of action items, assigned to specific individuals or teams, and a recommendation about the status of the system for release.

A typical release recommendation will fall into one of three categories: (1) GMAT is ready for release, (2) GMAT is ready for release, contingent on specific items being addressed and approved prior to that release, or (3) GMAT is not ready for release, and needs to meet specific items and be reviewed again before release will be approved.

Following this review, a summary documenting the findings of the review is written and provided to all team members and interested parties. Once GMAT has been released as an open source project, a public version of this summary is made available with the other project artifacts.

Part III

Tests

Chapter 6

Stress Tests

Name	TC-4 Rapid Rerun Via Run Button
Requirements	FR-XXX
Summary	Test opening a script and running it numerous times back-to-back using the
	run button on the toolbar.
PreConditions	BS-5, BS-6, BS-7, BS-8, BS-9
Steps	 Load BS-5. Run the mission using the run button on the toolbar. The run button is greyed out during execution of the script. Hover the mouse button over the run button and when it becomes active again quickly press it to rerun the mission. Perform the previous step 10 times.
Alternative	Perform all steps above for the other base states listed in the Base States row
Paths	of this table.
Expected Results	The system should rerun the missions over and over again without crashing.)

Table 6.1: TC-4 Rapid Rerun Via Play Button

Name	TC-5 Rapid Rerun Via Build and Run
Requirements	FR-XXX
Summary	Test opening a script and running it numerous times back-to-back using the
	run button on the toolbar.
PreConditions	BS-5, BS-6, BS-7, BS-8, BS-9
Steps	 Load BS-5. Run the mission by right-clicking on the script name in the mission tree and selecting build and run. The run button is greyed out during execution of the script. Hover the mouse button over the script in the script folder in the mission tree. When the run button is active again quickly right-click on the script folder and select build and run. Perform the previous step 10 times.
Alternative	Perform all steps above for the other base states listed in the Base States row
Paths	of this table.
Expected Results	The system should rerun the missions over and over again without crashing.)

Table 6.2: TC-5 Rapid Rerun Via Build and Run

Draft: Work in Progress Chapter 6. Stress tests

48

Chapter 7

Resources

7.1 Spacecraft

7.1.1 Nominal Behavior of Spacecraft Orbit Panel

Name	STC-3 Conversion to Keplerian-type Elements Disallowed when Celestial Body
	Not at Origin
Requirements	FR-1.3
Summary	This case tests GUI behavior when attempting to convert to a Keplerian state when the coordinate system does not have a celestial body (i.e. mu value) at the origin.
PreConditions	BS-2
Steps	 Load BS-2. Open the dialog box for DefaultSC. Change the StateType to Keplerian. Click on the down arrow on the Coordinate System drop-down menu and inspect the available Coordinate Systems. Change the StateType to Modified Keplerian. Click on the down arrow on the Coordinate System drop-down menu and inspect the available Coordinate Systems. Change the StateType to Equinoctial. Click on the down arrow on the Coordinate System drop-down menu and inspect the available Coordinate Systems.
Expected Results	The only coordinate systems available in the inspection steps above should be EarthMJ2000Eq, EarthMJ2000Ec, and Earth Fixed. Coordinate Systems CS_ESL2 and CS_SSBary are NOT available because these orbit state representations are only valid for coordinate systems with a central body at the origin.

Table 7.1: STC-3 Conversion to Keplerian-type Elements Disallowed when Celestial Body Not at Origin.

Draft: Work in Progress CHAPTER 7. RESOURCES

Name	STC-4 Conversion to Disallowed Coordinate System from Keplerian-type Ele-
	ments
Requirements	FR-1.3
Summary	This case tests GUI behavior when attempting to convert to a new coordinate
	system that does not have a celestial body at the center.
PreConditions	BS-2
Data	 Load BS-2. Open the dialog box for DefaultSC. Change the Coordinate System to CS_ESL2. Click on the down arrow on the State Type drop-down menu and inspect the available State Types. Change the Coordinate System to CS_SSBary. Click on the down arrow on the State Type drop-down menu and inspect the available State Types.
Expected Results	The only State Types available are Cartesian, SphericalRADEC, and SphericalAZFPA. State Types Keplerian, Modified Keplerian, and Equinoctial are NOT available because these orbit state representations are only valid for coordinate systems with a central body at the origin.

Table 7.2: STC-4 Conversion to Disallowed Coordinate System from Keplerian-type Elements

Name	STC-5 GUI Epoch and State Independence for Time Dependent Coordinate
	System
Requirements	FR-1.3
Summary	This test is to verify that changing the epoch of the spacecraft, does not effect
	the orbit state, even when the coordinate system is, for example, a libration
	point coordinate system that has a time varying origin and axis system.
PreConditions	BS-2
Steps	1. Load BS-2
	2. Open the dialog box for DefaultSC
	3. Change the CoordinateSystem to CS_ESL2
	4. Change the Epoch Format to UTCGregorian
	5. Change the Epoch value to 01 Jan 2010 12:00:00.000
	6. Hit Ok to close the dialog box
	7. Reopen the dialog box for DefaultSC.
Expected Results	The data in the GUI should agree with the data below to at least 12 significant
Expected Results	figures.
	• DefaultSC.X = 273083.6097699367;
	• DefaultSC.Y = -1332500.504835084;
	• DefaultSC.Z = -576402.9744365886;
	• DefaultSC.VX = 0.2990482122160891 ;
	• DefaultSC.VY = 7.400368588891073 ;
	• DefaultSC.VZ = 1.021835464804587 ;
	, '

Table 7.3: STC-5 GUI Epoch and State Independence for Time Dependent Coordinate System

7.1. SPACECRAFT 51

Name	STC-6 Orbit State Conversion for Singular Conic Section
Requirements	FR-1.3
Summary	This case tests GUI behavior when attempting to convert to element representations with a cartesian state that results in a singular conic section.
PreConditions	BS-2 and TD-4
Data	 Load BS-1. Open the dialog box for DefaultSC. Enter the Cartesian state data from TD-5. Hit Apply. Change the State Type to Keplerian and verify the following error message is thrown: "GMAT does not support parabolic orbits in conversion from Cartesian to Keplerian state". Change the State Type to Modified Keplerian and verify the following error message is thrown: "GMAT does not support parabolic orbits in conversion from Cartesian to Keplerian state". Change the state to SphericalRADEC and verify the numeric data with TD-5. Change the state to SphericalAZEL and verify the numeric data with TD-5. Change the State Type to Equinoctial and verify the following error message is thrown: "GMAT does not support parabolic orbits in conversion from Cartesian to Equinoctial state".
Expected Results	The only State Types available are Cartesian, SphericalRADEC, and SphericalAZFPA. State Types Keplerian, Modified Keplerian, and Equinoctial are NOT available because they are undefined.

Table 7.4: STC-6 Orbit State Conversion for Singular Conic Section

Name	STC-7 Orbit State Conversion for Circular, Equatorial Orbit
Requirements	FR-1.3
Summary	This case tests GUI behavior when attempting to convert to element represen-
	tations when the cartesian state results in a circular, equatorial orbit.
PreConditions	BS-1 and TD-5
Data	 Load BS-1. Open the dialog box for DefaultSC. Enter the Cartesian state data from TD-5. Hit Apply. Change the state to Keplerian and verify the numeric data with TD-5. Change the state to Modified Keplerian and verify the numeric data with TD-5. Change the state to SphericalRADEC and verify the numeric data with TD-5. Change the state to SphericalAZEL and verify the numeric data with TD-5. Change the state to Equinoctial and verify the numeric data with TD-5.
Expected Results	The truth data is contained in TD-5.

Table 7.5: STC-7 Orbit State Conversion for Circular, Equatorial Orbit

Draft: Work in Progress CHAPTER 7. RESOURCES

Name	STC-8 Orbit State Conversion for Circular, Inclined Orbit
Requirements	FR-1.3
Summary	This case tests GUI behavior when attempting to convert to element representations when the contestion state results in a singular assumption of the contestion of the contest
D 0 111	tations when the cartesian state results in a circular, equatorial orbit.
PreConditions	BS-1 and TD-6
Data	 Load BS-1. Open the dialog box for DefaultSC. Enter the Cartesian state data from TD-6. Hit Apply. Change the state to Keplerian and verify the numeric data with TD-6. Change the state to Modified Keplerian and verify the numeric data with TD-6. Change the state to SphericalRADEC and verify the numeric data with TD-6. Change the state to SphericalAZEL and verify the numeric data with TD-6. Change the state to Equinoctial and verify the numeric data with TD-6.
Expected Results	The truth data is contained in TD-6.

Table 7.6: STC-8 Orbit State Conversion for Circular, Inclined Orbit

Name	STC-9 Orbit State Conversion for Orbit with Zero Velocity
Requirements	FR-1.3
Summary	This case tests GUI behavior when attempting to convert to element representations when the cartesian state results in a circular, equatorial orbit.
PreConditions	BS-1
Data	 Load BS-1. Open the dialog box for DefaultSC. Enter the following Cartesian State data: X = 7000 Y = 7000 Y = 7000 Y = 0; VY = 0; VZ = 0; Hit Apply. Change the state to Keplerian and verify that the following error message is returned: The orbit is a singular conic section and the Keplerian elements are undefined. Change the state to Modified Keplerian and verify that the following error message is returned: The orbit is a singular conic section and the Modified Keplerian elements are undefined. Change the state to SphericalRADEC and verify that the following error message is returned: The orbit is a singular conic section and the SphericalRADEC elements are undefined. Change the state to SphericalAZEL and verify that the following error message is returned: The orbit is a singular conic section and the SphericalAZEL elements are undefined. Change the state to Equinoctial and verify that the following error message is returned: The orbit is a singular conic section and the SphericalAZEL elements are undefined.
Expected Results	The truth data is described above.

Table 7.7: STC-9 Orbit State Conversion for Orbit with Zero Velocity

7.1. SPACECRAFT 53

3.7	0TT 0 40 0 11 0 1 0 1 0 1 0 1 1 1 T T T
Name	STC-10 Orbit State Conversion for Orbit with Zero Position
Requirements	FR-1.3
Summary	This case tests GUI behavior when attempting to convert to element represen-
	tations when the cartesian state results in a circular, equatorial orbit.
PreConditions	BS-1
Data	1 I I DC 1
	1. Load BS-1.
	2. Open the dialog box for DefaultSC.
	3. Enter the following Cartesian State data:
	1. $X = 0.0$
	2. Y = 0.0
	3. $Z = 0.0$
	4. $VX = 7.0$;
	5. $VY = 7.0;$
	6. $VZ = 7.0;$
	4. Hit Apply.
	5. Change the state to Keplerian and verify that the following error mes-
	sage is returned: The orbit is a singular conic section and the Keplerian
	elements are undefined.
	6. Change the state to Modified Keplerian and verify that the following error
	message is returned: The orbit is a singular conic section and the Modified
	Keplerian elements are undefined.
	7. Change the state to SphericalRADEC and verify that the following er-
	ror message is returned: The orbit is a singular conic section and the
	SphericalRADEC elements are undefined.
	8. Change the state to Spherical AZEL and verify that the following error
	message is returned: The orbit is a singular conic section and the Spher-
	icalAZEL elements are undefined.
	9. Change the state to Equinoctial and verify that the following error mes-
	sage is returned: The orbit is a singular conic section and the Equinoctial
	elements are undefined.
Expected Results	The truth data is described above.

Table 7.8: STC-10 Orbit State Conversion for Orbit with Zero Position

Draft: Work in Progress Chapter 7. Resources

Requirements Summary This case tests GUI behavior when attempting to convert to element representations when the cartesian state results in a circular, equatorial orbit. BS-1 Data 1. Load BS-1. 2. Open the dialog box for DefaultSC. 3. Enter the following Cartesian State data: 1. X = 0.0 2. Y = 0.0 3. Z = 0.0 4. VX = 0.0; 5. VY = 0.0; 6. VZ = 0.0; 4. Hit Apply. 5. Change the state to Keplerian and verify that the following error message is returned: The orbit is a singular conic section and the Keplerian elements are undefined. 6. Change the state to Modified Keplerian and verify that the following error message is returned: The orbit is a singular conic section and the Modified Keplerian elements are undefined. 7. Change the state to SphericalRADEC and verify that the following error message is returned: The orbit is a singular conic section and the SphericalRADEC elements are undefined. 8. Change the state to SphericalRADEC and verify that the following error message is returned: The orbit is a singular conic section and the SphericalRADEC elements are undefined. 9. Change the state to Equinoctial and verify that the following error message is returned: The orbit is a singular conic section and the SphericalAZEL elements are undefined. 9. Change the state to Equinoctial and verify that the following error message is returned: The orbit is a singular conic section and the Equinoctial elements are undefined.	Name	STC-11 Orbit State Conversion for Orbit with Zero State
PreConditions BS-1 1. Load BS-1. 2. Open the dialog box for DefaultSC. 3. Enter the following Cartesian State data: 1. X = 0.0 2. Y = 0.0 3. Z = 0.0 4. VX = 0.0; 5. VY = 0.0; 6. VZ = 0.0; 4. Hit Apply. 5. Change the state to Keplerian and verify that the following error message is returned: The orbit is a singular conic section and the Keplerian elements are undefined. 6. Change the state to SphericalRADEC and verify that the following error message is returned: The orbit is a singular conic section and the Modified Keplerian elements are undefined. 7. Change the state to SphericalRADEC and verify that the following error message is returned: The orbit is a singular conic section and the SphericalRADEC elements are undefined. 8. Change the state to SphericalRADEL and verify that the following error message is returned: The orbit is a singular conic section and the SphericalAZEL elements are undefined. 9. Change the state to Equinoctial and verify that the following error message is returned: The orbit is a singular conic section and the SphericalAZEL elements are undefined. 9. Change the state to Equinoctial and verify that the following error message is returned: The orbit is a singular conic section and the Equinoctial elements are undefined.	Requirements	FR-1.3
Data 1. Load BS-1. 2. Open the dialog box for DefaultSC. 3. Enter the following Cartesian State data: 1. X = 0.0 2. Y = 0.0 3. Z = 0.0 4. VX = 0.0; 5. VY = 0.0; 6. VZ = 0.0; 4. Hit Apply. 5. Change the state to Keplerian and verify that the following error message is returned: The orbit is a singular conic section and the Keplerian elements are undefined. 6. Change the state to Modified Keplerian and verify that the following error message is returned: The orbit is a singular conic section and the Modified Keplerian elements are undefined. 7. Change the state to SphericalRADEC and verify that the following error message is returned: The orbit is a singular conic section and the SphericalRADEC elements are undefined. 8. Change the state to SphericalAZEL and verify that the following error message is returned: The orbit is a singular conic section and the SphericalAZEL elements are undefined. 9. Change the state to Equinoctial and verify that the following error message is returned: The orbit is a singular conic section and the Equinoctial elements are undefined.	Summary	This case tests GUI behavior when attempting to convert to element represen-
1. Load BS-1. 2. Open the dialog box for DefaultSC. 3. Enter the following Cartesian State data: 1. X = 0.0 2. Y = 0.0 3. Z = 0.0 4. VX = 0.0; 5. VY = 0.0; 6. VZ = 0.0; 4. Hit Apply. 5. Change the state to Keplerian and verify that the following error message is returned: The orbit is a singular conic section and the Keplerian elements are undefined. 6. Change the state to Modified Keplerian and verify that the following error message is returned: The orbit is a singular conic section and the Modified Keplerian elements are undefined. 7. Change the state to SphericalRADEC and verify that the following error message is returned: The orbit is a singular conic section and the SphericalRADEC elements are undefined. 8. Change the state to SphericalAZEL and verify that the following error message is returned: The orbit is a singular conic section and the SphericalAZEL elements are undefined. 9. Change the state to Equinoctial and verify that the following error message is returned: The orbit is a singular conic section and the Equinoctial elements are undefined.		tations when the cartesian state results in a circular, equatorial orbit.
 Load BS-1. Open the dialog box for DefaultSC. Enter the following Cartesian State data: X = 0.0 Y = 0.0 Z = 0.0 VX = 0.0; VY = 0.0; VZ = 0.0; Hit Apply. Change the state to Keplerian and verify that the following error message is returned: The orbit is a singular conic section and the Keplerian elements are undefined. Change the state to Modified Keplerian and verify that the following error message is returned: The orbit is a singular conic section and the Modified Keplerian elements are undefined. Change the state to SphericalRADEC and verify that the following error message is returned: The orbit is a singular conic section and the SphericalRADEC elements are undefined. Change the state to SphericalAZEL and verify that the following error message is returned: The orbit is a singular conic section and the SphericalAZEL elements are undefined. Change the state to Equinoctial and verify that the following error message is returned: The orbit is a singular conic section and the Equinoctial elements are undefined. 	PreConditions	BS-1
Expected Results The truth data is described above.		 Load BS-1. Open the dialog box for DefaultSC. Enter the following Cartesian State data: X = 0.0 Y = 0.0 Y = 0.0; VY = 0.0; VY = 0.0; Change the state to Keplerian and verify that the following error message is returned: The orbit is a singular conic section and the Keplerian elements are undefined. Change the state to Modified Keplerian and verify that the following error message is returned: The orbit is a singular conic section and the Modified Keplerian elements are undefined. Change the state to SphericalRADEC and verify that the following error message is returned: The orbit is a singular conic section and the SphericalRADEC elements are undefined. Change the state to SphericalAZEL and verify that the following error message is returned: The orbit is a singular conic section and the SphericalAZEL elements are undefined. Change the state to Equinoctial and verify that the following error message is returned: The orbit is a singular conic section and the Equinoctial and verify that the following error message is returned: The orbit is a singular conic section and the Equinoctial and verify that the following error message is returned: The orbit is a singular conic section and the Equinoctial and verify that the following error message is returned: The orbit is a singular conic section and the Equinoctial and verify that the following error message is returned: The orbit is a singular conic section and the Equinoctial and verify that the following error message is returned: The orbit is a singular conic section and the Equinoctial and verify that the following error message is returned: The orbit is a singular conic section and the Equinoctial and verify that the following error message is returned: The orbit is a singular conic section and the Equinoctial and veri
	Expected Results	The truth data is described above.

Table 7.9: STC-11 Orbit State Conversion for Orbit with Zero State

Name	STC-12 Performing Modulo on Keplerian Angular Elements
Requirements	FR-1.3
PreConditions	BS-1
Data	 Load BS-1. Open the dialog box for DefaultSC. Change the State Type to Keplerian Change INC to 370.0 degrees. Change RAAN to 380.0 degrees. Change AOP to 390.0 degrees. Change TA to 400.0 degrees. Change the State Type to Cartesian. Change the State Type to Keplerian.
Expected Results	INC = 10.0 degrees, RAAN = 20 degrees, AOP = 30.0 degrees, and TA = 40.0 degrees. (All values match to 14 sig. figs.)

Table 7.10: STC-12 Performing Modulo on Keplerian Angular Elements

Draft: Work in Progress 7.2. SPACECRAFT ATTITUDE TAB

Name	STC-13 Performing Modulo on Modified Keplerian Angular Elements
Requirements	FR-1.3
PreConditions	BS-1
Data	 Load BS-1. Open the dialog box for DefaultSC. Change the State Type to Modified Keplerian Change INC to 370.0 degrees. Change RAAN to 380.0 degrees. Change AOP to 390.0 degrees. Change TA to 400.0 degrees. Change the State Type to Cartesian. Change the State Type to Keplerian.
Expected Results	INC = 10.0 degrees, $RAAN = 20$ degrees, $AOP = 30.0$ degrees, and $TA = 40.0$ degrees. (All values match to 14 sig. figs.)

Table 7.11: STC-13 Performing Modulo on Modified Keplerian Angular Elements

Name	STC-14 Performing Modulo on SphericalRADEC Angular Elements
Requirements	FR-1.3
Summary	This case tests GUI behavior when attempting to convert to element represen-
	tations when the cartesian state results in a circular, equatorial orbit.
PreConditions	BS-1
Data	 Load BS-1. Open the dialog box for DefaultSC. Change the State Type to Spherical Change RA to 370.0 degrees. Change DEC to 380.0 degrees. Change RAV to 390.0 degrees. Change DECV to 400.0 degrees. Change the State Type to Cartesian. Change the State Type to Keplerian.
Expected Results	RA = 10.0 degrees, $DEC = 20 degrees$, $RAV = 30.0 degrees$, and $DECV = 40.0$
	degrees. (All values match to 14 sig. figs.)

Table 7.12: STC-14 Performing Modulo on SphericalRADEC Angular Elements

Input Validation of Spacecraft Orbit Panel 7.1.2

7.2 Spacecraft Attitude Tab

Draft: Work in Progress Chapter 7. Resources

Name	STC-15 Performing Modulo on Spherical AZFPA Angular Elements
Requirements	FR-1.3
Summary	This case tests GUI behavior when attempting to convert to element representations when the cartesian state results in a circular, equatorial orbit.
PreConditions	BS-1
Data	 Load BS-1. Open the dialog box for DefaultSC. Change the State Type to Spherical Change RA to 370.0 degrees. Change DEC to 380.0 degrees. Change AZI to 390.0 degrees. Change FPA to 400.0 degrees. Change the State Type to Cartesian. Change the State Type to Keplerian.
Expected Results	RA = 10.0 degrees, DEC = 20 degrees, AZI = 30.0 degrees, and FPA = 40.0
	degrees. (All values match to 14 sig. figs.)

 ${\it Table 7.13: STC-15 \ Performing \ Modulo \ on \ Spherical AZFPA \ Angular \ Elements}$

Name	STC-16 Performing Modulo on Equinoctial Angular Elements
Requirements	FR-1.3
Summary	This case tests GUI behavior when attempting to convert to element represen-
	tations when the cartesian state results in a circular, equatorial orbit.
PreConditions	BS-1
Data	 Load BS-1. Open the dialog box for DefaultSC. Change the State Type to Spherical Change RA to 370.0 degrees. Change DEC to 380.0 degrees. Change AZI to 390.0 degrees. Change FPA to 400.0 degrees. Change the State Type to Cartesian. Change the State Type to Keplerian.
Expected Results	RA = 10.0 degrees, $DEC = 20 degrees$, $AZI = 30.0 degrees$, and $FPA = 40.0$
•	degrees. (All values match to 14 sig. figs.)

Table 7.14: STC-16 Performing Modulo on Equinoctial Angular Elements

Draft: Work in Progress 7.2. SPACECRAFT ATTITUDE TAB

Name	STC-27 Performing Modulo on Keplerian Elements for Circular, Equatorial
	orbit
Requirements	FR-1.1
Summary	This case tests GUI behavior when attempting to convert to element represen-
	tations when the cartesian state results in a circular, equatorial orbit.
PreConditions	BS-1
Data	 Load BS-1. Open the dialog box for DefaultSC. Change the State Type to Keplerian Change ECC to 0.0. Change INC to 0.0 degrees. Change RAAN to 380.0 degrees. Change AOP to 390.0 degrees. Change TA to 430.0 degrees. Hit Apply.
Expected Results	RAAN = 0.0 degrees, AOP = 0.0 degrees, and TA = 120.0 degrees. (All values
	match to 14 sig. figs.)

Table 7.15: STC-27 Performing Modulo on Keplerian Elements for Circular, Equatorial orbit

Name	STC-28 Performing Modulo on Keplerian Elements for Circular, Inclined Orbit
Requirements	FR-1.1
PreConditions	BS-1
Data	 Load BS-1. Open the dialog box for DefaultSC. Change the State Type to Keplerian Change ECC to 0.0. Change INC to 45 degrees. Change RAAN to 380.0 degrees. Change AOP to 390.0 degrees. Change TA to 430.0 degrees. Hit Apply.
Expected Results	${ m RAAN}=20.0$ degrees, ${ m AOP}=0.0$ degrees, and ${ m TA}=70.0$ degrees. (All values match to 14 sig. figs.)

Table 7.16: STC-28 Performing Modulo on Keplerian Elements for Circular, Inclined orbit

Name	STC-18 Orbit State Conversion when Orbit is Near Parabolic
Requirements	FR-1.1
Summary	SMA is undefined for parabolic orbits. This test check behavior as orbit ap-
	proaches parabolic from ECC; 1 side for Keplerian state type.
PreConditions	BS-1
Steps	 Load BS-1. Open the dialog box for DefaultSC. Change the State Type to Keplerian Change ECC to 0.99999999 Hit Apply.
Expected Results	The following error message should be displayed: The value of "0.99999999" for field "ECC" is not an allowed value. The allowed values are: [0.0 leq Real Number \leq 0.9999999, or Real Number \geq 1.0000001].)

Table 7.17: STC-18 Orbit State Conversion when Orbit is Near Parabolic

Name STC-19 Orbit State Conversion for Nearly Singular Cartesian State Requirements FR-1.3 PreConditions BS-1 Steps 1 L L DC 1

Requirements	FR-1.3
PreConditions	BS-1
Steps	1. Load BS-1.
	2. Open the dialog box for DefaultSC.
	3. Set the Cartesian state to the following values
	1. X = 6999.998216286026
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	3. Z = -5.002359263770285
	4. VX = 10.63431352889248
	5. VY = 0
	6. VZ = -0.003772975815698364
	4. Hit Apply.
	5. Change state type to Keplerian and ensure that the following error is thrown: "Warn-
	ing: A nearly singular conic section was encountered while converting from the Carte-
	sian state to the Keplerian elements so conversion was aborted. The radius of periapsis
	must be greater than 1 meter."
	6. Change state type to Modified Keplerian and ensure that the following error is thrown:
	"Warning: A nearly singular conic section was encountered while converting from the
	Cartesian state to the Modified Keplerian elements so conversion was aborted. The
	radius of periapsis must be greater than 1 meter."
	7. Change state type to Equinoctial and ensure that the following error is thrown: "Warn-
	ing: A nearly singular conic section was encountered while converting from the Carte-
	sian state to the Equinoctial elements so conversion was aborted. The radius of peri-
	apsis must be greater than 1 meter."
	8. Change the following states.
	1. X = 1e-10
	2. Y = 1e-10
	3. $Z = 1e-10$
	9. Hit Apply
	10. Repeat steps 5, 6, and 7.
	11. Change state type to SphericalRADec and ensure that the following error is thrown:
	"Warning: A nearly singular conic section was encountered while converting from the
	SphercialRADEC state to the Cartesian State so conversion was aborted. The Right
	Ascension and Declination of position are undefined."
	12. Change state type to Spherical AZFPA and ensure that the following error is thrown:
	"Warning: A nearly singular conic section was encountered while converting from the
	Sphercial AZFPA state to the Cartesian State so conversion was aborted. The Right
	Ascension and Declination of position are undefined."
	13. Change the following states: 1. X = 6999.998216286026
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	3. Z = -5.002359263770285
	4. VX = 1e-10
	5. VY = 1e-10
	6. VZ = 1e-10
	14. Hit Apply
	15. Repeat steps 5, 6, and 7.
	16. Change state type to SphericalRADec and ensure that the following error is thrown:
	"Warning: A nearly singular conic section was encountered while converting from
	the Cartesian state to the SphericalRADEC so conversion was aborted. The Right
	Ascension and Declination of velocity are undefined."
	17. Change state type to Spherical AZFPA and ensure that the following error is thrown:
	"Warning: A nearly singular conic section was encountered while converting from the
	SphercialAZFPA state to the Cartesian State so conversion was aborted. The Right
	Ascension and Declination of velocity are undefined."
Expected Results	Test results are described above.

Table 7.18: STC-19 Orbit State Conversion for Nearly Singular Cartesian State

Name	STC-20 Orbit State Conversion for Near Singular SphericalAZEl State
Requirements	FR-1.3
PreConditions	BS-1
Expected Results	Test results are described above.
Expected Results	results are described above.

Table 7.19: STC-20 Orbit State Conversion for Near Singular SphericalAZEl state

Draft: Work in Progress Chapter 7. Resources

Name	STC-20 Orbit GUI conversion for near singular SphericalRADEC state
Requirements	FR-1.3
PreConditions	BS-1
Steps	1. Load BS-1. 2. Open the dialog box for DefaultSC. 3. Change the state type to SphercialRADEC. 4. Set the SphercialRADec state to the following values: 1. RMAG = 7000.00000 2. RA = 0 3. DEC = -0.04094487109516581 4. VMAG = 10.63431419820442 5. RAV = 0 6. DECV = -0.0203281181043372 5. Hit Apply. 6. Change state type to Keplerian and ensure that the following error is thrown: "Warning: A nearly singular conic section was encountered while converting from the SphercialRADEC state to the Keplerian elements so conversion was aborted. The radius of periapsis must be greater than 1 meter." 7. Change state type to Modified Keplerian and ensure that the following error is thrown: "Warning: A nearly singular conic section was encountered while converting from the SphercialRADEC state to the Modified Keplerian elements so conversion was aborted. The radius of periapsis must be greater than 1 meter." 8. Change state type to Equinoctial and ensure that the following error is thrown: "Warning: A nearly singular conic section was encountered while converting from the SphercialRADEC state to the Equinoctial elements so conversion was aborted. The radius of periapsis must be greater than 1 meter." 9. Change RMAG to 0.00001 and click apply. 10. Repeat steps 5, 6, and 7. 11. Change RMAG to 70000. 12. Change VMAG to 1e-14. 13. Repeat steps 5, 6, and 7. 14. Change state type to SphericalRADEC and ensure that the following error is thrown: "Warning: A nearly singular conic section was encountered while converting from the SphercialRADEC state to the SphericalAZEL state so conversion was aborted. The Azimuth and Flight Path Angle are undefined."
Expected Results	Test results are described above.

Table 7.20: STC-21 Orbit State Conversion for Nearly Singular SphericalRADEC State

Name	STC-23 Epoch Co	nversion	in the S	Spacecra	ft Orbit	Dialog 1	Box		
Requirements	FRR-2.3								
Summary	This test case represents $n(n-1)$ tests where n is the number of epoch formats supported as input types in GMAT. Each test case is designated a unique number. For example, STC-23.32 test GUI conversion from A1Gregorian to TAIModJulian. The procedures described below must be performed for each test case in the table below.								
PreConditions	To run this test yo	ou need	to load I	3S-1 and	d have d	ata defir	ned in T	D-2 avai	ilable.
Steps	 Select subtes Create a new Change the row containing Enter the ep Change the I containing the Verify that the TD-2. 	v spacecy Epoch I ng the to och in the Epoch Fo ne test c	raft. Format test case he Defin ormat to ase Id. (the formathe	ormat de Gregoria t from T nat defir dJulian f	efined in an, for S'TD-2. Hed in the STC-	ΓC-23.3 e first ro (23.32)	2) w of the	column
		UTCGregorian	UTCModJulian	TAIGregorian	TAIModJulian	A1Gregorian	A1ModJulian	TTGregorian	TTModJulian
	UTCGregorian	N/A	23.1	23.2	23.3	23.4	23.5	23.6	23.7
	UTCModJulian	23.8	N/A	23.9	23.10	23.11	23.12	23.13	23.14
	TAIGregorian	23.15	23.16	N/A	23.17	23.18	23.19	23.20	23.21
	TAIModJulian	23.22	23.23	23.24	N/A	23.25	23.26	23.27	23.28
	A1Gregorian	23.29	23.30	23.31	23.32	N/A	23.33	23.34	23.35
	A1ModJulian	23.36	23.37	23.38	23.39	23.40	N/A	23.41	23.42
	TTGregorian	23.43	23.44	23.44	23.45	23.46	23.47	N/A	23.48
	TTModJulian	23.49	23.50	23.51	23.52	23.53	23.54	23.55	N/A
Expected Results	The expected num	eric resu	ılts are o	describe	d above	and in T	TD-2.		

Table 7.21: STC-23 Epoch Conversion in the Spacecraft Orbit Dialog Box

Name	STC-24 State Conve	ersion in	the Spa	cecraft (Orbit Di	alog Box	X	
Requirements	FRR-2.3							
Summary	This test case represents $n(n-1)$ tests where n is the number of state representations supported as input types in GMAT. Each test case is designated a unique number. For example, STC-24.17 tests GUI conversion from SphericalRADEC to Keplerian elements. The procedures described below must be performed for each test case in the table below.							
PreConditions	To run this test you	need to	load BS	S-1 and I	have dat	a define	d in TD-	-1 available.
Steps	 Select subtest Create a new s Change the Electron containing Enter the epoch Change the Epoch containing the Verify that the 14 significant f 	spacecra poch For the test ch in the test cas e new sta	ft. rmat to t case II e Define mat to the le Id. (K	the form O. (Spher Format he formate plerian	mat definicalRAI from TI at defined for STO	ned in t DEC, for 0-1. d in the C-24.17)	r STC-24	4.17) of the column
		Cartesian	Keplerian	TAIGregorian	SphericalRADEC	SphericalAZFPA	Equinoctial	
	Cartesian	N/A	24.1	24.2	24.3	24.4	24.5	
	Keplerian	24.6	N/A	24.7	24.8	24.9	24.10	
	TAIGregorian	25.11	24.12	N/A	24.13	24.14	24.15	
	SphericalRADEC	24.16	24.17	24.18	N/A	24.19	24.20	
	SphericalAZFPA	24.21	24.22	24.23	24.24	N/A	24.25	
	Equinoctial	24.26	24.27	24.28	24.29	24.30	N/A	
Expected Results	The expected numer	ric result	s are de	scribed	above ar	nd in TI)-1.	

Table 7.22: STC-24 State Conversion in the Spacecraft Orbit Dialog Box

Name	STC-25 Coordinate	System	ı Conve	rsion in	the Spa	cecraft	Orbit I	Dialog B	OX		
Requirements	FRR-2.3										
Summary	This test case represents $n(n-1)$ tests where n is the number of epoch formats supported										
		as input types in GMAT. Each test case is designated a unique number. For example, STC-									
	25.32 test GUI conv							The proc	edures o	descri	
	below must be perf										
PreConditions	To run this test you need to load BS-1 and have data defined in TD-2 available.										
Steps	1. Select subtes	t numbe	r (ST	C 25 32	for ove	mplo)					
	2. Create a new			0-20.02	, ioi exc	impie)					
	3. Change the			to the	format	defined	in the	first col	lumn of	the	
	containing th							11150 001	idilili Oi	0110	
	4. Enter the epo						20.02)				
	5. Change the						in the	first rov	w of the	e colu	
	containing th										
	6. Verify that the								at given	in TI	
		T			1	T	ī				
		Еq	Ec			t					
		000Eq	000Ec	-1		ıRot)Ec				
		J2000Eq	$ m J2000E_{c}$	xed	ced	conRot	000Ec	2			
		MJ2000Eq	1MJ2000Ec	1Fixed	Fixed	MoonRot	1J2000Ec	SL2			
		rthMJ2000Eq	rthMJ2000Ec	rthFixed	naFixed	rthMoonRot	nMJ2000Ec	ESL2			
		EarthMJ2000Eq	m Earth MJ2000Ec	EarthFixed	LunaFixed	EarthMoonRot	SunMJ2000Ec	CS_ESL2	CS_SSBary	PhobosFixed	
	EarthMJ2000Eq	Z EarthMJ2000Eq	1	5 EarthFixed	ω LunaFixed	P EarthMoonRot	cı SunMJ2000Ec	9 CS_ESL2			
				2 9				_	CS_SSBary	PhobosFixed	
	EarthMJ2000Eq	N/A	1	2	3	4	5	6	2 CS SSBary	9 PhobosFixed	
	EarthMJ2000Eq EarthMJ2000Ec	N/A 8	1 N/A	2 9	3 10	4 11	5 12	6 13	CS_SSBary	PhobosFixed	
	EarthMJ2000Eq EarthMJ2000Ec EarthFixed	N/A 8 15	1 N/A 16	2 9 N/A	3 10 17	4 11 18	5 12 19	6 13 20	Azes SS	56 57 58	
	EarthMJ2000Eq EarthMJ2000Ec EarthFixed LunaFixed	N/A 8 15 22	1 N/A 16 23	2 9 N/A 24	3 10 17 N/A	4 11 18 25	5 12 19 26	6 13 20 27	7 7 14 21 28	56 57 58 59	
	EarthMJ2000Eq EarthMJ2000Ec EarthFixed LunaFixed EarthMoonRot	N/A 8 15 22 29	1 N/A 16 23 30	2 9 N/A 24 31	3 10 17 N/A 32	4 11 18 25 N/A	5 12 19 26 33	6 13 20 27 34	7 7 14 21 28 35	56 57 58 59 60	
	EarthMJ2000Eq EarthMJ2000Ec EarthFixed LunaFixed EarthMoonRot SunMJ2000Ec	N/A 8 15 22 29 36	1 N/A 16 23 30 37	2 9 N/A 24 31 38	3 10 17 N/A 32 39	4 11 18 25 N/A 40	5 12 19 26 33 N/A	6 13 20 27 34 41	Area SS	56 57 58 59 60	

Table 7.23: STC-25 Coordinate System Conversion in the Spacecraft Orbit Dialog Box

Name	STC-26 Attitude Conversion in the Spacecraft Attitude Dialog Box						e Spac	cecraf	t Attit	tude I	Dialog	Box		
Requirements	FRR-													
Summary PreConditions	This test case represents $n(n-1)$ tests where n is the number of attitude representations supported as input types in GMAT. Each test case is designated a unique number. For example, STC-26.32 tests conversion from a 231 to a 232 Euler angle sequence. The procedures described below must be performed for each test case in the table below. To run this test you need to load BS-1 and have data defined in TD-8 available.													
	10 ru	n tms	test y	you ne	ea to	load l	DS-1 8	ana na	ive da	ta dei	med 1	n ID-	o avai	nabie.
Steps	2. 3. 4. 5. 6. 7. 8. 9. 10.	Creat Open Click Chang the ro If the the se ID. (2 Enter Hit A Chang colum If the the fo (232, Verify TD-8. Comp	e a nee the door the ge the ow cor. Attit equence 31, for the apply. ge the n con. Attit for ST that	tatainin udeSt ce defi or STC ttitud e Attit tainin udeSt define rC-26.	toccraft box for tude to tudeSt ag the ateTy ned in C-26.33 e stat tudeSt g the ateTy ed in t .32) ew eper	rt. or the sab. sate Ty test of pe is in the call the c	rpe to ase II Euler first contact the test row sactly the state of the sactly the state of the s	the formatch those	ormatiler Anser character Anser Anser Character Columns the column	definate the data definate data definate the data definate data definate data definate data definate d	for ST ata from ed in for ST ae Eulontaining e for the	FC-26. er Angaining om TI the fire C-26. er Anging the chat for new a	.32) ;leSequentle to the to th	lumn of the uence to case Id given in the representation of the case Id the representation of the representati
			ಲ್ಲ		2	22	-	က	-	22	ಣ		က္	73
		ď	123	231	312	132	321	213	121	232	313	131	323	212
	q	X	1	2	3	4	5	6	7	8	9	10	11	12
	123 231	13 25	X 26	14 X	15 27	16 28	17 29	18 30	19 31	20 32	21 33	22 34	23 35	36
	312	37	38	39	X	40	41	42	43	44	45	46	47	48
	132	49	50	51	52	X	53	54	55	56	57	58	59	60
	321	61	62	63	64	65	X	66	67	68	69	70	71	72
	213	73	74	75	76	77	78	X	79	80	81	82	83	84
	121	85	86	87	88	89	90	91	X	92	93	94	95	96
	232	97	98	99	100	101	102	103	104	X	105	106	107	108
	313	109	110	111 123	112 124	113 125	114 126	115 127	116 128	X 129	117 X	118	119	120
	131 323	121 133	122	135	136	125	138	139	128	129	142	130 143	131 X	132
	212	145	146	147	148	149	150	151	152	153	154	155	156	X X
							•					•	100	
Expected Results	The e	xpecte	ed nu	meric	result	s are	descri	bed al	oove a	nd in	TD-8	•		

Table 7.24: STC-26 Attitude Conversion in the Spacecraft Attitude Dialog Box

Name	Attitude GUI Behavior When Entering Zero Quaternion
Requirements	FR-3.1
PreConditions	BS-1
Data	 Load BS-1. Open the dialog box for DefaultSC. Click on the attitude tab. Set all values of the quaternion to zero. Click Ok.
Expected Results	The following warning is displayed: The magnitude of a quaternion must be
	greater than 1e-10.

Table 7.25: STC-17 Attitude GUI Behavior When Entering Zero Quaternion

Differential Corrector 7.3

Name	TC-1 Differential Corrector Dialog Box Range Tests - Disallowed Values
Requirements	FR-19
Summary	This case verifies the Differential Corrector dialog box rejects disallowed data.
PreConditions	BS-1
Data	 Load BS-1. In the solvers folder in the mission tree, right-click on the Boundary Value Solvers folder and add a Differential Corrector. Open the dialog box for the new Differential Corrector. In the Max Iterations field, enter -2, and hit Apply. Ensure the following error message is provided: The value of "-2" for field "Maximum Iterations" is not an allowed value. The allowed values are: [Integer Number > 0]. In the Max Iterations field, enter DNE, and hit Apply. Ensure the following error message is provided: The value of "DNE" for field "Maximum Iterations" is not an allowed value. The allowed values are: [Integer Number > 0]. In the Max Iterations field, enter 23.6, and hit Apply. Ensure the following error message is provided: The value of "23.6" for field "Maximum Iterations" is not an allowed value. The allowed values are: [Integer Number > 0].
Expected Results	Test results are described above.

Table 7.26: TC-1 Differential Corrector Dialog Box Range Tests - Disallowed Values

Name	TC-2 Differential Corrector Dialog Box Range Tests- Allowed Values
Requirements	FR-19
Summary	This case verifies the Differential Corrector accepts allowed data.
PreConditions	BS-1
Data	 Load BS-1. In the solvers folder in the mission tree, right-click on the Boundary Value Solvers folder and add a Differential Corrector. Open the dialog box for the new Differential Corrector. Set the Max Iterations to 56. In the ReportFile field type .\output\DCReport.txt Uncheck the ShowProgress box. Set the DerivativeMethod drop-down menu to CentralDifference. Set the ReportStyle drop-down menu to Verbose. Click the Apply button. Click the Show Script button.
Expected Results	<pre>Create DifferentialCorrector DC1; GMAT DC1.ShowProgress = false; GMAT DC1.ReportStyle = 'Verbose'; GMAT DC1.ReportFile = '.\output\DCData.txt'; GMAT DC1.MaximumIterations = 56; GMAT DC1.DerivativeMethod = CentralDifference;</pre>

Table 7.27: TC-2 Differential Corrector Dialog Box Range Tests- Allowed Values

67

7.4 Mission Tree

Name	TC-3 Adding and Deleting All Commands
Requirements	FR-XXX
Summary	This case tests adding and deleting all supported GMAT commands via the
	Mission Tree GUI. This test does not check for adding and deleting commands
	inside of branch commands.
PreConditions	BS-5
Data	1. Load BS-1. 2. Click on the mission tree tab. 3. Right-click on the Mission Tree folder, select Append, then BeginFinite-Burn 4. Follow the steps in the line above for the following commands: 1. Maneuver 2. CallFunction 3. Optimize 4. Equation 5. Report 6. Save 7. Toggle 8. If 9. If/Else 10. BeginFiniteBurn 11. Propagate 12. For 13. While 14. PenUp 15. PenDown 16. RunEstimator 17. EndFiniteBurn
	17. EndFiniteBurn 18. RunSimulator
	19. ScriptEvent
	20. Stop
	21. Target
	5. Right-click on the Maneuver command and the top of the tree and select
	delete.
	6. Perform the same steps above and delete all commands in the order they were created.
Expected Results	All objects are created and deleted and no error messages or warnings should be thrown.)

Table 7.28: TC-3 TEST NAME TEXT

Draft: Work in Progress Chapter 7. Resources

68

Chapter 8

Test Data

70

Name	TD-1 Equivalent State Representations in EarthMJ2000Eq
Description	This table contains equivalent states in all GMAT state representations that have
Describiton	a central body at the origin.
Source	
Source	This is data comes from GMAT and allows testing consistency between state con-
	versions. We have numerical tests that verify that GMAT is correctly performing
	conversions correctly via the script when compared to truth data from STK. The
	data below is to ensure that the GUI state conversions agree with conversions in
D .	the script. (The test data assumes $\mu = 398600.4415$)
Data	1. Cartesian State
	1. X = -2011.554639349956
	2. Y = 7587.193672855249
	3. $Z = 1362.382029017782$
	4. VX = -7.694247416401868
	$5. \text{ VY} = -0.9065479140190984}$
	6. VZ = 0.4284953758282981
	2. Keplerian State
	1. SMA = 10000
	1. $SMA = 10000$ 2. $ECC = 0.25$
	3. INC = 10.0
	3. INC = 10.0 4. RAAN = 25.0
	5. $AOP = 35.0$
	6. $TA = 45.0$
	7. MA = 27.24378911263291;
	8. $EA = 35.57751520702131;$
	3. Modified Keplerian
	1. $RadPer = 7500$
	2. $RadApo = 12500$
	3. INC = 10.0
	4. $RAAN = 25.0$
	5. $AOP = 35.0$
	6. $TA = 45.0$
	4. Spherical RADec
	1. $RMAG = 7966.67714229061$
	2. RA = 104.8489182889519
	3. $DEC = 9.846551939834079$
	4. $VMAG = 7.759309293508375$
	5. AZI = 88.24621654190652
	6. $FPA = 81.45684518510772$
	5. Spherical RADec
	1. $RMAG = 7966.67714229061$
	2. RA = 104.8489182889519
	3. $DEC = 9.846551939834079$
	4. $VMAG = 7.759309293508375$
	5. $AZI = -173.2803040524276$
	6. $FPA = 3.165677683357204$
	6. Equinoctial
	1. $SMA = 10000$
	2. $h = 0.2165063509461095$
	3. $k = 0.125$
	4. $p = 0.03697430690134294$
	5. $q = 0.07929165703097431$
	6. MLONG = 87.2437891126329

Table 8.1: TD-1 Equivalent State Representations

Name	TD-2 Equivalent Epoch Representations
Description	This table contains equivalent epoch representations in all formats and systems
	supported as input types.
Source	Need to verify source.
Data	1. 04 Jul 2004 12:34:56.789 UTC 2. 23191.0242683912 UTC 3. 04 Jul 2004 12:35:28.789 TAI 4. 23191.02463876157 TAI 5. 04 Jul 2004 12:35:28.823 A1 6. 23191.02463915951 A1 7. 04 Jul 2004 12:36:00.973 TT 8. 23191.0250112616 TT

Table 8.2: TD-2 Equivalent Epoch Representations

Draft: Work in Progress Chapter 8. Test Data

Name	TD-3 Equivalent States in Different Coordinate Systems
Description	This table contains equivalent states in various coordinate systems. The epoch is
Description	04 Feb 2001 11:59:28.000 UTC.
Source	This is data comes from GMAT and allows testing consistency between state con-
Source	versions. We have numerical tests that verify that GMAT is correctly performing
	conversions correctly via the script when compared to truth data from STK. The data below is to ensure that the GUI state conversions agree with conversions in
D-4-	the script.
Data	1. EarthMJ2000Eq
	1. 5071.298226925739
	2. 7611.115643763225
	3. 3591.57811088299
	45.443963856628132
	5. 2.768170139549618
	6. 1.993434604659487
	2. EarthMJ2000Eq 1. 5071.298226925739
	2. 8411.709801736053
	3. 267.6805571735547
	45.443963856628132
	5. 3.332689195355913
	6. 0.7278256465019841
	3. EarthFixed System —-
	11863.0575794316
	2. 8953.983671172193
	3. 3591.903847242492
	45.139752276668541
	51.799622038729856
	6. 1.992983974458626
	4. LunaFixed System —- 1. 356291.5164882602
	233974.36961780395
	3. 16667.54936624816
	43.267914664134139
	55.374404304814976
	6. 0.7247736501205496
	5. EarthMoonRot System
	1. 8968.872502970022
	23907.723350348471
	3. 914.1141166948707
	4. 2.581713440043834
	5. 5.842794343296872
	6. 0.3253861743578399 6. SunMJ2000Ec System
	1. 125912803.1220472
	2. 163450023.4650465
	3. 66337826.42493016
	433.57498440092737
	5. 0.0008503562866066794
	6. 1.493151380860197
	7. CS_ESL2 System
	1560121.5615799141
	2. 284125.8138175178
	3. 13140.72166463266
	4. 5.466911578720965
	5. 0.7694483179080936
	6. 0.6355953786263187
	8. CS_SSBary System
	1. 147428584.0468952 2. 0578 340467568873
	29578.340467568873 3. 266.8937442606475
	4. 6.68279484246637
	5. 1.370672075811688
	6. 0. 79605270501000

 $6.\ \ 0.726953785084683$

A.T	
Name	TD-4 Equivalent State Representations for a Singular Conic Section
Description	This table contains equivalent states in all GMAT state representations that have
	a central body at the origin.
Source	STK. The data below is to ensure that the GUI state conversions agree with con-
	versions in the script. (The test data assumes $\mu = 398600.4415$)
Data	1. Cartesian State
	1. $X = 7000$
	1. $X = 7000$ 2. $Y = 7000$
	3. $Z = 7000$
	4. $VX = -4.04145188432738$
	5. $VY = -4.04145188432738$
	6. $VZ = -4.04145188432738$
	2. Keplerian State: Undefined (e = 1);
	3. Modified Keplerian: Undefined $(e = 1)$;
	4. Spherical RADec
	1. $RMAG = 12124.355652982142$
	2. $RA = 45$
	3. $DEC = 35.2643896827546470$
	4. $VMAG = 6.99999999999999999999999999999999999$
	5. AZI = 0
	6. $FPA = 180$
	5. Spherical RADec
	1. $RMAG = 12124.355652982142$
	2. $RA = 45$
	3. $DEC = 35.2643896827546470$
	4. $VMAG = 6.99999999999999999999999999999999999$
	5. $DECV = 225$
	6. $RAV = 35.264389682754661$
	6. Equinoctial: Undefined $(e = 1)$;
	1

Table 8.4: TD-4 Equivalent State Representations for a Singular Conic Section

$\overline{}$	

Name	TD-5 Equivalent State Representations for a Circular, Equatorial Orbit
Description	This table contains equivalent states in all GMAT state representations that have
	a central body at the origin.
Source	Hand calculations based on Math spec for all except Equinoctial which is from STK.
	(The test data assumes $\mu = 398600.4415$)
Data	1. Cartesian State
	1. $X = 4949.747468305833$
	2. Y = 4949.747468305833
	3. $Z = 0.0$
	4. $VX = -5.335865450622125$
	5. VY = 5.335865450622125
	6. $VZ = 0$
	2. Keplerian State
	1. $SMA = 7000$
	2. $ECC = 0.0$
	3. INC = 0.0
	4. RAAN = 0.0
	5. $AOP = 0.0$
	6. $TA = 45.0$
	3. Modified Keplerian
	1. $RadPer = 7000$
	$2. \operatorname{RadApo} = 7000$
	3. INC = 0.0
	4. RAAN = 0.0
	5. $AOP = 0.0$
	6. $TA = 45.0$
	4. Spherical RADec
	1. $RMAG = 7000$
	2. RA = 45.0
	3. $DEC = 0.0$
	4. $VMAG = 7.5460532872678359$
	5. RAV = 135.000000000000000
	6. DECV= 0.0
	5. Spherical RADec
	1. $RMAG = 7000$
	2. $RA = 45.0$
	3. $DEC = 0.0$
	4. $VMAG = 7.5460532872678359$
	5. AZI = 90
	6. FPA = 90
	6. Equinoctial
	1. $SMA = 7000$ 2. $h = 0.0$
	3. $k = 0.0$
	4. $p = 0.0$
	5. $q = 0.0$ 6. $MLONG = 45.0$
	0. MILONG = 45.0

 ${\it Table~8.5:~TD-5~Equivalent~State~Representations~for~a~Circular,~Equatorial~Orbit}$

TD-6 Equivalent State Representations for a Circular, Inclined (retrograde) Orbit
This table contains equivalent states in all GMAT state representations that have
a central body at the origin.
Hand calculations based on Math spec for all except Equinoctial which is from STK.
(The test data assumes $\mu = 398600.4415$)
(The test data assumes $\mu=398600.4415$) 1. Cartesian State 1. $X=-5975.5752861126311$ 2. $Y=480.14719831222595$ 3. $Z=3416.4248371584213$ 4. $VX=3.8002690670377621$ 5. $VY=0.9160734111800478$ 6. $VZ=-6.5182010133917370$ 2. Keplerian State 1. SMA=6900 2. ECC=0.0 3. INC=98 4. RAAN=0.0 5. AOP=0.0 6. TA=210.0 3. Modified Keplerian 1. RadPer=6900 2. RadApo=6900 3. INC=98 4. RAAN=0.0 5. AOP=0.0 6. TA=210.0 4. Spherical RADec 1. RMAG=6900 2. RA=175.4060606593105 3. DEC=-29.67858910292156 4. VMAG=7.6005381340755180 5. RAV=13.55286811093926 6. DECV=-59.04786932043024 5. Spherical RADec 1. RMAG=6900 2. RA=175.4060606593105 3. DEC=-29.67858910292156 4. VMAG=7.6005381340755180 5. RAV=13.55286811093926 6. DECV=-59.04786932043024 5. Spherical RADec 1. RMAG=6900 2. RA=175.4060606593105 3. DEC=-29.67858910292156 4. VMAG=7.6005381340755180 5. AZI = 189.2177489242794 6. FPA=90 6. Equinoctial 1. SMA=6900 2. h=0.0 3. k=0.0 4. p=0.0 5. q=1.1503684072210094 6. MLONG=210.0
I

Table 8.6: TD-6 Equivalent State Representations for a Circular, Inclined (retrograde) Orbit

76

Draft: Work in Progress CHAPTER 8. TEST DATA

Name	Equivalent Attitu	Equivalent Attitude Representations						
Description	This table contains equivalent states in various coordinate systems. The epoch is 04 Feb 2001 11:59:28.000 UTC.							
Source	This is data come versions. We have conversions corre	This is data comes from GMAT and allows testing consistency between state conversions. We have numerical tests that verify that GMAT is correctly performing conversions correctly via the script when compared to truth data from STK. The data below is to ensure that the GUI state conversions agree with conversions in						
Data	• Quaternion 1. 0.05431 2. 0.15361 3. 0.68700	• Quaternion 1. 0.05431254465935684 2. 0.1536190745285137 3. 0.6870053865727263 4. 0.7081489435519108						
	123 231 312 132 321 213 121 232 313 131 323 212	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		$\begin{array}{c} \theta_2 \text{ (deg.)} \\ 16.98949666527142 \\ 81.76589766113709 \\ 16.73807760458099 \\ 73.0024763951768 \\ 8.21825906808993 \\ -7.709559339371771 \\ 89.49295108504926 \\ 87.12555469792072 \\ 18.75489666719195 \\ 89.49295108504926 \\ 18.75489666719195 \\ 87.12555469792072 \\ \end{array}$		$\theta_{3} \text{ (deg.)}$ 89.46981218935655 -69.50363702414091 8.584547140308942 88.26525116243468 16.91694843278077 87.09931277680732 -73.00981782084581 7.719330705131926 -26.39703015347826 16.99018217915419 63.60296984652174 97.71933070513192		
	-0.9563	49557522123823 3173917401783 963921524783	0.0501	4749262536867 0.28799		29443491946786 79970056070911 69026548672567		

Table 8.7: TD-8 Equivalent Attitude Representations

Chapter 9

Base States

	Name BS-1 The Default Mission	
Summary This base state configures GMAT to the default		This base state configures GMAT to the default mission.
ſ	Description	See BS-1.script

Table 9.1: BS-1 The Default Mission

Name	BS-5 Create All Objects		
Summary	This base state creates instantiations of all object types supported in GMAT.		
	Several object types have more than one instantiation. For example, to have a		
	meaningful formation, you need at least 2 spacecraft.		
Description	See BS-5-CreateAllObjects.script		

Table 9.2: BS-5 Create All Objects

Name	BS-6 Target Hohmann Transfer			
Summary	This base state is the script that configures GMAT to target a Hohmann transfer from LEO to GEO.			
Description	To load this base state load Ex_TargetHohmannTransfer.script from the test repository described in Ch.2.			

Table 9.3: BS-6 Target Hohmann Transfer

Name	BS-7 Ace Station Keeping				
Summary	This base state is the script that performs Earth-Sun L2 station keeping for				
	ACE.				
Description	To load this base state load Ex_ACEStationKeeping.script from the test repos-				
	itory described in Ch.2.				

Table 9.4: BS-7 Ace Station Keeping

Name	BS-8 MMS Double Lunar Swingby	
Summary This base state is the script that performs a double lunar swingby for MN		
Description	To load this base state load Ex_MMSDoubleLunarSwingby.script from the test	
	repository described in Ch.2.	

Table 9.5: BS-8 MMS Double Lunar Swingby

Draft: Work in Progress Chapter 9. Base States

Name	BS-9 MMS Double Lunar Swingby				
Summary	This base state is the script that performs uses a GMAT function to propagate				
	an MMS formation and calculate the quality factor.				
Description	To load this base state load Ex_GmatFunction.script from the test repository described in Ch.2.				

Table 9.6: BS-9 MMS Double Lunar Swingby

Part IV

Checklists

Chapter 10

Resources

10.1 Differential Corrector

\$10	1: DifferentialCorrectorPanel.txt,v 1.4 2	006/11/22 2	1:32:33 dc	onway Exp \$		
Tes	ster:	Date:				
Pla	atform: Windows, Version: Macintosh, OS X Version: Linux, Distribution:					
Des	scription:					
	s test validates the functionality of th indicates sub-panel whose functionality			-		
Pro	ocedure:					
1.	Create and open the appropriate object p	anel.				
	Create DifferentialCorrector Resource	[] Pass	[] Fail	Bug#		
	Open DifferentialCorrector Resource	[] Pass	[] Fail	Bug#		
2.	2. Evaluate the aesthetic qualities of the panel.					
	Panel Aesthetics	[] Pass	[] Fail	Bug#		
3.	Evaluate the individual panel elements.					
	Max Iterations Text Field	[] Pass	[] Fail	Bug#		

	Targeter Text File Text Field			Pass	[]	Fail	Bug#	
	Show Progress Check Box		[]	Pass	[]	Fail	Bug#	
	Use Central Differences Check Box		[]	Pass	[]	Fail	Bug#	
	Report Style Combo Box	I	[]	Pass	[]	Fail	Bug#	
4.	Evaluate panel-specific functionalit	ty.							
	N/A	·							
5.	Evaluate data.								
	Data elements appear complete	1	[]	Pass	[]	Fail	Bug#	
	Show Script		[]	Pass	[]	Fail	Bug#	
6.	Evaluate panel control.								
	Tab Key Navigation	1	[]	Pass	[]	Fail	Bug#	
	Cancel	I	[]	Pass	[]	Fail	Bug#	
	Apply	1	[]	Pass	[]	Fail	Bug#	
	OK (Save)	I	[]	Pass	[]	Fail	Bug#	
	Help [DEFERRED]								
	Restore	I	[]	Pass	[]	Fail	Bug#	
	Minimize	I	[]	Pass	[]	Fail	Bug#	
	Maximize	I	[]	Pass	[]	Fail	Bug#	
	Close	1	[]	Pass	[]	Fail	Bug#	
7.	Evaluate rename functionality.								
	Rename (on resource tree)	I	[]	Pass	[]	Fail	Bug#	
C	mm 0 200 t								
ыu	mmary:								
	Number of passed test elements								
	Total number of test elements								
	Test case status		7	Pass	Γ	٦	Fail		

10.2. IMPULSIVE BURN

Bugs 1	Reported:
--------	-----------

Notes:

10.2 Impulsive Burn

\$Ic	d: Impuls	iveBur	nPane]	l.txt,	v 1.4 20	06/11/22	21:3	32:33	dcon	way Ex	р\$	
Tes	ster:			Date:		В	uild	:				
Pla	atform:	W	indows	s, Vers	sion:							
		M	acinto	osh, OS	3 X Vers	ion:						
		L	inux,	Distri	ibution:							
Des	scription	ı:										
	is test v indicate					•	-			-	1.	
Pro	ocedure:											
1.	Add and	open t	he app	propria	ate obje	ct panel						
	Add Impu	lsiveB	urn Re	esource	Э		[]	Pass	[]	Fail	Bug#	
	Open Imp	ulsive	Burn F	lesour	се		[]	Pass	[]	Fail	Bug#	
	Close Im	pulsiv	eBurn	Resour	cce		[]	Pass	[]	Fail	Bug#	
	Delete I	mpulsi	veBurı	n Resou	ırce		[]	Pass	[]	Fail	Bug#	
	Clone Im	pulsiv	eBurn	Resour	rce		[]	Pass	[]	Fail	Bug#	
2.	Evaluate	the a	esthet	tic qua	alities	of the p	anel					
	Panel Ae	stheti	cs				[]	Pass	[]	Fail	Bug#	
3.	Evaluate	the i	ndivio	dual pa	anel ele	ments.						
	Coordina	te Sys	tem				[]	Pass	[]	Fail	Bug#	
	Origin C	ombo B	ox				[]	Pass	[]	Fail	Bug#	

	Axes Combo Box	[] Pass	[] Fail	Bug#
	Thrust Vector Element 1 Text Field	[] Pass	[] Fail	Bug#
	Thrust Vector Element 2 Text Field	[] Pass	[] Fail	Bug#
	Thrust Vector Element 3 Text Field	[] Pass	[] Fail	Bug#
	Decrement Mass Button	[] Pass	[] Fail	Bug#
	Tank Combo Box	[] Pass	[] Fail	Bug#
	Isp Text Field	[] Pass	[] Fail	Bug#
	Gravitational Accel Field	[] Pass	[] Fail	Bug#
4.	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#
7.	Evaluate rename functionality.			
	Rename (on resource tree)	[] Pass	[] Fail	Bug#

Summary:

10.3. FINITE BURN 85

Number of passed test elements			
Total number of test elements			
Test case status	[] Pass	[] Fail	
Bugs Reported:			
Notes:			
10.3 Finite Burn			
\$Id: FiniteBurnPanel.txt,v 1.4 2006/11	/22 21:32:33 dco	nway Exp \$	
Tester: Date:	Build:		
Platform: Windows, Version:			
Macintosh, OS X Versio	n:		
Linux, Distribution:			
Description:			
This test validates the functionality (* indicates sub-panel whose functional		-	
Procedure:			
1. Add and open the appropriate object	panel.		
Add Finite Burn Resource	[] Pass	[] Fail	Bug#
Open Finite Burn Resource	[] Pass	[] Fail	Bug#
Close Finite Burn Resource	[] Pass	[] Fail	Bug#
Delete Finite Burn Resource	[] Pass	[] Fail	Bug#
Clone Finite Burn Resource	[] Pass	[] Fail	Bug#

2. Evaluate the aesthetic qualities of the panel.

	Panel Aesthetics	[] Pass	[] Fail	Bug#	
3.	Evaluate the individual panel elemen	ts.			
	Use Thruster Combo Box	[] Pass	[] Fail	Bug#	
4.	Evaluate panel-specific functionalit	у.			
	N/A				
5.	Evaluate data.				
	Data elements appear complete	[] Pass	[] Fail	Bug#	
	Show Script	[] Pass	[] Fail	Bug#	
6.	Evaluate panel control.				
	Tab Key Navigation	[] Pass	[] Fail	Bug#	
	Cancel	[] Pass	[] Fail	Bug#	
	Apply	[] Pass	[] Fail	Bug#	
	OK (Save)	[] Pass	[] Fail	Bug#	
	Help [DEFERRED]				
	Restore	[] Pass	[] Fail	Bug#	
	Minimize	[] Pass	[] Fail	Bug#	
	Maximize	[] Pass	[] Fail	Bug#	
	Close	[] Pass	[] Fail	Bug#	
7.	Evaluate rename functionality.				
	Rename (on resource tree)	[] Pass	[] Fail	Bug#	
Sui	mmary:				
	Number of passed test elements				
	Total number of test elements				
	Test case status	[] Pass	[] Fail		

Bugs Reported:

10.4. FORMATION 87

Notes:

10.4 Formation

\$Ic	Id: FormationPanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$							
Tes	ster:	Date:						
Pla	matform: Windows, Version: Macintosh, OS X Version: Linux, Distribution:							
Des	scription:							
	is test validates the functionality of the indicates sub-panel whose functionality		_					
Pro	ocedure:							
1.	Create and open the appropriate object pa	anel.						
	Create Spacecraft Resource	[] Pass	[] Fail	Bug#				
	Create Spacecraft Resource	[] Pass	[] Fail	Bug#				
	Create Formation Resource	[] Pass	[] Fail	Bug#				
	Open Formation Resource	[] Pass	[] Fail	Bug#				
2.	Evaluate the aesthetic qualities of the p	panel.						
	Panel Aesthetics	[] Pass	[] Fail	Bug#				
3.	Evaluate the individual panel elements.							
	Space Objects List	[] Pass	[] Fail	Bug#				
	Space Objects in Formation List	[] Pass	[] Fail	Bug#				
	-> Selection Button	[] Pass	[] Fail	Bug#				
	<- Selection Button	[] Pass	[] Fail	Bug#				

	<= Selection Button	[] P	ass	[]	Fail	Bug#	
4.	Evaluate panel-specific functionality. $\label{eq:NA} {\tt N/A}$						
5.	Evaluate data.						
	Data elements appear complete	[] P	ass	[]	Fail	Bug#	
	Show Script	[] P	ass	[]	Fail	Bug#	
6.	Evaluate panel control.						
	Tab Key Navigation	[] P	ass	[]	Fail	Bug#	
	Cancel	[] P	ass	[]	Fail	Bug#	
	Apply	[] P	ass	[]	Fail	Bug#	
	OK (Save)	[] P	ass	[]	Fail	Bug#	
	Help [DEFERRED]						
	Restore	[] P	ass	[]	Fail	Bug#	
	Minimize	[] P	ass	[]	Fail	Bug#	
	Maximize	[] P	ass	[]	Fail	Bug#	
	Close	[] P	ass	[]	Fail	Bug#	
7.	Evaluate rename functionality.						
	Rename (on resource tree)	[] P	ass	[]	Fail	Bug#	
Su	mmary:						
	Number of passed test elements	_					
	Total number of test elements	_					
	Test case status	[] P	ass	[]	Fail		
Bu	gs Reported:						

Notes:

10.5 Propagator

ФΤ	d: Propaga	torpanel.t	xt, V 1.4 200	0/11/22 .	21:32:3	os aco.	nway	тхр ф		
Te	ster:		Date:		Build					
Pl:	atform:	Window	rs, Version:							
		Macint	osh, OS X Ve	rsion:						
		Linux,	Distributio	n:						
De:	scription:									
			e functional whose funct	•	_	_	-			
Pr	ocedure:									
1.	Add and o	pen the ap	propriate ob	ject pan	el.					
	Add Propa	gator Reso	urce		[]	Pass	[]	Fail	Bug#	
	Open Prop	agator Res	ource		[]	Pass	[]	Fail	Bug#	
	Close Lib	rationPoin	it Resource		[]	Pass	[]	Fail	Bug#	
	Clone Lib	rationPoin	it Resource		[]	Pass	[]	Fail	Bug#	
	Delete Li	brationPoi	nt Resource		[]	Pass	[]	Fail	Bug#	
2.	Evaluate	the aesthe	tic qualitie	s of the	panel					
	Panel Aes	thetics			[]	Pass	[]	Fail	Bug#	
3.	Evaluate	the indivi	dual panel e	lements.						
	Integrato	r Type Com	bo Box		[]	Pass	[]	Fail	Bug#	
	Initial S	tep Size T	ext Field		[]	Pass	[]	Fail	Bug#	
	Accuracy	Text Field	1		[]	Pass	[]	Fail	Bug#	
	Minimum S	tep Size T	ext Field		[]	Pass	[]	Fail	Bug#	
	Maximum S	tep Size T	ext Field		[]	Pass	[]	Fail	Bug#	

Maximum Step Attempts Text Field	[] Pass	[] Fail	Bug#
Minimum Integration Error Text Field	[] Pass	[] Fail	Bug#
Nominal Integration Error Text Field	[] Pass	[] Fail	Bug#
Error Control Combo Box	[] Pass	[] Fail	Bug#
Central Body Combo Box	[] Pass	[] Fail	Bug#
Primary Bodies Combo Box	[] Pass	[] Fail	Bug#
Primary Bodies Action Button Available Bodies List Bodies Selected List -> (Add) Selection Button <- (Remove) Selection Button <= (Remove All) Selection Button Orbit Color Selection Button Cancel Button OK Button Help [DEFERRED]	[] Pass [] Pass [] Pass [] Pass [] Pass	[] Fail [] Fail [] Fail [] Fail [] Fail [] Fail [] Fail	Bug# Bug# Bug# Bug# Bug# Bug# Bug#
Primary Bodies Text List	[] Pass	[] Fail	Bug#
Gravity Field Type Combo Box	[] Pass	[] Fail	Bug#
Gravity Model File Text Field	[] Pass	[] Fail	Bug#
Gravity Field Degree Text Field	[] Pass	[] Fail	Bug#
Gravity Field Order Text Field	[] Pass	[] Fail	Bug#
Gravity Model File Select Action Button	[] Pass	[] Fail	Bug#
Atmosphere Model Type Combo Box	[] Pass	[] Fail	Bug#
Atmosphere Model Setup Action Button User Input Radio Button Solar Flux Text Field Average Solar Flux Text Field Geomagnetic Index (Kp) Text Field File Input Radio Button File Name Text Field File Selection Button Cancel Button OK Button Help [DEFERRED]	[] Pass [] Pass [] Pass [] Pass [] Pass [] Pass	[] Fail [] Fail	Bug# Bug# Bug# Bug# Bug# Bug#
Magnetic Field Type Combo Box	[] Pass	[] Fail	Bug#
Magnetic Field Degree Text Field	[] Pass	[] Fail	Bug#
Magnetic Field Order Text Field	[] Pass	[] Fail	Bug#
Magn. Field File Select Action Button	[] Pass	[] Fail	Bug#

10.5. PROPAGATOR 91

	Point Masses Select Action Button Available Bodies List Bodies Selected List -> (Add) Selection Button <- (Remove) Selection Button <= (Remove All) Selection Button Orbit Color Selection Button Cancel Button OK Button Help [DEFERRED]	[] Pass [] Pass [] Pass [] Pass [] Pass	[] Fa	ail Bug# ail Bug# ail Bug# ail Bug# ail Bug#
	Point Masses Text List	[] Pass	[] Fa	ail Bug#
	Solar Radiation Pressure Check Box	[] Pass	[] Fa	ail Bug#
4.	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fa	ail Bug#
	Show Script	[] Pass	[] Fa	ail Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fa	ail Bug#
	Cancel	[] Pass	[] Fa	ail Bug#
	Apply	[] Pass	[] Fa	ail Bug#
	OK (Save)	[] Pass	[] Fa	ail Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fa	ail Bug#
	Minimize	[] Pass	[] Fa	ail Bug#
	Maximize	[] Pass	[] Fa	ail Bug#
	Close	[] Pass	[] Fa	ail Bug#
7.	Evaluate rename functionality.			
	Rename (on resource tree)	[] Pass	[] Fa	ail Bug#

Summary:

Number of passed test elements				
Total number of test elements				
Test case status	[] Pass	[] Fail		
Bugs Reported:				
Notes:				
10.6 Propagator				
\$Id: PropagatorPanel.txt,v 1.4 2006/1	1/22 21:32:33 dcor	way Exp \$		
Tester: Date:	Build:			
Platform: Windows, Version:				
Macintosh, OS X Version	on:			
Linux, Distribution:				
Description:				
This test validates the functionality (* indicates sub-panel whose functions		_		
Procedure:				
1. Add and open the appropriate object	t panel.			
Add Propagator Resource	[] Pass	[] Fail	Bug#	
Open Propagator Resource	[] Pass	[] Fail	Bug#	
Close LibrationPoint Resource	[] Pass	[] Fail	Bug#	
Clone LibrationPoint Resource	[] Pass	[] Fail	Bug#	
Delete LibrationPoint Resource	[] Pass	[] Fail	Bug#	
2. Evaluate the aesthetic qualities of	f the panel.			
Panel Aesthetics	[] Pass	[] Fail	Bug#	

 $\ensuremath{\mbox{3}}\xspace.$ Evaluate the individual panel elements.

Integrator Type Combo Box	[] Pass	[] Fai:	l Bug#
Initial Step Size Text Field	[] Pass	[] Fai:	l Bug#
Accuracy Text Field	[] Pass	[] Fai:	l Bug#
Minimum Step Size Text Field	[] Pass	[] Fai:	l Bug#
Maximum Step Size Text Field	[] Pass	[] Fai:	l Bug#
Maximum Step Attempts Text Field	[] Pass	[] Fai:	l Bug#
Minimum Integration Error Text Field	[] Pass	[] Fai:	l Bug#
Nominal Integration Error Text Field	[] Pass	[] Fai:	l Bug#
Error Control Combo Box	[] Pass	[] Fai:	l Bug#
Central Body Combo Box	[] Pass	[] Fai:	l Bug#
Primary Bodies Combo Box	[] Pass	[] Fai:	l Bug#
Primary Bodies Action Button Available Bodies List Bodies Selected List -> (Add) Selection Button <- (Remove) Selection Button <= (Remove All) Selection Button Orbit Color Selection Button Cancel Button OK Button Help [DEFERRED]	[] Pass [] Pass [] Pass [] Pass [] Pass [] Pass [] Pass	[] Fai. [] Fai. [] Fai. [] Fai. [] Fai.	1 Bug# 1 Bug# 1 Bug# 1 Bug# 1 Bug#
Primary Bodies Text List	[] Pass	[] Fai:	l Bug#
Gravity Field Type Combo Box	[] Pass	[] Fai:	l Bug#
Gravity Model File Text Field	[] Pass	[] Fai:	l Bug#
Gravity Field Degree Text Field	[] Pass	[] Fai:	l Bug#
Gravity Field Order Text Field	[] Pass	[] Fai:	l Bug#
Gravity Model File Select Action Button	[] Pass	[] Fai:	l Bug#
Atmosphere Model Type Combo Box	[] Pass	[] Fai	l Bug#
User Input Radio Button Solar Flux Text Field Average Solar Flux Text Field	[] Pass [] Pass [] Pass [] Pass [] Pass	[] Fai: [] Fai: [] Fai:	1 Bug# 1 Bug# 1 Bug# 1 Bug#

94

File Name Text Field File Selection Button Cancel Button OK Button Help [DEFERRED]	[] Pass [] Pass	[] Fail [] Fail	Bug# Bug# Bug# Bug#
Magnetic Field Type Combo Box	[] Pass	[] Fail	Bug#
Magnetic Field Degree Text Field	[] Pass	[] Fail	Bug#
Magnetic Field Order Text Field	[] Pass	[] Fail	Bug#
Magn. Field File Select Action Button	[] Pass	[] Fail	Bug#
<- (Remove) Selection Button <= (Remove All) Selection Button	[] Pass [] Pass [] Pass [] Pass [] Pass	[] Fail [] Fail [] Fail [] Fail [] Fail	Bug# Bug# Bug# Bug# Bug# Bug# Bug#
Point Masses Text List	[] Pass	[] Fail	Bug#
Solar Radiation Pressure Check Box	[] Pass	[] Fail	Bug#
Evaluate panel-specific functionality.			
Evaluate data.			
Data elements appear complete	[] Pass	[] Fail	Bug#
Show Script	[] Pass	[] Fail	Bug#
Evaluate panel control.			
Tab Key Navigation	[] Pass	[] Fail	Bug#
Cancel	[] Pass	[] Fail	Bug#
Apply	[] Pass	[] Fail	Bug#
OK (Save)	[] Pass	[] Fail	Bug#
Help [DEFERRED]			
Restore	[] Pass	[] Fail	Bug#
Minimize	[] Pass	[] Fail	Bug#

4.

5.

6.

10.7. COORDINATE SYSTEM

Maximize	[] Pass	[] Fail	Bug#
Close	[] Pass	[] Fail	Bug#
7. Evaluate rename functionality.			
Rename (on resource tree)	[] Pass	[] Fail	Bug#
	[] 1 432	[] [246"
Summary:			
Number of passed test elements			
Total number of test elements			
Test case status	[] Pass	[] Fail	
Bugs Reported:			
Notes:			
10.7 Coordinate System			
\$Id: CoordinateSystemPanel.txt,v 1.4 2	2006/11/22 21:32:3	34 dconway	Exp \$
Tester:	Date:		
Platform: Windows, Version:			
Macintosh, OS X Versio			
Linux, Distribution: _			
Description:			
This test validates the functionality non-default coordinate systems). (* indicates sub-panel whose functions			anel (for

Procedure

1. Create and open the appropriate object panel.

	Create Coordinate System Resource	[] Pass	[] га	uii bug#
	Open Coordinate System Resource	[] Pass	[] Fa	il Bug#
2.	Evaluate the aesthetic qualities of the pa	anel.		
	Panel Aesthetics	[] Pass	[] Fa	il Bug#
3.	Evaluate the individual panel elements.			
	Origin Combo Box	[] Pass	[] Fa	il Bug#
	Axes Type Combo Box	[] Pass	[] Fa	il Bug#
1.	Evaluate panel-specific functionality.			
	a. Select Object Referenced Axes Type: Primary Body Combo Box Secondary Body Combo Box X Combo Box Y Combo Box Z Combo Box	[] Pass [] Pass [] Pass	[] Fa [] Fa [] Fa	il Bug# il Bug# il Bug# il Bug# il Bug#
	b. Select TOEEq/MOEEq: Epoch Format Combo Box Epoch Text Fieldc. Select BodyFixed/Equator/GSM/			il Bug# il Bug#
	TODEc/TODEq/TOEEc/TOEEq: Update Interval Text Field	[] Pass	[] Fa	il Bug#
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fa	il Bug#
	Show Script	[] Pass	[] Fa	il Bug#
3.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fa	il Bug#
	Cancel	[] Pass	[] Fa	il Bug#
	Apply	[] Pass	[] Fa	il Bug#
	OK (Save)	[] Pass	[] Fa	il Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fa	il Bug#
	Minimize	[] Pass	[] Fa	il Bug#

10.7. COORDINATE SYSTEM

	Maximize	[]]	Pass]	Fail	Bug#	
	Close	[]]	Pass]	Fail	Bug#	
7 .	Evaluate rename functionality.								
	Rename (on resource tree)	۲.	1	Doga	г	٦.	Enil	P11 cr#	
	nendme (on resource tree)	L.	J	rass	L		raii	. Dug#	
Sur	nmary:								
	Number of passed test elements								
	Total number of test elements								
	Test case status	[]]	Pass]	Fail		
D	D								
Bu	gs Reported:								
No	tes:								
\$I	d: AddCoordSystemDialog.txt,v 1.4 2006	/11/22 :	21	L:32:3	3	dc	onway	Exp \$	
	, G						,	1	
Te	ster:	Date	e:	:					
Pl:	atform: Windows, Version:								
	Macintosh, OS X Version:								
	Linux, Distribution:								
	,								
Dea	scription:								
	is test validates the functionality of indicates sub-panel whose functionali							-	Dialog.
Pro	ocedure:								
1.	Create and open the appropriate object	t panel							
	Open Coord. System Create Dialog	[]]	Pass]	Fail	. Bug#	

2. Evaluate the aesthetic qualities of the panel.

	Panel Aesthetics	[] Pass	[] Fail	Bug#
3.	Evaluate the individual panel elements.			
	Coordinate System Name Text Field	[] Pass	[] Fail	Bug#
	Origin Combo Box	[] Pass	[] Fail	Bug#
	Axes Type Combo Box	[] Pass	[] Fail	Bug#
1.	Evaluate panel-specific functionality.			
	 a. Select Object Referenced Axes Type: Primary Body Combo Box Secondary Body Combo Box X Combo Box Y Combo Box Z Combo Box b. Select TOEEq/MOEEq: Epoch Format Combo Box Epoch Text Field c. Select BodyFixed/Equator/GSM/ TODEc/TODEq/TOEEc/TOEEq: Update Interval Text Field 	[] Pass [] Pass [] Pass [] Pass [] Pass	[] Fail [] Fail [] Fail [] Fail [] Fail	Bug# Bug# Bug# Bug# Bug# Bug#
5.	Evaluate data.			
	Data elements appear complete Show Script [N/A]	[] Pass	[] Fail	Bug#
3.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pagg	[] Fail	B110#

7. Evaluate rename functionality.		
Rename (on resource tree)	[] Pass [] Fail	Bug#
Summary:		
•		
Number of passed test elements		
Total number of test elements		
Test case status	[] Pass [] Fail	
Bugs Reported:		
Notes:		
10.8 Array		
\$Id: ArrayPanel.txt,v 1.4 2006/11/22 2	1:32:33 dconway Exp \$	
\$Id: ArrayPanel.txt,v 1.4 2006/11/22 2		
	Date: n:	
Tester: Windows, Version: Macintosh, OS X Version	Date: n:	
Tester: Platform: Windows, Version: Macintosh, OS X Version Linux, Distribution: _	Date: n: of the Array panel.	
Tester: Windows, Version: Platform: Windows, Version: Macintosh, OS X Version Linux, Distribution: Description: This test validates the functionality	Date: n: of the Array panel.	
Tester: Windows, Version: Macintosh, OS X Version Linux, Distribution: _ Description: This test validates the functionality (* indicates sub-panel whose functions)	Date: n: of the Array panel. lity is tested separately	
Tester: Windows, Version: Macintosh, OS X Version Linux, Distribution: _ Description: This test validates the functionality (* indicates sub-panel whose functions) Procedure:	Date: n: of the Array panel. lity is tested separately)

2. Evaluate the aesthetic qualities of the panel.

100

	Panel Aesthetics	[]	Pass	[]	Fail	Bug#	
3.	Evaluate the individual panel elements.								
	Name Text Field (read-only)	Г]	Pass	[]	Fail	Bug#	
	Row Text Field (read-only)		[] Pass	;	[] Fai:	L Bug	g#
	Column Text Field (read-only)	[]	Pass	[]	Fail	Bug#	
	Row Combo Box]	Pass	[]	Fail	Bug#	
	Column Combo Box	[]	Pass	[]	Fail	Bug#	
	Value Text Field	[]	Pass	[]	Fail	Bug#	
	Update Button	[]	Pass	[]	Fail	Bug#	
	Values Grid (Text Fields)	[]	Pass	[]	Fail	Bug#	
4	Evaluate panel-specific functionality.								
	N/A								
5.	Evaluate data.								
	Data elements appear complete	[]	Pass	[]	Fail	Bug#	
	Show Script]	Pass	[]	Fail	Bug#	
6.	Evaluate panel control.								
	Tab Key Navigation	Γ]	Pass	[]	Fail	Bug#	
	Cancel	Е]	Pass	[]	Fail	Bug#	
	Apply	Γ]	Pass	[]	Fail	Bug#	
	OK (Save)	[]	Pass	[]	Fail	Bug#	
	Help [DEFERRED]								
	Restore]	Pass	[]	Fail	Bug#	
	Minimize	Г]	Pass	[]	Fail	Bug#	
	Maximize	Г]	Pass	[]	Fail	Bug#	
	Close	[]	Pass	[]	Fail	Bug#	

7. Evaluate rename functionality.

Draft: Work in Progress 10.9. BARYCENTER

Rename (on resource tree)	[] Pa	ıss []	Fail Bug# _	
Summary:				
Number of passed test elements				
Total number of test elements				
Test case status	[] Pa	ıss []	Fail	
Bugs Reported:				
Notes:				
10.9 Barycenter				
\$Id: BarycenterPanel.txt,v 1.4 2006/11/2	22 21:32:33	dconway	Exp \$	
Tester: Date:	Build: _			
Platform: Windows, Version:				
Macintosh, OS X Version	:			
Linux, Distribution:				
Description:				
This test validates the functionality of (* indicates sub-panel whose functional:				
Procedure:				
1. Add and open the appropriate object p	panel.			
Add Barycenter Resource	[] Pass	[] Fai	.1 Bug#	
Open Barycenter Resource	[] Pass	[] Fai	.l Bug#	
Close Barycenter Resource	[] Pass	[] Fai	.1 Bug#	

Clone Barycenter Resource [] Pass [] Fail Bug# ____

	Delete Barycenter Resource	[] Pass []] Fail Bu	g#
2.	Evaluate the aesthetic qualities of the	e panel.		
	Panel Aesthetics	[] Pass	[] Fail	Bug#
3.	Evaluate the individual panel elements.			
	Available Bodies List	[] Pass	[] Fail	Bug#
	Bodies Selected List	[] Pass	[] Fail	Bug#
	> (Add) Action Button	[] Pass	[] Fail	Bug#
	< (Remove) Selection Button	[] Pass	[] Fail	Bug#
	< = (Remove All) Selection Button	[] Pass	[] Fail	Bug#
1.	Evaluate panel-specific functionality.			
	N/A			
_	Evaluate data.			
		[] Pagg	[] Fail	Bug#
	Data elements appear complete			
	Show Script	[] Pass	[] Fall	Bug#
3.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#
7.	Evaluate rename functionality.			
	Rename (on resource tree)	[] Pass	[] Fail	Bug#

Summary:	
Number of passed test elements	
Total number of test elements	
Test case status	[] Pass [] Fail
Bugs Reported:	
Notes:	
10.10 Variable	
\$Id: CreateVariableDialog.txt,v 1.4 20	06/11/22 21:32:33 dconway Exp \$
Tester:	Date:
Platform: Windows, Version:	
Macintosh, OS X Versio	n:
Linux, Distribution: _	
Description:	
This test validates the functionality appears via other panels (e.g. ReportF (* indicates sub-panel whose functiona	ile, XYPlotPanel)
Procedure:	
1. Create and open the appropriate obj	ect panel.
Create other panel Resource	[] Pass [] Fail Bug#
Open other panel Resource	[] Pass [] Fail Bug#
Open Create Action Button	[] Pass [] Fail Bug#

2. Evaluate the aesthetic qualities of the panel.

	Panel Aesthetics	[] Pass	[] Fail	Bug#
3.	Evaluate the individual panel elements.			
	Variable Name Text Field	[] Pass	[] Fail	Bug#
	Variable Expression Text Field	[] Pass	[] Fail	Bug#
	Paste Property Button	[] Pass	[] Fail	Bug#
	Paste Variables Button	[] Pass	[] Fail	Bug#
	Create Object Button	[] Pass	[] Fail	Bug#
	Color Selection Button	[] Pass	[] Fail	Bug#
	String Name Text Field	[] Pass	[] Fail	Bug#
	String Value Text Field	[] Pass	[] Fail	Bug#
	Array Name Text Field	[] Pass	[] Fail	Bug#
	Array Row Text Field	[] Pass	[] Fail	Bug#
	Array Column Text Field	[] Pass	[] Fail	Bug#
4	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script [N/A]			
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore [N/A]			
	Minimize [N/A]			
	Maximize [N/A]			

Close	[] Pass [] Fail Bug#					
7. Evaluate rename functionality.						
Rename [N/A]						
Summary:						
Number of passed test elements						
Total number of test elements						
Test case status	[] Pass [] Fail					
Bugs Reported:						
Notes:						
10.11 Solar System Objects						
\$Id: SolarSystemEarthPanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$						
Tester: Date:	Build:					
Platform: Windows, Version:						
Macintosh, OS X Version:						
Linux, Distribution:						
Description:						
This test validates the functionality of the Sun panel. (* indicates sub-panel whose functionality is tested separately)						
Procedure:						
1. Add and open the appropriate object pane	el.					
Add Moon Resource	[] Pass [] Fail Bug#					
Open Resource	[] Page [] Fail Bug#					

	Close Resource	[] Pa	ass []	Fail	Bug#	
2.	Evaluate the aesthetic qualities of the pa	anel.				
	Panel Aesthetics	[] Pa	ass []	Fail	Bug#	
3.	Evaluate the individual panel elements. (* all :	from Ear	th valı	ues)	
	Properties Tab					
	mu Text Field	[] Pa	ass []	Fail	Bug#	
	Equatorial Radius Text Field	[] Pa	ass []	Fail	Bug#	
	Flattening Factor Text Field	[] Pa	ass []	Fail	Bug#	
	Texture Map File	[] Pa	ass []	Fail	Bug#	
	Browse Button	[] Pa	ass []	Fail	Bug#	
	Orbit Tab Ephemeris Data Central Body Ephemeris Date Ephemeris Source Ephemeris Data Ephemeris File (DE405) NAIF ID (Spice) SPK Files (Spice) Initial TwoBody State Initial A1 Epoch SMA ECC INC RAAN AOP TA	[] Pa	ass []	Fail Fail Fail Fail Fail Fail Fail Fail	Bug# Bug# Bug# Bug# Bug# Bug# Bug# Bug#	
4.	Orientation Tab Spin Axis RA Constant Spin Axis RA Rate Spin Axis DEC Constant Spin Axis DEC Rate Rotation Constant Rotation Rate Nutation Update Interval Rotation Date Source Evaluate panel-specific functionality. N/A	[] Pa [] Pa [] Pa [] Pa [] Pa	ass []	Fail Fail Fail Fail Fail	Bug# Bug# Bug# Bug# Bug# Bug#	
5.	Evaluate data.					
	Data elements appear complete	[] P:	ass []	Fail	B11σ#	

10.11. SOLAR SYSTEM OBJECTS

	Show Script	[] Pass	[] Fail	Bug#			
6.	Evaluate panel control.						
	Tab Key Navigation	[] Pass	[] Fail	Bug#			
	Cancel	[] Pass	[] Fail	Bug#			
	Apply	[] Pass	[] Fail	Bug#			
	OK (Save)	[] Pass	[] Fail	Bug#			
	Help [DEFERRED]						
	Restore	[] Pass	[] Fail	Bug#			
	Minimize	[] Pass	[] Fail	Bug#			
	Maximize	[] Pass	[] Fail	Bug#			
	Close	[] Pass	[] Fail	Bug#			
7.	Evaluate rename functionality.						
	Rename (on resource tree) n/a	[] Pass	[] Fail	Bug#			
Sur	nmary:						
	Number of passed test elements	-					
	Total number of test elements	_					
	Test case status	[] Pass	[] Fail				
Bug	gs Reported:						
Not	ces:						
\$Id: SolarSystemJupiterPanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$							
Tes	ster: Date: B	uild:					
Pla	Platform: Windows, Version:						
	Macintosh, OS X Version:						

Draft. Work in Drogross

	DIAIL	. VV (OLK	T11	LIC	gres	S
108						CHAPTER 10.	RESOURCES

	LINUX, DISCITBUCTOR						
De	scription:						
	is test validates the functionality of the indicates sub-panel whose functionality i	-		ately)			
Pr	ocedure:						
1. Add and open the appropriate object panel.							
	Add Moon Resource	[] Pass	[]	Fail	Bug#		
	Open Jupiter Resource	[] Pass	[]	Fail	Bug#		
	Close Jupiter Resource	[] Pass	[]	Fail	Bug#		
2.	Evaluate the aesthetic qualities of the p	anel.					
	Panel Aesthetics	[] Pass	[]	Fail	Bug#		
3.	Evaluate the individual panel elements. (* all from	n Eart	th val	ues)		
	Properties Tab						
	mu Text Field	[] Pass	[]	Fail	Bug#		
	Equatorial Radius Text Field	[] Pass	[]	Fail	Bug#		
	Flattening Factor Text Field	[] Pass	[]	Fail	Bug#		
	Texture Map File	[] Pass	[]	Fail	Bug#		
	Browse Button	[] Pass	[]	Fail	Bug#		
	Orbit Tab Ephemeris Data Central Body Ephemeris Date Ephemeris Source Ephemeris Data Ephemeris File (DE405) NAIF ID (Spice) SPK Files (Spice)	[] Pass [] Pass [] Pass [] Pass	[]	Fail Fail Fail Fail Fail	Bug# Bug# Bug#		
	Initial TwoBody State Initial A1 Epoch SMA ECC INC RAAN AOP TA	[] Pass [] Pass [] Pass [] Pass [] Pass [] Pass	[]	Fail Fail Fail Fail Fail Fail	Bug# Bug# Bug# Bug# Bug#		

10.11. SOLAR SYSTEM OBJECTS

	Orientation Tab Spin Axis RA Constant Spin Axis RA Rate Spin Axis DEC Constant Spin Axis DEC Rate Rotation Constant Rotation Rate Rotation Date Source	[] [] [] []	Pass Pass Pass Pass Pass Pass	[]	Fail Fail Fail Fail	Bug# Bug# Bug# Bug# Bug#	
4.	Evaluate panel-specific functionality	ty.					
	N/A						
5.	Evaluate data.						
	Data elements appear complete	[]	Pass	[]	Fail	Bug#	
	Show Script	[]	Pass	[]	Fail	Bug#	
6.	Evaluate panel control.						
	Tab Key Navigation	[]	Pass	[]	Fail	Bug#	
	Cancel	[]	Pass	[]	Fail	Bug#	
	Apply	[]	Pass	[]	Fail	Bug#	
	OK (Save)	[]	Pass	[]	Fail	Bug#	
	Help [DEFERRED]						
	Restore	[]	Pass	[]	Fail	Bug#	
	Minimize	[]	Pass	[]	Fail	Bug#	
	Maximize	[]	Pass	[]	Fail	Bug#	
	Close	[]	Pass	[]	Fail	Bug#	
7.	Evaluate rename functionality.						
	Rename (on resource tree) n/a	[]	Pass	[]	Fail	Bug#	
Sur	nmary:						
	Number of passed test elements						
	Total number of test elements						
	Test case status	[]	Pass	[]	Fail		

Bugs Reported:

Notes:

\$Id: SolarSystemLunaPanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$						
Tester: Date:	Build:					
Platform: Windows, Version: Macintosh, OS X Version: Linux, Distribution:						
Description:						
This test validates the functionality of the Sun panel. (* indicates sub-panel whose functionality is tested separately)						
Procedure:						
1. Add and open the appropriate object pane	el.					
Add Moon Resource	[] Pass	[] Fail	Bug#			
Open Resource	[] Pass	[] Fail	Bug#			
Close Resource	[] Pass	[] Fail	Bug#			
2. Evaluate the aesthetic qualities of the panel.						
Panel Aesthetics	[] Pass	[] Fail	Bug#			
3. Evaluate the individual panel elements.	(* all from	Earth val	ues)			
Properties Tab						
mu Text Field	[] Pass	[] Fail	Bug#			
Equatorial Radius Text Field	[] Pass	[] Fail	Bug#			
Flattening Factor Text Field	[] Pass	[] Fail	Bug#			
Texture Map File	[] Pass	[] Fail	Bug#			
Browse Button	[] Pass	[] Fail	Bug#			

10.11. SOLAR SYSTEM OBJECTS

	Orbit Tab			
	Ephemeris Data Central Body	[] Pass	[] Fail	Bug#
	Ephemeris Date Ephemeris Source	[] Pass	[] Fail	
	Ephemeris Data Ephemeris File (DE405)	[] Pass	[] Fail	_
	NAIF ID (Spice)	[] Pass	[] Fail	Bug#
	SPK Files (Spice)	[] Pass	[] Fail	Bug#
	Initial TwoBody State			
	Initial A1 Epoch		[] Fail	•
	SMA		[] Fail	_
	ECC		[] Fail	-
	INC		[] Fail	-
	RAAN		[] Fail	•
	AOP		[] Fail	•
	TA	[] Pass	[] Fail	Bug#
	Orientation Tab			
	Spin Axis RA Constant	[] Pass	[] Fail	Bug#
	Spin Axis RA Rate		[] Fail	_
	Spin Axis DEC Constant	[] Pass	[] Fail	
	Spin Axis DEC Rate	[] Pass	[] Fail	Bug#
	Rotation Constant	[] Pass	[] Fail	Bug#
	Rotation Rate	[] Pass	[] Fail	Bug#
	Rotation Date Source	[] Pass	[] Fail	Bug#
4.	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Dogg	[] Enil	Bug#
				· ·
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#

7.	Evaluate rename functionality.
	Rename (on resource tree) n/a [] Pass [] Fail Bug#
Sur	mary:
	Number of passed test elements
	Total number of test elements
	Test case status [] Pass [] Fail
Buį	s Reported:
Not	es:
\$10	: SolarSystemMarsPanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$
Te	ter: Date: Build:
Pla	tform: Windows, Version:
	Macintosh, OS X Version:
	Linux, Distribution:
Dea	cription:
	s test validates the functionality of the Sun panel. indicates sub-panel whose functionality is tested separately)
Pro	cedure:
1.	Add and open the appropriate object panel.
	Add Moon Resource [] Pass [] Fail Bug#
	Open Mars Resource [] Pass [] Fail Bug#
	Close Mars Resource [] Pass [] Fail Bug#

2. Evaluate the aesthetic qualities of the panel.

	Panel Aesthetics	[]	Pass	[]	Fail	Bug#	
3.	Evaluate the individual panel elements. ((* al]	l from	Ear	th val	ues)	
	Properties Tab						
	mu Text Field	[]	Pass	[]	Fail	Bug#	
	Equatorial Radius Text Field	[]	Pass	[]	Fail	Bug#	
	Flattening Factor Text Field	[]	Pass	[]	Fail	Bug#	
	Texture Map File	[]	Pass	[]	Fail	Bug#	
	Browse Button	[]	Pass	[]	Fail	Bug#	
			Pass Pass Pass Pass Pass Pass Pass Pass		Fail Fail Fail Fail Fail Fail Fail Fail	Bug# Bug# Bug# Bug# Bug# Bug# Bug# Bug#	
4.	Orientation Tab Spin Axis RA Constant Spin Axis RA Rate Spin Axis DEC Constant Spin Axis DEC Rate Rotation Constant Rotation Rate Rotation Date Source Evaluate panel-specific functionality. N/A	[]	Pass Pass Pass Pass	[]	Fail Fail Fail Fail	Bug# Bug# Bug# Bug#	
5.	Evaluate data.						
	Data elements appear complete	[]	Pass	[]	Fail	Bug#	
	Show Script	[]	Pass	[]	Fail	Bug#	

6. Evaluate panel control.

114 Tab Key Navigation [] Pass [] Fail Bug# _____ Cancel [] Pass [] Fail Bug# _____ Apply [] Pass [] Fail Bug# _____ OK (Save) [] Pass [] Fail Bug# _____ Help [DEFERRED] Restore [] Pass [] Fail Bug# _____ Minimize [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Maximize Close [] Pass [] Fail Bug# _____ 7. Evaluate rename functionality. Rename (on resource tree) n/a [] Pass [] Fail Bug# _____ Summary: Number of passed test elements Total number of test elements Test case status [] Pass [] Fail Bugs Reported: Notes: \$Id: SolarSystemMercuryPanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$ Tester: _____ Date: _____ Build: _____ ___ Windows, Version: _____ Platform: ___ Macintosh, OS X Version: _____ ___ Linux, Distribution: _____

Description:

10.11. SOLAR SYSTEM OBJECTS

This test validates the functionality of the Sun panel. (* indicates sub-panel whose functionality is tested separately)

rioccaurc.	Pro	ced	lure	:
------------	-----	-----	------	---

1.	Add and open the appropriate object pane.	1.					
	Add Moon Resource	[]	Pass	[]	Fail	Bug#	
	Open Mercury Resource	[]	Pass	[]	Fail	Bug#	
	Close Mercury Resource	[]	Pass	[]	Fail	Bug#	
2.	Evaluate the aesthetic qualities of the p	panel					
	Panel Aesthetics	[]	Pass	[]	Fail	Bug#	
3.	Evaluate the individual panel elements.	(* al:	l from	Ear	th val	ues)	
	Properties Tab						
	mu Text Field	[]	Pass	[]	Fail	Bug#	
	Equatorial Radius Text Field	[]	Pass	[]	Fail	Bug#	
	Flattening Factor Text Field	[]	Pass	[]	Fail	Bug#	
	Texture Map File	[]	Pass	[]	Fail	Bug#	
	Browse Button	[]	Pass	[]	Fail	Bug#	
	Orbit Tab						
		Γ٦	Pass	Γ٦	Fail	R11σ#	
	Ephemeris Date Ephemeris Source						
	Ephemeris Data Ephemeris File (DE405)						
	NAIF ID (Spice)						
	<u>-</u>						
	SPK Files (Spice)	LJ	Pass	LJ	rall	Bug#	
	Initial TwoBody State						
	Initial A1 Epoch	[]	Pass				
	SMA	[]	Pass	[]	Fail	Bug#	
	ECC	[]	Pass	[]	Fail	Bug#	
	INC	[]	Pass	[]	Fail	Bug#	
	RAAN	[]	Pass	[]	Fail	Bug#	
	AOP	[]	Pass	[]	Fail	Bug#	
	TA	[]	Pass	[]	Fail	Bug#	
(Orientation Tab		_	<u> </u>		_	
	Spin Axis RA Constant		Pass		Fail		
	Spin Axis RA Rate		Pass		Fail	_	
	Spin Axis DEC Constant		Pass		Fail	_	
	Spin Axis DEC Rate		Pass		Fail	_	
	Rotation Constant		Pass		Fail	_	
	Rotation Rate	[]	Pass	[]	Fail	Bug#	

	Rotation Date Source	[] Pa	ss []	Fail	Bug#	
4.	Evaluate panel-specific functionalit	у.				
	N/A					
_	Euglista data					
ο.	Evaluate data.					
	Data elements appear complete	[] Pa	ss []	Fail	Bug#	
	Show Script	[] Pa	ss []	Fail	Bug#	
6.	Evaluate panel control.					
	Tab Key Navigation	[] Pa	.ss []	Fail	Bug#	
	Cancel	[] Pa	ss []	Fail	Bug#	
	Apply	[] Pa	ss []	Fail	Bug#	
	OK (Save)	[] Pa	ss []	Fail	Bug#	
	Help [DEFERRED]					
	Restore	[] Pa	.ss []	Fail	Bug#	
	Minimize	[] Pa	ss []	Fail	Bug#	
	Maximize	[] Pa	.ss []	Fail	Bug#	
	Close	[] Pa	ss []	Fail	Bug#	
7.	Evaluate rename functionality.					
	Rename (on resource tree) n/a	[] Pa	.ss []	Fail	Bug#	
Sur	nmary:					
	Number of passed test elements					
	Total number of test elements					
	Test case status	[] Pa	ss []	Fail		
Buį	gs Reported:					

Notes:

116

\$Id: SolarSystemNeptunePanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$

10.11. SOLAR SYSTEM OBJECTS

Initial TwoBody State

Tester:	Date:	Build	:				
Platform: Wi	ndows, Version:						
Ma	cintosh, OS X Version	:					
Li	nux, Distribution:						
Description:							
	es the functionality of sanel whose functional		-		ately)		
Procedure:							
1. Add and open th	e appropriate object p	panel.					
Add Moon Resour	се	[]	Pass	[]	Fail	Bug#	
Open Neptune Re	source	[]	Pass	[]	Fail	Bug#	
Close Neptune R	esource	[]	Pass	[]	Fail	Bug#	
2. Evaluate the ae	sthetic qualities of	the panel					
Panel Aesthetic	s	[]	Pass	[]	Fail	Bug#	
3. Evaluate the in	dividual panel elemen	ts. (* al	l from	Ear	th val	ues)	
Properties Tab							
mu Text Fiel	d	[]	Pass	[]	Fail	Bug#	
Equatorial R	adius Text Field	[]	Pass	[]	Fail	Bug#	
Flattening F	actor Text Field	[]	Pass	[]	Fail	Bug#	
Texture Map	File	[]	Pass	[]	Fail	Bug#	
Browse Butto	n	[]	Pass	[]	Fail	Bug#	
Ephemeris Da	te Ephemeris Source ta Ephemeris File (DEace)	[]	Pass	[]	Fail Fail Fail	Bug# Bug# Bug#	

118 Initial A1 Epoch [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ SMA [] Fail Bug# _____ ECC [] Pass [] Pass [] Fail Bug# _____ INC RAAN [] Pass [] Fail Bug# _____ AOP [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ TA Orientation Tab [] Pass [] Fail Bug# _____ Spin Axis RA Constant [] Pass [] Fail Bug# _____ Spin Axis RA Rate [] Pass [] Fail Bug# _____ Spin Axis DEC Constant [] Pass [] Fail Bug# _____ Spin Axis DEC Rate [] Pass [] Fail Bug# _____ Rotation Constant [] Pass [] Fail Bug# _____ Rotation Rate Rotation Date Source [] Pass [] Fail Bug# _____ 4. Evaluate panel-specific functionality. N/A 5. Evaluate data. Data elements appear complete [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Show Script 6. Evaluate panel control. Tab Key Navigation [] Pass [] Fail Bug# _____ Cancel [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Apply OK (Save) [] Pass [] Fail Bug# _____ Help [DEFERRED] Restore [] Pass [] Fail Bug# _____ Minimize [] Pass [] Fail Bug# _____ Maximize [] Pass [] Fail Bug# _____ Close [] Pass [] Fail Bug# _____ 7. Evaluate rename functionality.

Rename (on resource tree) n/a [] Pass [] Fail Bug# _____

Summary:

10.11. SOLAR SYSTEM OBJECTS

Number of passed test elements	_					
Total number of test elements	-					
Test case status	[] Pass [] Fail					
Bugs Reported:						
Notes:						
\$Id: SolarSystemEarthPanel.txt,v 1.4 2006/11	/22 21:32:33 dconway Exp \$					
Tester: Date: B	uild:					
Platform: Windows, Version:						
Macintosh, OS X Version:						
Linux, Distribution:						
Description:						
This test validates the functionality of the (* indicates sub-panel whose functionality i						
Procedure:						
1. Add and open the appropriate object panel						
Add Moon Resource	[] Pass [] Fail Bug#					
Open Resource	[] Pass [] Fail Bug#					
Close Resource	[] Pass [] Fail Bug#					
2. Evaluate the aesthetic qualities of the p	anel.					
Panel Aesthetics	[] Pass [] Fail Bug#					
3. Evaluate the individual panel elements. (* all from Earth values)					
Properties Tab						
mu Text Field	[] Pass [] Fail Bug#					

120

	Equatorial Radius Text Field	[] Pass	[] Fail	Bug#
	Flattening Factor Text Field	[] Pass	[] Fail	Bug#
	Texture Map File	[] Pass	[] Fail	Bug#
	Browse Button	[] Pass	[] Fail	Bug#
0	rbit Tab			
	Ephemeris Data Central Body	[] Pass	[] Fail	Bug#
	Ephemeris Date Ephemeris Source			
	Ephemeris Data Ephemeris File (DE405)			
	NAIF ID (Spice)			Bug#
	-			
	SPK Files (Spice)	[] Pass	[] Fall	Bug#
	Initial TwoBody State			
	Initial A1 Epoch	[] Pass	[] Fail	Bug#
	SMA	[] Pass	[] Fail	Bug#
	ECC			Bug#
	INC			Bug#
	RAAN			Bug#
	AOP			Bug#
	TA	[] Pass	[] Fail	Bug#
0	rientation Tab			
	Spin Axis RA Constant	[] Pass	[] Fail	Bug#
	Spin Axis RA Rate	[] Pass		Bug#
	Spin Axis DEC Constant	[] Pass		Bug#
	=			_
	Spin Axis DEC Rate	[] Pass		Bug#
	Rotation Constant			Bug#
	Rotation Rate			Bug#
	Nutation Update Interval	[] Pass		Bug#
	Rotation Date Source	[] Pass	[] Fail	Bug#
4. E	Cvaluate panel-specific functionality.			
N	I/A			
5. E	valuate data.			
ח	Pata elements appear complete	[] Pagg	[] Esil	Bug#
ע	ata elements appear complete	[] rass	[] raii	Dug#
S	Show Script	[] Pass	[] Fail	Bug#
6. E	valuate panel control.			
Т	ab Key Navigation	[] Pass	[] Fail	Bug#
(dancel	[] Pass	[] Fail	Bug#
				_
A	pply	[] Pass	[] Fail	Bug#
0	K (Save)	[] Pass	[] Fail	Bug#
Н	[elp [DEFERRED]			

Draft: Work in Progress 10.11. SOLAR SYSTEM OBJECTS

Restore	[] Pass	[] Fail	Bug#
Minimize	[] Pass	[] Fail	Bug#
Maximize	[] Pass	[] Fail	Bug#
Close	[] Pass	[] Fail	Bug#
7. Evaluate rename functionality.			
Rename (on resource tree) n/a	[] Pass	[] Fail	Bug#
Summary:			
Number of passed test elements			
Total number of test elements			
Test case status	[] Pass	[] Fail	
Bugs Reported:			
Notes:			
\$Id: SolarSystemPanel.txt,v 1.4 2006/11/2	2 21:32:33 d	conway Exp	\$
Tester: Date:	Build:		
Platform: Windows, Version:			
Macintosh, OS X Version:			
Linux, Distribution:			
Description:			
This test validates the functionality of the state of the	•	-	
Procedure:			
1. Open the appropriate object panel.			
Open SolarSystem Resource	[] Pas	s [] Fai]	L Bug#

122

	Close SolarSystem Resource	[] Pass	[] Fail	Bug#
2.	Evaluate the aesthetic qualities of the pa	anel.		
	Panel Aesthetics	[] Pass	[] Fail	Bug#
3.	Evaluate the individual panel elements.			
	Ephemeris Update Interval Text Field	[] Pass	[] Fail	Bug#
	Ephemeris Source List	[] Pass	[] Fail	Bug#
	Ephemeris File Name Text Field	[] Pass	[] Fail	Bug#
	Browse (File Select) Action Button	[] Pass	[] Fail	Bug#
	Use TT for Ephemeris Check Box	[] Pass	[] Fail	Bug#
4.	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#

7. Evaluate rename functionality.

10.11. SOLAR SYSTEM OBJECTS

n/a

Sur	mary:				
	Number of passed test elements				
	Total number of test elements				
	Test case status	[] Pass	[] Fail		
Bug	s Reported:				
Not	es:				
\$Id	: SolarSystemPlanetPanel.txt,v 1.4	2006/11/22 21:32	:33 dconwa	у Ехр	\$
Tes	ter: Date:	Build:			
Pla	tform: Windows, Version:				
	Macintosh, OS X Versio	n:			
	Linux, Distribution: _				
Des	scription:				
	s test validates the functionality indicates sub-panel whose functional	-			
Pro	ocedure:				
1.	Add and open the appropriate object	panel.			
	Add Planet Resource	[] Pass	[] Fail	Bug#	
	Open Planet Resource	[] Pass	[] Fail	Bug#	
	Close Planet Resource	[] Pass	[] Fail	Bug#	
2.	Evaluate the aesthetic qualities of	the panel.			
	Panel Aesthetics	[] Pass	[] Fail	Bug#	

3. Evaluate the individual panel elements. (* all from Earth values)

Properties lab			
mu Text Field	[] Pass	[] Fail	Bug#
Equatorial Radius Text Field	[] Pass	[] Fail	Bug#
Flattening Factor Text Field	[] Pass	[] Fail	Bug#
Texture Map File	[] Pass	[] Fail	Bug#
Browse Button	[] Pass	[] Fail	Bug#
Orbit Tab			
Ephemeris Data Central Body Ephemeris Date Ephemeris Source Ephemeris Data Ephemeris File (DE405) NAIF ID (Spice) SPK Files (Spice)	[] Pass [] Pass [] Pass		Bug# Bug# Bug#
Initial TwoBody State Initial A1 Epoch SMA ECC INC RAAN AOP	[] Pass [] Pass [] Pass [] Pass	[] Fail	Bug# Bug# Bug# Bug#
Orientation Tab Spin Axis RA Constant Spin Axis RA Rate Spin Axis DEC Constant Spin Axis DEC Rate Rotation Constant Rotation Rate Rotation Date Source	[] Pass [] Pass [] Pass [] Pass	[] Fail	Bug# Bug# Bug# Bug#
Evaluate panel-specific functionality.			
N/A			
Evaluate data.			
Data elements appear complete	[] Pass	[] Fail	Bug#
Show Script	[] Pass	[] Fail	Bug#
Evaluate panel control.			
Tab Key Navigation	[] Pass	[] Fail	Bug#
Cancel			Bug#
Apply	[] Pass		Bug#

4.

5.

6.

10.11. SOLAR SYSTEM OBJECTS

Procedure:

OK (S	ave)		[]	Pass	[]	Fail	Bug#	
Help	[DEFERRED]							
Resto	re		[]	Pass	[]	Fail	Bug#	
Minim	ize		[]	Pass	[]	Fail	Bug#	
Maxim	ize		[]	Pass	[]	Fail	Bug#	
Close			[]	Pass	[]	Fail	Bug#	
7. Evalu	ate rename functionality.							
Renam	e (on resource tree)	n/a	[]	Pass	[]	Fail	Bug#	
G.								
Summary:								
Numbe	r of passed test elements	5	-					
Total	number of test elements		-					
Test	case status		[]	Pass	[]	Fail		
Bugs Rep	orted:							
Notes:								
\$Id: Sol	arSystemPlutoPanel.txt,v	1.4 2006/11,	/22	21:32:	33 d	conway	Exp \$	3
Tester:	Date:	Bı	iild	:				
Platform	: Windows, Version:	:						
	Macintosh, OS X V	Version:						
	Linux, Distributi	ion:						
Descript	ion:							
	This test validates the functionality of the Sun panel. (* indicates sub-panel whose functionality is tested separately)							

126

1.	Add and open the appropriate object panel	l.					
	Add Moon Resource	[]	Pass	[]	Fail	Bug#	
	Open Pluto Resource	[]	Pass	[]	Fail	Bug#	
	Close Pluto Resource	ГЛ	Pass	r 1	Fail	Bug#	
	oroge Trade Negotifee		1 455		rarr	Dug"	
2.	Evaluate the aesthetic qualities of the p	panel					
	Panel Aesthetics	[]	Pass	[]	Fail	Bug#	
3.	Evaluate the individual panel elements.	(* al	.l from	Ear	th val	ues)	
	Properties Tab						
	mu Text Field	[]	Pass	[]	Fail	Bug#	
	Equatorial Radius Text Field	[]	Pass	[]	Fail	Bug#	
	Flattening Factor Text Field	[]	Pass	[]	Fail	Bug#	
	Texture Map File	[]	Pass	[]	Fail	Bug#	
	Browse Button	[]	Pass	[]	Fail	Bug#	
	Orbit Tab						
	Ephemeris Data Central Body	[]	Pass	[]	Fail	Bug#	
	Ephemeris Date Ephemeris Source	[]	Pass	[]	Fail	Bug#	
	Ephemeris Data Ephemeris File (DE405)	[]	Pass	[]	Fail	Bug#	
	NAIF ID (Spice)	[]	Pass	[]	Fail	Bug#	
	SPK Files (Spice)	[]	Pass	[]	Fail	Bug#	
	Initial TwoBody State						
	Initial A1 Epoch		Pass		Fail	Bug#	
	SMA	LJ	Pass		Fail	Bug#	
	ECC		Pass		Fail	Bug#	
	INC					Bug#	
	RAAN					Bug#	
	AOP		Pass			Bug#	
	TA	[]	Pass	[]	Fail	Bug#	
	Orientation Tab						
	Spin Axis RA Constant	[]	Pass	[]	Fail	Bug#	
	Spin Axis RA Rate				Fail	Bug#	
	Spin Axis DEC Constant				Fail	Bug#	
	Spin Axis DEC Rate				Fail	Bug#	
	Rotation Constant				Fail	Bug#	
	Rotation Rate				Fail	Bug#	
	Rotation Date Source		Pass		Fail		

4. Evaluate panel-specific functionality.

10.11. SOLAR SYSTEM OBJECTS

5. Evaluate dat	ca.				
Data element	ts appear complete	е	[] Pass	[] Fail	Bug#
Show Script			[] Pass	[] Fail	Bug#
6. Evaluate par	nel control.				
Tab Key Navi	igation		[] Pass	[] Fail	Bug#
Cancel			[] Pass	[] Fail	Bug#
Apply			[] Pass	[] Fail	Bug#
OK (Save)			[] Pass	[] Fail	Bug#
Help [DEFERF	RED]				
Restore			[] Pass	[] Fail	Bug#
Minimize			[] Pass	[] Fail	Bug#
Maximize			[] Pass	[] Fail	Bug#
Close			[] Pass	[] Fail	Bug#
7. Evaluate rer	name functionality	у.			
Rename (on r	resource tree)	n/a	[] Pass	[] Fail	Bug#
Summary:					
Number of pa	assed test elemen	ts	_		
Total number	of test elements	5	-		
Test case st	catus		[] Pass	[] Fail	
Bugs Reported:					
Notes:					
\$Id: SolarSyste	emSaternPanel.txt	v 1.4 2006/1,	1/22 21:32	2:33 dconwa	y Exp \$
Tester:	Date:	R	uild:		

128

INC

Pl:	atform:	Windows, Version:						
		Macintosh, OS X Version:						
		Linux, Distribution:						
		,						
De	scription	:						
Th	is test v	alidates the functionality of the	e Sun	panel	. •			
		s sub-panel whose functionality i		_		ately)		
_								
Pr	ocedure:							
1.	Add and	open the appropriate object panel	L.					
	Add Moon	Resource	[]	Pass	[]	Fail	Bug#	
	Open Sate	ern Resource	[]	Pass	[]	Fail	Bug#	
	Close Sa	tern Resource	[]	Pass	[]	Fail	Bug#	
							J	
2.	Evaluate	the aesthetic qualities of the p	anel					
	Panel Ae	sthetics	[]	Pass	[]	Fail	Bug#	
3.	Evaluate	the individual panel elements.	(* al	l from	Ear	th val	ues)	
	Properti	es Tab						
	mu Te:	xt Field	[]	Pass	[]	Fail	Bug#	
	Equati	orial Radius Text Field	Г٦	Pagg	ГЛ	Fail	Bug#	
	-							
	Flatt	ening Factor Text Field	LJ	Pass	LJ	Fail	Bug#	
	Textu	re Map File	[]	Pass	[]	Fail	Bug#	
	Brows	e Button	[]	Pass	[]	Fail	Bug#	
	Orbit Tal	b						
	_	eris Data Central Body					Bug#	
	_	eris Date Ephemeris Source				Fail		
	-	eris Data Ephemeris File (DE405)						
		ID (Spice)				Fail		
	SPK F	iles (Spice)	ιJ	Pass	LJ	Fail	Bug#	
	Initia	al TwoBody State						
	Initia	al A1 Epoch					Bug#	
	SMA						Bug#	
	ECC		1.7	Pass	1 1	Fail	R11σ#	

[] Pass [] Fail Bug# _____

10.11. SOLAR SYSTEM OBJECTS RAAN [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ AOP [] Pass [] Fail Bug# _____ TA Orientation Tab [] Pass [] Fail Bug# _____ Spin Axis RA Constant [] Pass [] Fail Bug# _____ Spin Axis RA Rate [] Pass [] Fail Bug# _____ Spin Axis DEC Constant [] Pass [] Fail Bug# _____ Spin Axis DEC Rate [] Pass [] Fail Bug# _____ Rotation Constant Rotation Rate [] Pass [] Fail Bug# _____ Rotation Date Source [] Pass [] Fail Bug# _____ 4. Evaluate panel-specific functionality. N/A 5. Evaluate data. Data elements appear complete [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Show Script 6. Evaluate panel control. Tab Key Navigation [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Cancel [] Pass [] Fail Bug# _____ Apply OK (Save) [] Pass [] Fail Bug# _____ Help [DEFERRED] [] Pass [] Fail Bug# _____ Restore Minimize [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Maximize Close [] Pass [] Fail Bug# _____ 7. Evaluate rename functionality. Rename (on resource tree) n/a [] Pass [] Fail Bug# _____ Summary: Number of passed test elements

Total number of test elements

130 [] Pass [] Fail Test case status Bugs Reported: Notes: \$Id: SolarSystemSunPanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$ Tester: _____ Date: ____ Build: _____ Platform: ___ Windows, Version: _____ ___ Macintosh, OS X Version: _____ ___ Linux, Distribution: _____ Description: This test validates the functionality of the Sun panel. (* indicates sub-panel whose functionality is tested separately) Procedure: 1. Add and open the appropriate object panel. Add Planet Resource [] Pass [] Fail Bug# _____ Add Comet Resource [] Pass [] Fail Bug# _____ Add Asteriod Resource [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Open Sun Resource [] Pass [] Fail Bug# _____ Close Sun Resource 2. Evaluate the aesthetic qualities of the panel.

3. Evaluate the individual panel elements. (* all from Earth values)

Properties Tab

Panel Aesthetics

mu Text Field [] Pass [] Fail Bug# _____

[] Pass [] Fail Bug# _____

10.11. SOLAR SYSTEM OBJECTS Equatorial Radius Text Field [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Flattening Factor Text Field Texture Map File [] Pass [] Fail Bug# _____ Browse Button [] Pass [] Fail Bug# _____ Orbit Tab Ephemeris Data Central Body [] Pass [] Fail Bug# _____ Ephemeris Date Ephemeris Source [] Pass [] Fail Bug# _____ Ephemeris Data Ephemeris File (DE405) [] Pass [] Fail Bug# _____ NAIF ID (Spice) [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ SPK Files (Spice) Orientation Tab Spin Axis RA Constant [] Pass [] Fail Bug# _____ Spin Axis RA Rate [] Pass [] Fail Bug# _____ Spin Axis DEC Constant [] Pass [] Fail Bug# _____ Spin Axis DEC Rate [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Rotation Constant Rotation Rate [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Rotation Date Source 4. Evaluate panel-specific functionality. N/A 5. Evaluate data. [] Pass [] Fail Bug# _____ Data elements appear complete Show Script [] Pass [] Fail Bug# _____ 6. Evaluate panel control. [] Pass [] Fail Bug# _____ Tab Key Navigation Cancel [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Apply OK (Save) [] Pass [] Fail Bug# _____ Help [DEFERRED] Restore [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Minimize Maximize [] Pass [] Fail Bug# _____

[] Pass [] Fail Bug# _____

Close

132

$7. \ {\tt Evaluate \ rename \ functionality}.$					
Rename (on resource tree)	n/a [] Pass	[] Fail	Bug#	
Summary:					
Number of passed test elements					
Total number of test elements					
Test case status]] Pass	[] Fail		
Bugs Reported:					
Notes:					
<pre>\$Id: SolarSystemUranusPanel.txt,v</pre>	1.4 2006/11/2	22 21:32:	33 dconwa	у Ехр	\$
Tester: Date:	Buil	.d:			
Platform: Windows, Version:					
Macintosh, OS X V	ersion:				
Linux, Distributi	on:				
Description:					
This test validates the functiona (* indicates sub-panel whose func	•	-			
Procedure:					
1. Add and open the appropriate o	bject panel.				
Add Moon Resource	[] Pass	[] Fail	Bug#	
Open Uranus Resource	[] Pass	[] Fail	Bug#	
Close Uranus Resource]] Pass	[] Fail	Bug#	
2. Evaluate the aesthetic qualiti	es of the pane	el.			
Panel Aesthetics]] Pass	[] Fail	Bug#	

10.11. SOLAR SYSTEM OBJECTS

3.	Evaluate the individual panel elements. ((* all from	Earth val	ues)
	Properties Tab			
	mu Text Field	[] Pass	[] Fail	Bug#
	Equatorial Radius Text Field	[] Pass	[] Fail	Bug#
	Flattening Factor Text Field	[] Pass	[] Fail	Bug#
	Texture Map File	[] Pass	[] Fail	Bug#
	Browse Button	[] Pass	[] Fail	Bug#
	Orbit Tab			
	Ephemeris Data Central Body	[] Pagg	[] Fail	Bug#
	=	[] Pass		•
				Bug#
	Ephemeris Data Ephemeris File (DE405)			Bug#
	NAIF ID (Spice)		[] Fail	Bug#
	SPK Files (Spice)	[] Pass	[] Fail	Bug#
	Initial TwoBody State			
	Initial A1 Epoch	[] Pass	[] Fail	Bug#
	SMA		[] Fail	Bug#
	ECC			
			[] Fail	Bug#
	INC		[] Fail	Bug#
	RAAN		[] Fail	Bug#
	AOP		[] Fail	Bug#
	TA	[] Pass	[] Fail	Bug#
	Orientation Tab			
	Spin Axis RA Constant	[] Pagg	[] Fail	Bug#
	-			
	Spin Axis RA Rate		[] Fail	Bug#
	Spin Axis DEC Constant		[] Fail	Bug#
	Spin Axis DEC Rate		[] Fail	Bug#
	Rotation Constant		[] Fail	Bug#
	Rotation Rate	[] Pass	[] Fail	Bug#
	Rotation Date Source	[] Pass	[] Fail	Bug#
4.	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data alamanta anno anno lata	[] D	[] [] :1	D#
	Data elements appear complete	[] Pass	[] Fall	Bug#
	Show Script	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pacc	[] Fail	Rug#

134

Apply		[] Pass	[] Fail	Bug#
OK (Save)		[] Pass	[] Fail	Bug#
Help [DEFERRED]				
Restore		[] Pass	[] Fail	Bug#
Minimize		[] Pass	[] Fail	Bug#
Maximize		[] Pass	[] Fail	Bug#
Close		[] Pass	[] Fail	Bug#
7. Evaluate rename functional	ity.			
Rename (on resource tree)	n/a	[] Pass	[] Fail	Bug#
Summary:				
Number of passed test elem	ents	-		
Total number of test element	nts	-		
Test case status		[] Pass	[] Fail	
Bugs Reported:				
Notes:				
<pre>\$Id: SolarSystemVenusPanel.tx</pre>	+ + 1 4 2006/11	/00 01.20.5	22 deenway	Evo ¢
old. Soldisystemvenusranel.tx	.t,v 1.4 2000/11	./22 21.32.	33 dconway	exp o
Tester: Date:	В	uild:		
Platform: Windows, Vers	ion:			
Macintosh, OS	X Version:			
Linux, Distri	bution:			
Description:				

This test validates the functionality of the Sun panel. (* indicates sub-panel whose functionality is tested separately)

10.11. SOLAR SYSTEM OBJECTS

Procedure:		

1.	Add and open the appropriate object pane	el.									
	Add Moon Resource	[]] :	Pass	[]	F	ail	Bug#		
	Open Venus Resource	[]]	Pass	[]	Fa	ail	Bug#		
	Close Venus Resource	[]]	Pass	[]	F	ail	Bug#		
2.	Evaluate the aesthetic qualities of the	pai	ne	1.							
	Panel Aesthetics		[] Pass	3	[]	Fail	Bug	g# _	
3.	Evaluate the individual panel elements.	(*	a	ll fro	om	E	ar	th va	lues))	
	Properties Tab										
	mu Text Field] Pass	3	[]	Fail	Bug	g# _	
	Equatorial Radius Text Field		[] Pass	3	[]	Fail	Bug	g# -	
	Flattening Factor Text Field		[] Pass	3	Г]	Fail	Bug	g# _	
	Texture Map File] Pass	3	[]	Fail	Bug	g# _	
	Browse Button		[] Pass	3	[]	Fail	Bug	g# -	
	Orbit Tab										
	Ephemeris Data Central Body] Pass	3]	Fail			
	Ephemeris Date Ephemeris Source] Pass	3]	Fail			
	Ephemeris Data Ephemeris File (DE405))] Pass	3]	Fail			
	NAIF ID (Spice)] Pass	3]	Fail	. Bug	g# _	
	SPK Files (Spice)] Pass	3	[]	Fail	Bug	g# -	
	Initial TwoBody State										
	Initial A1 Epoch] Pass	3	[]	Fail	Bug	g# _	
	SMA] Pass	3]	Fail	. Bug	g# _	
	ECC] Pass	3	[]	Fail	Bug	g# _	
	INC] Pass	3	[]	Fail			
	RAAN] Pass	3	[]	Fail	Bug	g# _	
	AOP] Pass	3	[]	Fail			
	TA] Pass	3	[]	Fail			
	Orientation Tab										
	Spin Axis RA Constant] Pass	3	[]	Fail	Bug	ς# _	
	Spin Axis RA Rate] Pass		_	_	Fail			
	Spin Axis DEC Constant		_] Pass		_	_	Fail			
	Spin Axis DEC Rate] Pass	3	[]	Fail			
	Rotation Constant] Pass	3	[]	Fail			
	Rotation Rate] Pass	3	[]	Fail			
	Rotation Date Source] Pass	3]	Fail			

4. Evaluate panel-specific functionality.

N/A

136

5.	Evaluate data.						
	Data elements appear complete	[]	Pass	[]	Fail	Bug#	
	Show Script	[]	Pass	[]	Fail	Bug#	
6.	Evaluate panel control.						
	Tab Key Navigation	[]	Pass	[]	Fail	Bug#	
	Cancel	[]	Pass	[]	Fail	Bug#	
	Apply	[]	Pass	[]	Fail	Bug#	
	OK (Save)	[]	Pass	[]	Fail	Bug#	
	Help [DEFERRED]						
	Restore	[]	Pass	[]	Fail	Bug#	
	Minimize	[]	Pass	[]	Fail	Bug#	
	Maximize	[]	Pass	[]	Fail	Bug#	
	Close	[]	Pass	[]	Fail	Bug#	
7.	Evaluate rename functionality.						
	Rename (on resource tree) n/a	[]	Pass	[]	Fail	Bug#	
S 111	nmary:						
Du	•						
	Number of passed test elements						
	Total number of test elements						
	Test case status	[]	Pass	[]	Fail		
Bu	gs Reported:						
No.	tes:						

\$Id: LunaPanel.txt,v 1.4 2006/11/22 21:32:34 dconway Exp \$

10.11. SOLAR SYSTEM OBJECTS

Tester:		Date:		
Platform:	Windows, Version:			
	Macintosh, OS X Version	:		
	Linux, Distribution:			
Descriptio	on:			
	validates the functionality of the sub-panel whose functionals	_		
Procedure:				
1. Create	and open the appropriate objection	ct panel.		
Create	Luna Resource	[] Pass	[] Fail	Bug#
Open Lu	una Resource	[] Pass	[] Fail	Bug#
2. Evaluat	te the aesthetic qualities of	the panel.		
Panel A	esthetics	[] Pass	[] Fail	Bug#
3. Evaluat	ce the individual panel elemen	ts.		
mu Text	; Field	[] Pass	[] Fail	Bug#
Equator	rial Radius Text Field	[] Pass	[] Fail	Bug#
Flatter	ning Factor Text Field	[] Pass	[] Fail	Bug#
Initial	Epoch Text Field	[] Pass	[] Fail	Bug#
Semimaj	or Axis Text Field	[] Pass	[] Fail	Bug#
Eccentr	ricity Text Field	[] Pass	[] Fail	Bug#
Inclina	ation Text Field	[] Pass	[] Fail	Bug#
RA of A	scending Node Text Field	[] Pass	[] Fail	Bug#
Argumen	nt of Perigee Text Field	[] Pass	[] Fail	Bug#
True An	nomaly Text Field	[] Pass	[] Fail	Bug#
Rotatio	on Data Source Combo Box	[] Pass	[] Fail	Bug#

 ${\tt 4. \ Evaluate \ panel-specific \ functionality.}$

N/A

Notes:

5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#
7.	Evaluate rename functionality.			
	Rename (on resource tree)	[] Pass	[] Fail	Bug#
Sui	mmary:			
	Number of passed test elements			
	Total number of test elements			
	Test case status	[] Pass	[] Fail	
Bu	gs Reported:			

Draft: Work in Progress 10.12. FINITE BURN

10.12 Finite Burn

\$10	d: FiniteBurnPanel.txt,v 1.4 2006/11/22 21	:32:	33 dco	nway	Exp \$		
Tes	ster: Date: B	uild	:				
Pla	atform: Windows, Version:						
	Macintosh, OS X Version:						
	Linux, Distribution:						
Des	scription:						
	is test validates the functionality of the indicates sub-panel whose functionality i			_			
Pro	ocedure:						
1.	Add and open the appropriate object panel	•					
	Add Finite Burn Resource	[]	Pass	[]	Fail	Bug#	
	Open Finite Burn Resource	[]	Pass	[]	Fail	Bug#	
	Close Finite Burn Resource	[]	Pass	[]	Fail	Bug#	
	Delete Finite Burn Resource	[]	Pass	[]	Fail	Bug#	
	Clone Finite Burn Resource	[]	Pass	[]	Fail	Bug#	
2.	Evaluate the aesthetic qualities of the p	anel					
	Panel Aesthetics	[]	Pass	[]	Fail	Bug#	
3.	Evaluate the individual panel elements.						
	Use Thruster Combo Box	[]	Pass	[]	Fail	Bug#	
4.	Evaluate panel-specific functionality.						
	N/A						
5.	Evaluate data.						
	Data elements appear complete	[]	Pass	[]	Fail	Bug#	
	Show Script	Γ٦	Dagg	Γ٦	Fail	Bu cr#	

140				CHAPTER
6. Et	valuate panel control.			
Ta	ab Key Navigation	[] Pass	[] Fail	Bug#
Ca	ancel	[] Pass	[] Fail	Bug#
Aŗ	pply	[] Pass	[] Fail	Bug#
OF	(Save)	[] Pass	[] Fail	Bug#
Не	elp [DEFERRED]			
Re	estore	[] Pass	[] Fail	Bug#
Mi	nimize	[] Pass	[] Fail	Bug#
Ма	aximize	[] Pass	[] Fail	Bug#
C	Lose	[] Pass	[] Fail	Bug#
	valuate rename functionality.	[] Pass	[] Fail	Bug#
Summa	ary:			
Nι	umber of passed test elements			
То	otal number of test elements			
Te	est case status	[] Pass	[] Fail	
Bugs	Reported:			
Notes	3:			
10.	13 Formation			
\$Id:	FormationPanel.txt,v 1.4 2006/11/2	22 21:32:33 dcon	way Exp \$	
Teste	er:	Date:		

Platform: ___ Windows, Version: _____

10.13. FORMATION 141

	Macintosh, OS X Version:							
	Linux, Distribution:							
De	scription:							
	is test validates the functionality of the indicates sub-panel whose functionality i							
Pr	ocedure:							
1.	Create and open the appropriate object pa	nel.						
	Create Spacecraft Resource	[]	Pass	[]	Fail	Bug#	
	Create Spacecraft Resource	[]	Pass	[]	Fail	Bug#	
	Create Formation Resource	[]	Pass	[]	Fail	Bug#	
	Open Formation Resource	[]	Pass	[]	Fail	Bug#	
2.	Evaluate the aesthetic qualities of the p	anel						
	Panel Aesthetics	[]	Pass	[]	Fail	Bug#	
3.	Evaluate the individual panel elements.							
	Space Objects List	[]	Pass	[]	Fail	Bug#	
	Space Objects in Formation List	[]	Pass	[]	Fail	Bug#	
	-> Selection Button	[]	Pass	[]	Fail	Bug#	
	<- Selection Button	[]	Pass	[]	Fail	Bug#	
	<= Selection Button	[]	Pass	[]	Fail	Bug#	
4.	Evaluate panel-specific functionality.							
	N/A							
5.	Evaluate data.							
	Data elements appear complete	[]	Pass	[]	Fail	Bug#	
	Show Script	[]	Pass	[]	Fail	Bug#	

6. Evaluate panel control.

142 Tab Key Navigation [] Pass [] Fail Bug# _____ Cancel [] Pass [] Fail Bug# _____ Apply [] Pass [] Fail Bug# _____ OK (Save) [] Pass [] Fail Bug# _____ Help [DEFERRED] Restore [] Pass [] Fail Bug# _____ Minimize [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Maximize Close [] Pass [] Fail Bug# _____ 7. Evaluate rename functionality. Rename (on resource tree) [] Pass [] Fail Bug# _____ Summary: Number of passed test elements Total number of test elements Test case status [] Pass [] Fail Bugs Reported: Notes: 10.14 Fuel Tank \$Id: FuelTankPanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$ Tester: _____ Date: _____ Platform: ___ Windows, Version: _____ ___ Macintosh, OS X Version: _____

___ Linux, Distribution: _____

10.14. FUEL TANK 143

Description:

This	s test	vali	date	s the	func	tionality	of	the	Fuel	Tank	panel.	
(* j	indica	tes s	ub-p	anel	whose	function	alit	y is	test	ted se	eparate]	Ly)

Pro	ocedure:			
1.	Add and open the appropriate object panel			
	Add FuelTank Resource	[] Pass	[] Fail	Bug#
	Open FuelTank Resource	[] Pass	[] Fail	Bug#
	Close FuelTank Resource	[] Pass	[] Fail	Bug#
	Clone FuelTank Resource	[] Pass	[] Fail	Bug#
	Rename FuelTank Resource	[] Pass	[] Fail	Bug#
	Delete FuelTank Resource	[] Pass	[] Fail	Bug#
2.	Evaluate the aesthetic qualities of the pa	anel.		
	Panel Aesthetics	[] Pass	[] Fail	Bug#
3.	Evaluate the individual panel elements.			
	Fuel Mass Text Field	[] Pass	[] Fail	Bug#
	Pressure Text Field	[] Pass	[] Fail	Bug#
	Temperature Text Field	[] Pass	[] Fail	Bug#
	Reference Temperature Text Field	[] Pass	[] Fail	Bug#
	Volume Text Field	[] Pass	[] Fail	Bug#
	Fuel Density Text Field	[] Pass	[] Fail	Bug#
	Pressure Model Drop Down Field	[] Pass	[] Fail	Bug#
4.	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#

6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	s [] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	s [] Fail	Bug#
	Minimize	[] Pass	s [] Fail	Bug#
	Maximize	[] Pass	s [] Fail	Bug#
	Close	[] Pass	; [] Fail	Bug#
7.	Evaluate rename functionality.			
	Rename (on resource tree)	[] Pass	s [] Fail	Bug#
Sur	nmary:			
	Number of passed test elements			
	Total number of test elements			
	Test case status	[] Pass	[] Fail	
Bu	gs Reported:			
Not	tes:			
10	0.15 GMAT Function			
\$10	d: GMATFunctionPanel.txt,v 1.4 2006/11/22	21:32:33	dconway Exp	\$
Te	ster:	Date:		
Pla	atform: Windows, Version:			

	Drait:	Work	1n	Prog	rre	SS
10.15.	GMAT FUNCTION					

	Macintosh, OS X Version:										
	Linux, Distribution:										
Dea	Description:										
	is test validates the functionality of the indicates sub-panel whose functionality i				_						
Pro	ocedure:										
1.	Create and open the appropriate object pa	nel.									
	Create GMATFunction Resource	[]	Pass	[]	Fail	Bug#					
	Open GMATFunction Resource	[]	Pass	[]	Fail	Bug#					
2.	Evaluate the aesthetic qualities of the p	anel									
	Panel Aesthetics	[]	Pass	[]	Fail	Bug#					
3.	Evaluate the individual panel elements.										
	File Text Field	۲ <u>۱</u>	Pass	[]	Fail	Bug#					
	Browse (File Select) Action Button										
	Load Action Button										
	Save Action Button										
	Save Action Button	LJ	Pass	LJ	rall	ьug#					
4.	Evaluate panel-specific functionality.										
	N/A										
5	Evaluate data.										
0.		гэ	D	г 1	F- 43	D#					
	Data elements appear complete					_					
	Show Script	[]	Pass	[]	Fail	Bug#					
6.	Evaluate panel control.										
	Tab Key Navigation	[]	Pass	[]	Fail	Bug#					
	Cancel	[]	Pass	[]	Fail	Bug#					
	Apply	[]	Pass	[]	Fail	R11σ#					

Draft: Work in Progress
CHAPTER 10. RESOURCES

146			CHAPTER 10.	RESOURCES
OK (Save)	[] Pass	[] Fail	Bug#	
Help [DEFERRED]				
Restore	[] Pass	[] Fail	Bug#	
Minimize	[] Pass	[] Fail	Bug#	
Maximize	[] Pass	[] Fail	Bug#	
Close	[] Pass	[] Fail	Bug#	
7. Evaluate rename functionality.				
Rename (on resource tree)	[] Pass	[] Fail	Bug#	
Summary:				
Number of passed test elements				
Total number of test elements				
		5.7.		
Test case status	[] Pass	[] Fail		
Bugs Reported:				
Notes:				
10.16 Ground Station				
\$Id: GroundStationPanel.txt,v 1.4 200	09/10/08 08:00:00	jbez Exp \$		
Tester: Date:	Build:			
Platform: Windows, Version:				
Macintosh, OS X Vers	ion:			
Linux, Distribution:				

Description:

This test validates the functionality of the GroundStation Attitude panel. (* indicates sub-panel whose functionality is tested separately)

10.16. GROUND STATION

Procedure:	
------------	--

L.	Add and open the appropriate object panel	•					
	Add GroundStation Resource	[]	Pass	[]	Fail	Bug#	
	Open GroundStation Resource	[]	Pass	[]	Fail	Bug#	
	Close GroundStation Resource	[]	Pass	[]	Fail	Bug#	
	Delete GroundStation Resource	[]	Pass	[]	Fail	Bug#	
	Clone GroundStation Resource	[]	Pass	[]	Fail	Bug#	
,		7					
۷.	Evaluate the aesthetic qualities of the pa						
	Panel Aesthetics	[]	Pass	[]	Fail	Bug#	
3.	Evaluate the individual panel elements.						
	Central Body Combo Box	[]	Pass	[]	Fail	Bug#	
	State Type Combo Box	[]	Pass	[]	Fail	Bug#	
	Horizion Reference Combo Box	[]	Pass	[]	Fail	Bug#	
	Location 1,2 3 Field	[]	Pass	[]	Fail	Bug#	
	Id Text Field	[]	Pass	[]	Fail	Bug#	
1							
±.	Evaluate panel-specific functionality.						
	N/A						
5.	Evaluate data.						
	Data elements appear complete	[]	Pass	[]	Fail	Bug#	
	Show Script	[]	Pass	[]	Fail	Bug#	
Ö.	Evaluate panel control.						
	Tab Key Navigation	[]	Pass	[]	Fail	Bug#	
	Cancel	[]	Pass	[]	Fail	Bug#	
	Apply	[]	Pass	[]	Fail	Bug#	
	OK (Save)	[]	Pass	[]	Fail	Bug#	

Help [DEFERRED] Restore [] Pass [] Fail Bug# _____ Minimize [] Pass [] Fail Bug# _____ Maximize [] Pass [] Fail Bug# _____ Close [] Pass [] Fail Bug# _____ 7. Evaluate rename functionality. Rename (on resource tree) [] Pass [] Fail Bug# _____ Summary: Number of passed test elements Total number of test elements [] Pass [] Fail Test case status Bugs Reported: Notes: Impulsive Burn 10.17\$Id: ImpulsiveBurnPanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$ Tester: _____ Date: ____ Build: _____ ___ Windows, Version: _____ Platform: ___ Macintosh, OS X Version: _____ ___ Linux, Distribution: _____

Description:

148

This test validates the functionality of the Impulsive Burn panel. (* indicates sub-panel whose functionality is tested separately)

10.17. IMPULSIVE BURN

_					-				
ν	r	\sim	~	Δ	d	11	r	Δ	

1.	Add and open the appropriate object panel			
	Add ImpulsiveBurn Resource	[] Pass	[] Fail	Bug#
	Open ImpulsiveBurn Resource	[] Pass	[] Fail	Bug#
	Close ImpulsiveBurn Resource	[] Pass	[] Fail	Bug#
	Delete ImpulsiveBurn Resource	[] Pass	[] Fail	Bug#
	Clone ImpulsiveBurn Resource	[] Pass	[] Fail	Bug#
2.	Evaluate the aesthetic qualities of the pa	anel.		
	Panel Aesthetics	[] Pass	[] Fail	Bug#
3.	Evaluate the individual panel elements.			
	Coordinate System	[] Pass	[] Fail	Bug#
	Origin Combo Box	[] Pass	[] Fail	Bug#
	Axes Combo Box	[] Pass	[] Fail	Bug#
	Thrust Vector Element 1 Text Field	[] Pass	[] Fail	Bug#
	Thrust Vector Element 2 Text Field	[] Pass	[] Fail	Bug#
	Thrust Vector Element 3 Text Field	[] Pass	[] Fail	Bug#
	Decrement Mass Button	[] Pass	[] Fail	Bug#
	Tank Combo Box	[] Pass	[] Fail	Bug#
	Isp Text Field	[] Pass	[] Fail	Bug#
	Gravitational Accel Field	[] Pass	[] Fail	Bug#
4	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#

6. Evaluate panel control.

150 Tab Key Navigation [] Pass [] Fail Bug# _____ Cancel [] Pass [] Fail Bug# _____ Apply [] Pass [] Fail Bug# _____ OK (Save) [] Pass [] Fail Bug# _____ Help [DEFERRED] Restore [] Pass [] Fail Bug# _____ Minimize [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Maximize Close [] Pass [] Fail Bug# _____ 7. Evaluate rename functionality. Rename (on resource tree) [] Pass [] Fail Bug# _____ Summary: Number of passed test elements Total number of test elements Test case status [] Pass [] Fail Bugs Reported: Notes: 10.18 Libration Point \$Id: LibrationPointPanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$ Tester: _____ Date: _____ Build: _____ Platform: ___ Windows, Version: _____ ___ Macintosh, OS X Version: _____

___ Linux, Distribution: _____

Draft: Work in Progress 10.18. LIBRATION POINT

Description:

Thi	s test	va.	lidat	es the	func	tionality	of	the	Libratio	on Point	panel.
(*	indica	tes	sub-	panel	whose	function	alit	y is	tested	separate	ely)

Procedur	e	:

Pr	ocedure:			
1.	Add and open the appropriate object panel			
	Add LibrationPoint Resource	[] Pass	[] Fail	Bug#
	Open LibrationPoint Resource	[] Pass	[] Fail	Bug#
	Close LibrationPoint Resource	[] Pass	[] Fail	Bug#
	Clone LibrationPoint Resource	[] Pass	[] Fail	Bug#
	Delete LibrationPoint Resource	[] Pass	[] Fail	Bug#
2.	Evaluate the aesthetic qualities of the p	anel.		
	Panel Aesthetics	[] Pass	[] Fail	Bug#
3.	Evaluate the individual panel elements.			
	Primary Body Combo Box	[] Pass	[] Fail	Bug#
	Secondary Body Combo Box	[] Pass	[] Fail	Bug#
	Libration Point Combo Box	[] Pass	[] Fail	Bug#
4.	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	B110#

Draft: Work in Progress
CHAPTER 10. RESOURCES

152			CHAPTER 10.	RESOURCES
OK (Save)	[] Pass	[] Fail	Bug#	
Help [DEFERRED]				
Restore	[] Pass	[] Fail	Bug#	
Minimize	[] Pass	[] Fail	Bug#	
Maximize	[] Pass	[] Fail	Bug#	
Close	[] Pass	[] Fail	Bug#	
7. Evaluate rename functionality.				
Rename (on resource tree)	[] Pass	[] Fail	Bug#	
Summary:				
Number of passed test elements _				
Total number of test elements				
Test case status	[] Pass	[] Fail		
Bugs Reported:				
Notes:				
10.19 MATLAB function				
\$Id: MATLABFunctionPanel.txt,v 1.4 2006/	11/22 21:32:33	dconway E	хр \$	
Tester:	Date:			
Platform: Windows, Version:				
Macintosh, OS X Version:				
Linux, Distribution:				

Description:

This test validates the functionality of the MATLAB Function panel. (* indicates sub-panel whose functionality is tested separately)

Draft: Work in Progress 10.19. MATLAB FUNCTION

Procedure:

1.	Create and open the appropriate object par	nel.		
	Create MATLABFunction Resource	[] Pass	[] Fail	Bug#
	Open MATLABFunction Resource	[] Pass	[] Fail	Bug#
2.	Evaluate the aesthetic qualities of the pa	anel.		
	Panel Aesthetics	[] Pass	[] Fail	Bug#
3.	Evaluate the individual panel elements.			
	Path Text Field	[] Pass	[] Fail	Bug#
	Browse (File Select) Action Button	[] Pass	[] Fail	Bug#
4.	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#

7. Evaluate rename functionality.

Rename (on resource tree)	[] Pass [] Fail Bug#
Summary:	
Number of passed test elements	
Total number of test elements	
Test case status	[] Pass [] Fail
Bugs Reported:	
Notes:	
10.20 OpenGL Plot	
\$Id: OpenGLPanel.txt,v 1.4 2006/11/22 21:	27:52 dconway Exp \$
Tester:	Date:
Tester: Windows, Version:	
Platform: Windows, Version:	
Platform: Windows, Version: Macintosh, OS X Version:	
Platform: Windows, Version: Macintosh, OS X Version: Linux, Distribution:	the OpenGL panel.
Platform: Windows, Version: Macintosh, OS X Version: Linux, Distribution: Description: This test validates the functionality of	the OpenGL panel.
Platform: Windows, Version: Macintosh, OS X Version: Linux, Distribution: Description: This test validates the functionality of (* indicates sub-panel whose functionality)	the OpenGL panel. y is tested separately)
Platform: Windows, Version: Macintosh, OS X Version: Linux, Distribution: Description: This test validates the functionality of (* indicates sub-panel whose functionalit Procedure:	the OpenGL panel. y is tested separately)
Platform: Windows, Version: Macintosh, OS X Version: Linux, Distribution: Description: This test validates the functionality of (* indicates sub-panel whose functionality Procedure: 1. Create and open the appropriate object	the OpenGL panel. Ty is tested separately)
Platform: Windows, Version: Macintosh, OS X Version: Linux, Distribution: Description: This test validates the functionality of (* indicates sub-panel whose functionalit) Procedure: 1. Create and open the appropriate object Create OpenGL Resource	the OpenGL panel. Ty is tested separately) Topanel. [] Pass [] Fail Bug# [] Pass [] Fail Bug#

Draft: Work in Progress 10.20. OPENGL PLOT

3. Evaluate the individual panel elements.

Show Plot Check Box	[] Pass	[] Fail	Bug#
Collect Data Text Field	[] Pass	[] Fail	Bug#
Update Plot Text Field	[] Pass	[] Fail	Bug#
Number of Points to Redraw Text Field	[] Pass	[] Fail	Bug#
Draw Wireframe Check Box	[] Pass	[] Fail	Bug#
Draw Targeting Check Box	[] Pass	[] Fail	Bug#
Draw Ecliptic Plane Check Box	[] Pass	[] Fail	Bug#
Draw XY Plane Check Box	[] Pass	[] Fail	Bug#
Draw Axes Check Box	[] Pass	[] Fail	Bug#
Draw Grid Check Box	[] Pass	[] Fail	Bug#
Draw Earth/Sun Lines Check Box	[] Pass	[] Fail	Bug#
Spacecraft List	[] Pass	[] Fail	Bug#
Selected Spacecraft List	[] Pass	[] Fail	Bug#
Celestial Object List	[] Pass	[] Fail	Bug#
Selected Celestial Object List	[] Pass	[] Fail	Bug#
> (Add) Selection Button	[] Pass	[] Fail	Bug#
< (Remove) Selection Button	[] Pass	[] Fail	Bug#
<pre>< = (Remove All) Selection Button</pre>	[] Pass	[] Fail	Bug#
Show Object Check Box	[] Pass	[] Fail	Bug#
Orbit Color Select Box	[] Pass	[] Fail	Bug#
Target Color Select Box	[] Pass	[] Fail	Bug#
Use Initial View Definition Check Box	[] Pass	[] Fail	Bug#
Use Perspective Mode Check Box	[] Pass	[] Fail	Bug#
Use Fixed FOV Angle Check Box	[] Pass	[] Fail	Bug#
Field of View Text Field	[] Pass	[] Fail	Bug#
Coordinate System Combo Box	[] Pass	[] Fail	Bug#
View Point Reference Combo Box (see 4a)	[] Pass	[] Fail	Bug#

156

	View Point Vector Combo Box (see 4b)	[] Pass	[] Fail	Bug#
	View Scale Factor Text Field	[] Pass	[] Fail	Bug#
	View Direction Combo Box (see 4c)	[] Pass	[] Fail	Bug#
	Coordinate System Combo Box	[] Pass	[] Fail	Bug#
	Axis Combo Box	[] Pass	[] Fail	Bug#
1	Evaluate panel-specific functionality.			
Ι.	a. Select 'Vector' for View Point Referen	~ A		
	Vector 1 Text Field		[] Eail	Bug#
	Vector 2 Text Field			Bug#
	Vector 3 Text Field			Bug#
	b. Select 'Vector' for View Point Vector	[] rass	[] raii	Dug#
	Vector 1 Text Field	[] Pagg	[] Fail	Bug#
	Vector 2 Text Field			Bug#
	Vector 3 Text Field			Bug#
		[] rass	[] raii	Dug#
	c. Select 'Vector' for View Direction	[] D		D#
	Vector 1 Text Field			Bug#
	Vector 2 Text Field			Bug#
	Vector 3 Text Field			Bug#
	Use Perspective Mode Check Box select checkbox to check following	[] Pass	[] Fail	Bug#
	Use Fixed FOV Angle Check Box select checkbox to check following	[] Pass	[] Fail	Bug#
	Field of View Text Field	[] Pass	[] Fail	Bug#
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
3	Evaluate panel control.			
			[] Fail	D#
	Tab Kev Navigation	i i Pass	ııraıl	DIT 5.#

10.21. PARAMETER SELECT (CREATE ONLY)

	Cancel	[]	Pass	[]	Fail	Bug#		
	Apply	[]	Pass	[]	Fail	Bug#		
	OK (Save)	[]	Pass	[]	Fail	Bug#		
	Help [DEFERRED]							
	Restore	[]	Pass	[]	Fail	Bug#		
	Minimize	[]	Pass	[]	Fail	Bug#		
	Maximize	[]	Pass	[]	Fail	Bug#		
	Close	[]	Pass	[]	Fail	Bug#		
	Evaluate rename functionality. Rename (on resource tree)	[]	Pass	[]	Fail	Bug#		
Sıım	mary:							
	Number of passed test elements							
	Total number of test elements	-						
	Test case status	- гı	Pass	гі	Fail			
	lest case status		1 055	LJ	Tail			
Bug	s Reported:							
Not	es:							
10	.21 Parameter Select (Create	O	nly)					
\$Id: ParameterSelectCreateOnlyDialog.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$								
Tes	ter:]	Date	:					
Pla	Platform: Windows, Version:							
	Macintosh, OS X Version:							
	Linux, Distribution:							

Description:

158

This test validates the functionality of the Parameter Select dialog, which appears via other panels (e.g. CallFunctionPanel) - this dialog only allows the user to create and select new variables, not select already-existing ones. (* indicates sub-panel whose functionality is tested separately)

Procedure	٠
TIOCEGUIFE	•

1.	Create and open the appropriate object pa	nel.					
	Create other panel Resource	[]	Pass	[]	Fail	Bug#	
	Open other panel Resource	[]	Pass	[]	Fail	Bug#	
	Open Create Action Button (e.g. Output Variable Field)	[]	Pass	[]	Fail	Bug#	
2.	Evaluate the aesthetic qualities of the p	anel					
	Panel Aesthetics	[]	Pass	[]	Fail	Bug#	
3.	Evaluate the individual panel elements.						
	Create Action Button*	[]	Pass	[]	Fail	Bug#	
	Selected List	[]	Pass	[]	Fail	Bug#	
	-> (Add) Selection Button	[]	Pass	[]	Fail	Bug#	
	<- (Remove) Selection Button	[]	Pass	[]	Fail	Bug#	
	<= (Remove All) Selection Button	[]	Pass	[]	Fail	Bug#	
4.	Evaluate panel-specific functionality.						
	N/A						
5.	Evaluate data.						
	Data elements appear complete	[]	Pass	[]	Fail	Bug#	
	Show Script [N/A]						
	Command Summary [N/A]						
6.	Evaluate panel control.						
	Tab Key Navigation	[]	Pass	[]	Fail	Bug#	

	Cancel	[] Pass	[] Fail	Bug#	
	Apply	[] Pass	[] Fail	Bug#	
	OK (Save)	[] Pass	[] Fail	Bug#	
	Help [DEFERRED]				
	Restore [N/A]				
	Minimize [N/A]				
	Maximize [N/A]				
	Close	[] Pass	[] Fail	Bug#	
7.	Evaluate rename functionality. Rename [N/A]				
Sur	nmary:				
	Number of passed test elements				
	Total number of test elements				
	Test case status	[] Pass	[] Fail		
Bug	gs Reported:				
Not	tes:				
10	0.22 Parameter Select				
\$Ic	d: ParameterSelectDialog.txt,v 1.4 2006/1	1/22 21:32:	33 dconway	Exp \$	
Tes	ster:	Date:			
Pla	atform: Windows, Version:				
	Macintosh, OS X Version:				

___ Linux, Distribution: _____

Description:

160

This test validates the functionality of the Parameter Select dialog, which appears via other panels (e.g. IfCmdPanel, WhileCmdPanel) (* indicates sub-panel whose functionality is tested separately)

_				_				
Pτ	$rac{1}{2}$	_	\sim	А.	11	~	\sim	٠

1.	Create and open the appropriate object par	nel.					
	Create other panel Resource	[]	Pass	[]	Fail	Bug#	
	Open other panel Resource	[]	Pass	[]	Fail	Bug#	
	Open Create Action Button	[]	Pass	[]	Fail	Bug#	
0		,					
2.	Evaluate the aesthetic qualities of the pa	anel	•				
	Panel Aesthetics	[]	Pass	[]	Fail	Bug#	
3.	Evaluate the individual panel elements.						
	Create Action Button*	[]	Pass	[]	Fail	Bug#	
	Object Type Combo Box	[]	Pass	[]	Fail	Bug#	
	Object Combo Box	[]	Pass	[]	Fail	Bug#	
	Property Selection List	[]	Pass	[]	Fail	Bug#	
	Selected List	[]	Pass	[]	Fail	Bug#	
	-> (Add) Selection Button	[]	Pass	[]	Fail	Bug#	
	<- (Remove) Selection Button	[]	Pass	[]	Fail	Bug#	
	<= (Remove All) Selection Button	[]	Pass	[]	Fail	Bug#	
4.	Evaluate panel-specific functionality.						
	N/A						
5.	Evaluate data.						
	Data elements appear complete	[]	Pass	[]	Fail	Bug#	
	Show Script [N/A]						
	Command Summary [N/A]						

6. Evaluate panel control.

10.23. PROPAGATOR

Tab Key Navigation	[] Pass	[] Fail	Bug#				
Cancel	[] Pass	[] Fail	Bug#				
Apply	[] Pass	[] Fail	Bug#				
OK (Save)	[] Pass	[] Fail	Bug#				
Help [DEFERRED]							
Restore [N/A]							
Minimize [N/A]							
Maximize [N/A]							
Close	[] Pass	[] Fail	Bug#				
7. Evaluate rename functionality.							
Rename [N/A]							
Summary:							
Number of passed test elements							
Total number of test elements							
Test case status	[] Pass	[] Fail					
Bugs Reported:							
Notes:							
10.23 Propagator							
\$Id: PropagatorPanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$							
Tester: Date: Build:							
Platform: Windows, Version:	Platform: Windows, Version:						
Macintosh, OS X Version	n:						

162

 Linux,	Distribution:	

Description:

This test validates the functionality of the Propagator panel. (* indicates sub-panel whose functionality is tested separately)

P

Pro	Procedure:							
1.	. Add and open the appropriate object panel.							
	Add Propagator Resource	[]	Pass	[]	Fail	Bug#		
	Open Propagator Resource	[]	Pass	[]	Fail	Bug#		
	Close LibrationPoint Resource	[]	Pass	[]	Fail	Bug#		
	Clone LibrationPoint Resource	[]	Pass	[]	Fail	Bug#		
	Delete LibrationPoint Resource	[]	Pass	[]	Fail	Bug#		
2.	Evaluate the aesthetic qualities of the pa	anel						
	Panel Aesthetics	[]	Pass	[]	Fail	Bug#		
3.	Evaluate the individual panel elements.							
	Integrator Type Combo Box	[]	Pass	[]	Fail	Bug#		
	Initial Step Size Text Field	[]	Pass	[]	Fail	Bug#		
	Accuracy Text Field	[]	Pass	[]	Fail	Bug#		
	Minimum Step Size Text Field	[]	Pass	[]	Fail	Bug#		
	Maximum Step Size Text Field	[]	Pass	[]	Fail	Bug#		
	Maximum Step Attempts Text Field	[]	Pass	[]	Fail	Bug#		
	Minimum Integration Error Text Field	[]	Pass	[]	Fail	Bug#		
	Nominal Integration Error Text Field	[]	Pass	[]	Fail	Bug#		
	Error Control Combo Box	[]	Pass	[]	Fail	Bug#		
	Central Body Combo Box	[]	Pass	[]	Fail	Bug#		
	Primary Bodies Combo Box	[]	Pass	[]	Fail	Bug#		
	Primary Bodies Action Button Available Bodies List Bodies Selected List -> (Add) Selection Button	[]	Pass	[]	Fail	Bug# Bug# Bug#		

10.23. PROPAGATOR

<pre><- (Remove) Selection Button <= (Remove All) Selection Button Orbit Color Selection Button Cancel Button OK Button Help [DEFERRED]</pre>			Bug# Bug#
Primary Bodies Text List	[] Pass	[] Fail	Bug#
Gravity Field Type Combo Box	[] Pass	[] Fail	Bug#
Gravity Model File Text Field	[] Pass	[] Fail	Bug#
Gravity Field Degree Text Field	[] Pass	[] Fail	Bug#
Gravity Field Order Text Field	[] Pass	[] Fail	Bug#
Gravity Model File Select Action Button	[] Pass	[] Fail	Bug#
Atmosphere Model Type Combo Box	[] Pass	[] Fail	Bug#
Atmosphere Model Setup Action Button	[] Pass	[] Fail	Bug#
User Input Radio Button	[] Pass	[] Fail	Bug#
Solar Flux Text Field	[] Pass	[] Fail	
Average Solar Flux Text Field	[] Pass	[] Fail	Bug#
Geomagnetic Index (Kp) Text Field			Bug#
	[] Pass		Bug#
-	[] Pass		Bug#
File Selection Button	[] Pass		Bug#
Cancel Button		[] Fail	
			•
OK Button Help [DEFERRED]	[] Pass	[] Fail	Bug#
Magnetic Field Type Combo Box	[] Pass	[] Fail	Bug#
Magnetic Field Degree Text Field	[] Pass	[] Fail	Bug#
Magnetic Field Order Text Field	[] Pass	[] Fail	Bug#
Magn. Field File Select Action Button	[] Pass	[] Fail	Bug#
Point Masses Select Action Button			
Available Bodies List	[] Pass	[] Fail	Bug#
Bodies Selected List	[] Pass	[] Fail	Bug#
-> (Add) Selection Button	[] Pass	[] Fail	Bug#
	[] Pass		
<= (Remove All) Selection Button			
Orbit Color Selection Button	[] Pass		
Cancel Button		[] Fail	_
OK Button		[] Fail	
Help [DEFERRED]	[] rass	[] Lail	nn8#
Point Masses Text List	[] Pass	[] Fail	Bug#
Solar Radiation Pressure Check Box	[] Pass	[] Fail	Bug#

4. Evaluate panel-specific functionality.

Draft: Work in Progress
CHAPTER 10. RESOURCES 164

	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#
7.	Evaluate rename functionality.			
	Rename (on resource tree)	[] Pass	[] Fail	Bug#
Sur	mmary:			
	Number of passed test elements			
	Total number of test elements			
	Test case status	[] Pass	[] Fail	
Bug	gs Reported:			
No	tes:			

Draft: Work in Progress 10.24. REPORT FILE

10.24 Report File

\$I	d: ReportFile.txt,v 1.4 2006/11/22 21:32:	33 dc	onway	Exp S	\$		
Te	ster:	Date	:				
P1	atform: Windows, Version:						
	Macintosh, OS X Version:						
	Linux, Distribution:						
De	scription:						
	is test validates the functionality of th indicates sub-panel whose functionality						
Pr	ocedure:						
1.	Create and open the appropriate object p	anel.					
	Create ReportFile Resource	[]	Pass	[]	Fail	Bug#	
	Open ReportFile Resource	[]	Pass	[]	Fail	Bug#	
2.	Evaluate the aesthetic qualities of the	panel					
	Panel Aesthetics	[]	Pass	[]	Fail	Bug#	
3.	Evaluate the individual panel elements.						
	Create Action Button*	[]	Pass	[]	Fail	Bug#	
	Object Type Combo Box	[]	Pass	[]	Fail	Bug#	
	Object Combo Box	[]	Pass	[]	Fail	Bug#	
	Property List	[]	Pass	[]	Fail	Bug#	
	Selected List	[]	Pass	[]	Fail	Bug#	
	> (Add) Selection Button	[]	Pass	[]	Fail	Bug#	
	< (Remove) Selection Button	[]	Pass	[]	Fail	Bug#	
	<pre>< = (Remove All) Selection Button</pre>	[]	Pass	[]	Fail	Bug#	
	(Move Up) Selection Button	[]	Pass	[]	Fail	Bug#	
	(14	г л	D	гэ	P 7	D#	

166

	File lext Field	[] Pass	[] Fail	Bug#
	Browse (File Select) Action Button	[] Pass	[] Fail	Bug#
	Write Report Check Box	[] Pass	[] Fail	Bug#
	Write Headers Check Box	[] Pass	[] Fail	Bug#
	Left Justify Check Box	[] Pass	[] Fail	Bug#
	Zero Fill Check Box	[] Pass	[] Fail	Bug#
	Solver Iterations Check Box	[] Pass	[] Fail	Bug#
	Column Width Text Field	[] Pass	[] Fail	Bug#
	Precision Text Field	[] Pass	[] Fail	Bug#
4.	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#
7.	Evaluate rename functionality.			
	Rename (on resource tree)	[] Pass	[] Fail	Bug#

10.25. SPACECRAFT

Summary:			
Number of passed test elements			
Total number of test elements			
Test case status	[] Pass	[] Fail	
Bugs Reported:			
Notes:			
10.25 Spacecraft			
\$Id: SpacecraftActuatorsPanel.txt,v 1.4 200	06/11/22 21:3	32:33 dcom	way Exp \$
Tester:	Date:		
Platform: Windows, Version:			
Macintosh, OS X Version:			
Linux, Distribution:			
Description:			
This test validates the functionality of the (* indicates sub-panel whose functionality	_		s panel.
Procedure:			
1. Add and open the appropriate object pane	el.		
Add Spacecraft Resource	[] Pass	[] Fail	Bug#
Create Thruster Resource	[] Pass	[] Fail	Bug#
Open Spacecraft Resource	[] Pass	[] Fail	Bug#
Select Actuators Tab	[] Pass	[] Fail	Bug#

2. Evaluate the aesthetic qualities of the panel.

Draft: Work in Progress
CHAPTER 10. RESOURCES

168

	Panel Aesthetics	[] Pass	[] Fail	Bug#
3.	Evaluate the individual panel elements.			
	Available Thrusters List	[] Pass	[] Fail	Bug#
	Selected Thrusters List	[] Pass	[] Fail	Bug#
	-> (Add) Selection Button	[] Pass	[] Fail	Bug#
	<- (Remove) Selection Button	[] Pass	[] Fail	Bug#
	=> (Add all) Selection Button	[] Pass	[] Fail	Bug#
	<= (Remove all) Selection Button	[] Pass	[] Fail	Bug#
4.	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#
	Open	[] Pass	[] Fail	Bug#
	Delete	[] Pass	[] Fail	Bug#
	Clone	[] Pass	[] Fail	Bug#

10.25. SPACECRAFT 169

7.	Evaluate rename functionality.					
	Rename (on resource tree)	[] Pass	[]	Fail	Bug#	
Sui	mmary:					
	Number of passed test elements					
	Total number of test elements					
	Test case status	[] Pass	[]	Fail		
Bu	gs Reported:					
No.	tes:					
\$1	d: SpacecraftAttitudePanel.txt,v 1.4	2006/11/22 21:32	2:33	dconw	ay Exp \$	
Ге	ster: Date:	Build:				
Pl:	atform: Windows, Version:					
	Macintosh, OS X Version	n:				
	Linux, Distribution:					
Dea	scription:					
Th	is test validates the functionality of indicates sub-panel whose functional	_			_	
Pr	ocedure:					
1.	Add and open the appropriate object	panel.				
	Add Spacecraft Resource	[] Pass	[]	Fail	Bug#	
	Open Spacecraft Resource	[] Pass	[]	Fail	Bug#	
	Close Spacecraft Resource	[] Pass	[]	Fail	Bug#	
	Delete spacecraft Resource	[] Pass	[]	Fail	Bug#	
	Clone Spacecraft Resource	[] Pass	[]	Fail	Bug#	

Select Attitude Tab

[] Pass [] Fail Bug# _____

2.	Evaluate the aesthetic qualities of the \boldsymbol{p}	oanel.		
	Panel Aesthetics	[] Pass	[] Fail	Bug#
3.	Evaluate the individual panel elements.			
	Attitude Model Combo Box	[] Pass	[] Fail	Bug#
	Coordinate System Combo Box	[] Pass	[] Fail	Bug#
	Euler Angle Sequence Combo Box	[] Pass	[] Fail	Bug#
	Attitude State Type Combo Box	[] Pass	[] Fail	Bug#
	Attitude Elements Text Field Euler Angles Text Fields Quaternion Text Fields DCM Text Fields Attitude Rate State Type Combo Box	[] Pass [] Pass	[] Fail [] Fail	Bug# Bug# Bug#
	Attitude Rate Elements Text Field Euler Angle Rates Text Fields Angular Velocity Text Fields			Bug# Bug#
4.	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#

171

Draft: Work in Progress 10.25. SPACECRAFT

Maximize [] Pass [] Fail Bug# _____ Close [] Pass [] Fail Bug# _____ 7. Evaluate rename functionality. Rename (on resource tree) [] Pass [] Fail Bug# _____ Summary: Number of passed test elements Total number of test elements Test case status [] Pass [] Fail Bugs Reported: Notes: \$Id: SpacecraftBallisticPanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$ Tester: _____ Date: _____ Build: _____ ___ Windows, Version: _____ ___ Macintosh, OS X Version: _____ ___ Linux, Distribution: _____ Description: This test validates the functionality of the Spacecraft Ballistic/Mass panel. (* indicates sub-panel whose functionality is tested separately) Procedure: 1. Add and open the appropriate object panel. Add Spacecraft Resource [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Open Spacecraft Resource

[] Pass [] Fail Bug# _____

Close Spacecraft Resource

172 Delete Spacecraft Resource [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Clone Spacecraft Resource Select Ballistic/Mass Tab [] Pass [] Fail Bug# _____ 2. Evaluate the aesthetic qualities of the panel. Panel Aesthetics [] Pass [] Fail Bug# _____ 3. Evaluate the individual panel elements. Dry Mass Text Field [] Pass [] Fail Bug# _____ Coefficient of Drag Text Field [] Pass [] Fail Bug# _____ Coefficient of Reflectivity Text Field [] Pass [] Fail Bug# _____ Drag Area Text Field [] Pass [] Fail Bug# _____ Solar Radiation Pressure Area Text Field [] Pass [] Fail Bug# _____ 4. Evaluate panel-specific functionality. N/A 5. Evaluate data. Data elements appear complete [] Pass [] Fail Bug# _____ Show Script [] Pass [] Fail Bug# _____ 6. Evaluate panel control. Tab Key Navigation [] Pass [] Fail Bug# _____ Cancel [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Apply OK (Save) [] Pass [] Fail Bug# _____ Help [DEFERRED] [] Pass [] Fail Bug# _____ Restore [] Pass [] Fail Bug# _____ Minimize [] Pass [] Fail Bug# _____ Maximize

Close

[] Pass [] Fail Bug# _____

10.25. SPACECRAFT

7.	Evaluate rename functionality.					
	Rename (on resource tree)	[] Pass	[]	Fail	Bug#	
Su	mmary:					
	Number of passed test elements					
	Total number of test elements					
	Test case status	[] Pass	[]	Fail		
Bu	gs Reported:					
No	tes:					
\$1	d: SpacecraftOrbitPanel.txt,v 1.4 2006	3/11/22 21:32:3	3 dc	onway	Exp \$	
Te	ster: Date:	Build:				
Pl	atform: Windows, Version:					
	Macintosh, OS X Version:					
	Linux, Distribution:					
De	scription:					
	is test validates the functionality of indicates sub-panel whose functionali	_		_		
Pr	ocedure:					
1.	Add and open the appropriate object p	anel.				
	Add Spacecraft Resource	[] Pass	[]	Fail	Bug#	
	Open Spacecraft Resource	[] Pass	[]	Fail	Bug#	
	Close Spacecraft Resource	[] Pass	[]	Fail	Bug#	
	Delete Spacecraft Resource	[] Pass	[]	Fail	Bug#	
	Clone Spacecraft Resource	[] Pass	[]	Fail	Bug#	

Draft: Work in Progress 174 Select Orbit Tab [] Pass [] Fail Bug# _____ 2. Evaluate the aesthetic qualities of the panel. Panel Aesthetics [] Pass [] Fail Bug# _____ 3. Evaluate the individual panel elements. Epoch Format Combo Box [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Epoch Text Field Coordinate System Combo Box [] Pass [] Fail Bug# _____ State Type Combo Box [] Pass [] Fail Bug# _____ Anomaly Type if Keplerian [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Elements Text Field 4. Evaluate panel-specific functionality. N/A 5. Evaluate data. Data elements appear complete [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Show Script 6. Evaluate panel control. Tab Key Navigation [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Cancel [] Pass [] Fail Bug# _____ Apply OK (Save) [] Pass [] Fail Bug# _____ Help [DEFERRED]

[] Pass [] Fail Bug# _____

7. Evaluate rename functionality.

Restore

Minimize

Maximize

Close

10.25. SPACECRAFT 175

Rename (on resource tree)	[] Pass	[] Fail	Bug#
Summary:			
Number of passed test elements			
Total number of test elements			
Test case status	[] Pass	[] Fail	
Bugs Reported:			
Notes:			
\$Id: SpacecraftTanksPanel.txt,v 1.4 20	006/11/22 21:32:3	3 dconway	Exp \$
Tester:	_ Date:		
Platform: Windows, Version:			
Macintosh, OS X Versi	on:		
Linux, Distribution:			
Description:			
This test validates the functionality (* indicates sub-panel whose functions	*	-	
Procedure:			
1. Add and open the appropriate object	t panel.		
Add Spacecraft Resource	[] Pass	[] Fail	Bug#
Add Tank Resource	[] Pass	[] Fail	Bug#
Open Spacecraft Resource	[] Pass	[] Fail	Bug#
Select Tanks Tab	[] Pass	[] Fail	Bug#
2. Evaluate the aesthetic qualities of	f the panel.		
Panel Aesthetics	[] Pass	[] Fail	Bug#

3.	Evaluate the individual panel elements.			
	Available Tanks List	[] Pass	[] Fail	Bug#
	Selected Tanks List	[] Pass	[] Fail	Bug#
	-> (Add) Selection Button	[] Pass	[] Fail	Bug#
	<- (Remove) Selection Button	[] Pass	[] Fail	Bug#
	=> (Add all) Selection Button	[] Pass	[] Fail	Bug#
	<= (Remove all) Selection Button	[] Pass	[] Fail	Bug#
4.	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#
	Open	[] Pass	[] Fail	Bug#
	Clone	[] Pass	[] Fail	Bug#
7.	Evaluate rename functionality.			
	Rename (on resource tree)	[] Pass	[] Fail	Bug#

Summary:			
Number of passed test elements			
Total number of test elements			
Test case status	[] Pass	[] Fail	
Bugs Reported:			
Notes:			
10.26 fmincon Optimizer			
\$Id: SQPOptimizerPanel.txt,v 1.4 2006/1	11/22 21:32:33 d	conway Exp	\$
Tester:	Date:		
Platform: Windows, Version:			
Linux, Distribution:			
Description:			
This test validates the functionality of the indicates sub-panel whose functional			
Procedure:			
1. Create and open the appropriate obje	ect panel.		
Create SQPOptimizer Resource	[] Pass	[] Fail	Bug#
Open SQPOptimizer Resource	[] Pass	[] Fail	Bug#
2. Evaluate the aesthetic qualities of	the panel.		
Panel Aesthetics	[] Pass	[] Fail	Bug#

3. Evaluate the individual panel elements.

178

	Tolerance Fun Text Field	[] Pass	[] Fail	Bug#
	Tolerance Con Text Field	[] Pass	[] Fail	Bug#
	Tolerance X Text Field	[] Pass	[] Fail	Bug#
	Maximum Fun Evaluations Text Field	[] Pass	[] Fail	Bug#
	Maximum Iterations Text Field	[] Pass	[] Fail	Bug#
	Differential Minimum Change Text Field	[] Pass	[] Fail	Bug#
	Differential Maximum Change Text Field	[] Pass	[] Fail	Bug#
	Display Combo Box	[] Pass	[] Fail	Bug#
	Gradient Object Check Box	[] Pass	[] Fail	Bug#
	Gradient Constraint Check Box	[] Pass	[] Fail	Bug#
	Derivative Check Check Box	[] Pass	[] Fail	Bug#
	Diagnostics Check Box	[] Pass	[] Fail	Bug#
4.	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#

10.27. STRING 179

7. Evaluate rename functionality.							
Rename (on resource tree)		[]	Pass	[]	Fail	Bug#	
Summary:							
Number of passed test elements							
Total number of test elements							
Test case status		[]	Pass	[]	Fail		
Bugs Reported:							
Notes:							
10.27 String							
Panel.txt							
10.28 Thruster							
\$Id: ThrusterPanel.txt,v 1.4 2006/11/2	22 21:32	:34	dconw	ay Ex	xp \$		
Tester:	_ D	ate	:				
Platform: Windows, Version:							
Macintosh, OS X Version	on:						
Linux, Distribution:							
Description:							
This test validates the functionality ((* indicates sub-panel whose functional)				•			
Procedure:							

1. Add and open the appropriate object panel.

180

	Add Thruster Resource		Pass	[]	Fail	Bug#	
	Open Thruster Resource	[]	Pass	[]	Fail	Bug#	
	Close Thruster Resource	[]	Pass	[]	Fail	Bug#	
	Clone Thruster Resource	[]	Pass	[]	Fail	Bug#	
	Rename Thruster Resource	[]	Pass	[]	Fail	Bug#	
	Delete Thruster Resource	[]	Pass	[]	Fail	Bug#	
2.	Evaluate the aesthetic qualities of the p	anel					
	Panel Aesthetics	[]	Pass	[]	Fail	Bug#	
3.	Evaluate the individual panel elements.						
	Coordinate System Combo Box	[]	Pass	[]	Fail	Bug#	
	Origin Combo Box	[]	Pass	[]	Fail	Bug#	
	Axes Combo Box	[]	Pass	[]	Fail	Bug#	
	Element1 Field	[]	Pass	[]	Fail	Bug#	
	Element2 Field	[]	Pass	[]	Fail	Bug#	
	Element3 Field	[]	Pass	[]	Fail	Bug#	
	Duty Cycle	[]	Pass	[]	Fail	Bug#	
	Thruster Scale Factor Field	[]	Pass	[]	Fail	Bug#	
	Decrement Mass Button	[]	Pass	[]	Fail	Bug#	
	Tank Combo Box	[]	Pass	[]	Fail	Bug#	
	GravitationalAccel Field	[]	Pass	[]	Fail	Bug#	
	Edit Thruster Coefficient Action Button	[]	Pass	[]	Fail	Bug#	
	Edit Impulse Coefficient Action Button	[]	Pass	[]	Fail	Bug#	
4.	Evaluate panel-specific functionality.						
	N/A						
5.	Evaluate data.						
	Data elements appear complete	[]	Pass	[]	Fail	Bug#	

Draft: Work in Progress 10.29. VARIABLE

Show Script		[] Pass	[] Fail	Bug#	
6. Evaluate panel	control.				
Tab Key Navigat	ion	[] Pass	[] Fail	Bug#	
Cancel		[] Pass	[] Fail	Bug#	
Apply		[] Pass	[] Fail	Bug#	
OK (Save)		[] Pass	[] Fail	Bug#	
Help [DEFERRED]					
Restore		[] Pass	[] Fail	Bug#	
Minimize		[] Pass	[] Fail	Bug#	
Maximize		[] Pass	[] Fail	Bug#	
Close		[] Pass	[] Fail	Bug#	
7. Evaluate rename	functionality.				
Rename (on reso	urce tree)	[] Pass	[] Fail	Bug#	
Summary:					
Number of passe	d test elements				
Total number of	test elements				
Test case statu	S	[] Pass	[] Fail		
Bugs Reported:					
Notes:					
10.29 Variable					
\$Id: VariablePanel	.txt,v 1.4 2006/11/22	21:32:33 dconw	ay Exp \$		
		5.			

Draft: Work in Progress 182 Platform: ___ Windows, Version: _____ ___ Macintosh, OS X Version: _____ ___ Linux, Distribution: _____ De Th (* Pr 1 2 3

ei	scription:			
	is test validates the functionality of th indicates sub-panel whose functionality		-	
r	ocedure:			
	Create and open the appropriate object p	anel.		
	Create Variable Resource	[] Pass	[] Fail	Bug#
	Open Variable Resource	[] Pass	[] Fail	Bug#
	Evaluate the aesthetic qualities of the	panel.		
	Panel Aesthetics	[] Pass	[] Fail	Bug#
	Evaluate the individual panel elements.	(* currentl	y all read	-only)
	Name Text Field	[] Pass	[] Fail	Bug#
	Expression Text Field	[] Pass	[] Fail	Bug#
	Color Selection Button	[] Pass	[] Fail	Bug#
	Evaluate panel-specific functionality.			
	N/A			
	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#

[] Pass [] Fail Bug# ____

[] Pass [] Fail Bug# _____

4

5

6

Apply

OK (Save)

10.30. XY PLOT

Help [DEFERRED]							
Restore	[] Pass	[] Fail	Bug#				
Minimize	[] Pass	[] Fail	Bug#				
Maximize	[] Pass	[] Fail	Bug#				
Close	[] Pass	[] Fail	Bug#				
7. Evaluate rename functionality.							
Rename (on resource tree)	[] Pass	[] Fail	Bug#				
Summary:							
Number of passed test elements							
Total number of test elements							
Test case status	[] Pass	[] Fail					
Bugs Reported:							
Notes:							
10.30 XY Plot							
\$Id: XYPlotPanel.txt,v 1.4 2006/11/22	21:32:33 dconway	Exp \$					
Tester:	_ Date:						
Platform: Windows, Version:							
Macintosh, OS X Versi	on:						
Linux, Distribution:							
Description:							

This test validates the functionality of the XYPlot panel. (* indicates sub-panel whose functionality is tested separately)

Procedure:

1.	create and open the appropriate object panel.						
	Create XYPlot Resource	[] Pass	[] Fail	Bug#			
	Open XYPlot Resource	[] Pass	[] Fail	Bug#			
2.	Evaluate the aesthetic qualities of the p	anel.					
	Panel Aesthetics	[] Pass	[] Fail	Bug#			
3.	Evaluate the individual panel elements.						
	Create Action Button*	[] Pass	[] Fail	Bug#			
	Object Type Combo Box	[] Pass	[] Fail	Bug#			
	Object Combo Box	[] Pass	[] Fail	Bug#			
	Property Selection List	[] Pass	[] Fail	Bug#			
	Selected X List	[] Pass	[] Fail	Bug#			
	Selected Y List	[] Pass	[] Fail	Bug#			
	> (Add) Selection Button (left)	[] Pass	[] Fail	Bug#			
	< (Remove) Selection Button (left)	[] Pass	[] Fail	Bug#			
	> (Add) Selection Button (right)	[] Pass	[] Fail	Bug#			
	< (Remove) Selection Button (right)	[] Pass	[] Fail	Bug#			
	< = (Remove All) Selection Button (rt.)	[] Pass	[] Fail	Bug#			
	Show Plot Check Box	[] Pass	[] Fail	Bug#			
	Show Grid Check Box	[] Pass	[] Fail	Bug#			
	Draw Targeting Check Box	[] Pass	[] Fail	Bug#			
	Color Select Box	[] Pass	[] Fail	Bug#			
4.	Evaluate panel-specific functionality.						
	N/A						
5.	Evaluate data.						
	Data elements appear complete	[] Pass	[] Fail	Bug#			

10	.50. ATTEOT			
	Show Script	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#
7.	Evaluate rename functionality.			
	Rename (on resource tree)	[] Pass	[] Fail	Bug#
Su	mmary:			
	Number of passed test elements			
	Total number of test elements			
	Test case status	[] Pass	[] Fail	
Bu	gs Reported:			

Notes:

Draft: Work in Progress Chapter 10. Resources

186

Chapter 11

Commands

11.1 Achieve

11.2 Begin Finite Burn

\$Id: BeginFiniteBurnCmdPanel.txt,v 1.4 2006/	11/22 21:32:33 dconway Exp \$			
Tester: Date: B	uild:			
Platform: Windows, Version:				
Macintosh, OS X Version:				
Linux, Distribution:				
Description:				
This test validates the functionality of the BeginFiniteBurn Command panel. (* indicates sub-panel whose functionality is tested separately)				
Procedure:				
1. Add and open the appropriate object panel				
Add BeginFiniteBurn Command	[] Pass [] Fail Bug#			
Open BeginFiniteBurn Command	[] Pass [] Fail Bug#			
Close BeginFiniteBurn Command	[] Pass [] Fail Bug#			
Clone BeginFiniteBurn Command	[] Pass [] Fail Bug#			
Rename BeginFiniteBurn Command	[] Pass [] Fail Bug#			
	187			

188

	Delete BeginFiniteBurn Command	[] Pass	[] Fail	Bug#
	Insert After Command (17 options)	[] Pass	[] Fail	Bug#
	Insert Before Command (17 options)	[] Pass	[] Fail	Bug#
2.	Evaluate the aesthetic qualities of the pa	anel.		
	Panel Aesthetics	[] Pass	[] Fail	Bug#
3.	Evaluate the individual panel elements.			
	Finite Burn Drop Down List	[] Pass	[] Fail	Bug#
	Spacecraft Box	[] Pass	[] Fail	Bug#
4.	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
	Command Summary (must run script)	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#

7. Evaluate rename functionality.

	Drait:	Work	ln	Pro	gr	ess
11 2	CALL FUNCTION					

Rename (on mission tree)	[] Pass	[] Fail	Bug#
Summary:			
Number of passed test elements			
Total number of test elements			
Test case status	[] Pass	[] Fail	
Bugs Reported:			
Notes:			
11.3 Call Function			
\$Id: CallFunctionCmdPanel.txt,v 1.4 200	06/11/22 21:32:3	3 dconway	Exp \$
Tester:	Date:		
Tester: Platform: Windows, Version:			
Platform: Windows, Version:	n:		
Platform: Windows, Version:	n:		
Platform: Windows, Version: Macintosh, OS X Version Linux, Distribution:	of the Call Func	 tion Comma	nd panel.
Platform: Windows, Version: Macintosh, OS X Version Linux, Distribution: Description: This test validates the functionality of	of the Call Func	 tion Comma	nd panel.
Platform: Windows, Version: Macintosh, OS X Version Linux, Distribution: Description: This test validates the functionality of (* indicates sub-panel whose functional)	of the Call Function	 tion Comma	nd panel.
Platform: Windows, Version: Macintosh, OS X Version Linux, Distribution: Description: This test validates the functionality of (* indicates sub-panel whose functional) Procedure:	of the Call Functions is tested se	 tion Comma eparately)	nd panel.
Platform: Windows, Version: Macintosh, OS X Version Linux, Distribution: Description: This test validates the functionality of (* indicates sub-panel whose functional the procedure: Procedure: 1. Create and open the appropriate objections.	of the Call Functility is tested seect panel.	 tion Comma eparately)	nd panel.

2. Evaluate the aesthetic qualities of the panel.

190

	Panel Aesthetics	[] Pass	[] Fail	Bug#
3.	Evaluate the individual panel elements.			
	Output Parameter Select Dialog*	[] Pass	[] Fail	Bug#
	Function Combo Box	[] Pass	[] Fail	Bug#
	Input Parameter Select Dialog*	[] Pass	[] Fail	Bug#
4.	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
	Command Summary (must run script)	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#
7.	Evaluate rename functionality.			
	Rename (on mission tree)	[] Pass	[] Fail	Bug#
Sur	mmary:			
	Number of passed test elements	-		

Total number of test elements

Draft: Work in Progress 11.4. END FINITE BURN

Test	case	status		[]]	Pass	[]	Fail		
Bugs Re	ported	1:							
Notes:									
11.4	En	d Finite Bur	'n						
\$Id: En	dFinit	teBurnCmdPanel.tx	ct,v 1.4 2006/	11/22 2	1:32:3	3 d	conway	Exp S	3
Tester:		Date:		Build:					
Platfor	m: _	Windows, Vers	ion:			_			
	-	Macintosh, OS	X Version:			_			
	-	Linux, Distri	bution:			-			
Descrip	tion:								
		Lidates the funct	-					nd par	nel.
Procedu	re:								
1. Add	and op	en the appropria	ite object pane	el.					
Add	EndFir	niteBurn Command		[]]	Pass	[]	Fail	Bug#	
Open	EndFi	initeBurn Command	l	[]]	Pass	[]	Fail	Bug#	
Clos	e EndF	FiniteBurn Comman	ıd	[]]	Pass	[]	Fail	Bug#	
Clon	e EndF	FiniteBurn Comman	ıd	[]]	Pass	[]	Fail	Bug#	
Rena	me End	lFiniteBurn Comma	ind	[]]	Pass	[]	Fail	Bug#	
Dele	te End	lFiniteBurn Comma	and	[]]	Pass	[]	Fail	Bug#	
Inse	rt Aft	cer Command (17 c	ptions)	[]]	Pass	[]	Fail	Bug#	
Inse	rt Bef	fore Command (17	options)	[]]	Pass	[]	Fail	Bug#	

192

2.	Evaluate the aesthetic qualities of the	panel.		
	Panel Aesthetics	[] Pass	[] Fail	Bug#
3.	Evaluate the individual panel elements.			
	Finite Burn Drop Down List	[] Pass	[] Fail	Bug#
	Spacecraft Box	[] Pass	[] Fail	Bug#
1.	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
	Command Summary (must run script)	[] Pass	[] Fail	Bug#
3.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#
7.	Evaluate rename functionality.			
	Rename (on mission tree)	[] Pass	[] Fail	Bug#
Sui	mmary:			
	Number of passed test elements			
	Total number of test elements			

Draft: Work in Progress 11.5. GMAT COMMAND

Test	case status	[] Pass	[] Fail	
Bugs Rep	ported:			
Notes:				
11.5	GMAT Command			
\$Id: GM <i>I</i>	ATCmdPanel.txt,v 1.4 2006/11/22 21:32	2:33 dconwa	y Exp \$	
Tester:		Date:		
Platform	m: Windows, Version:			
	Macintosh, OS X Version:			
	Linux, Distribution:			
Descript	tion:			
	st validates the functionality of the cates sub-panel whose functionality i		_	_
Procedui	re:			
1. Creat	te and open the appropriate object pa	nel.		
Creat	te GMAT Command	[] Pass	[] Fail	Bug#
Open	GMAT Command	[] Pass	[] Fail	Bug#
2. Evalı	uate the aesthetic qualities of the p	anel.		
Panel	l Aesthetics	[] Pass	[] Fail	Bug#
3. Evalı	uate the individual panel elements.			
Assig	gnment Text Box	[] Pass	[] Fail	Bug#

4. Evaluate panel-specific functionality.

194

N/A

5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
	Command Summary (must run script)	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#
7.	Evaluate rename functionality.			
	Rename (on mission tree)	[] Pass	[] Fail	Bug#
Sui	nmary:			
	Number of passed test elements			
	Total number of test elements			
	Test case status	[] Pass	[] Fail	
Bu	gs Reported:			
No.	tes:			

11.6 If

5. Evaluate data.

\$Id: IfCmdPanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$								
Tester:	Date:							
Platform: Windows, Version:								
Macintosh, OS X Version:								
Linux, Distribution:								
Description:								
This test validates the functionality of the If Command panel. (* indicates sub-panel whose functionality is tested separately)								
Procedure:								
1. Create and open the appropriate object p	panel.							
Create If Command	[] Pass [] Fail Bug#							
Open If Command	[] Pass [] Fail Bug#							
2. Evaluate the aesthetic qualities of the	panel.							
Panel Aesthetics	[] Pass [] Fail Bug#							
3. Evaluate the individual panel elements.								
LHS Text Field	[] Pass [] Fail Bug#							
LHS Parameter Select Dialog (rt-click)*	[] Pass [] Fail Bug#							
If Condition Dialog (rt-click)*	[] Pass [] Fail Bug#							
RHS Text Field	[] Pass [] Fail Bug#							
RHS Parameter Select Dialog (rt-click)*	[] Pass [] Fail Bug#							
Logic Selection Dialog (rt-click)*	[] Pass [] Fail Bug#							
4. Evaluate panel-specific functionality.								
N/A								

196

	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
	Command Summary (must run script)	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#
7.	Evaluate rename functionality.			
	Rename (on mission tree)	[] Pass	[] Fail	Bug#
Sui	mmary:			
	Number of passed test elements			
	Total number of test elements			
	Test case status	[] Pass	[] Fail	
Bu	gs Reported:			
No.	tes:			

Draft: Work in Progress 11.7. MANEUVER

11.7 Maneuver

\$1¢	d: ManeuverCmdPanel.txt,v 1.4 2006/11/22	21:32:33 dc	onwa	у Ехр	\$	
Tes	ster: Date:	Build:				
Pla	atform: Windows, Version: Macintosh, OS X Version:					
	Linux, Distribution:					
Des	scription:					
	is test validates the functionality of th indicates sub-panel whose functionality			-		
Pro	ocedure:					
1.	Create and open the appropriate object p	oanel.				
	Create Maneuver Command	[] Pass	[]	Fail	Bug#	
	Open Maneuver Command	[] Pass	[]	Fail	Bug#	
	Insert Before Command	[] Pass	[]	Fail	Bug#	
	Insert After Command	[] Pass	[]	Fail	Bug#	
	Delete Maneuver Command	[] Pass	[]	Fail	Bug#	
2.	Evaluate the aesthetic qualities of the	panel.				
	Panel Aesthetics	[] Pass	[]	Fail	Bug#	
3.	Evaluate the individual panel elements.					
	Burn Combo Box	[] Pass	[]	Fail	Bug#	
	Spacecraft Combo Box	[] Pass	[]	Fail	Bug#	
4.	Evaluate panel-specific functionality. $\ensuremath{\text{N/A}}$					
5.	Evaluate data.					
	Data elements appear complete	[] Pass	[]	Fail	Bug#	

198

	Show Script	[] Pass	[] Fail	Bug#
	Command Summary (must run script)	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#
7	Evaluate rename functionality.			
	Rename (on mission tree)	n/a		
Su	nmary:			
	Number of passed test elements			
	Total number of test elements			
	Test case status	[] Pass	[] Fail	
Bu	gs Reported:			
No	tes:			

11.8 Minimize

\$Id: MinimizeCmdPanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$

Draft: Work in Progress 11.8. MINIMIZE

Teste	r:	Date	:				
Platf	orm: Windows, Version:						
	Macintosh, OS X Version:						
	Linux, Distribution:						
Descr	iption:						
	test validates the functionality of th dicates sub-panel whose functionality				-		
Proce	dure:						
1. Cr	eate and open the appropriate object p	anel.					
Cr	eate Minimize Command	[]	Pass	[]	Fail	Bug#	
0p	en Minimize Command	[]	Pass	[]	Fail	Bug#	
2. Ev	aluate the aesthetic qualities of the	panel					
Pa	nel Aesthetics	[]	Pass	[]	Fail	Bug#	
3. Ev	aluate the individual panel elements.						
So	lver Combo Box	[]	Pass	[]	Fail	Bug#	
Va	riable Text Field	[]	Pass	[]	Fail	Bug#	
Ch	oose Action Button (Par. Sel. Dialog)*	[]	Pass	[]	Fail	Bug#	
4. Ev	aluate panel-specific functionality.						
N/	A						
5. Ev	aluate data.						
Da	ta elements appear complete	[]	Pass	[]	Fail	Bug#	
Sh	ow Script	[]	Pass	[]	Fail	Bug#	
Со	mmand Summary (must run script)	[]	Pass	[]	Fail	Bug#	
6. Ev	aluate panel control.						
Ta	b Key Navigation	[]	Pass	[]	Fail	Bug#	

200 Cancel [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Apply OK (Save) [] Pass [] Fail Bug# _____ Help [DEFERRED] [] Pass [] Fail Bug# _____ Restore Minimize [] Pass [] Fail Bug# _____ Maximize [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Close 7. Evaluate rename functionality. Rename (on mission tree) [] Pass [] Fail Bug# _____ Summary: Number of passed test elements Total number of test elements Test case status [] Pass [] Fail Bugs Reported: Notes: Nonlinear Constraint 11.9 \$Id: NonlinearConstraintCmdPanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$ Tester: _____ Date: _____ ___ Windows, Version: _____ Platform: ___ Macintosh, OS X Version: _____

___ Linux, Distribution: _____

11.9. NONLINEAR CONSTRAINT

Description:

This	test	val	idates	the	func	tionality	of	the	NonLine	arConstraint	${\tt Command}$	panel.
(* i	ndicat	tes	sub-pai	nel 1	whose	function	alit	ty is	tested	separately)		

Pr	ocedure:			
1.	Create and open the appropriate object pa	nel.		
	Create NonLinearConstraint Command	[] Pass	[] Fail	Bug#
	Open NonLinearConstraint Command	[] Pass	[] Fail	Bug#
2.	Evaluate the aesthetic qualities of the p	anel.		
	Panel Aesthetics	[] Pass	[] Fail	Bug#
3.	Evaluate the individual panel elements.			
	Optimizer Combo Box	[] Pass	[] Fail	Bug#
	Constraint Text Field	[] Pass	[] Fail	Bug#
	Choose Action Button (Par. Sel. Dialog)*	[] Pass	[] Fail	Bug#
	Operator Combo Box	[] Pass	[] Fail	Bug#
	Constraint Value Text Field	[] Pass	[] Fail	Bug#
	Choose Action Button (Par. Sel. Dialog)*	[] Pass	[] Fail	Bug#
	Tolerance Text Field	[] Pass	[] Fail	Bug#
4.	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
	Command Summary (must run script)	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#

202						CF	HAPTER 11.	COMMANDS
App	ly	[]	Pass	[]	Fail	Bug#		
OK	(Save)	[]	Pass	[]	Fail	Bug#		
Hel	p [DEFERRED]							
Res	tore	[]	Pass	[]	Fail	Bug#		
Min	imize	[]	Pass	[]	Fail	Bug#		
Max	imize	[]	Pass	[]	Fail	Bug#		
Clo	se	[]	Pass	[]	Fail	Bug#		
7. Eva	luate rename functionality.							
	ame (on mission tree)	r 1	Pass	[]	Fail	Bug#		
Summar	y:							
Num	ber of passed test elements	-						
Tot	al number of test elements	-						
Tes	t case status	[]	Pass	[]	Fail			
Bugs R	eported:							
. 0								
Notes:								
11 1(Dropagata							
11.1() Propagate							
\$Id: P	ropagateCmdPanel.txt,v 1.4 2006/11/22	21:32	2:33 do	conwa	ay Exp	\$		
Tester	: Date: B	Build	:					
Platfo	rm: Windows, Version:							
	Macintosh, OS X Version:							
	I inux Distribution:							

Description:

11.10. PROPAGATE 203

This test validates the functionality of the Propagate Command panel. (* indicates sub-panel whose functionality is tested separately)

D	
Procedure	:
	•

1.	Create and open the appropriate object par			
	Create Propagate Command	[] Pass	[] Fail	Bug#
	Open Propagate Command	[] Pass	[] Fail	Bug#
	Insert Before Command	[] Pass	[] Fail	Bug#
	Insert After Command	[] Pass	[] Fail	Bug#
	Delete Propagate Command	[] Pass	[] Fail	Bug#
2.	Evaluate the aesthetic qualities of the pa	anel.		
	Panel Aesthetics	[] Pass	[] Fail	Bug#
3.	Evaluate the individual panel elements.			
	Propagate Mode Combo Box	[] Pass	[] Fail	Bug#
	Propagate/SC/Backward Grid	[] Pass	[] Fail	Bug#
	Stopping Conditions Grid	[] Pass	[] Fail	Bug#
	Stopping Condition Name Text Field	[] Pass	[] Fail	Bug#
	Update Action Button	[] Pass	[] Fail	Bug#
	Delete Action Button	[] Pass	[] Fail	Bug#
	Variable Text Field	[] Pass	[] Fail	Bug#
	View Action Button (Par. Select Dialog)*	[] Pass	[] Fail	Bug#
	Operator Combo Box	[] Pass	[] Fail	Bug#
	Value Text Field	[] Pass	[] Fail	Bug#
	View Action Button (Par. Select Dialog)*	[] Pass	[] Fail	Bug#
4.	Evaluate panel-specific functionality.			
	a. Check SpaceObjects list: Create spacecraft SC1, SC2, and SC3 Put SC1 and SC2 into Formation1 Open up the Propagate command panel Open the Spacecraft List panel (i.e. SpaceObjectSelectDialog)			

204

Notes:

	Only Formation1 and SC3 should be the lists of SpaceObjects	in [] Pass	[] Fail	Bug#
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
	Command Summary (must run script)	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#
7.	Evaluate rename functionality.			
	Rename (on mission tree)	[] Pass	[] Fail	Bug#
Sur	mmary:			
	Number of passed test elements			
	Total number of test elements			
	Test case status	[] Pass	[] Fail	
Bug	gs Reported:			

Draft: Work in Progress 11.11. REPORT

11.11 Report

\$Id: ReportCmdPanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$							
Tester: Date:	Build:						
Platform: Windows, Version:							
Macintosh, OS X Version: _							
Linux, Distribution:							
Description:							
This test validates the functionality of the Report Command panel. (* indicates sub-panel whose functionality is tested separately)							
Procedure:							
1. Create and open the appropriate object	panel.						
Create Report Command	[] Pass	[] Fail	Bug#				
Open Report Command	[] Pass	[] Fail	Bug#				
Insert Before Command	[] Pass	[] Fail	Bug#				
Insert After Command	[] Pass	[] Fail	Bug#				
Delete Report Command	[] Pass	[] Fail	Bug#				
2. Evaluate the aesthetic qualities of the	panel.						
Panel Aesthetics	[] Pass	[] Fail	Bug#				
3. Evaluate the individual panel elements.							
Report File Combo Box	[] Pass	[] Fail	Bug#				
Paramenter List	[] Pass	[] Fail	Bug#				
View Action Button	[] Pass	[] Fail	Bug#				
Object Type Combo Box	[] Pass	[] Fail	Bug#				
Select Entire Object Action Button	[] Pass	[] Fail	Bug#				
Object List Box	[] Pass	[] Fail	Bug#				
Object Property List	[] Pass	[] Fail	Bug#				

206

	Selected Values List	[] Pass	[] Fail	Bug#
	> (Add) Selection Button	[] Pass	[] Fail	Bug#
	< (Remove) Selection Button	[] Pass	[] Fail	Bug#
	<pre>< = (Remove All) Selection Button</pre>	[] Pass	[] Fail	Bug#
	= > (Add All) Selection Button	[] Pass	[] Fail	Bug#
	Up Selection Button	[] Pass	[] Fail	Bug#
	Down Selection Button	[] Pass	[] Fail	Bug#
	OK Button	[] Pass	[] Fail	Bug#
	Cancel Button	[] Pass	[] Fail	Bug#
4.	Evaluate panel-specific functionality.			
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
	Command Summary (must run script)	[] Pass	[] Fail	Bug#
6.	Evaluate panel control.			
	Tab Key Navigation	[] Pass	[] Fail	Bug#
	Cancel	[] Pass	[] Fail	Bug#
	Apply	[] Pass	[] Fail	Bug#
	OK (Save)	[] Pass	[] Fail	Bug#
	Help [DEFERRED]			
	Restore	[] Pass	[] Fail	Bug#
	Minimize	[] Pass	[] Fail	Bug#
	Maximize	[] Pass	[] Fail	Bug#
	Close	[] Pass	[] Fail	Bug#

7. Evaluate rename functionality.

11.12. SAVE 207

Rename (on mission tree) n/a Summary: Number of passed test elements Total number of test elements Test case status [] Pass [] Fail Bugs Reported: Notes: 11.12 Save \$Id: SaveCmdPanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$ Tester: _____ Date: ____ Build: _____ ___ Windows, Version: _____ Platform: ___ Macintosh, OS X Version: _____ ___ Linux, Distribution: _____ Description: This test validates the functionality of the Save Command panel. (* indicates sub-panel whose functionality is tested separately) Procedure: 1. Create and open the appropriate object panel. Create Save Command [] Pass [] Fail Bug# _____ [] Pass [] Fail Bug# _____ Open Save Command Insert Before Command [] Pass [] Fail Bug# _____ Insert After Command [] Pass [] Fail Bug# _____

[] Pass [] Fail Bug# _____

Delete Save Command

Draft: Work in Progress
CHAPTER 11. COMMANDS

aluate the aesthetic qualities of the panel.

2.	2. Evaluate the aesthetic qualities of the panel.				
	Panel Aesthetics	[] Pass [] Fail Bu	g#		
3.	Evaluate the individual panel elemen	ts.			
	Objects to Save Check Box(es)	[] Pass [] Fail Bu	g#		
4.	Evaluate panel-specific functionalit	у.			
	N/A				
5.	Evaluate data.				
	Data elements appear complete	[] Pass [] Fail Bu	g#		
	Show Script	[] Pass [] Fail Bu	g#		
	Command Summary (must run script)	[] Pass [] Fail Bu	g#		
6.	Evaluate panel control.				
	Tab Key Navigation	[] Pass [] Fail Bu	g#		
	Cancel	[] Pass [] Fail Bu	g#		
	Apply	[] Pass [] Fail Bu	g#		
	OK (Save)	[] Pass [] Fail Bu	g#		
	Help [DEFERRED]				
	Restore	[] Pass [] Fail Bu	g#		
	Minimize	[] Pass [] Fail Bu	g#		
	Maximize	[] Pass [] Fail Bu	g#		
	Close	[] Pass [] Fail Bu	g#		
7.	Evaluate rename functionality.				
	Rename (on mission tree)	n/a			
Su	mmary:				
	Number of passed test elements				
	Total number of test elements				

Draft: Work in Progress 11.13. SCRIPT

Т	est case status	[] Pass	[] Fail				
Bugs	Bugs Reported:						
Note	s:						
11.	13 Script						
11.	14 Target						
\$Id:	TargetCmdPanel.txt,v 1.4 2006/11/22 21	:32:33 dcon	way Exp \$				
Test	er: Date: I	Build:					
Plat	form: Windows, Version:						
	Macintosh, OS X Version:						
	Linux, Distribution:						
Desc	ription:						
	test validates the functionality of the ndicates sub-panel whose functionality :	_	_	1.			
Proc	edure:						
1. 0	reate and open the appropriate object pa	anel.					
C	reate Target Command	[] Pass	[] Fail	Bug#			
C	pen Target Command	[] Pass	[] Fail	Bug#			
I	nsert Before Command	[] Pass	[] Fail	Bug#			
I	nsert After Command	[] Pass	[] Fail	Bug#			
D	elete Target Command	[] Pass	[] Fail	Bug#			
2. E	valuate the aesthetic qualities of the p	panel.					

Panel Aesthetics

[] Pass [] Fail Bug# _____

3.	Evaluate the individual panel elemen	ts.						
	Solver Name Combo Box		[]	Pass	[]	Fail	Bug#	
	Solver Mode Combo Box		[]	Pass	[]	Fail	Bug#	
	Exit Mode Combo Box		[]	Pass	[]	Fail	Bug#	
	Apply Correction Action Button		[]	Pass	[]	Fail	Bug#	
4.	Evaluate panel-specific functionality	у.						
	.,							
5.	Evaluate data.							
	Data elements appear complete		[]	Pass	[]	Fail	Bug#	
	Show Script		[]	Pass	[]	Fail	Bug#	
	Command Summary (must run script)		[]	Pass	[]	Fail	Bug#	
6.	Evaluate panel control.							
	Tab Key Navigation		[]	Pass	[]	Fail	Bug#	
	Cancel		[]	Pass	[]	Fail	Bug#	
	Apply		[]	Pass	[]	Fail	Bug#	
	OK (Save)		[]	Pass	[]	Fail	Bug#	
	Help [DEFERRED]							
	Restore		[]	Pass	[]	Fail	Bug#	
	Minimize		[]	Pass	[]	Fail	Bug#	
	Maximize		[]	Pass	[]	Fail	Bug#	
	Close		[]	Pass	[]	Fail	Bug#	
7.	Evaluate rename functionality.							
	Rename (on mission tree)		[]	Pass	[]	Fail	Bug#	
Su	mmary:							
	Number of passed test elements							

11.10. 1000EE			
Total number of test elements			
Test case status	[] Pass	[] Fail	
Bugs Reported:			
Notes:			
11.15 Toggle			
\$Id: ToggleCmdPanel.txt,v 1.4 2006/11/22	2 21:32:33 dcon	way Exp \$	
Tester: Date:	Build:		
Platform: Windows, Version: Macintosh, OS X Version Linux, Distribution:	:		
Description:			
This test validates the functionality of (* indicates sub-panel whose functional:		-	
Procedure:			
1. Create and open the appropriate object	ct panel.		
Create Toggle Command	[] Pass	[] Fail	Bug#
Open Toggle Command	[] Pass	[] Fail	Bug#
Insert Before Command	[] Pass	[] Fail	Bug#
Insert After Command	[] Pass	[] Fail	Bug#
Delete Toggle Command	[] Pass	[] Fail	Bug#
2. Evaluate the aesthetic qualities of t	the panel.		
Panel Aesthetics	[] Pass	[] Fail	Bug#

3.	Evaluate the individual panel elemen	ts.								
	Select Subscriber to Toggle Check Bo	x(es)	[]	Pass	Г]	Fail	Bug#	
	On/Off Radio Button		[]	Pass	[]	Fail	Bug#	
1.	Evaluate panel-specific functionalit	у.								
	N/A									
5.	Evaluate data.									
	Data elements appear complete		[]	Pass	[]	Fail	Bug#	
	Show Script		[]	Pass	[]	Fail	Bug#	
	Command Summary (must run script)		[]	Pass	[]	Fail	Bug#	
3.	Evaluate panel control.									
	Tab Key Navigation		[]	Pass	[]	Fail	Bug#	
	Cancel		[]	Pass	[]	Fail	Bug#	
	Apply		[]	Pass	[]	Fail	Bug#	
	OK (Save)		[]	Pass	[]	Fail	Bug#	
	Help [DEFERRED]									
	Restore		[]	Pass	[]	Fail	Bug#	
	Minimize		[]	Pass	[]	Fail	Bug#	
	Maximize		[]	Pass	[]	Fail	Bug#	
	Close		[]	Pass	[]	Fail	Bug#	
7.	Evaluate rename functionality.									
	Rename (on mission tree)		[]	Pass	[]	Fail	Bug#	
Sui	mmary:									
	Number of passed test elements									
	Total number of test elements									
	Test case status		٢	1	Pass	٢]	Fail		

11.16.	VARY	21	13

Bugs Reported:

Notes:

11	.16	Vary
	• + 0	v car ,y

\$Id: VaryCmdPanel.txt,v 1.4 2006/11/22 21:32:33 dconway Exp \$						
Tester: Date: E	Build:					
Platform: Windows, Version: Macintosh, OS X Version: Linux, Distribution:						
Description: This test validates the functionality of the (* indicates sub-panel whose functionality i	•	-				
Procedure:						
1. Create and open the appropriate object pa	nel.					
Create Vary Command	[] Pass	[] Fail	Bug#			
Open Vary Command	[] Pass	[] Fail	Bug#			
Insert Before Command	[] Pass	[] Fail	Bug#			
Insert After Command	[] Pass	[] Fail	Bug#			
Delete Vary Command	[] Pass	[] Fail	Bug#			
2. Evaluate the aesthetic qualities of the ${f p}$	oanel.					
Panel Aesthetics	[] Pass	[] Fail	Bug#			
3. Evaluate the individual panel elements.						
Solver Combo Box	[] Pass	[] Fail	Bug#			

214

	Variable Text Field	[] Pass	[] Fail	Bug#
	View Action Button (Par. Select Dialog)*	[] Pass	[] Fail	Bug#
	Initial Value Text Field	[] Pass	[] Fail	Bug#
	Perturbation Text Field	[] Pass	[] Fail	Bug#
	Lower Text Field	[] Pass	[] Fail	Bug#
	Upper Text Field	[] Pass	[] Fail	Bug#
	Max Step Text Field	[] Pass	[] Fail	Bug#
	Additive Scale Factor Text Field	[] Pass	[] Fail	Bug#
	Multiplicative Scale Factor Text Field	[] Pass	[] Fail	Bug#
1	Evaluate panel-specific functionality.			
4.				
	N/A			
5.	Evaluate data.			
	Data elements appear complete	[] Pass	[] Fail	Bug#
	Show Script	[] Pass	[] Fail	Bug#
	Command Summary (must run script)	[] Pass	[] Fail	Bug#
6	Evaluate panel control.			
0.	Tab Key Navigation	[] Dagg	[] Fail	Bug#
				Bug#
	Cancel			_
	Apply			Bug#
	OK (Save)	[] Pass	[] Fall	Bug#
	Help [DEFERRED]	[] D		D #
	Restore			Bug#
	Minimize			Bug#
	Maximize			Bug#
	Close	[] Pass	[] Fail	Bug#
7.	Evaluate rename functionality.			

Rename (on mission tree)

11.16. VARY 215

Summary:

Number of passed test elements

Total number of test elements

Test case status [] Pass [] Fail

Bugs Reported:

Notes:

216

Bibliography

[Black]	Rex Black, "Managing the Testing Process," Second Edition, Wiley Publishing, 2002.
[Craig]	Rick D. Craig and Stefan P. Jaskiel, "Systematic Software Testing," Artech House, 2002.
[Dove]	Edwin G. Dove, "GUI Philosophy for the General Mission Analysis Tool (GMAT)."
[MTP]	GMAT Test Team, "General Mission Analysis Tool (GMAT) Master Test Plan."
[GDT]	${\it GMAT\ Development\ Team,\ "General\ Mission\ Analysis\ Tool\ (GMAT)\ Architectural\ Specification."}$
[hughes]	Steven P. Hughes, "General Mission Analysis Tool (GMAT) Mathematical Specification."
[hughes2]	Steven P. Hughes, "General Mission Analysis Tool (GMAT) User's Guide."
[matlab]	The MathWorks, Inc, "MATLAB", available from http://www.mathworks.com.
[OOo]	${\it OpenOffice.org, "OpenOffice", available from \ http://www.openoffice.org/.}$
[opttools]	The MathWorks, Inc, "Optimization Toolbox", available from http://www.mathworks.com.