

---

# MindMargin: An Article-Adjacent Commenting Platform

**Daniel Haehn**  
School of Engineering and  
Applied Sciences  
Harvard University  
Cambridge, MA USA  
haehn@seas.harvard.edu

**Sharon Zhou**  
Harvard College  
Cambridge, MA USA  
zhou12@college.harvard.edu

**Krzysztof Z. Gajos**  
School of Engineering and  
Applied Sciences  
Harvard University  
Cambridge, MA USA  
kgajos@eecs.harvard.edu

---

Copyright is held by the author/owner(s).  
CHI'14, April 26–May 1, 2014, Toronto, Canada.  
Copyright © 2014 ACM ISBN/14/04...\$15.00.  
DOI string from ACM form confirmation

## Abstract

Commenting systems are a popular means for facilitating conversation among readers on many websites. Reading and writing comments can increase active user engagement in information exchange, personal reflection, and lively discussion, among others. We explore how user engagement can be increased by proposing a new commenting system and interface, MindMargin. In contrast to traditional commenting systems where comments are featured below the article, MindMargin presents comments adjacent to the article. Users can post and navigate comments and replies on a horizontal infinite scroll. Comments are anchored by users to specific sections or phrases of the article. This system exposes users to a diverse and relevant array of opinions as they read.

## Author Keywords

Comments; anchored; commenting systems; opinions.

## ACM Classification Keywords

H.5.2. [Information Interfaces and Presentation (e.g. HCI)]: User Interfaces

## Introduction

News pages, media sites, online shops, blogs and social networks support the ability to give content-related

feedback in the form of comments. Commenting systems on these sites are traditionally featured under, and separate from, the main content. This structure parallels the relationship between content and comments, as interactions with comments are markedly secondary to the primary task of reading or browsing primary content. However, studies on Fluid Documents and annotation interfaces that challenge typographic conventions, such as discussion boards and footnotes, reveal limitations in the traditional vertical interface and suggest alternative horizontal layouts [1, 2, 10, 12, 11, 13, 14].

The Fluid Documents project aims to make information added into a page easier to locate in its source document by adjusting the typography of page. One specific study found that a fluid margin interface, as opposed to a fluid interline or overlay interface, had minimal disturbance to the user, because it did not move or occlude the primary text with the secondary text [13].

The concept of anchoring annotations to references in a text has been known to qualitatively improve conversation among readers because it makes understanding the context of a comment cognitively easier [1, 2, 10]. Another study compares the four leading annotation interfaces: footnotes, interlinear commentary, “sticky-note” annotations, and marginal comments, concluding that the marginal interface is superior in minimizing distraction and enhancing visibility. The marginal interfaces studied, however, interact with the primary text. They are tagged to boxes around the referenced content to indicate where they are anchored [12].

We have thus chosen to anchor comments in MindMargin with a faint dotted line to the edge of the article that corresponds to the y-coordinate of its reference, yet still

avoids disturbing the primary text.

While online commenting provides an opportunity for readers to express their views and engage in lively discussion with others, the comments section of many websites has become a popular space for flame wars. The social act of flaming, or the posting of offensive content, regularly devolves into hostile fights among multiple users, diverting a legitimate discussion topic to an unrelated and often emotionally charged digression. This behavior is examined closely in many research fields, including user interface design, communications, and psychology [4, 6, 8, 9].

Evidence in educational research, however, has shown that anchored annotated notes foster a deeper understanding of the text and facilitate more thoughtful teacher-to-student and peer-to-peer discussions [12, 14]. Studies on balancing peoples skewed opinions also suggest exposing readers to a variety of relevant perspectives so that they consider views that exist beyond a single article and authors scope [3, 5, 7].

Thus, while current commenting platforms often fail at drawing people into sensible and relevant conversation, we offer evidence to suggest a horizontal interface such as MindMargin can change peoples views and actions, and thus address this societal problem. From our evaluation and user study, it appears that people with prior exposure to the issue in the article become more moderate in their opinions, reporting less polar views than those using a traditional vertical interface.

### *Hypotheses*

We propose two hypotheses for MindMargin’s effect on its users in comparison to the traditional vertical interface:

1. Users of MindMargin will develop more thoughtful and nuanced opinions of an article, because MindMargin encourages readers to consider alternate views by exposing them to a greater diversity and number of comments.
2. Users of MindMargin will report a more positive impression of the existing comments because MindMargin displays anchored comments that appear alongside relevant passages of the text.

### Contributions

This study presents the following novel contributions:

- A horizontally structured commenting interface such as MindMargin can expose users to a more diverse set of comments and compel those with existing exposure to the issue to think less divergently
- Anchored comments to relevant sections of the text in MindMargin compels users to not only have a more positive impression of, but also place greater trust in, the comments made by others

### Approach


We implemented two commenting systems. The first commenting system is MindMargin with anchored comments on a horizontal infinite scroll next to the reference media (see Figure 1). The second commenting system is a traditional vertical interface (see Figure 2). The two prototypes consist of clean user interfaces to avoid design clutter and distraction.

MindMargin is split into two sides: The reference media on the left and an adjacent commenting system on the right. The commenting system displays comments in


a horizontal infinite scroll. Thus, an unrestricted amount of comments can be linked to the reference media. Navigation within the infinite scroll component can be performed via mousewheel interaction (either left/right or top/down scrolling with the same effect) or by adjustment of a slider on the bottom of the right split screen. While navigating through the infinite scroll, the reference medium remains fixed on the left. Similar to [13, 14], comments are anchored to the horizontal reference point of the media. We minimize disturbance by avoiding interactions with the primary text, as defined by [13], and using thin dotted lines for anchoring to the article's right edge. This design decision was motivated by MindMargin's inherently more visible and thus distracting interface than the traditional vertical system's.

If a comment has replies, a dropdown button appears on the comment's footer. Lighter in color, replies to comments appear vertically under their comment when the button is clicked. This arrangement optimizes horizontal real estate by reserving horizontal space for parent comments. Readers can upvote and downvote comments. Most recent comments and most popular comments are displayed directly next to the reference media for increased visibility.

Our implementation of the traditional vertical commenting system follows a vertically ordered design: The reference media appears first and on top of the commenting system that follows below. Navigation within the article as well as within the comments can be performed via top/down scrolling. The replies, upvoting, and downvoting function and are organized in the same manner as MindMargin.



**Figure 1:** The MindMargin commenting system with the reference media on the left and an adjacent commenting system on the right.



**Figure 2:** The traditional vertical commenting system with the reference media on the left and a vertically ordered commenting system on the right.

## Experiment

We performed a between-subjects online experiments with young adults. Participants were randomly assigned to one of two conditions: MindMargin or a vertical commenting interface.

**Participants.** 106 online participants landed on our page for our user study and evaluation, of which 46 proceeded to begin and complete the study (30 female). 19 participants were assigned to the Mind Margin condition and 27 to the vertical interface condition. Participants were recruited online through social media and college listservs. Participants were college students, aged 18 to 25, and 68% hailed from the local university. The self-reported reading frequency of online news among participants ranged from daily to almost never.

**Experimental Conditions.** The two conditions in our study were MindMargin and the traditional vertical interface, both seeded with existing comments from a relevant news article. The article was selected on the basis of its opinionated nature and its relevance both in recent news and to our anticipated participant pool. We chose an opinion piece from our university's undergraduate publication, titled Don't Teach for America.

The article already had over fifty comments by affiliates and non-affiliates of the university alike, from which we selected the top 39 comments as ranked by Disqus, the existing commenting system on the publication's website, to be used in our study. The same comments were used in both conditions. In the traditional vertical interface, the comments appeared in the identical order as ranked in the original article. In MindMargin, we anchored them to the article based on textual references, specific phrases, quotes, and relevant content in each comment.

Users could make new comments by writing in the static new comment box above existing comments in the traditional interface and by clicking any part of the article to open a new comment box in MindMargin. In the MindMargin condition, we provided participants with simple, temporary instructions: "click the text to comment."

XXXX include that last paragraph? XXXX

**Tasks.** To ensure that our results would be informative for the design of real-world commenting systems, we designed the experimental tasks to focus participants' attention on the content of the article. The study design did not emphasize that the evaluation of the commenting system was the object of the study ([XXX but was it disclosed in the consent form?])

Participants were presented with an article and they were instructed to [XXX ??? XXX]. Once they completed reading the article, we asked them verification questions to ensure that they have indeed read and comprehended the article. Specifically we asked them about the overall stance of the article and, in a free-text response, for two pieces of supporting evidence used in the article. All 46 participants gave correct and thorough answers to these verification questions. Participants were then asked to complete a post-experiment questionnaire and were not permitted to refer back to the article once the questionnaire was administered. [XXX state what questions were included in this questionnaire]

To further incentivize focus on the content of the article and reflection on the issue it discussed, we used the following tagline to advertise the study: "Do you (really) think like a Harvard student?" and at the end of the study we provided them with feedback showing how their stance

on the issue discussed in the article compared to those of other participants [[XXX other participants or Harvard students?]].

**Procedure.** Participants were given an initial questionnaire asking basic demographics and reading frequency. Before given the article, they were also asked either to provide a username or pseudonym, or to remain anonymous. During the reading of the article, participants were allotted 10 minutes. After 2 minutes, they were permitted to proceed to the questionnaire. The 2-minute delay was to ensure the reading of the article, and did not seem to prevent fast readers from moving too slowly, as the average reading time was 3 minutes 47 seconds.

In the follow-up questionnaire, reading verification questions were first posed. Participants were then asked their personal stance on the article, whether they liked the article, and whether they agreed with the article. They were also asked to self-report whether they read the comments in the article and to provide two adjectives that described either their reaction to, or a description of, the comments.

## Results and Discussion

In this section, we report the findings of our user study comparing the proposed MindMargin interface to the traditional vertical commenting system. Overall, we observed a decrease in polarized views among readers who had seen or read the article previously and an increase in opinion polarization among unfamiliar readers. We also found an increase in readers' positive impressions of comments when using MindMargin. We were able to accept both of our hypotheses.

XXXX "and an increase in opinion polarization among unfamiliar readers" isn't it about the same? no change?

XXXX

### *Hypothesis 1*

Our first hypothesis predicted that MindMargin would have an impact on individual opinions, prompting new readers to develop a stance on the issue and encouraging readers with existing views to consider alternate views. The reasoning behind this hypothesis was that MindMargin exposes readers to a greater number of opinions while reading the article. Consequently, readers think more independently, reconsidering their own views in light of others', and develop more thoughtful and nuanced opinions.

All participants were asked their stance on a Likert scale from Strongly For TFA to Strongly Against TFA. In our analysis, we excluded data from participants who reported to have not read the comments (there was statistically no difference in stance between prototypes Num dropped=XX and Nums for ea. avg stance=XX). We also excluded participants who did not toggle the Likert scale and answer this question (Num==XX). The data of the remaining participants (N=XX) was remapped for their "Stance Polarization," or the deviation of their stance from neutral, as  $|50 - stance|$  (range 0-50).

Participants also reported on their familiarity with the article, which ranged from "read" if they had read or skimmed the article, to "seen" if they had seen the article in the past but did not read or skim it, to "none" if they had never encountered the article prior to this study. We then performed an analysis for both prototypes that included familiarity with the article as a covarying factor and the dependent variable SP, their "Stance Polarization."

We found that for users whose familiarity of the article

was “none,” there was no significant difference in the polarization of their stance between MindMargin and the traditional. For participants who were previously exposed to the issue in the article, and whose familiarity with the article was thus “seen” or “read,” we did in fact observe a difference in stance polarization between the two prototypes (see Figure YYYY). Participants whose familiarity of the article was “seen” had a SP value of 7 with MindMargin and 17 with the traditional system. Participants whose familiarity of the article was “read” had a SP value of 17 with MindMargin and 27 with the traditional system. The lower SP values among MindMargin users reveal that participants with MindMargin who had prior exposure to the article reported less polarized views to reading the article for a second read or glance.

However, there are limitations to our observations, as the p-values are XX and XX suggesting that our trends are not yet statistically significant. This could likely result from using a between-subjects methodology. To address this in subsequent research, we plan to significantly increase the participant pool and to employ a within-subjects methodology, in which we query participants for their individual stance prior to their reading of the article and observe the deltas in SP values afterward.

### *Hypothesis 2*

Our second hypothesis predicted an overall increase in positive impressions on comments when using the MindMargin interface. We asked participants who read the comments to input two adjectives in free-text describing either their reaction to the comments or a description of the comments. We then asked four independent volunteers, blind to the experiment, to classify these adjectives using a four-bin classifier


(“Positive,” “Negative,” “Neutral,” and “Invalid”). They were told to classify the adjectives provided that they were in answer to the question, posed on the survey: “What did you think of the comments (from article X)?”

We removed adjectives given two or more “Invalid” classifications as outliers, which only appeared in the vertical condition. We found that adjectives without uniform encoding observed an uncontradictory mix of classifications: “Positive” and “Neutral” or “Neutral” and “Negative,” but never “Positive” and “Negative.” We were thus confident in using the resulting median encodings for the final classification of the specified adjectives.


Then, we compared the impressions between MindMargin and the traditional commenting system. We observed a drastic change of impressions when using MindMargin. As seen in figure 4, the majority of participants using the traditional commenting system described the comments as negative (68%). In contrast, when using MindMargin, the majority of participants described the comments as positive (48%) or neutral (48%) as seen in figure 3. These results have lead us to conclude that while readers were exposed to identical comments, users of MindMargin had a significantly more positive impression of the comments, considering the comments more substantial and ultimately placing greater trust and consideration into others’ opinions.

XXXX aren’t we getting rid of the pie charts and those stats? And using ordinal regression of the new data instead? XXXX

In addition to our quantitative results, we would also like to acknowledge qualitative feedback from a MindMargin user that suggests actions he/she took beyond the scope



**Figure 3:** When using MindMargin, the majority of participants described the comments as positive.



of reading and commenting article: “This article showed me a new perspective on TFA, which after doing research, I have realized I agree with.” No written feedback suggesting actions outside the scope of the article was received from participants with the traditional commenting system. While there is insufficient evidence to conclude that MindMargin motivated the user’s pursuit of further research into the issue, it nevertheless indicates that this reader using MindMargin thought critically and independently about the issue.

### Future Work

In the future, we plan to expand the participant pool to include participants of all ages and backgrounds. We would like to explore if MindMargin causes increased difficulty for readers to leave inflamed comments because MindMargin forces them to choose an appropriate anchoring place for their comments. Finally, we plan to pursue research on a commenting system like MindMargin, but for videos and music, that anchors comments to certain times or time-intervals within a given recording. Research into annotations on visual pieces, other than text, is also being considered.

### References

- [1] Brush, A. B., Barger, D., Grudin, J., Borning, A., and Gupta, A. Supporting interaction outside of class: Anchored discussions vs. discussion boards. 425–434.
- [2] Guzdial, M., and Turns, J. Effective discussion through a computer-mediated anchored forum. *Journal of the Learning Sciences* 9, (c) 2002 Inst. For Sci. Info (2000), 437–469+.
- [3] Kriplean, T., Morgan, J. T., Freelon, D., Borning, A., and Bennett, L. Considerit: Improving structured public deliberation. In *CHI '11 Extended Abstracts on Human Factors in Computing Systems*, CHI EA '11, ACM (New York, NY, USA, 2011), 1831–1836.
- [4] Lee, H. Behavioral strategies for dealing with flaming in an online forum. *Sociological Quarterly* 46, 2 (2005), 385–403.
- [5] Munson, S. A., Lee, S. Y., and Resnick, P. Encouraging reading of diverse political viewpoints with a browser widget. In *ICWSM* (2013).
- [6] O’Sullivan, P. B., and Flanagan, A. J. Reconceptualizing ‘flaming’ and other problematic messages. *New Media & Society* 5, 1 (Mar. 2003), 69–94.
- [7] Park, S., Kang, S., Chung, S., and Song, J. Newscube: delivering multiple aspects of news to mitigate media bias. In *CHI*, D. R. O. Jr., R. B. Arthur, K. Hinckley, M. R. Morris, S. E. Hudson, and S. Greenberg, Eds., ACM (2009), 443–452.
- [8] Shirky, C. Group as user: Flaming and the design of social software. In *The Best Software Writing I*. Apress, 2005, 211–221.
- [9] V. Franco, R. Piirto, H. H. B. L. Anatomy of a flame: Conflict and community building on the internet. *IEEE Technology and Society Magazine* 14, 2 (Summer 1995), 12–21.
- [10] van der Pol, J., Admiraal, W., and Simons, P. R.-J. The affordance of anchored discussion for the collaborative processing of academic texts. *I. J. Computer-Supported Collaborative Learning* 1, 3 (2006), 339–357.
- [11] Wagner, E. J., Liu, J., Birnbaum, L., and Forbus, K. D. Rich interfaces for reading news on the web. In *Proceedings of the 14th international conference on Intelligent user interfaces*, IUI '09, ACM (New York, NY, USA, 2009), 27–36.
- [12] Wolfe, J. Annotations and the collaborative digital library: Effects of an aligned annotation interface on student argumentation and reading strategies. *I. J. Computer-Supported Collaborative Learning* 3, 2 (2008), 141–164.
- [13] Zellweger, P., Regli, S. H., Mackinlay, J. D., and Chang, B.-W. The impact of fluid documents on reading and browsing: an observational study. In *CHI*, T. Turner and G. Szwillus, Eds., ACM (2000), 249–256.

[14] Zyto, S., Karger, D., Ackerman, M., and Mahajan, S.  
Successful classroom deployment of a social document  
annotation system. In *Proceedings of the SIGCHI*

*Conference on Human Factors in Computing Systems*,  
CHI '12, ACM (New York, NY, USA, 2012), 1883–1892.