

# Modeling and 3D Printing Sea Shells

## Final Report

Edward Ye || 100972832

2019/04/22

### Abstract

I thought sea shells were cool so I made some models and 3D printed them.

## Contents

<b>1</b>	<b>Some Background and Motivation</b>	<b>1</b>
1.1	Main Objective . . . . .	2
<b>2</b>	<b>Implicit Surface</b>	<b>2</b>
2.1	Logarithmic Spiral . . . . .	2
<b>3</b>	<b>Parametric Equations</b>	<b>4</b>
3.1	Modified Torus . . . . .	4
3.2	Generating Curve . . . . .	4
3.2.1	Processing . . . . .	4
3.2.2	Blender . . . . .	4
<b>4</b>	<b>Reaction Diffusion Shaders</b>	<b>4</b>
<b>5</b>	<b>Conclusion</b>	<b>5</b>
5.1	Future Work . . . . .	5

## 1 Some Background and Motivation

Sea shells have interesting patterns which appear to be readily described by mathematics and computation. Work has already been done to describe aspects of sea shells, from the spiral shape to the color patterns to the protrusions found on the exterior [3][4][7]. Recently some work has also gone into the 3D printing of sea shell model [2][1].

The motivation of this project will be to extend the methods of generating the exterior protrusions to be able to mimic a wider variety of shells. Prusinkiewicz and Fowler have modeled periodic ridge and bump patterns and they have also combined multiple generating curves to imitate more intricate shells [4]. Galbraith et al. have used constructive solid geometry (CSG) to compose different modules to generate a complete Murex Cabritii model. They have proposed the use of reaction-diffusion (RD) to place protrusions algorithmically [3]. Intuitively this appears to be a reasonable idea since the protrusion placement of certain shells are something like the placement of spots upon a leopard. Such patterns have already been described as textures using RD [6].

## 1.1 Main Objective

An interesting candidate for such a method would be:




Figure 1: Hexaplex radix [9]

The main objective would be to create a model that closely resembles the shell and to 3D print it.

## 2 Implicit Surface

The initial idea was to use a raytracer, such as POV-Ray, to create an implicit surface (isosurface in POV-Ray terminology) that would represent the shell model. The software allows for textures to also act as functions, so that the sum of the implicit equation and the texture function would generate the desired surface. POV-Ray could then generate a point cloud that would form a mesh to be 3-D printed.

### 2.1 Logarithmic Spiral

Shells are modeled by logarithmic spirals. In polar coordinates the logarithmic spiral equation is:

$$r = Ae^{\alpha\theta} \quad (1)$$

Where  $A$  shifts the position of the spiral inward or outward, and  $\alpha$  multiples the growth rate ( $\frac{dr}{d\theta} = \alpha Ae^{\alpha\theta} = \alpha r$ ).




Figure 2: 2-D Logarithmic Spiral using equation (1). [8]

In 3-D Cartesian coordinates (1) can be represented as:

$$\begin{aligned} r &= \sqrt{x^2 + y^2 + z^2} \\ \theta &= \tan^{-1}\left(\frac{y}{x}\right) \\ \sqrt{x^2 + y^2 + z^2} &= Ae^{\alpha \cdot \tan^{-1}(\frac{y}{x})} \end{aligned} \tag{2}$$

Squaring both sides of (2) then gives the implicit equation:

$$s(x, y, z) = x^2 + y^2 + z^2 - Ae^{2\alpha \cdot \tan^{-1}(\frac{y}{x})} = 0 \tag{3}$$




Figure 3: 3-D log spiral generated by *logspiral.pov* using an implementation of equation (3).

If I have some other function, such as  $f_{noise}(x, y, z)$ , I can add it to equation (3) to get another implicit equation:

$$s(x, y, z) + f_{noise}(x, y, z) = 0 \tag{4}$$




Figure 4: Equation (4) gives something pretty ugly.

After fiddling around with this for a while it became apparent that the existing parametric equations describing shells could not be easily turned into implicit equations.

### 3 Parametric Equations

Two kinds of parametric equations will be discussed: the first is modified torus used in [10], and the other is a logarithmic spiral with a generating curve used in [5].

#### 3.1 Modified Torus

The parametric equation for a torus is:

$$\begin{cases} x = (c + a \cdot \cos(v))\cos(u) \\ y = (c + a \cdot \cos(v))\sin(u) \\ z = a \cdot \sin(v) \end{cases}$$

for  $u, v \in [0, 2\pi)$ .




Figure 5: Raytraced torus.

A simple way to create models resembling sea shells is to form a linear spiral that grows downward as described in [10]. The basic equation used is:

$$\begin{cases} w(u) = \frac{u}{2\pi} \\ x = w(u) \cdot [c + a \cdot \cos(v)]\cos(N \cdot u) \\ y = w(u) \cdot [c + a \cdot \cos(v)]\sin(N \cdot u) \\ z = w(u) \cdot a \cdot \sin(v) + H \cdot [w(u)]^2 \end{cases} \quad (5)$$

Where  $H$  is the height and  $N$  is the number of turns of the spiral.  $w(u)$  ensures that the spiral grows linearly from 0 to 1, and is used quadratically so that it doesn't grow too quickly downward.

In blender using a XYZ Math Surface this model was created with the Solidify modifier:

Then it was 3-D printed.

#### 3.2 Generating Curve

Here is a summary of the method, for a more detailed explanation see [5].

##### 3.2.1 Processing

##### 3.2.2 Blender

### 4 Reaction Diffusion Shaders

In order to model the protrusion of hexaplex radix an RD texture was created. Notice from Figure X that on hexaplex radix the pattern of the protrusions seems to originate from some kind of sinusoidal shape.




Figure 6: Periwinkle shell using equation 5, where  $a = 1$ ,  $c = 1$ ,  $N = 4.6$  and  $H = 2$ . [10]




Figure 7: XYZ Math Surface in blender.

## 5 Conclusion

Here is the final model in Blender:

### 5.1 Future Work

## References

- [1] David Bachman. Modelling seashells. <http://mathartblog.com/?p=257>.
- [2] Francesco De Comit . Modelling seashells shapes and pigmentation patterns: Experiments with 3d printing. *Bridges 2017: Mathematics, Art, Music, Architecture, Education, Culture*, 2017.
- [3] Callum Galbraith, Przemyslaw Prusinkiewicz, and Brian Wyvill. Modeling murex cabritii sea shell with a structured implicit modeler. 2000.
- [4] Hans Meinhardt. *The Algorithmic Beauty of Sea Shells*. Springer-Verlag, 2009.
- [5] Jorge Picado. Seashells: the plainness and beauty of their mathematical description. <http://www.mat.uc.pt/picado/conchas/eng/article.pdf>.
- [6] Greg Turk. Generating textures on arbitrary surfaces using reaction-diffusion. *SIGGRAPH Comput. Graph.*, 25(4):289–298, July 1991.



Figure 8: Solidified XYZ Math Surface.



Figure 9: Sinusoidal pattern on hexaplex radix.

- [7] Aadjan van der Helm, Peter Ebell, and Willem F. Bronsvort. Modelling mollusc shells with generalized cylinders. *Computers and Graphics*, 22(4):505 – 513, 1998.
- [8] Eric Weisstein. Logarithmic spiral. <http://mathworld.wolfram.com/LogarithmicSpiral.html>.
- [9] Wikipedia, the free encyclopedia. Hexaplex radix. [https://upload.wikimedia.org/wikipedia/commons/thumb/f/f1/radix\\_01.jpg/1200px-Hexaplex\\_radix\\_01.jpg](https://upload.wikimedia.org/wikipedia/commons/thumb/f/f1/radix_01.jpg/1200px-Hexaplex_radix_01.jpg). Accessed: 2019-01-13.
- [10] Mike Williams. <http://www.econym.demon.co.uk/isotut/shells.htm>.