



Tidyverse


Andrew Redd, PhD.

R Bootcamp 2021

Tidyverse

Tidyverse - R For Data Science

- The Tidyverse is R for Data Science (<https://r4ds.had.co.nz/>)
 - The [book](https://r4ds.had.co.nz/) (<https://r4ds.had.co.nz/>) is well worth your time to read.



Tidyverse - Packages

- Cohesive set of packages to handle common aspects of data analysis.
 - Import data
 - [readr](https://readr.tidyverse.org/) (<https://readr.tidyverse.org/>) - flat data files (csv, tsv, fwf)
 - [haven](https://haven.tidyverse.org/) (<https://haven.tidyverse.org/>) - SAS, SPSS, Stata
 - [readxl](https://readxl.tidyverse.org/) (<https://readxl.tidyverse.org/>) - Excel data
 - DBI (<https://github.com/rstats-db/DBI>) + [dbplyr](https://dplyr.tidyverse.org/) (<https://dplyr.tidyverse.org/>) - Database Interfaces
 - Web data: [httr](https://github.com/r-lib/httr) (<https://github.com/r-lib/httr>)(API), [rvest](https://github.com/tidyverse/rvest) (<https://github.com/tidyverse/rvest>)(Scraping), [jsonlite](https://github.com/jeroen/jsonlite#jsonlite) (<https://github.com/jeroen/jsonlite#jsonlite>)(JSON), and [xml2](https://github.com/r-lib/xml2) (<https://github.com/r-lib/xml2>)(XML)

Tidyverse - Packages

- Cohesive set of packages to handle common aspects of data analysis.
 - Import
 - Wrangle
 - [dplyr](https://dplyr.tidyverse.org/) (<https://dplyr.tidyverse.org/>) - grammar of data manipulation
 - [tidyr](https://tidyr.tidyverse.org/) (<https://tidyr.tidyverse.org/>) - data shaping; wide, long, & nesting
 - [stringr](https://stringr.tidyverse.org/) (<https://stringr.tidyverse.org/>) & [stringi](https://github.com/gagolews/stringi) (<https://github.com/gagolews/stringi>) - String manipulation
 - [forcats](https://forcats.tidyverse.org/) (<https://forcats.tidyverse.org/>) - Categorical manipulation; labeling, combining categories, etcetera.
 - [lubridate](https://lubridate.tidyverse.org/) (<https://lubridate.tidyverse.org/>) & [hms](https://github.com/tidyverse/hms) (<https://github.com/tidyverse/hms>) - Date & time
 - [broom](https://broom.tidymodels.org/) (<https://broom.tidymodels.org/>) - Making untidy R objects tidy.

Tidyverse - Packages

- Cohesive set of packages to handle common aspects of data analysis.
 - Import
 - Wrangle
 - Abstraction
 - [tibble](https://tibble.tidyverse.org/) (<https://tibble.tidyverse.org/>) - Table *like* objects with a common interface.
 - [dbplyr](https://dplyr.tidyverse.org/) (<https://dplyr.tidyverse.org/>) - database operation abstraction.
 - [purrr](https://purrr.tidyverse.org/) (<https://purrr.tidyverse.org/>) - Functional programming, map & reduce.

Tidyverse - Packages

- Cohesive set of packages to handle common aspects of data analysis.
 - Import
 - Wrangle
 - Abstraction
 - Visualization
 - [ggplot2 \(https://ggplot2.tidyverse.org/\)](https://ggplot2.tidyverse.org/) - Data visualization & graphics abstraction through the grammar of graphics.

Tidyverse - Packages

- Cohesive set of packages to handle common aspects of data analysis.
 - Import
 - Wrangle
 - Abstraction
 - Visualization
 - Programming
 - [magrittr](https://magrittr.tidyverse.org/) (<https://magrittr.tidyverse.org/>) - Pipes to simplify programming.
 - [glue](https://github.com/tidyverse/glue) (<https://github.com/tidyverse/glue>) - Strings + data
 - [rlang](https://rlang.r-lib.org/) (<https://rlang.r-lib.org/>) - manipulation of R language base types.

Tidyverse - Packages

- Cohesive set of packages to handle common aspects of data analysis.
 - Import
 - Wrangle
 - Abstraction
 - Visualization
 - Programming
 - Modeling
 - [tidymodels \(https://www.tidymodels.org/\)](https://www.tidymodels.org/) - A whole separate set of packages.

The Tidy Manifesto

There are four basic principles to a tidy API:

- Reuse existing data structures.
- Compose simple functions with the pipe.
- Embrace functional programming.
- Design for humans.

<https://tidyverse.tidyverse.org/articles/manifesto.html>
(<https://tidyverse.tidyverse.org/articles/manifesto.html>)

Principle: Reuse existing data structures

- Use existing/common data structures
- Data are table-like and rectangular
 - observations are rows
 - variables are columns

This is all encapsulated with the tibble

The tibble

- Abstraction of rectangular data
- Nice labels
- Local & Remote data
- Prints nicely

```
tibble(x = 1:4, y = rnorm(4))
```

```
## # A tibble: 4 x 2
```

```
##       x       y
```

```
##   <int> <dbl>
```

```
## 1     1 -0.158
```

```
## 2     2  0.412
```

```
## 3     3  0.187
```

```
## 4     4 -0.213
```

Principle: Compose simple functions with the pipe.

- Strive to keep functions as simple as possible (but no simpler!).
- Functions do one thing and one thing only.
- Either modify or side-effects but never both.
- Naming:
 - Functions are **verbs**

Principle: Embrace functional programming.

- Immutable objects
- Dependant only on inputs. Avoid “state” variables.
- Generic functions over object methods
- Abstract over for-loops & map operations.

Principle: Design for humans.

- Easy to use names, easy to remember & consistent.
- Favor longer names that are descriptive, informative, and accurate.
- save the shortest names for the most important and often used.
- Think about auto-complete, use common prefix rather than suffix.

Tidyverse is evolving

- RStudio supports the Tidyverse.
- Development is ongoing.
- Check their [blog \(https://www.tidyverse.org/blog/\)](https://www.tidyverse.org/blog/) for the newest developments.