

## Baygon High Performance Surface Spray

INGREDIENTS	CAS NO	%	8HR OEL
propoxur	114-26-1	1	0.5 mg/m3
alkanes, C3-4	68475-59-2	20-60	-
cyfluthrin	68359-37-5	0.4	-
transfluthrin	118712-89-3	0.4	-



UN No: 1950  
 Hazchem Code: **Not Applicable**  
 DG Class: 2.1  
 Subsidiary Risk: **Not Applicable**  
 Packing Group: **Not Applicable**  
 Poisons Schedule: **Not Applicable**



### NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

### HEALTH HAZARD INFORMATION

### PRECAUTIONS FOR USE



<b>Gloves:</b>	When handling larger quantities:
<b>Respirator:</b>	Type AG Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
<b>Storage and Transportation:</b>	Store in cool, dry, protected area.
<b>Fire/Explosion Hazard:</b>	HIGHLY FLAMMABLE. Vapours/gas heavier than air. Toxic smoke/fumes in a fire. Risk of explosion if heated under confinement.

### PROPERTIES



Liquid.  
 Gas. Extremely flammable.

### EMERGENCY



### FIRST AID

<b>Swallowed:</b>	Do NOT give milk or oil. Do NOT give alcohol.
<b>Skin:</b>	Wash with soap & water. Apply cleansing cream.
<b>Advice To Doctor:</b>	Access and correct airway abnormalities. Decontaminate (Ipecac/lavage/charcoal). Atropinise. Potential sensitising effects.
<b>Fire Fighting:</b>	Keep containers cool. Water spray/ fog.
<b>Spills and Disposal:</b>	Eliminate ignition sources. Prevent from entering drains. Contain spillage by any means. Absorb with dry agent. Stop leak if safe to do so.

### SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

Explosive	Toxic	Radioactive	Oxidizing
x	x	x	x

x — Must not be stored together